



## DAFTAR PUSTAKA

Ahmad, S. F., Md Ali, U. F., & Isa, K. M. (2019). Compilation of liquefaction and pyrolysis method used for bio-oil production from various biomass: A Review. *Environmental Engineering Research*, 25(1), 18–28. <https://doi.org/10.4491/eer.2018.419>

Anwar, M. C., 2021, <https://money.kompas.com/read/2021/12/02/105347226/> daftar-umk-riau-2022-umk-pekanbaru-2022-dan-11-daerah-sekitarnya, diakses pada tanggal 8 September 2022.

Aries, R. S. dan Newton, R. D., 1955, “Chemical Engineering Cost Estimation”, McGraw-Hill, New York.

Bank Indonesia, 2022, [https://www.bi.go.id/id/publikasi/ruang-media/news-release/Pages/sp\\_2422622.aspx](https://www.bi.go.id/id/publikasi/ruang-media/news-release/Pages/sp_2422622.aspx), diakses pada tanggal 19 September 2022.

Bank Indonesia, 2022, “Statistik Ekonomi dan Keuangan Indonesia - Suku Bunga Pinjaman Rupiah yang Diberikan Menurut Kelompok Bank dan Jenis Pinjaman”, Tabel I26, BI, Jakarta.

Biswas, B., Kumar, J., & Bhaskar, T. (2019). Advanced hydrothermal liquefaction of biomass for bio-oil production. *Biofuels: Alternative Feedstocks and Conversion Processes for the Production of Liquid and Gaseous Biofuels*, 245–266. <https://doi.org/10.1016/b978-0-12-816856-1.00010-5>

Burnham, A. (2010). (tech.). Estimating the Heat of Formation of Foodstuffs and Biomass (pp. 3–12). Stanford, California: Lawrence Livermore National Laboratory.

BPS-RI. 2020. “Data Perkebunan Nasional Kelapa Sawit Indonesia tahun 2021” Badan Pusat Statistik Indonesia.

BPS-RI. 2020. “Data Perkebunan Nasional Kelapa Sawit Indonesia tahun 2021” Badan Pusat Statistik Indonesia.

BPS-RI. 2020. “Data Iklim Riau Tahun 2020” Badan Pusat Statistik Indonesia.

BPS-RI. 2020. “Produksi Perkebunan Besar Menurut Jenis Tanaman (Ton), 2018-2020.” Badan Pusat Statistik Indonesia.



**Prarancangan Pabrik Fenol dari Tandan Kosong Kelapa Sawit melalui Proses Hydrothermal Liquefaction dengan Kapasitas 40.000 ton/tahun**

BILLI ALDITIA N, Ir. Rochim Bakti Cahyono, S.T., M.Sc., Ph.D., IPM.

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Brown, G., Katz, D., Foust, A. S., and Schneidewind, C., 1950, "Unit Operation", John Wiley and Sons, Inc., New York.

Cantero-Tubilla, B., Cantero, D. A., Martinez, C. M., Tester, J. W., Walker, L. P., & Posmanik, R. (2018). Characterization of the solid products from hydrothermal liquefaction of waste feedstocks from food and Agricultural Industries. *The Journal of Supercritical Fluids*, 133, 665–673. <https://doi.org/10.1016/j.supflu.2017.07.009>

Cao, L., Zhang, C., Chen, H., Tsang, D. C. W., Luo, G., Zhang, S., & Chen, J. (2017). Hydrothermal liquefaction of Agricultural and Forestry Wastes: State-of-the-art review and future prospects. *Bioresource Technology*, 245, 1184–1193. <https://doi.org/10.1016/j.biortech.2017.08.196>

Chan, Y. H., Yusup, S., Quitain, A. T., Uemura, Y., & Sasaki, M. (2014). Bio-oil production from oil palm biomass via subcritical and supercritical hydrothermal liquefaction. *The Journal of Supercritical Fluids*, 95, 407–412. <https://doi.org/10.1016/j.supflu.2014.10.014>

Coulson, J.M. and Richardson, J.F. (1983). "Chemical Engineering Volume 6". Pergamon Press: Oxford.

Crowl, D.A dan Louvar, J.F. 2002. "Chemical Process Safety". Prentice Hall, New Jersey  
Data Bridge Market Research, . (2022). Global phenol market - industry trends and forecast to 2029. Phenol Market Overview, Industry Trends, Segmentation, Analysis, Scope, and Forecast to 2029. Retrieved September 29, 2022, from <https://www.databridgemarketresearch.com/reports/global-phenol-market>

Dupont, C., Chiriac, R., Gauthier, G., & Toche, F. (2014). Heat capacity measurements of various biomass types and pyrolysis residues. *Fuel*, 115, 644–651. <https://doi.org/10.1016/j.fuel.2013.07.086>

Hao, B., Xu, D., Jiang, G., Sabri, T. A., Jing, Z., & Guo, Y. (2021). Chemical reactions in the hydrothermal liquefaction of biomass and in the catalytic hydrogenation upgrading of Biocrude. *Green Chemistry*, 23(4), 1562–1583. <https://doi.org/10.1039/d0gc02893b>

Ibrahim, S. H., W.K., S., Baharun, A., Nawi, M. N. M., & Affandi, R. (2014). Thermal performance of oil palm fibre and paper pulp as the insulation materials. *Journal of Civil Engineering, Science and Technology*, 5(2), 22–28.  
<https://doi.org/10.33736/jcest.135.2014>



Imran, M., Pambudi, N. A., & Farooq, M. (2017). Thermal and hydraulic optimization of plate heat exchanger using multi objective genetic algorithm. Case Studies in Thermal Engineering, 10, 570–578. <https://doi.org/10.1016/j.csite.2017.10.003>

Kakaç Sadik, Liu, H., & Pramuanjaroenkij, A. (2012). Heat exchangers: Selection, rating, and Thermal Design, third edition. CRC Press.

Karassik, I. J., Messina, J. K., Cooper, P., & Heald, C. C. (2001). Pump Handbook (3rd ed.). McGraw-Hill.

Kemenperin. (2022). Kemenperin: Aktivitas Industri Pengolahan Sawit Dongkrak Ekonomi Daerah. Kementerian Perindustrian. Retrieved September 29, 2022, from <https://www.kemenperin.go.id/artikel/23407/Aktivitas-Industri-Pengolahan-Sawit-Dongkrak-Ekonomi-Daerah>

Kern, D. Q., 1965, “Process Heat Transfer”, McGraw-Hill Book Company, Japan.

Khanna, D.R., Bhutiani, R., dan Matta, G. 2009. “Environmental Management System”. Shivneri Publisher and Distributors, Haridwar.

Matches, 2014, <http://www.matche.com/equipcost/EquipmentIndex.html>, diakses pada tanggal 9 September 2022.

Material Safety Data Sheet from various sources.

Mathanker, A., Das, S., Pudasainee, D., Khan, M., Kumar, A., & Gupta, R. (2021). A review of hydrothermal liquefaction of biomass for biofuels production with a special focus on the effect of process parameters, co-solvents, and extraction solvents. *Energies*, 14(16), 4916. <https://doi.org/10.3390/en14164916>

Mortensen, P. M., Grunwaldt, J.-D., Jensen, P. A., Knudsen, K. G., & Jensen, A. D. (2011). A review of catalytic upgrading of bio-oil to engine fuels. *Applied Catalysis A: General*, 407(1-2), 1–19. <https://doi.org/10.1016/j.apcata.2011.08.046>

McGraw-Hill Higher Ed, 2002, <http://www.mhhe.com/engcs/chemical/peters/data/ce.html>, diakses pada tanggal 9 September 2022.

Novia Yanti, R., & Hutasuhut, I. L. (2020). Potensi Limbah Padat Perkebunan Kelapa Sawit di Provinsi Riau. Wahana Forestra: Jurnal Kehutanan, 15(2), 1–11. <https://doi.org/10.31849/forestra.v15i2.4696>



*Occupational Safety and Health Act.* 2000. “Process Safety Management”. Department of Labor, Washington D.C.

Okamoto, Y., & Lienhard, J. H. (2019). How ro membrane permeability and other performance factors affect process cost and energy use: A Review. *Desalination*, 470, 114064. <https://doi.org/10.1016/j.desal.2019.07.004>

Peraturan Menteri Negara Lingkungan Hidup Nomor 03 Tahun 2010 tentang Baku Mutu Air Limbah bagi Kawasan Industri

Peraturan Pemerintah Republik Indonesia Nomor 41 Tahun 1999 tentang Pengendalian Pencemakan Udara

Perry, R. H., 1999, “Perry’s Chemical Engineer’s Handbook”, Seventh Ed., The McGraw Hill Companies, Inc., New York.

Perry, R. H., & Green, D. W. (2008). Perry's chemical engineers' handbook. New York: McGraw-Hill Book Company.

Powell, S.T., 1954, “Water Conditioning for Industry”, 1st ed., Mc Graw Hill Book Co., Tokyo.

Plant Cost Index, 2020, <https://www.chemengonline.com/site/plant-cost-index/>.

Ulrich G. D., 1984, “A Guide to Chemical Engineering Process Design and Economics ”, John Wiley & Sons, Inc., New York.

Rase, H. F., & Barrow, M. H. (1977). Project Engineering of Process Plants. UMI.

Rendell, E.G. dan McGinty, K.A. 2004. “Environmental Management Systems: A Guidebook for Improving Energy and Environmental Performance in Local Government”. Five Winds International, Colorado.

Setyawan, H. Y., Dewi, J. R., Sunyoto, N. M., & Wijana, S. (2020). Progress on research and development of bio-oil as a fuel in Indonesia. *IOP Conference Series: Earth and Environmental Science*, 475(1), 012062. <https://doi.org/10.1088/1755-1315/475/1/012062>

Sinnott, R. K., & Towler, G. (2005). *Chemical Engineering Design. Volume 6*, 1055.

Spalding, D. B., Armstrong, R. C., Edwards, D. K., Bell, K. J., Taborek, J., Schlünder Ernst U., & Chenoweth, J. M. (1983). Heat Exchanger Design Handbook. Verlag des Vereins Deutscher Ingenieure.

Turton, R, 2018. *Analysis Synthesis and Design of Chemical Processes*. Pearson Education.



**Prarancangan Pabrik Fenol dari Tandan Kosong Kelapa Sawit melalui Proses Hydrothermal Liquefaction dengan Kapasitas 40.000 ton/tahun**

BILLI ALDITIA N, Ir. Rochim Bakti Cahyono, S.T., M.Sc., Ph.D., IPM.

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Treybal, R.E., 1981, "Mass-Transfer Operations", Int.ed., p. 139-210, Singapore, McGraw-Hill Book Company.

U.S. Department of Labor, 2021, <http://www.dol.gov/agencies/whd/minimum-wage/state>, diakses pada tanggal 9 September 2022.

Xiu, S., & Shahbazi, A. (2012). Bio-oil production and upgrading research: A Review.

*Renewable and Sustainable Energy Reviews*, 16(7), 4406–4414.

<https://doi.org/10.1016/j.rser.2012.04.028>

Yan, M., Hantoko, D., Susanto, H., Ardy, A., Waluyo, J., Weng, Z., & Lin, J. (2019).

Hydrothermal treatment of empty fruit bunch and its pyrolysis characteristics.

*Biomass Conversion and Biorefinery*, 9(4), 709–717. <https://doi.org/10.1007/s13399-019-00382-9>

Yaws, C. L., 1999, "Chemical Properties Handbook: Physical, Thermodynamic, Environmental, Transport, Safety, and Health Related Properties for Organic and Inorganic Chemicals", The McGraw Hill Companies, Inc., New York.

Young, E.H., and Brownell, L. E., 1979, Process Equipment Design, John Wiley and Sons, Inc., New York. Evans, F. L., 1980, "Equipment Design Handbook", Gulf Publishing Company, Tokyo.

Zhang, B., Huang, H.-J., & Ramaswamy, S. (2012). A kinetics study on hydrothermal liquefaction of high-diversity grassland perennials. *Energy Sources, Part A: Recovery, Utilization, and Environmental Effects*, 34(18), 1676–1687.

<https://doi.org/10.1080/15567036.2010.483453>