

## DAFTAR PUSTAKA

- Alberghina, L. (2005). Protein Engineering In Industrial Biotechnology. *Harwood Academic Publishers Imprint*.
- Alkema, W. B. L., Dijkhuis, A. J., De Vries, E., & Janssen, D. B. (2002). The role of hydrophobic active-site residues in substrate specificity and acyl transfer activity of penicillin acylase. *European Journal of Biochemistry*, 269(8), 2093–2100. <https://doi.org/10.1046/j.1432-1033.2002.02857.x>
- Arshad, R., Farooq, S., & Shahid Ali, S. (2010). IMPROVEMENT OF PENICILLIN G ACYLASE EXPRESSION IN ESCHERICHIA COLI THROUGH UV INDUCED MUTATIONS. *Brazilian Journal of Microbiology*, 41, 1133–1141.
- Avinash, V. S., Pundle, A. V., Ramasamy, S., & Suresh, C. G. (2016). Penicillin acylases revisited: Importance beyond their industrial utility. *Critical Reviews in Biotechnology*, 36(2), 303–316. <https://doi.org/10.3109/07388551.2014.960359>
- Balci, H., Ozturk, M. T., Pijning, T., Ozturk, S. I., & Gumusel, F. (2014). Improved activity and pH stability of E. coli ATCC 11105 penicillin acylase by error-prone PCR. *Applied Microbiology and Biotechnology*, 98(10), 4467–4477. <https://doi.org/10.1007/s00253-013-5476-7>
- Bessette, P. H., Mena, M. A. W., Nguyen, A., & Daugherty, P. S. (2003). Construction of designed protein libraries using gene assembly mutagenesis. *Methods Mol Biol*, 231, 29–37.
- Böttcher, D., & Bornscheuer, U. T. (2010). Protein engineering of microbial enzymes. In *Current Opinion in Microbiology* (Vol. 13, Issue 3, pp. 274–282). Elsevier Current Trends. <https://doi.org/10.1016/j.mib.2010.01.010>
- Brannigan, J. A., Dodson, G. G., Done, S. H., Hewitt, L., McVey, C. E., & Wilson, K. S. (2000). Structural studies of penicillin acylase. *Applied Biochemistry and Biotechnology - Part A Enzyme Engineering and Biotechnology*, 88(1–3), 313–319. <https://doi.org/10.1385/abab.88:1-3:313>
- Bush, K., & Jacoby, G. (2010). Updated functional classification of betalactamases. *Antimicrob Agents Chemother*, 54, 969–976.
- Chen, J., Ding, Z., Pan, H., & Cao, X. (2017). Development of pH-responsive polymer and citrate aqueous two-phase system for extractive bioconversion of cefprozil. *Talanta*, 174(May), 256–264. <https://doi.org/10.1016/j.talanta.2017.05.027>
- Chen, K., & Arnold, F. (1993). Tuning the activity of an enzyme for unusual environments: sequential random mutagenesis of subtilisin E for catalysis in dimethylformamide. *Proc. Natl. Acad. Sci.*, 90, 5618–5622.
- Cheng, T., Chen, M., Zheng, H., Wang, J., Yang, S., & Jiang, W. (2006). Expression and purification of penicillin G acylase enzymes from four different micro-organisms, and a comparative evaluation of their synthesis/hydrolysis ratios for cephalexin. *Protein Expression and Purification*, 46(1), 107–113. <https://doi.org/10.1016/j.pep.2005.07.016>
- Deng, S., Ma, X., Su, E., & Wei, D. (2016). Efficient cascade synthesis of ampicillin from penicillin G potassium salt using wild and mutant penicillin

- G acylase from *Alcaligenes faecalis*. *Journal of Biotechnology*, 219, 142–148. <https://doi.org/10.1016/j.jbiotec.2015.12.034>
- Deng, S., Ma, X., Sun, M., Wei, D., & Su, E. (2016). Efficient enzymatic synthesis of ampicillin using mutant Penicillin G acylase with bio-based solvent glycerol. *Catalysis Communications*, 79, 31–34. <https://doi.org/10.1016/j.catcom.2016.02.014>
- Deng, S., Su, E., Ma, X., Yang, S., & Wei, D. (2015). Efficient enzymatic synthesis of ampicillin by mutant *Alcaligenes faecalis* penicillin G acylase. *Journal of Biotechnology*, 199, 62–68. <https://doi.org/10.1016/j.jbiotec.2015.01.004>
- Duggleby, H.J., Tolley, S.P., Dodson, E.J., Dodson, G., Moody, P.C.E., dan H., & C.P. (1995). Penicillin acylase has a single-amino-acid catalytic centre. *Nature*, 373(6511), 264–268.
- Estruch, I., Tagliani, A. R., Guisán, J. M., Fernández-Lafuente, R., Alcántara, A. R., Toma, L., & Terreni, M. (2008). Immobilization of the acylase from *Escherichia coli* on glyoxyl-agarose gives efficient catalyst for the synthesis of cephalosporins. *Enzyme and Microbial Technology*, 42(2), 121–129. <https://doi.org/10.1016/j.enzmictec.2007.08.013>
- Fernandez, B. A. M. (2013). Studi Penggunaan Antibiotik Tanpa Resep di Kabupaten Manggarai dan Manggarai Barat – NTT. *Jurnal Ilmiah Mahasiswa Universitas Surabaya*, 2(2).
- Flores, G., Soberón, X., dan Osuna, J. (2004). Production of a fully functional, permuted single-chain penicillin G acylase. *Protein Sci.*, 13, 1677–1683.
- Georgescu, R., Bandara, G., & Sun, L. (2003). Saturation mutagenesis. *Methods Mol Biol*, 231, 75–83.
- Giordano, R. C., Ribeiro, M. P. A., & Giordano, R. L. C. (2006). Kinetics of  $\beta$ -lactam antibiotics synthesis by penicillin G acylase (PGA) from the viewpoint of the industrial enzymatic reactor optimization. *Biotechnology Advances*, 24(1), 27–41. <https://doi.org/10.1016/j.biotechadv.2005.05.003>
- Gulich, M., Štěpánek, V., & Kyslík, P. (2013). Perspectives and industrial potential of PGA selectivity and promiscuity. *Biotechnology Advances*, 31(8), 1458–1472. <https://doi.org/10.1016/j.biotechadv.2013.07.005>
- Ho, S. N., Hunt, H. D., Horton, R. M., Pullen, J. K., & Pease, L. R. (1989). “Site-directed mutagenesis by overlap extension using the polymerase chain reaction.” *Gene*, 77, 51–9.
- Hughes, M. D., Nagel, D. A., Santos, A. F., Sutherland, A. J., & Hine, A. V. (1996). Removing the redundancy from randomised gene libraries. *J Mol Biol*, 331, 973–9.
- Illanes, A., Altamirano, C., Fuentes, M., Zamorano, F., & Aguirre, C. (2005). Synthesis of cephalexin in organic medium at high substrate concentrations and low enzyme to substrate ratio. *Journal of Molecular Catalysis B: Enzymatic*, 35(1–3), 45–51. <https://doi.org/10.1016/j.molcatb.2005.04.015>
- Jager, S. A. W., Jekel, P. A., & Janssen, D. B. (2007). Hybrid penicillin acylases with improved properties for synthesis of  $\beta$ -lactam antibiotics. *Enzyme and Microbial Technology*, 40(5), 1335–1344. <https://doi.org/10.1016/j.enzmictec.2006.10.014>

- Janssen, M. (2006). *Properties of Immobilised Penicillin G Acylase in  $\beta$ -Lactam Antibiotic Synthesis* (Thesis). Technische Universiteit Delft.
- Kang, K., & Redner, S. (1985). Fluctuation-dominated kinetics in diffusion-controlled reactions. *Physical Review A*, 32(1), 435–447.  
<https://doi.org/10.1103/PhysRevA.32.435>
- Karthikeyan, R., Surianarayanan, M., Sudharshan, S., Gunasekaran, P., & Asit Baran, M. (2011). Biocalorimetric and respirometric studies on production of Penicillin G acylase from *Bacillus badius* pac in *E. coli* DH5 $\alpha$ . *Biochemical Engineering Journal*, 55(3), 223–229.  
<https://doi.org/10.1016/j.bej.2011.05.003>
- Kasche, V., Galunsky, B., & Ignatova, Z. (2003). Fragments of pro-peptide activate mature penicillin amidase of *Alcaligenes faecalis*. *Eur. J. Biochem.*, 270, 4721–4728. <https://doi.org/10.1046/j.1432-1033.2003.03871.x>
- Li, A., Cheng, C., Qi, W., Pan, X., Xu, X., Wang, X., Wu, C., Chu, J., & He, B. (2021a). Combining multiple site-directed mutagenesis of penicillin G acylase from *Achromobacter xylosoxidans* PX02 with improved catalytic properties for cefamandole synthesis. *International Journal of Biological Macromolecules*, 175, 322–329.  
<https://doi.org/10.1016/j.ijbiomac.2021.01.194>
- Li, A., Cheng, C., Qi, W., Pan, X., Xu, X., Wang, X., Wu, C., Chu, J., & He, B. (2021b). Combining multiple site-directed mutagenesis of penicillin G acylase from *Achromobacter xylosoxidans* PX02 with improved catalytic properties for cefamandole synthesis. *International Journal of Biological Macromolecules*, 175, 322–329.  
<https://doi.org/10.1016/j.ijbiomac.2021.01.194>
- Li, S., & Cao, X. (2014). Enzymatic synthesis of Cephalexin in recyclable aqueous two-phase systems composed by two pH responsive polymers. *Biochemical Engineering Journal*, 90, 301–306.  
<https://doi.org/10.1016/j.bej.2014.06.002>
- Li, X., Tian, L., Ali, Z., Wang, W., & Zhang, Q. (2018). Design of flexible dendrimer-grafted flower-like magnetic microcarriers for penicillin G acylase immobilization. *Journal of Materials Science*, 53(2), 937–947.  
<https://doi.org/10.1007/s10853-017-1581-9>
- Liu, R., Huang, W., Pan, S., Li, Y., Yu, L., & He, D. (2020). *Covalent immobilization and characterization of penicillin G acylase on magnetic Fe<sub>2</sub>O<sub>3</sub>/Fe<sub>3</sub>O<sub>4</sub> heterostructure nanoparticles prepared via a novel solution combustion and gel calcination process*.  
<https://doi.org/10.1016/j.ijbiomac.2020.07.283>
- Lobanovska Mariya Pilla and Giulia. (2017). Penicillin's Discovery and Antibiotic Resistance: Lessons for the Future? *Yale Journal of Biology and Medicine*, 90, 135–145.
- Mayer, J., Pippel, J., Günther, G., Müller, C., Lauermann, A., Knuuti, T., Blankenfeldt, W., Jahn, D., & Biedendieck, R. (2019). Crystal structures and protein engineering of three different penicillin G acylases from Gram-positive bacteria with different thermostability. *Applied Microbiology and Biotechnology*, 103, 7537–7552. <https://doi.org/10.1007/s00253-019-09977->

- Miyazaki, K. (2003). Creating random mutagenesis libraries by megaprimer PCR of whole plasmid (MEGAWHOP). *Methods Mol Biol*, 231, 23–8.
- Pan, X., Li, A., Peng, Z., Ji, X., Chu, J., & He, B. (2020). *Efficient synthesis of  $\beta$ -lactam antibiotics with in situ product removal by a newly isolated penicillin G acylase*. <https://doi.org/10.1016/j.bioorg.2020.103765>
- Pan, X., Wang, L., Ye, J., Qin, S., & He, B. (2018). Efficient synthesis of  $\beta$ -lactam antibiotics with very low product hydrolysis by a mutant *Providencia rettgeri* penicillin G acylase. *Applied Microbiology and Biotechnology*, 102, 102:1749–1758. <https://doi.org/10.1007/s00253-017-8692-8>
- Parmar, A., Kumar, H., Marwaha, S.S., dan Kennedy, J. F. (2000). Advances in enzymatic transformation of penicillins to 6-aminopenicillanic acid (6-APA). *Biotechnol. Adv.*, 18, 289–301.
- Rajendhran, J., & Gunasekaran, P. (2007). Molecular cloning and characterization of thermostable  $\beta$ -lactam acylase with broad substrate specificity from *Bacillus badius*. *Journal of Bioscience and Bioengineering*, 103(5), 457–463. <https://doi.org/10.1263/jbb.103.457>
- Rathore, A. (2011). *Penicillin G Acylase from Arthrobacter viscosus (ATCC 15294): Production, Biochemical Aspects and Structural Studies*. April.
- Ruth Rize Paas Megahati INFO. (2012). Diterima: Direview: Disetujui: *Jurnal Pelangi*, 4(2), 154–161.
- Sakaguchi K, M. S. A. (1950). A preliminary report on a new enzyme ‘penicillinamidase.’ *J Agric Chem Soc Jpn*, 23, 411.
- Sklyarenko, A. V., El'darov, M. A., Kurochkina, V. B., & Yarotsky, S. V. (2015). Enzymatic synthesis of  $\beta$ -lactam acids (review). *Applied Biochemistry and Microbiology*, 51(6), 627–640. <https://doi.org/10.1134/S0003683815060150>
- Srirangan, K., Orr, V., Akawi, L., Westbrook, A., Chou, C.P., dan Moo-Young, M. (2013). Biotechnological advances on Penicillin G acylase: Pharmaceutical implications, unique expression mechanism and production strategies. *Biotechnol. Adv.*, 31, 1319–1332.
- Srirangan, K., Orr, V., Akawi, L., Westbrook, A., Moo-Young, M., & Chou, C. P. (2013). Biotechnological advances on Penicillin G acylase: Pharmaceutical implications, unique expression mechanism and production strategies. *Biotechnology Advances*, 31(8), 1319–1332. <https://doi.org/10.1016/j.biotechadv.2013.05.006>
- Steffens, D., & Williams, J. (2007). Efficient site-directed saturation mutagenesis using degenerate oligonucleotides. *J Biomol Tech.*, 18, 147–149.
- Stemmer, W. P., Cramer, A., Ha, K. D., Brennan, T. M., & Heyneker, H. L. (1995). Single-step assembly of a gene and entire plasmid from large numbers of oligodeoxynucleotides. *Gene*, 164, 49–53.
- Sykes, J. E., & Papich, M. G. (2013). Antibacterial drugs. In *Canine and Feline Infectious Diseases*. Elsevier Inc. <https://doi.org/10.1016/B978-1-4377-0795-3.00008-9>
- Terreni, M., Ubiali, D., Bavaro, T., Pregnolato, M., Fernández-Lafuente, R., & Guisán, J. M. (2007). Enzymatic synthesis of cephalosporins. The immobilized acylase from *Arthrobacter viscosus*: A new useful biocatalyst.

- Applied Microbiology and Biotechnology*, 77(3), 579–587.  
<https://doi.org/10.1007/s00253-007-1186-3>
- Theodorakis, C. W. (2008). Mutagenesis. In *Encyclopedia of Ecology, Five-Volume Set* (pp. 2475–2484). Elsevier Inc. <https://doi.org/10.1016/B978-008045405-4.00408-0>
- Tishkov, V. I., Savin, S. S., & Yasnaya, A. S. (2010). Protein Engineering of Penicillin Acylase. *Acta Naturae*, 2(3), 47–61.  
<https://doi.org/10.32607/20758251-2010-2-3-47-61>
- Turanli, B., Alkim, C., & Cakar, P. (2012). *Protein Engineering Methodes and Applications*. <https://doi.org/10.5772/27306>
- Valencia, P., Wilson, L., Aguirre, C., & Illanes, A. (2010). Evaluation of the incidence of diffusional restrictions on the enzymatic reactions of hydrolysis of penicillin G and synthesis of cephalexin. *Enzyme and Microbial Technology*, 47(6), 268–276.  
<https://doi.org/10.1016/j.enzmictec.2010.07.010>
- Yang, L., Gao, Z., Guo, Y., Zhan, W., Guo, Y., Wang, Y., & Lu, G. (2014). Immobilization of penicillin G acylase on paramagnetic aldehyde-functionalized mesostructured cellular foams. *Enzyme and Microbial Technology*, 60, 32–39. <https://doi.org/10.1016/j.enzmictec.2014.03.011>
- Ye, J., Li, A., Chu, T., Pan, X., & He, B. (2019a). 38. [2019] Ye \_ Poly-lysine supported cross-linked enzyme aggregates of penicillin G acylase and its application in synthesis of  $\beta$ -lactam antibiotics.pdf. *International Journal of Biological Macromolecules*, 140, 423–428.  
<https://doi.org/10.1016/j.ijbiomac.2019.08.021>
- Ye, J., Li, A., Chu, T., Pan, X., & He, B. (2019b). *Poly-lysine supported cross-linked enzyme aggregates of penicillin G acylase and its application in synthesis of  $\beta$ -lactam antibiotics*.  
<https://doi.org/10.1016/j.ijbiomac.2019.08.021>
- Zhang, Y.-W., Liu, R.-J., & Xu, M. (2010). One-pot, two-step enzymatic synthesis of amoxicillin by complexing with  $Zn^{2+}$ . *Appl Microbiol Biotechnol* (2010), 88, 49–55. <https://doi.org/10.1007/s00253-010-2727-8>
- Zheng, L., Baumann, U., & Reymond, J. (2004). An efficient one-step site-directed and site-saturation mutagenesis protocol. *Nucleic Acids Res*, 32, 3115.