

BIBLIOGRAPHY

- Adewumi, T., Liwicki, F. and Liwicki, M., 2022. Word2Vec: Optimal hyperparameters and their impact on natural language processing downstream tasks. *Open Computer Science*, 12(1), pp.134-141.
- Bakker, I., Van der Voordt, T., Vink, P. and De Boon, J., 2014. Pleasure, arousal, dominance: Mehrabian and Russell revisited. *Current Psychology*, 33(3), pp.405-421.
- Behdenna, S., Barigou, F. and Belalem, G., 2018. Document level sentiment analysis: a survey. *EAI Endorsed Transactions on Context-aware Systems and Applications*, 4(13).
- Bengio, Y., Simard, P. and Frasconi, P., 1994. Learning long-term dependencies with gradient descent is difficult. *IEEE transactions on neural networks*, 5(2), pp.157-166.
- Bengio, Y., Schwenk, H., Senécal, J., Morin, F. and Gauvain, J., 2006. Neural Probabilistic Language Models. *Innovations in Machine Learning*, pp.137-186.
- Bhavitha, B.K., Rodrigues, A.P. and Chiplunkar, N.N., 2017, March. Comparative study of machine learning techniques in sentimental analysis. In *2017 International conference on inventive communication and computational technologies (ICICCT)* (pp. 216-221). IEEE.
- Chatterjee, A., Gupta, U., Chinnakotla, M. K., Srikanth, R., Galley, M., & Agrawal, P. (2019). Understanding Emotions in Text Using Deep Learning and Big Data. *Computers in Human Behavior*, 93, 309–317. <https://doi.org/10.1016/j.chb.2018.12.029>
- Chen, T., Xu, R., He, Y. and Wang, X., 2017. Improving sentiment analysis via sentence type classification using BiLSTM-CRF and CNN. *Expert Systems with Applications*, 72, pp.221-230.
- Dang, N.C., Moreno-García, M.N. and De la Prieta, F., 2020. Sentiment analysis based on deep learning: A comparative study. *Electronics*, 9(3), p.483.

- Dimitrov, S., Zamal, F., Piper, A. and Ruths, D., 2015, April. Goodreads versus Amazon: the effect of decoupling book reviewing and book selling. In *Ninth international AAAI conference on web and social media*.
- DiPietro, R. and Hager, G., 2020. Deep learning: RNNs and LSTM. *Handbook of Medical Image Computing and Computer Assisted Intervention*, pp.503-519.
- Feng, K., Pi, X., Liu, H. and Sun, K., 2019. Myocardial infarction classification based on convolutional neural network and recurrent neural network. *Applied Sciences*, 9(9), p.1879.
- Feurer, M. and Hutter, F., 2019. Hyperparameter optimization. In *Automated machine learning* (pp. 3-33). Springer, Cham.
- Fu, M., Qu, H., Huang, L. and Lu, L., 2018. Bag of meta-words: A novel method to represent document for the sentiment classification. *Expert Systems with Applications*, 113, pp.33-43.
- Gadze, J.D., Bamfo-Asante, A.A., Agyemang, J.O., Nunoo-Mensah, H. and Opare, K.A.B., 2021. An investigation into the application of deep learning in the detection and mitigation of DDOS attack on SDN controllers. *Technologies*, 9(1), p.14.
- Graves, A. and Schmidhuber, J., 2005. Framewise phoneme classification with bidirectional LSTM and other neural network architectures. *Neural networks*, 18(5-6), pp.602-610.
- Graves, A., 2012. Supervised Sequence Labelling with Recurrent Neural Networks (pp. 13-38). Springer, Berlin, Heidelberg.
- Guan, X., Li, Y., Gong, H., Sun, H., & Zhou, C. (2018). *An Improved SVM for Book Review Sentiment Polarity Analysis*.
- Gulli, A. and Pal, S., 2017. *Deep learning with Keras*. Packt Publishing Ltd.
- Haddi, E., Liu, X. and Shi, Y., 2013. The role of text pre-processing in sentiment analysis. *Procedia computer science*, 17, pp.26-32.
- Han, J., Pei, J. and Kamber, M., 2011. *Data mining: concepts and techniques*. Elsevier.
- Hochreiter, S. and Schmidhuber, J., 1997. Long short-term memory. *Neural computation*, 9(8), pp.1735-1780.

- Hossin, M. and Sulaiman, M.N., 2015. A review on evaluation metrics for data classification evaluations. *International journal of data mining & knowledge management process*, 5(2), p.1.
- Hu, M., & Liu, B. (2004). *Mining and Summarizing Customer Reviews*.
- Kantrowitz, M., Mohit, B. and Mittal, V., 2000, July. Stemming and its effects on TFIDF ranking. In *Proceedings of the 23rd annual international ACM SIGIR conference on Research and development in information retrieval* (pp. 357-359).
- Kratzwald, B., Ilić, S., Kraus, M., Feuerriegel, S. and Prendinger, H., 2018. Deep learning for affective computing: Text-based emotion recognition in decision support. *Decision Support Systems*, 115, pp.24-35.
- Lackermair, G., Kailer, D. and Kanmaz, K. (2013) "Importance of Online Product Reviews from a Consumer's Perspective," *Advances in Economics and Business*, 1(1), pp. 1–5. doi:10.13189/aeb.2013.010101.
- Lewis, C., 2021. *SpaCy Basics: The Importance of Tokens in Natural Language Processing*. [online] Medium. Available at: <<https://medium.com/analytics-vidhya/spacy-basics-the-importance-of-tokens-in-natural-language-processing-89a698d8a76>> [Accessed 13 February 2022].
- Leung, K., 2022. Micro, Macro & weighted averages of F1 score, clearly explained. *Medium*. Available at: <https://towardsdatascience.com/micro-macro-weighted-averages-of-f1-score-clearly-explained-b603420b292f#989c> [Accessed September 26, 2022].
- Li, F. and Betts, S.C., 2003. Trust: What it is and what it is not. *International Business & Economics Research Journal (IBER)*, 2(7).
- Liu, B. (2012) *Sentiment analysis and opinion mining*. Morgan & Claypool.
- Mikolov, T., Sutskever, I., Chen, K., Corrado, G.S. and Dean, J., 2013. Distributed representations of words and phrases and their compositionality. *Advances in neural information processing systems*, 26.
- Mohammad, S.M. and Turney, P.D., 2013. Crowdsourcing a word–emotion association lexicon. *Computational intelligence*, 29(3), pp.436-465.

- Mohammed, M. and Omar, N., 2020. Question classification based on Bloom's taxonomy cognitive domain using modified TF-IDF and word2vec. *PloS one*, 15(3), p.e0230442
- Muhammad, P.F., Kusumaningrum, R. and Wibowo, A., 2021. Sentiment analysis using Word2Vec and long short-term memory (LSTM) for Indonesian hotel reviews. *Procedia Computer Science*, 179, pp.728-735..
- Nandwani, P. and Verma, R. (2021) "A review on sentiment analysis and emotion detection from text," *Social Network Analysis and Mining*. Springer. doi:10.1007/s13278-021-00776-6.
- Ni, J., Li, J. and McAuley, J., 2019, November. Justifying recommendations using distantly-labeled reviews and fine-grained aspects. In *Proceedings of the 2019 Conference on Empirical Methods in Natural Language Processing and the 9th International Joint Conference on Natural Language Processing (EMNLP-IJCNLP)* (pp. 188-197).
- Nielek, R., Ciastek, M. and Kopeć, W., 2017, August. Emotions make cities live: towards mapping emotions of older adults on urban space. In *Proceedings of the International Conference on Web Intelligence* (pp. 1076-1079).
- Nugroho, K., 2019. *Confusion Matrix untuk Evaluasi Model pada Supervised Learning*. [online] Medium. Available at: <<https://ksnugroho.medium.com/confusion-matrix-untuk-evaluasi-model-pada-un-supervised-machine-learning-bc4b1ae9ae3f>> [Accessed 20 February 2022].
- Nwankpa, C., Ijomah, W., Gachagan, A. and Marshall, S., 2018. Activation functions: Comparison of trends in practice and research for deep learning. *arXiv preprint arXiv:1811.03378*.
- Omar, M.S., Njeru, A., Paracha, S., Wannous, M. and Yi, S., 2017, May. Mining tweets for education reforms. In *2017 International Conference on Applied System Innovation (ICASI)* (pp. 416-419). IEEE.
- Phi, M., 2018. *Illustrated Guide to LSTM's and GRU's: A step by step explanation*. [online] Medium. Available at: <<https://towardsdatascience.com/illustrated-guide-to-lstms-and-gru-s-a-step-by-step-explanation-44e9eb85bf21>> [Accessed 19 February 2022].

Plutchik, R., 1991. *The emotions*. University Press of America.

Rabeya, T., Ferdous, S., Ali, H.S. and Chakraborty, N.R., 2017, December. A survey on emotion detection: A lexicon based backtracking approach for detecting emotion from Bengali text. In *2017 20th international conference of computer and information technology (ICCIT)* (pp. 1-7). IEEE.

Rezk, N., Purnaprajna, M., Nordstrom, T. and Ul-Abdin, Z., 2020. Recurrent Neural Networks: An Embedded Computing Perspective. *IEEE Access*, 8, pp.57967-57996.

Rhanoui, M., Mikram, M., Yousfi, S. and Barzali, S., 2019. A CNN-BiLSTM model for document-level sentiment analysis. *Machine Learning and Knowledge Extraction*, 1(3), pp.832-847.

Rojas-Barahona, L.M., 2016. Deep learning for sentiment analysis. *Language and Linguistics Compass*, 10(12), pp.701-719.

Schouten, K., & Frasincar, F. (2016). Survey on Aspect-Level Sentiment Analysis. *IEEE Transactions on Knowledge and Data Engineering*, 28(3), 813–830. <https://doi.org/10.1109/TKDE.2015.2485209>

Shrestha, N. & Nasoz, F., 2019. Deep learning sentiment analysis of Amazon.com reviews and ratings. *International Journal on Soft Computing, Artificial Intelligence and Applications*, 8(1), pp.01–15.

Shirsat, V., Jagdale, R., Shende, K., Deshmukh, S.N. and Kawale, S., 2019. Sentence Level Sentiment Analysis from News Articles and Blogs using Machine Learning Techniques. *International Journal of Computer Sciences and Engineering*, 1(1), pp.12-17.

Srujan, K. S., Nikhil, S. S., Raghav Rao, H., Karthik, K., Harish, B. S., & Keerthi Kumar, H. M. (2018). Classification of amazon book reviews based on sentiment analysis. *Advances in Intelligent Systems and Computing*, 672, 401–411. https://doi.org/10.1007/978-981-10-7512-4_40

Staudemeyer, R.C. and Morris, E.R., 2019. Understanding LSTM--a tutorial into long short-term memory recurrent neural networks. *arXiv preprint arXiv:1909.09586*.

- Suciati, A. and Budi, I. (2020) *Aspect-Based Sentiment Analysis and Emotion Detection for Code-Mixed Review, IJACSA) International Journal of Advanced Computer Science and Applications*. Available at: www.ijacsa.thesai.org.
- Thakur, D., 2018. *LSTM and its equations*. [online] Medium. Available at: <<https://medium.com/@divyanshu132/lstm-and-its-equations-5ee9246d04af>> [Accessed 19 February 2022].
- Tang, D., Qin, B. and Liu, T., 2015a. Learning semantic representations of users and products for document level sentiment classification. In *Proceedings of the 53rd Annual Meeting of the Association for Computational Linguistics and the 7th International Joint Conference on Natural Language Processing (Volume 1: Long Papers)* (pp. 1014-1023).
- Tang, D., Qin, B. and Liu, T., 2015b. Document modeling with gated recurrent neural network for sentiment classification. In *Proceedings of the 2015 conference on empirical methods in natural language processing* (pp. 1422-1432).
- Van Houdt, G., Mosquera, C. and Nápoles, G., 2020. A review on the long short-term memory model. *Artificial Intelligence Review*, 53(8), pp.5929-5955.
- Wei, H., 2019. *NLP Pipeline 101 With Basic Code Example—Feature Extraction*. [online] Medium. Available at: <<https://medium.com/voice-tech-podcast/nlp-pipeline-101-with-basic-code-example-feature-extraction-ea9894ed8daf>> [Accessed 13 February 2022].
- Williams, R.J. and Zipser, D., 1995. Gradient-based learning algorithms for recurrent. *Backpropagation: Theory, architectures, and applications*, 433, p.17.
- Xu, J., Chen, D., Qiu, X. and Huang, X., 2016. Cached long short-term memory neural networks for document-level sentiment classification. *arXiv preprint arXiv:1610.04989*.
- Zhang, L., Wang, S. and Liu, B. (2018) *Deep Learning for Sentiment Analysis: A Survey*.