

DAFTAR PUSTAKA

- Abedini, M. R., Bijari, B., Miri, Z., Shakhs Emampour, F., & Abbasi, A., 2020, *The quality of life of the patients with diabetes type 2 using EQ-5D-5 L in Birjand, Health and Quality of Life Outcomes*, 18(1), <https://doi.org/10.1186/s12955-020-1277-8>
- Ahroni JH, Boyko EJ, Davignon DR, & Pecoraro RE., 1994, *The health and functional status of veterans with diabetes*, *Diabetes Care*, 17(4), 318–321, <http://diabetesjournals.org/care/article-pdf/17/4/318/645097/17-4-318.pdf>
- Alaofè, H., Amoussa Hounkpatin, W., Djrolo, F., Ehiri, J., & Rosales, C., 2022, *Factors Associated with Quality of Life in Patients with Type 2 Diabetes of South Benin: A Cross-Sectional Study*, *International Journal of Environmental Research and Public Health*, 19(4), <https://doi.org/10.3390/ijerph19042360>
- Amelia, R., Lelo, A., Lindarto, D., & Mutiara, E., 2018, *Quality of life and glycemic profile of type 2 diabetes mellitus patients of Indonesian: A descriptive study*, *IOP Conference Series: Earth and Environmental Science*, 125(1), <https://doi.org/10.1088/1755-1315/125/1/012171>
- American Diabetes Association, 2021, *Type 2 Overview: Diabetes Symptoms*, American Diabetes Association, <https://www.diabetes.org/diabetes/type-2/symptoms>
- Anderson, R. M., Fitzgerald, J. T., Wlslom, K., Davis, W. K., & Hiss, R. G., 1997, *A Comparison of Global Versus Disease-Specific Quality-of-Life Measures in Patients With NIDDM*, *Diabetes Care*, 20(3), 299–305, <http://diabetesjournals.org/care/article-pdf/20/3/299/583989/20-3-299.pdf>
- Anonim, 2021, *Systematic Reviews*, University of North Carolina, <https://guides.lib.unc.edu/systematic-reviews/PRISMA>
- Arifin, B., Idrus, L. R., van Asselt, A. D. I., Purba, F. D., Perwitasari, D. A., Thobari, J. A., Cao, Q., Krabbe, P. F. M., & Postma, M. J., 2019, *Health-related quality of life in Indonesian type 2 diabetes mellitus outpatients measured with the Bahasa version of EQ-5D*, *Quality of Life Research*, 28(5), 1179–1190, <https://doi.org/10.1007/s11136-019-02105-z>
- Arnold, D., Girling, A., Stevens, A., & Lilford, R., 2009, *Comparison of direct and indirect methods of estimating health state utilities for resource allocation: Review and empirical analysis*, In *BMJ (Online)* (Vol. 339, Issue 7717, pp. 385–388), <https://doi.org/10.1136/bmj.b2688>

- Bani-Issa, W., 2011, *Evaluation of the health-related quality of life of Emirati people with diabetes: integration of sociodemographic and disease-related variables*, East Mediterr Health J, 17(11).
- Bujang, M. A., Adnan, T. H., Mohd Hatta, N. K. B., Ismail, M., & Lim, C. J., 2018, *A Revised Version of Diabetes Quality of Life Instrument Maintaining Domains for Satisfaction, Impact, and Worry*, Journal of Diabetes Research, <https://doi.org/10.1155/2018/5804687>
- Burholt, V., & Nash, P., 2011, *Short Form 36 (SF-36) Health Survey Questionnaire: Normative data for Wales*, Journal of Public Health, 33(4), 587–603, <https://doi.org/10.1093/pubmed/fdr006>
- Chisholm-Burns, M. A., Schwinghammer, T. L., Wells, B. G., Malone, P. M., Kolesar, J. M., & DiPiro, J. T., 2016, *Pharmacotherapy Principles & Practice*, Mc Graw-Hill Companies.
- Choi, Y. J., Lee, M. S., An, S. Y., Kim, T. H., Han, S. J., Kim, H. J., Chung, Y. S., Lee, K. W., & Kim, D. J., 2011, *The relationship between diabetes mellitus and health-related quality of life in Korean adults: The fourth Korea National Health and Nutrition Examination Survey (2007-2009)*, Diabetes and Metabolism Journal, 35(6), 587–594, <https://doi.org/10.4093/dmj.2011.35.6.587>
- de la Cruz, J. P. S., Morales, D. L. G., González-Castro, T. B., Tovilla-Zárate, C. A., Juárez-Rojop, I. E., López-Narváez, L., Hernández-Díaz, Y., Ble-Castillo, J. L., Pérez-Hernández, N., & Rodriguez-Perez, J. M., 2020, *Quality of life of Latin-American individuals with type 2 diabetes mellitus: A systematic review*, Primary Care Diabetes, 14(4), 317–334, <https://doi.org/10.1016/j.pcd.2019.09.003>
- Fatimah, R. N., 2015, *Diabetes Melitus Tipe 2. Medical Journal of Lampung University*, 4(5), 86–95.
- Febriyan, H. B., 2020, *Gaya hidup penderita diabetes mellitus Tipe 2 pada masyarakat di daerah perkotaan*, Wellness and Healthy Magazine, 2(2), 361–368, <https://wellness.journalpress.id/wellness>
- Ferreira, P. L., Ferreira, L. N., & Pereira, L. N., 2013, *Contributos para a Validação da Versão Portuguesa do EQ-5D Contribution for the Validation of the Portuguese Version of EQ-5D*, www.actamedicaportuguesa.com
- Fowler, M. J., 2011, *Microvascular and Macrovascular Complications of Diabetes*, Clinical Diabetes, 29(3), 116–122
- Goyal, R., & Jialal, I., 2021, *Diabetes Mellitus Type 2*, StatPearls, <https://www.ncbi.nlm.nih.gov/books/NBK513253/>

- Horsman, J., Furlong, W., Feeny, D., & Torrance, G., 2003, *The Health Utilities Index (HUI®): concepts, measurement properties and applications*, Health and Quality of Life Outcomes, BioMed Central Ltd, <http://www.hqlo.com/content/1/1/54>
- Imran, K. M., A A, I. A., & Mohamad B, W. W., 2010, *Type 2 diabetes mellitus patients with poor glycaemic control have lower quality of life scores as measured by the Short Form-36*, In Original Article Singapore Med J (Vol. 51, Issue 2).
- Jacobson, A. M., de Groot, M., & Samson, J. A., 1994, *The Evaluation of Two Measures of Quality of Life in Patients with Type I and Type II Diabetes*, In Diabetes Care (Vol. 17, Issue 4), <http://diabetesjournals.org/care/article-pdf/17/4/267/645159/17-4-267.pdf>
- Jalkanen, K., Aarnio, E., Lavikainen, P., Jauhonen, H. M., Enlund, H., & Martikainen, J., 2019, *Impact of type 2 diabetes treated with non-insulin medication and number of diabetes-coexisting diseases on EQ-5D-5 L index scores in the Finnish population*, Health and Quality of Life Outcomes, 17(1), <https://doi.org/10.1186/s12955-019-1187-9>
- Javanbakht, M., Abolhasani, F., Mashayekhi, A., Baradaran, H. R., & Jahangiri noudeh, Y., 2012, *Health Related Quality of Life in Patients with Type 2 Diabetes Mellitus in Iran: A National Survey*, PLoS ONE, 7(8), <https://doi.org/10.1371/journal.pone.0044526>
- Jenkinson, C., 2020, *Quality of Life*, Encyclopedia Britannica, <https://www.britannica.com/topic/quality-of-life>
- Jing, X., Chen, J., Dong, Y., Han, D., Zhao, H., Wang, X., Gao, F., Li, C., Cui, Z., Liu, Y., & Ma, J., 2018, *Related factors of quality of life of type 2 diabetes patients: A systematic review and meta-analysis* 11 Medical and Health Sciences 1117 Public Health and Health Services 11 Medical and Health Sciences 1103 Clinical Sciences, Health and Quality of Life Outcomes, 16(1), <https://doi.org/10.1186/s12955-018-1021-9>
- Kementerian Kesehatan RI, 2011, *Diet Diabetes Melitus*, Kementerian Kesehatan Republik Indonesia, <https://ejurnal.poltekkes-tjk.ac.id/index.php/JK/article/downloadSuppFile/948/59>
- Kementerian Kesehatan RI, 2017, *Rencana Aksi Kegiatan Pengendalian Penyakit Tidak Menular, Revisi I*, Direktorat Pencegahan Dan Pengendalian Penyakit Tidak Menular, Kementerian Kesehatan Republik Indonesia, http://p2p.kemkes.go.id/wp-content/uploads/2017/12/P2PTM_RAK2017.pdf

- Kementerian Kesehatan RI, 2018, *Lindungi Keluarga dari Diabetes*, Kementerian Kesehatan Republik Indonesia, <http://p2ptm.kemkes.go.id/post/lindungi-keluarga-dari-diabetes>
- Khan, M. A. B., Hashim, M. J., King, J. K., Govender, R. D., Mustafa, H., & Kaabi, J. al., 2020, *Epidemiology of Type 2 diabetes - Global burden of disease and forecasted trends*, Journal of Epidemiology and Global Health, 10(1), 107–111, <https://doi.org/10.2991/JEGH.K.191028.001>
- Kiadaliri, A. A., Najafi, B., & Mirmalek-Sani, M., 2013, *Quality of life in people with diabetes: a systematic review of studies in Iran*, Journal of Diabetes & Metabolic Disorders, <http://www.jdmdonline.com/content/12/1/54>
- Klein, B. E. K., Klein, R., & Moss, S. E., 1998, *Self-Rated Health and Diabetes of Long Duration the Wisconsin Epidemiologic Study of Diabetic Retinopathy*, Diabetes Care, 21(2), 236–240, <http://diabetesjournals.org/care/article-pdf/21/2/236/585674/21-2-236.pdf>
- Laoh, J. M., & Tampongangoy, D., 2015, *Gambaran Kualitas Hidup Pasien Diabetes Melitus di Poliklinik Endokrin RSUP Prof. Dr. R. D. Kandou Manado*, JUIPERDO, 4(1).
- Lee, W. J., Song, K. H., Noh, J. H., Choi, Y. J., & Jo, M. W., 2012, *Health-related quality of life using the EuroQol 5D questionnaire in Korean patients with type 2 diabetes*, Journal of Korean Medical Science, 27(3), 255–260, <https://doi.org/10.3346/jkms.2012.27.3.255>
- Lolita, L., & Andayani, T. M., 2017, *Health-Related Quality of Life of Type 2 Diabetes Mellitus Outpatients at Dr. Sardjito Hospital, Yogyakarta, Indonesia: An Insulin-Based Therapy Approach*, Indonesian Journal of Clinical Pharmacy, 6(4), 231–239, <https://doi.org/10.15416/ijcp.2017.6.4.231>
- Mann, C. J., 2012, *Observational research methods - Cohort studies, cross sectional studies, and case-control studies*, African Journal of Emergency Medicine, 2(1), 38–46, <https://doi.org/10.1016/j.afjem.2011.12.004>
- Nazir, S. U. R., Hassali, M. A., Saleem, F., Bashir, S., Hashmi, F., & Aljadhey, H., 2016, *A cross-sectional assessment of health-related quality of life among type 2 diabetic patients in Pakistan*, Journal of Pharmacy and Bioallied Sciences, 8(1), 64–68, <https://doi.org/10.4103/0975-7406.171734>
- Oluchi, S. E., Manaf, R. A., Ismail, S., Kadir Shahr, H., Mahmud, A., & Udeani, T. K., 2021, *Health related quality of life measurements for diabetes: A systematic review*,

- In International Journal of Environmental Research and Public Health (Vol. 18, Issue 17), MDPI, <https://doi.org/10.3390/ijerph18179245>
- O'Reilly, D. J., Xie, F., Pullenayegum, E., Gerstein, H. C., Greb, J., Blackhouse, G. K., Tarride, J. E., Bowen, J., & Goeree, R. A., 2011, *Estimation of the impact of diabetes-related complications on health utilities for patients with type 2 diabetes in Ontario, Canada*, Quality of Life Research, 20(6), 939–943, <https://doi.org/10.1007/s11136-010-9828-9>
- Page, M. J., McKenzie, J. E., Bossuyt, P. M., Boutron, I., Hoffmann, T. C., Mulrow, C. D., Shamseer, L., Tetzlaff, J. M., Akl, E. A., Brennan, S. E., Chou, R., Glanville, J., Grimshaw, J. M., Hróbjartsson, A., Lalu, M. M., Li, T., Loder, E. W., Mayo-Wilson, E., McDonald, S., Moher, D., 2021, *The PRISMA 2020 statement: An updated guideline for reporting systematic reviews*, In The BMJ (Vol. 372), BMJ Publishing Group, <https://doi.org/10.1136/bmj.n71>
- Papathodorou, K., Banach, M., Bekiari, E., Rizzo, M., & Edmonds, M., 2018, *Complications of Diabetes 2017*, In Journal of Diabetes Research (Vol. 2018), Hindawi Limited, <https://doi.org/10.1155/2018/3086167>
- Perkumpulan Endokrinologi Indonesia, 2019, *Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Dewasa di Indonesia*, PB PERKENI.
- Perwitasari, D. A., Urbayatun, S., Faridah, I. N., & Masyithah, N., 2017, *Relationship of therapeutic outcome with quality of life on type 2 diabetes mellitus patients in Abdul Azis Singkawang hospital*, IOP Conference Series: Materials Science and Engineering, 259(1), <https://doi.org/10.1088/1757-899X/259/1/012023>
- Pickup, J. C., & Harris, A., 2007, *Assessing Quality of Life for New Diabetes Treatments and Technologies: A Simple Patient-Centered Score*, Journal of Diabetes Science and Technology, 1(3), www.journalofdst.org
- Picot, J., Copley, V., Colquitt, J. L., Kalita, N., Hartwell, D., & Bryant, J., 2015, *The INTRABEAM® photon radiotherapy system for the adjuvant treatment of early breast cancer: A systematic review and economic evaluation*, Health Technology Assessment, 19(69), 1–190, <https://doi.org/10.3310/hta19690>
- Purba, F. D., Hunfeld, J. A. M., Iskandarsyah, A., Fitriana, T. S., Sadarjoen, S. S., Ramos-Goñi, J. M., Passchier, J., & Busschbach, J. J. V., 2017, *The Indonesian EQ-5D-5L Value Set*, Pharmacoeconomics, 35(11), 1153–1165, <https://doi.org/10.1007/s40273-017-0538-9>

- Purwaningsih, N., 2018, *Analisis Faktor-Faktor Yang Mempengaruhi Kualitas Hidup Pasien Diabetes Melitus Tipe 2 Di Instalasi Rawat Jalan RSUD Dr. Moewardi Periode Februari-Maret 2018*, Jurnal Kesehatan Surakarta, 15(1), 1–17.
- Roudijk, B., Donders, A. R. T., & Stalmeier, P. F. M., 2018, *Setting Dead at Zero: Applying Scale Properties to the QALY Model*, Medical Decision Making, 38(6), 627–634, <https://doi.org/10.1177/0272989X18765184>
- Sakamaki, H., Ikeda, S., Ikegami, N., Uchigata, Y., Iwamoto, Y., Origasa, H., Otani, T., & Otani, Y., 2006a, *Measurement of HRQL using EQ-5D in patients with type 2 diabetes mellitus in Japan*, Value in Health, 9(1), 47–53, <https://doi.org/10.1111/j.1524-4733.2006.00080.x>
- Sakamaki, H., Ikeda, S., Ikegami, N., Uchigata, Y., Iwamoto, Y., Origasa, H., Otani, T., & Otani, Y., 2006b, *Measurement of HRQL using EQ-5D in patients with type 2 diabetes mellitus in Japan*, Value in Health, 9(1), 47–53, <https://doi.org/10.1111/j.1524-4733.2006.00080.x>
- Salim, O. C., Sudharma, N. I., Kusumaratna, R. K., & Hidayat, A., 2007, *Validitas dan reliabilitas World Health Organization Quality of Life-BREF untuk mengukur kualitas hidup lanjut usia*, Universa Medicina, 26(1).
- Solli, O., Stavem, K., & Kristiansen, I. S., 2010, *Health-related quality of life in diabetes: The associations of complications with EQ-5D scores*, Health and Quality of Life Outcomes, 8, <https://doi.org/10.1186/1477-7525-8-18>
- Spasić, A., Radovanović, R. V., Dordević, A. C., Stefanović, N., & Cvetković, T., 2014, *Quality of life in type 2 diabetic patients*, Acta Facultatis Medicae Naissensis, 31(3), 193–200, <https://doi.org/10.2478/afmnai-2014-0024>
- Stiggelbout, A. M., & de Haes, J. C. J. M., 2001, *Patient Preference for Cancer Therapy: An Overview of Measurement Approaches*, In Journal of Clinical Oncology (Vol. 19, Issue 1).
- Takahara, M., Katakami, N., Shiraiwa, T., Abe, K., Ayame, H., Ishimaru, Y., Iwamoto, M., Shimizu, M., Tomonaga, O., Yokoyama, H., Matsuoka, T. aki, & Shimomura, I., 2019, *Evaluation of health utility values for diabetic complications, treatment regimens, glycemic control and other subjective symptoms in diabetic patients using the EQ-5D-5L*, Acta Diabetologica, 56(3), 309–319, <https://doi.org/10.1007/s00592-018-1244-6>
- Tan, Z., Liang, Y., Liu, S., Cao, W., Tu, H., Guo, L., & Xu, Y., 2013, *Health-Related Quality of Life as Measured with EQ-5D among Populations with and without*

- Specific Chronic Conditions: A Population-Based Survey in Shaanxi Province, China*, PLoS ONE, 8(7), <https://doi.org/10.1371/journal.pone.0065958>
- Tinartayu, S., & Riyanto, B. U. D., 2015, *SF-36 sebagai Instrumen Penilai Kualitas Hidup Penderita Tuberkulosis (TB) Paru*, Mutiara Medika, 15(1), 7–14.
- van Reenen, M., & Janssen, B., 2015, *EQ-5D-5L User Guide: Basic information on how to use the EQ-5D-5L instrument*, The Netherlands, EuroQol Research Foundation.
- van Reenen, M., Oppe, M., Boye, K. S., Herdman, M., Kennedy-Martin, M., Kennedy-Martin, T., & Slaap, B., 2018, *EQ-5D-3L User Guide: Basic information on how to use the EQ-5D-3L instrument*, EuroQol Research Foundation, www.euroqol.org
- Walters, S. J., 2009, *Quality of Life Outcomes in Clinical Trials and Health-Care Evaluation: A Practical Guide to Analysis and Interpretation*.
- Ware, J. E., & Sherbourne, C. D., 1992, *The MOS 36-Item Short-Form Health Survey (SF-36)*, Medical Care, 30(6).
- Wells, B. G., DiPiro, J. T., Schwinghammer, T. L., & DiPiro, C. v., 2015, *Pharmacotherapy Handbook: Ninth Edition*, McGraw Hill.
- WHO, 1998, *WHOQOL Measuring Quality of Life*, World Health Organization, https://www.who.int/mental_health/media/68.pdf
- WHO, 2021 *Diabetes*, World Health Organization, <https://www.who.int/news-room/fact-sheets/detail/diabetes>
- Yuliana, V., Setiadi, A. A. P., & Paramita, J., 2019, *Validitas Kuesioner Whoqol-Bref dalam Menilai Kualitas Hidup Penderita Skizofrenia Rawat Jalan*.
- Zare, F., Ameri, H., Madadzadeh, F., & Reza Aghaei, M., 2020, *Health-related quality of life and its associated factors in patients with type 2 diabetes mellitus*, SAGE Open Medicine, 8, 205031212096531, <https://doi.org/10.1177/2050312120965314>