DAFTAR PUSTAKA

[Dirjend PKH] Direktorat Jenderal Peternakan Dan Kesehatan Hewan, Kementerian Pertanian. 2016. Pedoman Pelaksanaan Upaya Khusus Sapi Induk Wajib Bunting (Upsus SIWAB 2017). Kementerian Pertanian. Jakarta.

Aak K. 1989. Kacang tanah dan kedelai. Kanisius. Yogyakarta.

Adelina, Rosa. 2013. Kajian tanaman obat Indonesia yang berpotensi sebagai antidepresan. Jurnal Kefarmasian Indonesia. 3(1): 9-18.

Ademir Sergio F., Figueiredo M.V.B., & Monteiro R.T.R. 2008. Potential of biological nitrogen fixation as indicator of soil pollution. Laboratório de Ecotoxicologia, Av. Centenário, S/N, Piracicaba. Brazil.

Adnyana G.M. 2012. Mekanisme penambatan nitrogen udara oleh bakteri Rhizobium menginspirasi perkembangan teknologi pemupukan organik yang ramah lingkungan. Agrotop. 2(2) : 145-149.

Afrizal, Sutrisna R., Muhtarudin. 2014. Potensi hijauan sebagai pakan ruminansia di Kecamatan Bumi Agung Kabupaten Lampung Timur. Jurusan Peternakan Fakultas Pertanian. Universitas Lampung. Lampung.

Afzal M., Ahmad A., & Ahmad A.U.H. 2012. Effect of nitrogen on growth and yield of sorghum forage (Sorghum bicolor L Moench CV) under three cuttings system. Journal Cercetari Agronomice in Moldova. 45(4): 57-64.

Agustina. 1990. Nutrisi tanaman. Rineka Cipta. Jakarta.

Ai N.S. dan Banyo Y. 2011. Konsentrasi klorofil daun sebagai indikator kekurangan air pada tanaman. Jurnal Ilmiah Sains. 11(2):167-173.

Ainsworth E.A., Rogers S.P. 2007. The response of photosynthesis and stomatal conductance to rising [CO_2]: mechanisms and environmental interactions. Plant Cell Environ. 30: 258–270.

Al-Snafi, and Esmail A. 2016. Clinically tested medicinal plant: a review (part 1). SMU Medical Journal. 3(1): 99-128.

Alok S., Gupta N., Kumar A., & Malik A. 2015. An update on Ayurvedic herb vishnukanta (Clitoria ternatea L.): A review. International Journal of Life Sciences and Review. 1(1): 1-9.

Aprianto D. 2012. Hubungan pupuk kandang dan npk terhadap bakteri *Azotobacter* dan *Azospirillum*. Jurnal Agroekoteknologi Tropika. 3(1).

Arafat M.S. 2007. Pengaruh sistem tanam dan defoliasi pada pertumbuhan dan hasil tanaman kacang hijau. Jurnal Produksi Tanaman. 2(3):29-37.

Armiadi. 2009. Peranan unsur hara molibdenum dalam penambatan nitrogen. Jurnal Wartazoa. 19(3): 150-151.

Association of Official Analytical Chemists (AOAC). 2005. Official method of analysis of the AOAC International. 18th edition, Assoc. Off. Anal. Chem., Arlington, VA.

Astuti D., Suhartanto B., SuwignyoB., & Asyiqin M.A. 2019. Pengaruh umur panen dan level pupuk nitrogen terhadap produksi dan kandungan nutrien *Sorghum bicolor* L. varietas Numbu. Journal of Agriculture Innovation. 2(2): 9-16.

Astuti N. 2011. Pengaruh umur pemotongan terhadap kandungan nutrien rumput raja (King grass). Jurnal Agribisnis. 2: 917.

Azizah D.N. dan Faramayuda F. 2014. Penetapan kadar flavonoid metode $AlCl_3$ pada ekstrak metanol kulit buah kakao (*Theobroma cacao* L.). Jurnal Ilmiah Farmasi. 2(2).

Bahri S. 2010. Klorofil. Diktat Kuliah Kapita Selekta Kimia Organik. Universitas Lampung.

Baker N.R. 2008. Chlorophyll fluorescence: a probe of photosynthesis in vivo. Annu. Rev. Plant Biol. 59: 89–113.

Barhe T.A., and Tchouya G.R. 2014. Comparative study of the anti-oxidant activity of the total polyphenols extracted from *Hibiscus sabdariffa* L. *Glycinemax* L. Merr., yellow tea and red wine through reaction with DPPH free radical. Arabian Journal Of Chemistry.

Basset J., Denney R.C., Jeffrey G.H., Mendhom J. 1994. Buku Ajar Vogel Kimia Analisis Kuantitatif Anorganik. Jakarta.

Bayram O., Sagdic O., & Ekici L. 2015. Natural food colorants and bioactive extracts from some edible flowers. Journal of Applied Botany and Food Quality. 88: 170–176.

Biała W., and Jasinski M. 2018. The Phenylpropanoid Case - It Is Transport That Matters. Front. Plant Sci. 9: 1610.

Bidwell R.G.S. 1979. Plant Physiology, 2nd Ed. MacMillan Publishing Co. Inc, London.

Bilyeu K.D., Peiyu Z., Coello V, Zhang Z.J., Krishnan H.B., Bailey A., Beuselinck P.R., Polacco J.C. 2008. Quantitative conversion of phytate to inorganic phosphorus in soybean seeds expressing a bacterial phytase. Plant Physiol. 146: 468-477.

Bogdan A.V. 1977. Tropical Pasture And Fodder Plants. Longmans, London.

Bottini R., Fulchieri M., Pearce D., & Pharis R.P. 1989. Identification of gibberellins A1, A3, and iso-A3 in cultures of Azospirillum lipoferum. Plant Physiol. 90: 45–47.

Budiana. 1993. Produksi tanaman hijauan pakan ternak tropis, Fakultas Peternakan Universitas Gadjah Mada, Yogyakarta.

Budiasih K.S. 2017. Kajian Potensi Farmakologi Bunga Telang. Jurnal Pendidikan. Program Studi Kimia. Fakultas Matematika dan Ilmu Pengetahuan Alam. Universitas Negeri Yogyakarta, Yogyakarta.

Burris R.H. 1991. Nitrogenases. Minireview. J. of Biol. Chem. 15(266): 9339-9342.

Campbell W.H. 2001. Structure and function of eukaryotic NAD(P)H: nitrate reductase. Cell. Mol. Life Sci. 58: 194–204.

Carrol G.C. 1988. Fungal endophytes in stem and leaves from latent atgogens to mutualistic symbiont. Ecology. 69: 2-9.

Chikezie P.C., Ojiako O.A., & Nwufo K.C. 2015. Overview of anti-diabetic medicinal plants: the nigerian research experience. Res. J. Phytochem. 9(3): 88-115.

Cochrane F.C., Davin L.B., & Lewis N.G. 2004. The Arabidopsis phenylalanine ammonia lyase gene family: kinetic characterization of the four PAL isoforms. Phytochemistry. 65: 1557-1564.

Cook B.G., Pengelly B.C., Brown S.D., Donnelly J.L., Eagles D.A., Franco M.A., Hanson J., Mullen B.F., Partridge I.J., Peters M., Schultze-Kraft R. 2005. Tropical forages Brisbane (Australia): CSIRO, DPI&F (Qld), CIAT And ILRI.

D'Auria J.C., and Gershenzon J. 2005. The secondary metabolism of Arabidopsis thaliana: growing like a weed. Curr. Opin. Plant Biol. 8: 308-316.

Defiani M.R., dan Kriswiyanti E. 2019. Keanekaragaman flora di Desa Pekraman Mincidan, Klungkung - Bali untuk penunjang ekowisata. Simbiosis. 7(1): 14-21.

Deng B., Li Y., Xu D., Ye Q., Liu G. 2019. Nitrogen availability alters flavonoid accumulation in Cyclocarya paliurus via the effects on the internal carbon/nitrogen balance. Sci. Rep. 9: 2370.

Dwijosepoetro D. 1981. Pengantar Fisiologi Tumbuhan. PT. Gramedia Pustaka Utama. Jakarta.

Esfahani M., Abbasi H.R.A., Rabiei B., & Kavousi M. 2008. Improvement of nitrogen management in rice paddy fields using chlorophyll meter (SPAD). Paddy and Water Environment. 6(2): 181–188.

Febriyono R., Susilowati Y.E., Suprapto A. 2017. Peningkatan hasil tanaman kangkung darat (Ipomoea reptans, L.) melalui perlakuan jarak tanam dan jumlah tanaman per lubang. Jurnal Ilmu Pertanian Tropika dan Subtropika. 2(1): 22-27.

Fiorentini M., Zenobi S., Giorgini E., Basili D., Conti C., Pro C., Orsini R. 2019. Nitrogen and chlorophyll status determination in durum wheat as influenced

by fertilization and soil management: Preliminary results. PLoS ONE. 14(11): 1–16.

Fitmawati, Fatonah S., dan Irawan, Y.R. 2016. Tanaman Obat Pekarangan Berbasis Penegetahuan Tumbuhan Obat Masyarakat asli Riau (Etnomedicine). UNRI Press.

Flemming G.A. 1990. Essential Micronutriens I, B and Mo, Jhon Wiley and Sons, New York.

Gandjar I., Sjamsuridzal W., Oetari R. 2006. Mikologi Dasar dan Terapan. Penerbit Obor. Jakarta.

Gandjar I.G., dan Rohman A. 2007. Kimia Farmasi Analisis. Pustaka Pelajar. Yogyakarta.

Gardner F.P., Pearce R.B., & Mitcheli R.L. 2008. Fisiologi Tanaman Budidaya. Diterjemahkan oleh Herawati Susilo. UI Press. Jakarta.

Gardner F.P., Pearce R.B., & Mitchell R.L. 2008. Fisiologi Tanaman Budidaya, Terjemahan UI Press. Jakarta.

Glick B.R. 2010. Using soil bacteria to facilitate phytoremediation. Biotechnol. Adv. 28: 367–374.

Gomez S.M. and Kalamani A. 2003. Butterfly pea (*Clitoria ternatea* L.): A nutritive multipurpose forage legume for the tropics – an overview. Pakistan J. Nutrition. 2(6): 374 – 379.

Hall T.J. 1985. Adaptation and agronomy of *Clitoria ternatea* L. in Northern Australia. Tropical Grasslands. 19(4): 156–163.

Hamdani L.S. 2008. Pertumbuhan dan Hasil bawang merah kultivar kuning pada status hara P total tanah dan dosis pupuk fospat yang berbeda. Agrikultura. Bandung.

Harborne J.B. 1987. Metode fitokimia: Penuntun cara modern menganalisa tumbuhan. Terbitan Kedua - Terjemahan Kosasih Padmawinata dan Iwang Soediro. Institut Teknologi Bandung. Bandung.

Hardjowigeno H.S. 2003. Klasifikasi Tanah dan Pedogenesis. Akademika Pressindo. Jakarta.

Haryanti E.S., Farah Diba & Wahdina. 2015. Etnobotani tumbuhan berguna oleh masyarakat sekitar Kawasan KPH model Kapuas Hulu. Jurnal Hutan Lestari. 3(3): 434-445.

Hasan S., Budiman R., Ilham, Sudarsono. 2015. Peningkatan produktivitas padang penggembalaan kritis melalui pertanaman campuran antara rumput dan legum sebagai sumber *biological nitrogen fixation* (BNF) di Kabupaten Sidenreng Rappang. Jurnal Prosiding Unpad.

Hasan S., Budiman, Sutomo S., Suarda A., Ansar A., & Ishii Y. 2016. The investigation of biological nitrogen fixation (bnf) process and production between dwarf elephant grass (*Pennisetum purpureum* cv. Mott) with siratro legume (*Macroptilium atropurpureum*) in critical dry pasture. Journal of Applied Botany and Food Quality. 88: 170–176

Hayashi S., Gresshoff P.M., & Ferguson B.J. 2014. Mechanistic action of gibberellins in legume nodulation. J. Integr. Plant Biol. 56: 971–978.

Heimler D., Romani A., Ieri F. 2017. Plant polyphenol content, soil fertilization and agricultural management: A review. Eur. Food Res. Technol. 243: 1107–1115.

Herlinae. 2003. Evaluasi nilai nutrisi dan potensi hijauan asli lahan gambut pedalaman di Kalimantan Tengah sebagai pakan ternak. Sekolah Pascasarjana, Institut Pertanian Bogor. Bogor.

Hocking P.J., and Randall P.J. 2001 Better growth and phosphorus nutrition of sorghum and wheat following organic acid secreting crops. in plant nutrition food security and sustainability of agroecosystems. 548–549.

Hog-Jensen H., Schjoerring J., Soussana J.F. 2002. The influence of phosphorus deficiency on growth and nitrogen fixation of white clover plants. Ann. Bot. 90:745-753.

Hokmalipour S., and Darbandi M.H. 2011. Effects of nitrogen fertilizer on chlorophyll content and other leaf indicate in three cultivars of maize (Zea mays L.). World Applied Sciences Journal. 15:1780–1785.

Hopkins W.G. and Huner N.P. 2008. Introduction To Plant Physiology. John Wiley& Sons, Inc. USA.

Horne P.M., and Stur W.W. 1999. Developing Forage Techonologies with Smallholder Farmer. Monograph. No.62.80.pp.

Howard J.B., and Rees D.C. 1996. Structural basis of biological nitrogen fixation. Chem. Rev. 96: 2965–2982.

Hussain S., and Devi K.S. 1998. Fatty acids compopsition oft three plant species: *Clitoria ternatea, Mandulea suberosa* and *Ruta chalapensis*. J. Oil Tech. India. 162-164.

Imran M., Hu C., Hussain S., Shoaib M.R., Riaz M., Afzal J., Aziz O., Mohamed A.E., Ismael M.A.F., Sun X. 2019. Molybdenum-induced effects on photosynthetic efficacy of winter wheat (Triticum aestivum L.) under different nitrogen sources are associated with nitrogen assimilation. Plant Physiology and Biochemistry. 141: 154-163.

Isrun. 2006. Pengaruh dosis pupuk p dan jenis pupuk kandang terhadap beberapa sifat kimia tanah, serapan P dan hasil jagung manis (Zea mays sacccharata sturt) pada inceptisol jatinagor. J. Agrisains. 7(1): 9-17.

Ju J.E., Joo Y.H., Chung N., Chung S.Y., Han S.H., & Lee Y.K. 2014. Anti-diabetic effects of red rose flowers instreptozotocin induced diabetic mice. Journal of the Korean Society for Applied Biological Chemistry. 57(4): 445–448.

Jumakir, Waluyo, Suparwoto. 2000. Kajian berbagai kombinasi pengapuran dan pemupukan terhadap pertumbuhan dan produksi kacang brobos (*Alysicarpus vaginalis*.) di lahan pasang surut. Jurnal Agronomi. 8(1): 11-15.

Jumin H.B. 2005. Dasar-dasar Agronomi. Raja Grafindo Persada. Jakarta.

Kaiser B.N., Gridley K.L., Brady J.N., Phillips T., & Tyerman S.D. 2005. The role of molybdenum in agricultural plant production. Annals Of Botany. 96: 745-754.

Kalacska M., Lalonde M., & Moore T.R. 2015. Estimation of foliar chlorophyll and nitrogen content in an ombrotrophic bog from hyperspectral data: scaling from leaf to image. Remote Sensing of Environment. 169: 270–279.

Kartika O., Nugari I-K., Roni N.G.K., Witariadi N. M. 2004. Diktat Kesuburan Tanah Dan Pemupukan, Jurusan Nutrisi Dan Makanan Ternak, Fakultas Peternakan Universitas Udayana. Denpasar.

Kazuma K., Noda N., & Suzuki M. 2003b. Malonylated flavonol glycosides from the petals of Clitoria ternatea. Phytochemistry. 62(2): 229- 237.

Kazuma K., Noda N., Suzuki M. 2003. Flavonoid composition related to petal color in different lines of *Clitoria ternatea*. Phytochem. 64(6): 1133-1139.

Keliat J.P., Candraasih N.N.K., & Trisnadewi A.A.A.S. 2021. Pertumbuhan dan hasil rumput Gajah (Pennisetum purpureum cv. Taiwan) yang diberi pupuk kascing dengan dosis berbeda. Pastura. 10(2): 91-96.

Kerley S.J., and Darvis S.C. 1996. Preliminary studies of the impact of excreted N on cycling and uptake of N in pasture systems using natural abundance stable isotopic discrimination. Plant and Soil. 178: 287-294.

Khan M.S.I., Roy S.S., & Pall K.K. 2010. Nitrogen and phosphorus efficiency on the growth and yield attributes of Capsicum. Academic Journal Of Plant Sciences. 3(2): 7178.

Kondo M., Yoshida M., Loresco M., Lapitan M.L., Rommel J., Herrera V., Barrio A.N.D., Uyeno Y., Matsui H., & Fujihara T. 2015. Nutrient contents and in vitro ruminal fermentation of tropical grasses harvested in wet season in the Philippines. Advances In Animal And Veterinary Sciences. 3(12): 694–699.

Kougan G.B., Tabopda T., Kuete V., Verpoorte V. 2013. Simple phenols, phenolic acids, and related esters from the medicinal plants of africa. In Medicinal Plant Research in Africa. 225–249.

Kovács B., Puskás-Preszner A., Huzsvai L., Lévai L., Bódi É. 2015. Effect of molybdenum treatment on molybdenum concentration and nitrate reduction in maize seedlings. Plant Physiol. Biochem. 96: 38–44.

Król B., Seczyk Ł., Kołodziej B., Paszko T. 2020. Biomass production, active substance content, and bioaccessibility of Greek oregano (Origanum vulgare ssp. hirtum (Link) Ietswaart) following the application of nitrogen. Ind. Crop. Prod. 148: 112271.

Kurniasari I. 2006. Metode cepat penentuan flavanoid total meniran (Phyllantus niruri L) berbasis teknik spektrofotometri inframerah dan kemometrik. Institut Pertanian Bogor. Bogor.

Lee K., Kim Y., Lee H., & Lee C. 2003. Cocoa has more phenolic phytochemical and higher antioxidant capacity than teas and red wine. J. Agric. Food Chem. 51: 7292-7295.

Li, Y., Kim J.I., Pysh L., Chapple C. 2015. Four Isoforms of 4-Coumarate: CoA Ligase Have Overlapping yet Distinct Roles in Phenylpropanoid Metabolism. Plant Physiol. 169: 2409–2421.

Lintang I. 2003. Pengaruh pemberian pupuk N, P, K terhadap produksi bahan kering, kandungan protein kasar dan serat kasar hijauan makanan ternak pada tanah gramusol kelabu tua. Karya Ilmiah. Fakultas Peternakan IPB. Bogor.

Liu Y., and He Y. 2012. Anthocyanin content and antioxidant activity of different varieties bluberries. Advanced Materials Research. 610–613: 3421–3427.

Long S.P., Zhu X.G., Naidu S.L., Ort D.R. 2006. Can improvement in photosynthesis increase crop yields?. Plant Cell Environ. 29: 315–330.

Mahala G., Amasiab S.O., Yousif M.A., & Elsadig A. 2012. Effect of plant age on DM yield and nutritive value of some leguminous plants (*Cyamopsis tetragonoloba*, *Lablab purpureus* and Clitoria (*Clitoria ternatea* L.). Journal of Agricultural Science and Soil Science. 2(12): 502- 508.

Maimulyanti A., and Prihadi A.R. 2016. Chemical composition of essential oil andhexane extract and antioxidant activity of various extracts of *Acmella uliginosa* (Sw.) cass flowers from Indonesia. Agriculture and Natural Resources. 50(4): 264–269.

Martre P., Jhon R.P., Peter D.J., Eugene T. 2003. Modelling grain nitrogen accumulation and protein composition to understand the sink/source regulations on nitrogen remobilization for wheat. Plant Physiol. 133: 1959-1967.

Masson-Boivin C., Giraud E., Perret X., & Batut J. 2009. Establishing nitrogen-fixing symbiosis with legumes: how many rhizobium recipes?. Trends Microbiol. 17: 458–466.

Mendel R.R. and Hansch R. 2002. Molybdoenzymes and molybdenum cofactor in plants. J. Exp. Botany 53: 1689 – 1698.

Mengel K., Kirkby E.A., Kosegarten H., & Apple T. 2001. Principles of Plant Nutrition. Kluwer Academic Publishers. Netherlands.

Mitsuhashi N., Ohnishi M., Sekiguchi Y., Kwon K.Y.U., Chang Y.T., Chung S.K., Inoue Y., Reid R.J., Yagisawa H., Mimura T. 2005. Phytic acid synthesis and vacuolar accumulation in suspension-cultured cells of *Catharanthus roseus* induced by high concentration of inorganic phosphate and cations. Plant Physiol. 138: 1607-1614.

Nasef M.A., Abd El-Hameed A.M., Salem H.M., & Abd El-Hamide A.F. 2008. Efficiency of applied rates and methods of cobalt on growth, yield and elemental composition of peanut plants grown on a sandy soil. Annals of Agricultural Science. 42(2): 851–860.

Nasikah. 2007. Pengaruh inokulasi rhizobium dan waktu pemberian pupuk N (Urea) terhadap pertumbuhan dan hasil kedelai di lahan sawah setelah kedelai (*Glycine max* L. Merrill). Bulletin Teknik Pertanian. 10(2) : 57

Novizan. 2002. Petunjuk pemupukan yang efektif. Agro Medika Pustaka. Jakarta.

Nulik J. 2009. Kacang kupu (*Clitoria ternatea* L.) leguminosa herba alternatif untuk sistem usahatani intergrasi sapi dan jagung di Pulau Timor. Wartazoa. 19(1): 43-51.

Nurlaha A., Setiana & Asminaya N.S. 2014. Identifikasi jenis hijauan makanan ternak di lahan persawahan Desa Babakan, Kecamatan Dramaga, Kabupaten Bogor. JITRO. 1(1): 54-62.

Ogunsuyi O.B., Ademiluyi A.O., Oboh G. 2020. Solanum leaves extracts exhibit antioxidant properties and inhibit monoamine oxidase and acetylcholinesterase activities (in vitro) in Drosophila melanogaster. Journal of Basic and Clinical and Pharmacology. 31: 1–13.

Oldroyd G.E., Murray J.D., Poole P.S., & Downie J.A. 2011. The rules oengagement in the legume-rhizobial symbiosis. Annu. Rev. Genet. 45: 119–144.

Olesinska K., Sugier D., Kaczmarski Z. 2021. Yield and chemical composition of raw material from meadow Arnica (Arnica chamissonis Less.) depending on soil conditions and nitrogen fertilization. Agriculture. 11: 810.

Paramita L.R., Sarwadana S.M., Astawa I.N.G. 2017. Identifikasi tanaman obat-obatan sebagai elemen lunak lansekap di Kecamatan Kediri, Kabupaten Tabanan, Bali. E-jurnal Arsitektur Lansekap. 3(2): 117-126.

Pawarta I.M.O.A. 2016. Diktat bahan ajar kimia organik bahan alam flavonoid. Jurusan kimia. Fakultas MIPA. Universitas Udayana. Denpasar.

Pawening G. 2014. Pengaruh penambahan pupuk organik terhadap tanah erupsi pertumbuhan dan produktivitas tanaman *Sorghum bicolor* (L.) Moench.

Skripsi Sarjana Peternakan. Fakultas Peternakan, Universitas Gadjah Mada. Yogyakarta.

Peni K.D., Solichatu E., Anggarwulan. 2004. Pertumbuhan, kadar klorofilkarotenoid, saponin, aktivitas nitrat reduktasi anting-anting (*Acalypha indica* L.) pada konsentrasi asam giberelat (GA3) yang berbeda. Jurnal Biofarmasi. 2(1): 1-8.

Peoples M.B. and Craswell E.T. 1992. Biological nitrogen fixation: investments, expectations and actual contributions to agriculture. Plant and Soil. 141: 13-39.

Peoples M.B., Herridge D.F., & Land J.K. 1995. Biological nitrogen fixation: an efficient source of nitrogen for sustainable agriculture production. Plant Soil. 174: 3–28.

Permanasari I., Irfan M., & Abizar. 2014. Pertumbuhan dan hasil kedelai (*Glycinemax*. L.) dengan pemberian rhizobium dan pupuk urea dan fosfor pada media gambut. UIN SUSKA: Riau.

Pietrowska-Borek M., Chadzinikolau T., Kozłowska M. 2010. Effect of urban pollution on 4-coumarate: CoA ligase and flavonoid accumulation in Berberis thunbergii. Dendrobiology. 64: 79–85.

Prashant R., Verma, Prakash R., Itankar S.K.A. 2013. Evaluation of anti diabeticantihyperlipidemic and pancreaticregeneration, potential of aerial parts of *Clitoria ternatea*. Rev Bras Farmacogn. 23: 819–829.

Purwantari N.D. 2008. Penambatan nitrogen secara biologis: perspektif dan keterbatasannya. Jurnal Wartazoa. 18 (1).

Radušiene J., Marksa M., Ivanauskas L., Jakštas V., Çaliskan Ö., Kurt D., Odabas M.S., Çirak C. 2019. Effect of nitrogen on herb production, secondary metabolites and antioxidant activities of Hypericum pruinatum under nitrogen application. Ind. Crop. Prod. 139: 111519.

Raes J., Rohde A., Christensen J.H., Van de Peer Y., & Boerjan W. 2003. Genome-wide characterization of the lignification toolbox in Arabidopsis. Plant Physiol. 133: 1051-1071.

Rais I.R. 2015. Isolasi dan penentuan kadar flavonoid ekstrak etanolik herba sambiloto (*Andrographis paniculata* (burm. F.) Ness). Jurnal Fakultas Farmasi Universitas Ahmad Dahlan. 5(1): 101–106.

Reid R., and Sinclair D.F. 1980. An evaluation of a collection of *Clitoria ternatea* for forage and grain production. Genetic Resources Communication. 1: 1-8.

Reksohadiprodjo S. 1994. Produksi Tanaman Hijauan Makanan Ternak Tropika. Bagian Penerbitan Fakultas Ekonomi Universitas Gadjah Mada. Yogyakarta.

Reksohadiprodjo S., Lebdosukoyo S., Priyono S., & Utomo R. 1979. Nilai Makanan Limbah Pertanian Untuk Ruminansia. Dalam Sitorus Et Al. (Eds) Prosiding Seminar Penelitian Dan Penunjang Pengembangan Peternakan. Lembaga Penelitian Peternakan, Badan Litbang Pertanian, Bogor.

Rizqiani F.N., Erlina A., & Nasih W.Y. 2007. Pengaruh dosis dan frekuensi pemberian pupuk organik cair terhadap pertumbuhan dan hasil buncis (*Phaseolus vulgaris* L.) dataran rendah. Jurnal Ilmu Tanah dan Lingkungan. 7(1): 43-53.

Roesmarkam A., dan Yuwono N.W. 2002. Ilmu Kesuburan Tanah. Kanisius Yogyakarta. Yogyakarta.

Sabri S.A. 2002. Tingkat Daya Guna Pemupukan Tanaman Padi Sawah Di Wilayah III Cirebon. Majalah Pertanian No. 2, XXVII, Th 1980. Departemen Pertanian.

Saifuddin S.E. 1989. Kesuburan dan Pemupukan Tanah Pertanian. Pustaka Buana. Bandung.

Salisbury F.B., dan Ross C.W. 1995. Fisiologi Tumbuhan. Naskah Terjemahan. Penerbit ITB, Bandung.

Salmia S. 2016. Analisis kadar flavonoid total ekstrak kulit batang kedondong bangkok (Spondias dulcis) dengan metode spektrofotometri uv-vis. Disertasi. Universitas Islam Negeri Alauddin. Makassar.

Salon C., Munier-Jolain N.G., Duc G., Voisin A.S., Grandgirard D., Larmure A. 2001. Grain legume seed filling in relation to nitrogen acquisition: a review and prospects with particular reference to pea. Agronomie. 21: 539-552.

Sarawa. 2009. Fisiologi Tanaman: Pendekatan Praktis. Unhalu Press. Kendari.

Schiltz S., Munier-Jolain N., Jeudy C., Burstin J., Salon C. 2005. Dynamics of exogenous nitrogen remobilization from vegetative organs in pea revealed by in vivo labeling throughout seed filling. Plant Physiol. 137: 1463-1473.

Seseray D.S., Santoso B., & Lekitoo M.N. 2013. Produksi rumput gajah (*Pennisetum purpureum*) yang diberi pupuk N, P, dan K dengan dosis 0, 50 dan 100% pada devoliasi hari ke-45. Sains Peternakan. 11: 49-55.

Setiana M.G. 2000. Pengenalan Jenis Hijauan Makanan Ternak Unggul. Departemen Ilmu Nutrisi Dan Makanan Ternak, Fakultas Peternakan. Bogor. Institut Pertanian Bogor. 1-24.

Setyawan Y., Roni N.G.K., & Kusumawati N.N.C. 2016. Pertumbuhan dan produksi tanaman Indigofera zollingeriana pada berbagai dosis pupuk fosfat. Peternakan Tropika. 4(3): 656–672.

Shah A., and Smith D.L. 2020. Flavonoid in agriculture: Chemistry and roles in, biotic and abiotic stress responses, and microbial associations. Agronomy. 10(8): 1209.

Shenoy V.V., and Kalagudi G.M. 2005. Enhancing plant phosphorus use efficiency for sustainable cropping. Biotech. Adv. 23:501-513.

Simanjuntak P., Titi P., Bustanussalam, Titik P., Sumedi W., & Hirotaka S. 2002. Isolasi dan kultivasi mikrob endofit penghasil senyawa alkaloid kinkona dari *Cinchona* spp. Mikrobiologi Indonesia. 7(2): 27-30.

Simova-Stoilova L.J., Stoyanova Z., Demirevska-Kepova K. 2001. Ontogenic changes in leaf pigments, total soluble protein and Rubisco in two barley varieties in relation to yield. Bulg. Journal Plant Physiology. 27(1-2): 15-24.

Singh S.K., and Reddy V.R. 2016. Methods of mesophyll conductance estimation: Its impact on key biochemical parameters and photosynthetic limitations in phosphorus-stressed soybean across CO2. Physiol Plant. 157(2): 234–254.

Sitompul S.M. dan Guritno B. 1995. Analisis Pertumbuhan Tanaman. Gadjah Mada University Press, Yogyakarta.

Skerman P.J. 1977. Tropical forage leguminosaes. Roma (Italy): Food And Agriculture Organization Of The United Nations.

Soepardi G. 1983. Sifat Dan Ciri Tanah. Institut Pertanian Bogor. Bogor.

Soepardi G. dan Hanafiah A.S. 1991. Pengaruh Berbagai Kejenuhan Al, Dengan atau Tanpa Mo, Terhadap Pertumbuhan dan Fiksasi N pada Kedelai. Lokakarya Penambatan N, Lembaga Ilmu Pengetahuan Indonesia, Bogor.

Soepartini M., Nurjaya A., Kasno S., Ardjakusumah S., Moersidi, & Adiningsih J.S. 1994. Status hara P dan K serta sifat-sifat tanah sebagai penduga kebutuhan pupuk padi sawah di Pulau Lombok. Jurnal Pemb. Pen. Tanah dan Pupuk. 12 (2).

Steel R.G.D. dan Torrie J.H. 1995. Pinsip Prosedur Statistika. Penerbit PT. Gramedia Pustaka Utama. Jakarta.

Styawan A.A., and Rohmanti G. 2020. Determination of flavonoid levels of $AlCl_3$ methode in the extract of metanol flowers (*Clitoria ternatea* L). Jurnal Farmasi Sains dan Praktis. 6(2): 134-141.

Suarna I.W. 2005. Kembang telang (*Clitoria ternatea* L.) tanaman pakan dan penutup tanah. Lokakarya Nasional Tanaman Pakan Ternak. Puslitbang Peternakan. 95-98.

Suarna I.W. dan Budiasa I.K.M. 2016. Pengaruh pupuk organic terhadap produksi dan kualitas hijauan pasture campuran pada lahan kering di Desa Sebudi Karangasem. Majalah Ilmiah Peternakan. 19(3): 125-128.

Sugita I.W., Duarsa M.A.P., Roni N.G.K. 2019.Pertumbuhan dan produksi rumput Paspalum atratum yang diberikan beberapa dosis pupuk N, P, dan K pada berbagai tinggi defoliasi. Journal of Tropical Animal Science. 7(1): 135-151

Sumenda L., Rampe L.H. & Mantiri R.F. 2011. Analisis kandungan klorofil daun manga (*Mangifera indica* L.) pada tingkat perkembangan daun dan yang berbeda. Jurnal biologis. 1(1).

Susetyo S., Kismono T., & Soewardi B. 1996. Hijauan Makanan Ternak. Jakarta: Direktorat Peternakan Rakyat. Dirjen Peternakan, Deptan.

Susilawati I. 2011. Peningkatan berat akar, berat nodul efektif dan hasil hijauan legum dengan pemberian molibdenum dan inokulasi Rhiizobium. Jurnal Ilmu Ternak. 1(10): 40-41.

Sutara P.K. 2016. Jenis tumbuhan dan penggunaannya pada upacara Memukur di Desa Beng, Gianyar - Bali. Jurusan Biologi, Fakultas MIPA. Universitas Udayana. Denpasar.

Sutedi E., Fanidi A., Pratomo G.H., & Sajimin. 2020. Panduan Karakterisasi Tanaman Leguminosa. Pusat Penelitian dan Pengembangan Peternakan. Badan Penelitian dan Pengembangan Pertanian Kementerian Pertanian. Bogor.

Sutedi E., Sajimin, Prawiradiputra B.R. 2013. Agronomi dan pemanfaatan *Centrosema pubescens*. Lokakarya Nasional Tanaman Pakan Ternak. Puslitbang Peternakan. Bogor.

Sutedjo M.M. 2002. Pupuk Dan Cara Pemupukan. Penerbit Rineka Cipta. Jakarta.

Sutedjo R. 2002. Pertanian Organik Menuju Pertanian Alternatif Berkelanjutan. Penerbit Kasinus. Yogyakarta.

Tabeo D.F., Ibrahim N., & Nugrahani A.W. 2019. Etnobotani suku Togian di Pulau Malenge Kecamatan Talatako, Kabupaten Tojo Una-una, Sulawesi Tengah. Biocelebes. 13(1): 30-37.

Taiz L., and Zeiger E. 2002. Plant Physiology. 3rd Edition. Sinauer Associates. Sunderland.

Tillman A.D., Harjadi H., Reksohardiprodjo S., Prawirokusumo S., & Lebdosoekojo S. 1991. Ilmu Makan Ternak Dasar. Gadjah Mada Universitas Press, Yogyakarta.

Tisdale S.L., and Nelson W.L. 1985. Soil Fertility and Fertilizers. MacMillan Publishing Co. Inc. New York.

Togay Y., Togay N., & Yusuf Dogan. 2008. The effect of phosphorus and molybdenum applications on the yield and yield parameters in lentil (*Lens culinaris Medic.*). Africans Journal Of Biotechnology. 7(9): 1256 – 1260.

Tzin V., and Galili G. 2010. The biosynthetic pathways for shikimate and aromatic amino acids in Arabidopsis thaliana. The Arabidopsis Book. 8: e0132.

Udvardi M.K., and Kahn M.L. 1992. Review article evolution of the (Brady) rhizobium-legume symbiosis: why do bacteroids fix nitrogen?. Symbiosis. 14: 87–101.

Umami N, Dewi M.P., Suhartanto B., Suseno N., Agus A. 2020. Effect of planting densities and fertilization levels on the production and quality of Chicory (Cichorium intybus) in Yogyakarta, Indonesia. IOP Conf. Ser.: Earth Environ. Sci. 425: 012073.

Umami N., Respati A.N., Suhartanto B., & Suseno N. 2017. Nutrient composition and in vitro digestibility of *Brachiaria decumbens* cv. Basilisk with different level of fertilizer. In: Proceedings Of The 7th International Seminar On Tropical Animal Production. Yogyakarta, Indonesia. 143-146.

Vitousek P.M., Porder S., Houlton B.Z., Chadwick O.A. 2010. Terrestrial phosphorus limitation: mechanisms, implications, and nitrogen–phosphorus interactions. Ecol. Appl. 20: 5–15.

Vogt T. 2010. Phenylpropanoid biosynthesis. Mol. Plant. 3: 2-20.

Voisin A.S., Salon C., Jeudy C., Warembourg F.R. 2003. Root and nodule growth in *Pisum sativum* L. in relation with photosynthesis: analysis using c-labelling. Ann. Bot. 92: 557-563.

Vuolo M.M., Lima G.C., & Junior M.R. 2019. Passiflora edulis peel flour and health effects. flour and breads and their fortification in health and disease prevention. 249-258.

Wahyuni R.D. dan Kamaliyah S.N. 2009. Studi Tentang Pola Produksi Alfalfa Tropis (*Medicago sativa* L.). Jurnal Ilmu Peternakan. 19: 20-27.

Walker A.P., Beckerman A.P., Gu L., Kattge J., Cernusak L.A., Domingues T.F., Scales J.C., Wohlfahrt G., Wullschleger S.D., Woodward F.I. 2014. The relationship of leaf photosynthetic traits – vcmax and jmax – to leaf nitrogen, leaf phosphorus, and specific leaf area: a meta analysis and modeling study. Ecol. Evol. 4: 3218–3235.

Wang Y., Wang D., Shi P., Omasa K. 2014. Estimating rice chlorophyll content and leaf nitrogen concentration with a digital still color camera under natural light. Plant Methods. 10(1): 36.

Wang Z.L., Wang S., Kuang Y., Hu Z.M., Qiao X., Ye M.A. 2018. Comprehensive review on phytochemistry, pharmacology, and flavonoid biosynthesis of Scutellaria baicalensis. Pharm. Biol. 56: 465–484.

Wawan. 2006. Budidaya tanaman kedelai (Glycine max L.). Unpad Press. Bandung.

Widjajanto D.W., Honmura T., Matsushita K., & Miyauchi N. 2001. Studies on the release of N from water hyacinth incorporated into soil-crop systems using 15N-labeling techniques. Pak. J. Biol. Sci., 4(9): 1075-1077

Wiguna G. 2014. Keragaan fenotifik beberapa genotipe mentimun (*Cucumis sativus* L.). Jurnal Ilmu-Ilmu Pertanian. 10(2): 45-55.

Williams J.S., Thomas M., Clarke D.J. 2005. The gene stlA encodes a phenylalanine ammonia-lyase that is involved in the production of a stilbene antibiotic in Photorhabdus luminescens TT01. Microbiology. 151: 2543–2550.

Winaya P.D. 1983. Buku Kesuburan Tanah Dan Pupuk. Jurusan Ilmu Tanah. Fakultas Pertanian. Universitas Udayana. Denpasar.

Wohl J., and Petersen M. 2020. Functional expression and characterization of cinnamic acid 4-hydroxylase from the hornwort Anthoceros agrestis in Physcomitrella patens. Plant Cell Rep. 39: 597–607.

Wu S., Hu C., Tan Q., Xu S., Sun X. 2017. Nitric oxide mediates molybdenum-induced antioxidant defense in wheat under drought stress. Front. Plant Sci. 8: 1085.

Yokoya N.S., Necchi Jr. O., Martins A.P., Gonzalez S.F., Plastino E.M. 2007. Growth responses and photosynthetic characteristics of wild and phycoerythrin deficient strains of Hypneamusciformis (Rhodophyta). J. Applied Phycology. 19: 197-205.

Yutono. 1995. Inokulasi Rhizobium Pada Kedelai. Badan Penelitian dan Pengembangan Pertanian. Pusat Penelitian dan Pengembangan Tanaman Pangan. Bogor.

Zahoor F., Ahmed M., Malik M.A., Mubeen K., Siddiqui M.H., Rasheed M., Ansar R., Mehmood K. 2013. Soybean (*Glycine max* L.) respone to micronutrients. Turkish Journal of Field Crops. 18(2): 134-138.

Zaroug M.G., and Munns D.N. 1980. screening strains of rhizobium for the tropical legumes *Clitoria ternatea* And *Vigna trilobata* in soils of different ph. Tropical Grasslands. 14(1): 28 – 33.

Zhao L.S., Su H.N., Li K., Xie B.B., Liu L.N., Zhang X.Y., Chen X.L., Huang F., Zhou B.C., Zhang Y.Z. 2016. Supramolecular architecture of photosynthetic membrane in red algae in response to nitrogen starvation. Biochim. Biophys. Acta. 1857: 1751–1758.

Zhao N., Yu G., He N., Wang Q., Guo D., Zhang X. 2016. Coordinated pattern of multi-element variability in leaves and roots across Chinese forest biomes: multi-element variability in leaves and roots. Glob. Ecol. Biogeogr. 25: 359–367.