

DAFTAR PUSTAKA

- Aisara, S., Azmi, S., dan Yanni, M., 2018. Gambaran Klinis Penderita Penyakit Ginjal Kronik yang Menjalani Hemodialisis di RSUP Dr. M. Djamil Padang. *Jurnal Kesehatan Andalas*, **7**: 42.
- Akhdiyat, H.R., 2019. Analisis Kadar Hemoglobin Pada Pasien Penderita Gagal Ginjal Kronik. *International Journal of Applied Chemistry Research*, .
- AL-Jumaih, A., Al-Onazi, K., Binsalih, S., Hejaili, F., dan Al-Sayyari, A., 2011. A study of quality of life and its determinants among hemodialysis patients using the KDQOL-SF instrument in one center in Saudi Arabia. *Arab Journal of Nephrology and Transplantation*, **4**: 125–130.
- Bakris, G.L., 2008. Slowing nephropathy progression: focus on proteinuria reduction. *Clinical journal of the American Society of Nephrology: CJASN*, **3 Suppl 1**: S3-10.
- Barbareschi, G., Sanderman, R., Leegte, I.L., van Veldhuisen, D.J., dan Jaarsma, T., 2011. Educational Level and the Quality of Life of Heart Failure Patients: A Longitudinal Study. *Journal of Cardiac Failure*, **17**: 47–53.
- Barzegar, H., Jafari, H., Charati, J.Y., dan Esmaeili, R., 2017. Relationship Between Duration of Dialysis and Quality of Life in Hemodialysis Patients. *Iranian Journal of Psychiatry and Behavioral Sciences*, **11**: .
- Bradshaw, C., Kondal, D., Montez-Rath, M.E., Han, J., Zheng, Y., Shivashankar, R., dkk., 2019. Early detection of chronic kidney disease in low-income and middle-income countries: development and validation of a point-of-care screening strategy for India. *BMJ global health*, **4**: e001644.
- Braga, S.F.M., Peixoto, S.V., Gomes, I.C., Acúrcio, F. de A., Andrade, E.I.G., dan Cherchiglia, M.L., 2011. Factors associated with health-related quality of life in elderly patients on hemodialysis. *Revista De Saude Publica*, **45**: 1127–1136.
- Brazier, J., Deverill, M., dan Green, C., 1999. A review of the use of health status measures in economic evaluation. *Journal of Health Services Research & Policy*, **4**: 174–184.
- Brazier, J., Roberts, J., dan Deverill, M., 2002. The estimation of a preference-based measure of health from the SF-36. *Journal of Health Economics*, **22**.
- CDC, 2021. 'Chronic Kidney Disease Basics | Chronic Kidney Disease Initiative | CDC', . URL: <https://www.cdc.gov/kidneydisease/basics.html> (diakses tanggal 6/1/2022).
- Chang, A. dan Kramer, H., 2012. CKD progression: a risky business. *Nephrology, Dialysis, Transplantation: Official Publication of the European Dialysis and Transplant Association - European Renal Association*, **27**: 2607–2609.
- Chisholm-Burns, M.A., Schwinghammer, T.L., Wells, B.G., Malone, P.M., Kolesar, J.M., dan DiPiro, J.T., 2016. *Pharmacotherapy: Principles & Practice: Fourth Edition*.

- Collister, D., Komenda, P., Hiebert, B., Gunasekara, R., Xu, Y., Eng, F., dkk., 2016. The Effect of Erythropoietin-Stimulating Agents on Health-Related Quality of Life in Anemia of Chronic Kidney Disease. *Annals of Internal Medicine*, **164**: 472–478.
- Corrigan, R.M., 2011. THE EXPERIENCE OF THE OLDER ADULT WITH END-STAGE RENAL DISEASE ON HEMODIALYSIS. *Queen's University*, 75.
- Craig, B.M., Pickard, A.S., Stolk, E., dan Brazier, J.E., 2013. US valuation of the SF-6D. *Medical Decision Making*, **33**: 793–803.
- Cramer, J.A., Wiebe, S., Camfield, C., Hans, C., Christopher, H., John, L., dkk., 2002. Principles of Health-related Quality of Life: Assessment in Clinical Trials. *Epilepsia*, **43**: 1084–1095.
- da Silva, S.M., Braido, N.F., Ottaviani, A.C., Gesualdo, G.D., Zazzetta, M.S., dan Orlandi, F. de S., 2016. 'Social Support of Adults and Elderly With Chronic Kidney Disease on Dialysis', . URL: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4990047/> (diakses tanggal 30/6/2022).
- Davison, S.N., Jhangri, G.S., dan Feeny, D.H., 2009. Comparing the Health Utilities Index Mark 3 (HUI3) with the Short Form-36 Preference-Based SF-6D in Chronic Kidney Disease. *Value in Health*, **12**: 340–345.
- de Arriba, G., Avila, G.G., Guinea, M.T., Alia, I.M., Herruzo, J.A., Ruiz, B.R., dkk., 2021. Mortality of hemodialysis patients is associated with their clinical situation at the start of treatment. *Nefrología (English Edition)*, **41**: 461–466.
- Department of Health New York, D. of H.N.Y., 1999. 'Confidence Intervals - Statistics Teaching Tools - New York State Department of Health', . URL: <https://www.health.ny.gov/diseases/chronic/confint.htm> (diakses tanggal 22/7/2022).
- Dewi, R., T, K., Putranto, W., Susanto, A., dan Suseno, A., 2020. Hubungan Kualitas Hidup dan Status Nutrisi pada Pasien Penyakit Ginjal Kronik dengan Tipe Dialisis. *Jurnal Penyakit Dalam Indonesia*, **7**: .
- DiPiro, J.T. (Editor), 2008. *Pharmacotherapy: A Pathophysiologic Approach*, 7th ed. ed. McGraw-Hill Medical, New York.
- Diyono, D. dan Indriati, R., 2017. ANALISIS GAYA HIDUP (LIFESTYLE) SEBAGAI FAKTOR RESIKO PENYAKIT GAGAL GINJAL KRONIS. *KOSALA : Jurnal Ilmu Kesehatan*, **5**: .
- Eunetha, 2013. *Health-Related Quality of Life and Utility Measures*. European Network for Health Technology Assessment.
- Fassbinder, T.R.C., Winkelmann, E.R., Schneider, J., Wendland, J., dan Oliveira, O.B. de, 2015. Functional Capacity and Quality of Life in Patients with Chronic Kidney Disease In Pre-Dialytic Treatment and on Hemodialysis - A Cross sectional study. *Jornal Brasileiro de Nefrologia*, **37**: .

- Fatihah, A.Z., Andayani, T.M., dan Yasin, N.M., 2021. The Short Form-6 Dimension (SF-6D) Validity and Reliability in Hemodialysis Patients. *Jurnal Farmasi dan Ilmu Kefarmasian indonesia*, **Vol 8**: .
- Ferrans, C.E., 2005. Definitions and conceptual models of quality of life, dalam: *Outcomes Assessment in Cancer: Measures, Methods, and Applications*. Cambridge University Press, New York, NY, US, hal. 14–30.
- Ferreira, L.N., Ferreira, P.L., Pereira, L.N., Rowen, D., dan Brazier, J.E., 2013. Exploring the Consistency of the SF-6D. *Value in Health*, **16**: 1023–1031.
- Fouque, D. dan Aparicio, M., 2007. Eleven reasons to control the protein intake of patients with chronic kidney disease. *Nature Clinical Practice. Nephrology*, **3**: 383–392.
- Gandhi, P.K., Ried, L.D., Bibbey, A., dan Huang, I.-C., 2012. SF-6D utility index as measure of minimally important difference in health status change. *Journal of the American Pharmacists Association*, **52**: 34–42.
- Gansevoort, R.T., Correa-Rotter, R., Hemmelgarn, B.R., Jafar, T.H., Heerspink, H.J.L., Mann, J.F., dkk., 2013. Chronic kidney disease and cardiovascular risk: epidemiology, mechanisms, and prevention. *Lancet (London, England)*, **382**: 339–352.
- Garcia-Gordillo, M.Á., 2015. VALIDACIÓN Y COMPARACIÓN DE LOS INSTRUMENTOS EQ-5D-3L Y SF-6D EN UNA. *NUTRICION HOSPITALARIA*, 2808–2821.
- Gebhart, G.F., 2000. *Scientific Issues of Pain and Distress*, Definition of Pain and Distress and Reporting Requirements for Laboratory Animals: Proceedings of the Workshop Held June 22, 2000. National Academies Press (US).
- Ghiasi, B., Sarokhani, D., Dehkordi, A.H., Sayehmiri, K., dan Heidari, M.H., 2018. Quality of Life of patients with chronic kidney disease in Iran: Systematic Review and Meta-analysis. *Indian Journal of Palliative Care*, **24**: 104–111.
- Gundle, K.R., Cizik, A.M., Punt, S.E.W., Conrad, E.U., dan Davidson, D.J., 2014. Validation of the SF-6D Health State Utilities Measure in Lower Extremity Sarcoma. *Sarcoma*, **2014**: 450902.
- Hermida, R.C., Ayala, D.E., Mojón, A., dan Fernández, J.R., 2011. Bedtime dosing of antihypertensive medications reduces cardiovascular risk in CKD. *Journal of the American Society of Nephrology: JASN*, **22**: 2313–2321.
- Hill, N.R., Fatoba, S.T., Oke, J.L., Hirst, J.A., O’Callaghan, C.A., Lasserson, D.S., dkk., 2016. Global Prevalence of Chronic Kidney Disease – A Systematic Review and Meta-Analysis. *PLOS ONE*, **11**: e0158765.
- Hultman, B., Hemlin, S., dan Hörnquist, J.O., 2006. Quality of life among unemployed and employed people in northern Sweden. Are there any differences? *Work (Reading, Mass.)*, **26**: 47–56.
- Infodatin Kemenkes, 2017. *Situasi Penyakit Ginjal*. Kementerian Kesehatan RI, Pusat Data dan Informasi, Jakarta Selatan.
- Iseki, K., 2005. Factors influencing the development of end-stage renal disease. *Clinical and Experimental Nephrology*, **9**: 5–14.

- Jones, J.L., Lumsden, N.G., Simons, K., Ta'eed, A., Courten, M.P. de, Wijeratne, T., dkk., 2022. Using electronic medical record data to assess chronic kidney disease, type 2 diabetes and cardiovascular disease testing, recognition and management as documented in Australian general practice: a cross-sectional analysis. *Family Medicine and Community Health*, **10**: e001006.
- Kalaitzidis, R. dan Bakris, G., 2009. Pathogenesis and treatment of microalbuminuria in patients with diabetes: the road ahead. *Journal of Clinical Hypertension (Greenwich, Conn.)*, **11**: 636–643.
- Kalaitzidis, R.G. dan Bakris, G.L., 2009. Should proteinuria reduction be the criterion for antihypertensive drug selection for patients with kidney disease? *Current Opinion in Nephrology and Hypertension*, **18**: 386–391.
- Kazancioğlu, R., 2013. Risk factors for chronic kidney disease: an update. *Kidney International Supplements*, , Proceedings of the 15th annual meeting of Turkish Society of Hypertension and Renal Diseases **3**: 368–371.
- KDIGO, 2013. *Clinical Practice Guideline for The Evaluation and Management of Chronic Kidney Disease*. National Kidney Foundation.
- KDOQI, 2002. *Clinical Practice Guidelines for Chronic Kidney Disease: Evaluation, Classification and Stratification*. National Kidney Foundation, New York.
- KDOQI, 2007. KDOQI Clinical Practice Guidelines and Clinical Practice Recommendations for Diabetes and Chronic Kidney Disease. *American Journal of Kidney Diseases: The Official Journal of the National Kidney Foundation*, **49**: S12-154.
- Ke, C., Liang, J., Liu, M., Liu, S., dan Wang, C., 2022. Burden of chronic kidney disease and its risk-attributable burden in 137 low-and middle-income countries, 1990–2019: results from the global burden of disease study 2019. *BMC Nephrology*, **23**: 17.
- Kefale, B., Alebachew, M., Tadesse, Y., dan Engidawork, E., 2019. Quality of life and its predictors among patients with chronic kidney disease: A hospital-based cross sectional study. *PLOS ONE*, **14**: e0212184.
- Kontodimopoulos, N., Pappa, E., Papadopoulos, A.A., Tountas, Y., dan Niakas, D., 2009. Comparing SF-6D and EQ-5D Utilities across Groups Differing in Health Status. *Quality of Life Research*, **18**: 87–97.
- Krop, J.S., Coresh, J., Chambless, L.E., Shahar, E., Watson, R.L., Szklo, M., dkk., 1999. A community-based study of explanatory factors for the excess risk for early renal function decline in blacks vs whites with diabetes: the Atherosclerosis Risk in Communities study. *Archives of Internal Medicine*, **159**: 1777–1783.
- Kularatna, S., Senanayake, S., Gunawardena, N., dan Graves, N., 2019. Comparison of the EQ-5D 3L and the SF-6D (SF-36) contemporaneous utility scores in patients with chronic kidney disease in Sri Lanka: a cross-sectional survey. *BMJ Open*, **9**: e024854.

- Kwakernaak, A.J., Zelle, D.M., Bakker, S.J.L., dan Navis, G., 2013. Central body fat distribution associates with unfavorable renal hemodynamics independent of body mass index. *Journal of the American Society of Nephrology: JASN*, **24**: 987–994.
- Lee, K.-Y., 2017. A unified pathogenesis for kidney diseases, including genetic diseases and cancers, by the protein-homeostasis-system hypothesis. *Kidney Research and Clinical Practice*, **36**: 132–144.
- Levey, A.S., Coresh, J., Bolton, K., Culleton, B., Harvey, K.S., Ikizler, T.A., dkk., 2002. K/DOQI clinical practice guidelines for chronic kidney disease: Evaluation, classification, and stratification. *American Journal of Kidney Diseases*, **39**: i-ii+S1-S266.
- Lew, Q.L.J., Allen, J.C., Nguyen, F., Tan, N.C., dan Jafar, T.H., 2018. Factors Associated with Chronic Kidney Disease and Their Clinical Utility in Primary Care Clinics in a Multi-Ethnic Southeast Asian Population. *Nephron*, **138**: 202–213.
- Lumenta, N., A., 1992. *Penyakit Ginjal*. PT. BPK Gunung Mulia, Jakarta.
- Mahesvara, I.B.G.A., Yasa, W.P.S., dan Subawa, A.N., 2020. PREVALENSI PENYAKIT GINJAL KRONIK STADIUM 5 YANG MENJALANI HEMODIALISIS DI RSUD BADUNG PERIODE TAHUN 2017-2018. *E-Jurnal Medika Udayana*, **9**: 29–35.
- Mirraikhimov, A.E., 2012. Obstructive sleep apnea and kidney disease: is there any direct link? *Sleep & Breathing = Schlaf & Atmung*, **16**: 1009–1016.
- Molsted, S., Wendelboe, S., Flege, M.M., dan Eidemak, I., 2021. The impact of marital and socioeconomic status on quality of life and physical activity in patients with chronic kidney disease. *International Urology and Nephrology*, **53**: 2577–2582.
- Mousa, I., Ataba, R., Al-ali, K., Alkaiyat, A., dan Zyoud, S.H., 2018. Dialysis-related factors affecting self-efficacy and quality of life in patients on haemodialysis: a cross-sectional study from Palestine. *Renal Replacement Therapy*, **4**: 21.
- Murdeswar, H.N. dan Anjum, F., 2022. Hemodialysis, dalam: *StatPearls*. StatPearls Publishing, Treasure Island (FL).
- Noble, R. dan Taal, M.W., 2019. Epidemiology and causes of chronic kidney disease. *Medicine*, **47**: 562–566.
- Notoadmodjo, 2010. *Metodologi Penelitian Kesehatan*. Rineka Cipta, Jakarta.
- Nursalam, S., 2013. *Metodologi Penelitian Ilmu Keperawatan*. Salemba Medika, Jakarta.
- Oh, T.R., Choi, H.S., Kim, C.S., Bae, E.H., Oh, Y.K., Kim, Y.-S., dkk., 2019. Association between health related quality of life and progression of chronic kidney disease. *Scientific Reports*, **9**: 19595.
- Ojo, A., 2014. Addressing the global burden of chronic kidney disease through clinical and translational research. *Transactions of the American Clinical and Climatological Association*, **125**: 229–243; discussion 243-246.

- Okubo, R., Kai, H., Kondo, M., Saito, C., Yoh, K., Morito, N., dkk., 2014. Health-related quality of life and prognosis in patients with chronic kidney disease: a 3-year follow-up study. *Clinical and Experimental Nephrology*, **18**: 697–703.
- O'Shaughnessy, D.V. dan Elder, G.J., 2009. Review article: Patient-level outcomes: the missing link. *Nephrology (Carlton, Vic.)*, **14**: 443–451.
- Pezeshki, M. dan Rostami, Z., 2009. Contributing Factors in Health-Related Quality of Life Assessment of ESRD Patients: A Single Center Study. *Nephro-Urology Monthly*, **1**: 129–136.
- Plantinga, L.C., 2013. Socio-economic impact in CKD. *Nephrologie & Therapeutique*, **9**: 1–7.
- Prodjosudjadi, W., 2006. Incidence, prevalence, treatment and cost of end-stage renal disease in Indonesia. *Ethnicity & Disease*, **16**: S2-14–6.
- Richardson, J., Iezzi, A., Khan, M.A., dan Maxwell, A., 2014a. Validity and Reliability of the Assessment of Quality of Life (AQoL)-8D Multi-Attribute Utility Instrument. *The Patient - Patient-Centered Outcomes Research*, **7**: 85–96.
- Richardson, J., Sinha, K., Iezzi, A., dan Khan, M.A., 2014b. Modelling utility weights for the Assessment of Quality of Life (AQoL)-8D. *Quality of Life Research*, **23**: 2395–2404.
- Richardson, J.R.J., Mckie, J.R., dan Bariola, E.J., 2014. Multiattribute utility instruments and their use. *Encyclopedia of Health Economics, Volume 2*, 341–357.
- Riyanto, A., 2009. *Penerapan Analisis Multivariat Dalam Penelitian Kesehatan*. Niftra Media, Bandung.
- Ryff, C.D. dan Singer, B., 1998. The role of purpose in life and personal growth in positive human health, dalam: *The Human Quest for Meaning: A Handbook of Psychological Research and Clinical Applications*. Lawrence Erlbaum Associates Publishers, Mahwah, NJ, US, hal. 213–235.
- Sands, J. dan Verlander, J., 2005. Anatomy and Physiology of The Kidney, dalam: *Toxicology of The Kidney*. CRC Press, Boca Raton, FL, 3-56.
- Saran, R., Li, Y., Robinson, B., Ayanian, J., Balkrishnan, R., Bragg-Gresham, J., dkk., 2015. US Renal Data System 2014 Annual Data Report: Epidemiology of Kidney Disease in the United States. *American journal of kidney diseases : the official journal of the National Kidney Foundation*, **66**: Svii-305.
- Sasmito - 2015 - PROGRAM STUDI ILMU KEPERAWATAN SEKOLAH TINGGI ILMU.pdf, n.d.
- Senanayake, S., 2018. Chronic kidney disease in Sri Lanka: a glimpse into lives of the affected. *Journal of the College of Community Physicians of Sri Lanka*, **24**: 56.
- Senanayake, S., Gunawardena, N., Palihawadana, P., Suraweera, C., Karunarathna, R., dan Kumara, P., 2018. Depression and psychological distress in patients

- with chronic renal failure: Prevalence and associated factors in a rural district in Sri Lanka. *Journal of Psychosomatic Research*, **112**: 25–31.
- Senanayake, S., Mahesh, P.K.B., Gunawardena, N., Graves, N., dan Kularatna, S., 2019. Validity and internal consistency of EQ-5D-3L quality of life tool among pre-dialysis patients with chronic kidney disease in Sri Lanka, a lower middle-income country. *PLOS ONE*, **14**: e0211604.
- Sinurat, L.R.E., Barus, D., Simamora, M., dan Syapitri, H., 2022. Self Management Berhubungan dengan Kualitas Hidup pada Pasien Gagal Ginjal Kronis di Unit Hemodialisa. *Jurnal Penelitian Perawat Profesional*, **4**: 173–184.
- Sudoyono, A.W., Setiyahadi, B., Alwi, I., Simadibrata, M., dan Setiati, S., 2009. *Buku Ajar Ilmu Penyakit Dalam*, Edisi Kelima. ed. Iterna Publishing, Jakarta.
- Suhandi, P., 2015. FAKTOR-FAKTOR YANG MEMPENGARUHI KUALITAS HIDUP PASIEN GAGAL GINJAL KRONIS YANG MENJALANI TERAPI HAEMODIALISA DI RSUD KABUPATEN TANGERANG. *Jurnal Medikes (Media Informasi Kesehatan)*, **2**: 160–168.
- Suiraoka, I., 2012. *Penyakit Degeneratif: Mengenal, Mencegah, Dan Mengurangi Faktor Resiko 9 Penyakit Degeneratif*. Nuha Medica.
- Sukawati, N.W., Herowati, R., dan Andayani, T.M., 2020. Perbandingan Kuesioner EQ-5D-5L dan SF-6D untuk Mengukur Kualitas Hidup Pasien Penyakit Ginjal Kronik di RSUD Kota Yogyakarta. *Jurnal Farmasi Indonesia*, **Vol 18**: .
- Takamatsu, N., Abe, H., Tominaga, T., Nakahara, K., Ito, Y., Okumoto, Y., dkk., 2009. Risk factors for chronic kidney disease in Japan: a community-based study. *BMC Nephrology*, **10**: 34.
- Tannor, E.K., Norman, B.R., Adusei, K.K., Sarfo, F.S., Davids, M.R., dan Bedu-Addo, G., 2019. Quality of life among patients with moderate to advanced chronic kidney disease in Ghana - a single centre study. *BMC Nephrology*, **20**: 122.
- Tattersall, J., Dekker, F., Heimbürger, O., Jager, K.J., Lameire, N., Lindley, E., dkk., 2011. When to start dialysis: updated guidance following publication of the Initiating Dialysis Early and Late (IDEAL) study. *Nephrology, Dialysis, Transplantation: Official Publication of the European Dialysis and Transplant Association - European Renal Association*, **26**: 2082–2086.
- Tedla, F.M., Brar, A., Browne, R., dan Brown, C., 2011. Hypertension in Chronic Kidney Disease: Navigating the Evidence. *International Journal of Hypertension*, **2011**: 132405.
- Testa, M.A. dan Simonson, D.C., 1996. Assessment of quality-of-life outcomes. *The New England Journal of Medicine*, **334**: 835–840.
- Thuppal, S., Markwell, S., Crabtree, T., dan Hazelrigg, S., 2019. Comparison between the EQ-5D-3L and the SF-6D quality of life (QOL) questionnaires in patients with chronic obstructive pulmonary disease (COPD) undergoing

- lung volume reduction surgery (LVRS). *Quality of life research*, **28**: 1885–1892.
- Tortora, G. dan Derrickson, B., 2009. *Principles of Anatomy & Physiology*, 12th Edition. ed. John Wiley & Sons Inc.
- Vadakedath, S. dan Kandi, V., 2017. Dialysis: A Review of the Mechanisms Underlying Complications in the Management of Chronic Renal Failure. *Cureus*, **9**: e1603.
- Vart, P., Gansevoort, R.T., Coresh, J., Reijneveld, S.A., dan Bültmann, U., 2013. Socioeconomic Measures and CKD in the United States and The Netherlands. *Clinical Journal of the American Society of Nephrology*, **8**: 1685–1693.
- Veenhoven, R., 1989. National wealth and individual happiness, dalam: *Understanding Economic Behaviour, Theory and Decision Library: Series A: Philosophy and Methodology of the Social Sciences, Vol. 11*. Kluwer Academic/Plenum Publishers, New York, NY, US, hal. 9–32.
- Wahl, A.K., Rustøen, T., Hanestad, B.R., Lerdal, A., dan Moum, T., 2004. Quality of life in the general Norwegian population, measured by the Quality of Life Scale (QOLS-N). *Quality of Life Research: An International Journal of Quality of Life Aspects of Treatment, Care and Rehabilitation*, **13**: 1001–1009.
- Wang et al. - 2022 - A Dynamic Nomogram to Identify Patients at High Ri.pdf, n.d.
- Welch, J.L., Perkins, S.M., Johnson, C.S., dan Kraus, M.A., 2006. Patterns of interdialytic weight gain during the first year of hemodialysis. *Nephrology Nursing Journal: Journal of the American Nephrology Nurses' Association*, **33**: 493–499.
- World Kidney Day, 2021. Chronic Kidney Disease.
- Wyatt, C.M. dan Drueke, T.B., 2016. Higher hemoglobin levels and quality of life in patients with advanced chronic kidney disease: no longer a moving target? *Kidney International*, **89**: 971–973.
- Yasril, 2009. *Analisis Multivariat Untuk Penelitian Kesehatan*. Mitra Cendekia, Yogyakarta.
- Yusri, 2013. *Statistika Sosial Aplikasi Dan Interpretasi*. Graha Ilmu, Yogyakarta.
- Yuwono, A., 2000. 'Kualitas Hidup Menurut Spitzer Pada Penderita Gagal Ginjal Terminal Yang Menjalani Hemodialisis di Unit Hemodialisis RSUP Dr. Kariadi Semarang', . Universitas Diponegoro.
- Zhang et al. - 2022 - Developing and validating a prognostic prediction .pdf, n.d.
- Zyga, S., Alikari, V., Sachlas, A., Stathoulis, J., Aroni, A., Theofilou, P., dkk., 2015. Management of Pain and Quality of Life in Patients with Chronic Kidney Disease Undergoing Hemodialysis. *Pain Management Nursing*, **16**: 712–720.