

DAFTAR PUSTAKA

- Alikas, K., Kangro, K., Reinart, A., Alikas, K., Kangro, K., & Reinart, A. (2010). Detecting cyanobacterial blooms in large North European lakes using the Maximum Chlorophyll Index MERIS Maximum Chlorophyll Index Phytoplankton Cyanobacteria Chlorophyll a. In *OCEANOLOGIA* (Vol. 52, Issue 2). <http://www.iopan.gda.pl/oceanologia/238>
- Ansper, A., & Alikas, K. (2018). Retrieval of Chlorophyll-a from Sentinel-2 MSI Data for the European Union Water Framework Directive Reporting Purposes. *Remote Sensing*, 11(1). <https://doi.org/10.3390/rs11010064>
- Bartram, J. & Ballance, R. (1996). Water Quality Monitoring; A Practical Guide to the Design and Implementation of Fresh Water Quality Studies and Monitoring Programmes. Chapman & Hall, London.
- Barus, T. A. (2004). Faktor-faktor Lingkungan Abiotik dan Keanekaragaman Plankton sebagai Indikator Kualitas Perairan Danau Toba. *Jurnal Manusia dan Lingkungan*. XI: 61-70
- Bellinger, E. G. & Sigeo, D. C. (2010). Freshwater Algae: Identification and Use as BioIndicators. Chichester: Wiley-Blackwell. ISBN 978-0-470-05814-5
- Berner E. K. & Berner R. A. (1987). The global water cycle, geochemistry and environment. Prentice-hall, Upper Saddle River, pp 1–453.
- Boucher, J., Weathers, K.C., Norouzi, H., Steele, B. (2018). Assessing the effectiveness of Landsat 8 chlorophyll a retrieval algorithms for regional freshwater monitoring. *Ecol. Appl.* 28, 1044–1054.
- Brezonik, P., Menken, K.D., Bauer, M., (2005). . Landsat-based Remote Sensing of Lake Water Quality Characteristics, Including Chlorophyll and Colored Dissolved Organic Matter (CDOM). *Lake Reserv. Manag.* 21, 373–382.
- Brockmann, C., Roland, Peters, M., Kerstin, Sabine, & Ruescas, A. (2016). Evolution of The C2RCC Neural Network for Sentinel 2 and 3 for The Retrieval of Ocean Color Products in Normal and Extreme Optically Complex Waters. *Proc. 'Living Planet Symposium 2016'*, Prague, Czech Republic, 9–13 May 2016 (ESA SP-740, August 2016)

- Bukata, R. P., J. H. Jerome, K. Y. Kondratyev and D. V. Pozdnyakov. (1995). Optical Properties and Remote Sensing of Inland and Coastal Water. New York: CRC.
- Carlson, R. E. (1977). A trophic state index for lakes¹. *Limnology and Oceanography*, 22(2). <https://doi.org/10.4319/lo.1977.22.2.0361>
- Carstensen, J., Klais, R., Cloern, J.E. (2015). Phytoplankton blooms in estuarine and coastal waters: Seasonal patterns and key species. *Estuar. Coast. Shelf Sci.* 162, 98–109.
- Chapman, Deborah V, World Health Organization, UNESCO & United Nations Environment Programme. (1996). Water quality assessments: a guide to the use of biota, sediments and water in environmental monitoring / edited by Deborah Chapman, 2nd ed. E & FN Spon.
- Cheng, Kim, H., Son, S., Kim, Y. H., Khim, J. S., Nam, J., Chang, W. K., Lee, J. H., Lee, C. H., & Ryu, J. (2017). Remote sensing and water quality indicators in the Korean West coast: Spatio-temporal structures of MODIS-derived chlorophyll-a and total suspended solids. *Marine Pollution Bulletin*, 121(1–2), 425–434. <https://doi.org/10.1016/j.marpolbul.2017.05.026>
- Dalpadado, Padmini & Arrigo, Kevin & Dijken, Gert & Skjoldal, Hein Rune & Bagøien, Espen & Dolgov, Andrey & Prokopchuk, Irina & Sperfeld, Erik. (2020). Climate effects on temporal and spatial dynamics of phytoplankton and zooplankton in the Barents Sea. *Progress in Oceanography*. 185. 102320. 10.1016/j.pocean.2020.102320.
- Dewi, Arfita Yuana & Yanto, Eri. (2019). Analisa Pengaruh Daya Mampu PLTA Singkarak terhadap Aliran Daya. Seminar Nasional PIMIMD-5 ITP. 175-179
- Dodds, Walter K., & Whiles, Matt R. (2019). *Freshwater Ecology: Concepts and Environmental Applications of Limnology* (2nd ed.). London: Elsevier Inc.
- Dodson, Stanley. I. (2005). *Introduction to Limnology*. New York: McGraw-Hill.
- Doerffer, R. & Schiller, H. (2007). The MERIS Case 2 water algorithm. *International Journal of Remote Sensing*. Vol. 28, Nos. 3–4, February 2007, 517–535

- Dörnhöfer, K., & Oppelt, N. (2016). Remote sensing for lake research and monitoring – Recent advances. *Ecological Indicators*, 64. <https://doi.org/10.1016/j.ecolind.2015.12.009>
- Doxaran, D., Froidefond, J. M., Lavender, S. and P. Castaing. (2002). Spectral Signature of Highly Turbid Waters: Application with SPOT Data to Quantify Suspended Particulate Matter Concentrations. *Remote Sensing of Environment*. 81:149–161.
- Endah, Nur H., & Nadjib, M. (2017) Pemanfaatan dan Peran Komunitas Lokal dalam Pelestarian Danau Maninjau. *Jurnal Ekonomi dan Pembangunan* Vol 25, No. 1, 2017
- Fakhrudin, M., Wibowo, H., Subehi, L., Ridwansyah, I., (2002). Karakterisasi Hidrologi Danau Maninjau Sumbar. Prosiding Seminar Nasional Limnologi : Menuju Kestinambungan Pemanfaatan Sumberdaya Perairan, Puslit Limnologi LIPI, Bogor, 22 April 2002, hal 65 – 75
- Francis H. Chapelle, Paul M. Bradley, Peter B. McMahon, Bruce D. Lindsey (2009). What Does “Water Quality” Mean?. *Ground Water*. 47(6), 752–754. <https://doi.org/10.1111/j.1745-6584.2009.00569.x>
- Forel, F.A. (1901) *The Study of Lakes*. Handbuch der Seenkunde. Stuttgart, Verlag Von Engelhorn.
- Fussell, J., Rundquist, D. and J. A. Harrington (1986). On Defining Remote Sensing. *Photogrammetric Engineering & Remote Sensing*, 52(9):1507–1511.
- Fukushima, T., Setiawan, F., Subehi, L., Fakhrudin, M., Triwisesa, E., Dianto, A., & Matsushita, B. (2022). Convection of waters in Lakes Maninjau and Singkarak, tropical oligomictic lakes. *Limnology*, 23(2), 375–383. <https://doi.org/10.1007/s10201-021-00686-8>
- Gilerson, A., Gitelson, A., Zhou, J., Gulrin, D., Moses, W., Ioannou, I., Ahmed, S., (2010). Algorithms for remote sensing of chlorophyll-a in coastal and inland waters using red and near-infrared bands. *Opt. Express* 18 (23), 24109–24125.
- Ginting, E., (2002). Pengaruh Aktivitas Manusia Terhadap Kualitas Air di Perairan Parapat Danau Toba. Tesis Program Studi PSL, Pascasarjana USU, Medan.

- Gitelson, A., Gurlin, D., Moses, W., Barrow, T., (2010). A bio-optical algorithm for the remote estimation of the chlorophyll-a concentration in case 2 waters. *Environ. Res. Lett.* 4 (045003), 5p.
- Gobler, C. J. (2020). Climate change and harmful algal blooms: Insights and perspective. *Harmful Algae*, vol. 91, 2020, Art. no. 101731.
- Greb, S., Dekker, A. G., Binding, C., Bernard, S., Brockmann, C., DiGiacomo, P., Griffith, D., Groom, S., Hestir, E., Hunter, P., Kutser, T., Mannaerts, C. M., Matthews, M., Odermatt, D., Robertson Lain, L., Schaeffer, B., Simis, S., Spyarakos, E., Stumpf, R. P., Tyler, A., Urquhart, E. A., & Wang, M. (2018). Earth observations in support of global water quality monitoring. International Ocean-Colour Coordinating Group.
- Gurlin, D., Gitelson, A.A., Moses, W.J., 2011. Remote estimation of Chl-a concentration in turbid productive waters – return to a simple two-band NIR–red model? *Remote Sens. Environ.* 115 (12), 3479–3490.
- Hanintyo, R., & Jatisworo, D. (2021). Variabilitas Klorofil-A di Perairan Sekitar Pulau Bali, Indonesia Melalui Analisis Satelit Multi Resolusi. *Journal of Fisheries and Marine Research*, 5(2), 396–401. <http://jfmr.ub.ac.id>
- Herder, F. and Schliewen UK. (2010). Beyond Sympatric Speciation : Radiation of Sailfin Silverside Fishes in the Malili Lakes (Sulawesi). In M. Glaubrecht (Ed.), *Evolution in Action*. SpringerVerlag, Berlin Heidelberg, 465–483
- Hieronymi, M., Krasemann, H., Müller, D., Brockmann, C., Ruescas, A., Stelzer, K., Nechad, B., Ruddick, K., Simis, S., Tilstone, G., et al. (2016). Ocean colour remote sensing of extreme case-2 waters. In *Proceedings of the conference held Living Planet Symposium*, Prague, Czech Republic.
- IOCCG. (2010). Atmospheric Correction for Remotely-Sensed Ocean Colour Products; Wang, M., Ed.; Technical Report; IOCCG: Dartmouth, NS, Canada.
- Jaelani, Lalu M., Limehuwey, R., Kurniadin, N., Pamungkas, A., Koenhardono, E., Sulisetyono, Aries. (2016). Estimation of TSS and Chl-a Concentration from Landsat 8-OLI: The Effect of Atmosphere and Retrieval Algorithm. *IPTEK, The Journal for Technology and Science*. 27. 16-23. 10.12962/j20882033.v27i1.1217.

- Jensen, John R. (2014). *Remote Sensing of the Environment: An Earth Resource Perspective* (2nd edition). Edinburgh: Pearson Education Limited.
- Jiang, D., Matsushita, B., Pahlevan, N., Gurlin, D., Lehmann, M. K., Fichot, C. G., Schalles, J., Loisel, H., Binding, C., Zhang, Y., Alikas, K., Kangro, K., Uusõue, M., Ondrusek, M., Greb, S., Moses, W. J., Lohrenz, S., & O'Donnell, D. (2021). Remotely estimating total suspended solids concentration in clear to extremely turbid waters using a novel semi-analytical method. *Remote Sensing of Environment*, 258. <https://doi.org/10.1016/j.rse.2021.112386>
- Kallio, K., Kutser, T., Hannonen, T., Koponen, S., Pulliainen, J., Vepsäläinen, J., Pyhälähti, T., (2001). Retrieval of water quality from airborne imaging spectrometry of various lake types in different seasons. *Sci. Total Environ.* 268, 59–77
- Kayastha, P., Dzialowski, A. R., Stoodley, S. H., Wagner, K. L., & Mansaray, A. S. (2022). Effect of Time Window on Satellite and Ground-Based Data for Estimating Chlorophyll-a in Reservoirs. *Remote Sensing*, 14(4). <https://doi.org/10.3390/rs14040846>
- Kementerian Lingkungan Hidup Republik Indonesia. (2014). *Gerakan Penyelamatan Danau (GERMADAN) Singkarak*. Padang: Kemeterian Lingkungan Hidup.
- Kloiber, S. M., Brezonik, P. L., Olmanson, L. G., & Bauer, M. E. (2002). A procedure for regional lake water clarity assessment using Landsat multispectral data. *Remote Sensing of Environment* 82. 38 – 47
- Kuhn, C., Valerio, A., Ward, N., Loken, L., Sawakuchi, H.O., Kampel, M., Richey, J., Stadler, P., Crawford, J., Striegl, R. (2019). Performance of Landsat-8 and Sentinel-2 surface reflectance products for river remote sensing retrievals of chlorophyll-a and turbidity. *Remote Sens. Environ.* 224, 104–118.
- Kutser, T., Pierson, D.C., Kallio, K.Y., Reinart, A., Sobek, S., (2005). Mapping lake CDOM by satellite remote sensing. *Remote Sens. Environ.* 94, 535–540.
- Lacaux, J.P., Tourre, Y.M., Vignolles, C., Ndione, J.A., Lafaye, M., (2007). Classification of ponds from high-spatial resolution remote sensing:

- Application to Rift Valley Fever epidemics in Senegal. *Remote Sens. Environ.* 106, 66–74
- Ledang, A. B., Harvey, T., & Marty, S. (2019). Performance and applications of satellite remote sensing data for water quality in Norwegian lakes. Evaluation of MERIS, Sentinel-2 and Sentinel-3 products Serial number Environmental monitoring Distribution. Norwegian Institute for Water Research. www.niva.no
- Lehmusluoto, P, Machbub B, Terangna N, Rusmiputro S, Achmad F, Boer L, Brahmana SS, Priadi B, Setiadji B, Sayuman O and Margana A. (1997). National Inventory of the Major Lakes and Reservoirs in Indonesia. General Limnology. Revised Edition. Expedition Indodanau Technical Report. Bandung and Helsinki, 71 pp.
- Lukman, Sutrisno, Hamdani, A. (2013). Pengamatan Pola Stratifikasi di Danau Maninjau Sebagai Potensi Tubo Belerang. *Limnotek* 20(2): 129-140.
- Lukman. (2018). Catalogue of Sumatran Big Lakes. Bogor: LIPI Press.
- Matsushita, B., Yang, W., Yu, G., Oyama, Y., Yoshimura, K., Fukushima, T., (2014). A hybrid algorithm for estimating the chlorophyll-a concentration across different trophic states in Asian inland waters. *ISPRS Journal of Photogrammetry and Remote Sensing* 102. 28-37
- Marsalek, J., Jiménez-Cisneros, B. E., Malmquist, P.-A., Karamouz, M., Goldenfum, J., & Chocat, B. (2006). *Urban water cycle processes and interactions*. International Hydrological Programme (IHP) of the UNESCO.
- McCullough, I.M., Loftin, C.S., Sader, S.A. (2012). Combining lake and watershed characteristics with Landsat TM data for remote estimation of regional lake clarity. *Remote Sens. Environ.* 123, 109–115.
- Mobley, Curtis, Stramski, D., Bissett, W., Boss, E. S. (2004). Optical Modeling of Ocean Waters: Is the Case 1 - Case 2 Classification Still Useful?. *Oceanography* (Washington D.C.). 17. 10.5670/oceanog.2004.48.
- Morel, A., Prieur, L. (1977). Analysis of variations in ocean color. *Limnol. Oceanogr.* 22, 709–722.

- Moses, W.J., Gitelson, A.A., Berdnikov, S., Povazhnyy, V., (2009). Estimation of chlorophyll-a concentration in case II waters using MODIS and MERIS data—successes and challenges. *Environ. Res. Lett.* 4, 045005.
- Moss, B., (2012). Cogs in the endless machine: lakes, climate change and nutrient cycles: a review. *Sci. Total Environ.* 434, 130–142, <http://dx.doi.org/10.1016/j.scitotenv.2011.07.069>.
- Müller-Wilm, Uwe & Louis, Jerome & Richter, Rudolf & Gascon, Ferran & Niezette, Marc. (2013). Sentinel-2 Level-2A Prototype Processor: Architecture, Algorithms and First Results.
- Natsir, M. (2012). Pemanfaatan Data Penginderaan Jauh untuk Pemantauan Lingkungan Daerah Tangkapan Air Danau Singkarak. *Jurnal Inderaja*. Vol III No. 5.
- Niroumand-Jadidi, M., Bovolo, F., Bruzzone, L., & Gege, P. (2021). Inter-Comparison of Methods for Chlorophyll-a Retrieval: Sentinel-2 Time-Series Analysis in Italian Lakes. *Remote Sensing*, 13(12), 2381. <https://doi.org/10.3390/rs13122381>
- O'Reilly, J. E. (2000). SeaWiFS Postlaunch Calibration and Validation Analyses, Part 3. In: Hooker, S.B., Firestone, E.R. (Eds.), NASA Tech. Memo. 2000–206892, vol. 11, NASA Goddard Space Flight Center, 49pp.
- O'Sullivan, P. E., & Reynolds, C. S., (2004). The Lakes Handbook Volume 1: Limnology and Limnetic Ecology. Oxford: Blackwell Publishing. ISBN 0-632-04797-6
- Odermatt, D., Gitelson, A., Brando, V.E., Schaepman, M. (2012). Review of constituent retrieval in optically deep and complex waters from satellite imagery. *Remote Sens. Environ.* 118, 116–126
- Peters, Marco. (2017). *Influence of Wrong Angle Resampling on Water Instintuence*. SNAP: Specific Resamplers - Proposal. Retrieved from <https://senbox.atlassian.net/wiki/spaces/SNAP/pages/69349972/Influence+of+wrong+angle+resampling+on+water+instintuence>

- Palmer, Stephanie C.J., Tiit Kutser, Peter D. Hunter. (2015). Remote sensing of inland waters: Challenges, progress and future directions. *Remote Sensing of Environment*. Volume 157. <https://doi.org/10.1016/j.rse.2014.09.021>.
- Popova, A. K. (2021). Estimation of water quality parameters from space images. *CEUR Workshop Proceedings*, 2858, 146–151. <https://doi.org/10.47350/aicts.2020.17>
- Qanita, H., Subiyanto, S., Hani'ah. (2019). Analisis Distribusi *Total Suspended Solid* dan Kandungan Klorofil-A Perairan Banjir Kanal Barat Semarang Menggunakan Citra Landsat 8 dan Sentinel-2A. *Jurnal Geodesi Undip*. Vol 8 No 1.
- Rahman, A., Pratiwi, Niken T. M., Hariyadi, S. (2016). Struktur Komunitas Fitoplankton di Danau Toba, Sumatera Utara. *Jurnal Ilmu Pertanian Indonesia (JIPI)*, Agustus 2016. Vol. 21 (2): 120127.
- Remote Sensing Research Centre (n.d.). *What is remote sensing?* Marine remote sensing toolkit. Retrieved January 21, 2022, from <https://sees-rsrc.science.uq.edu.au/rstoolkit/en/html/marine/resources/what-is-remote-sensing.html>
- Rosiyanti, H. (2015). Implementasi Pendekatan Pembelajaran Konstruktivisme terhadap Pemahaman Konsep Matematika Mahasiswa Materi Transformasi Linier. *Jurnal Pendidikan Matematika & Matematika* Vol 1 No 2.
- Rustam, P, Manurung H, Harahap TN, Retnowati I, Nasution SR dan Rustadi WC. (2014). *Gerakan Penyelamatan Danau (GERMADAN) Matano*. Kementerian Lingkungan Hidup, Jakarta, 92 pp.
- Sabo, E, Roy D, Hamilton PB, Hehanussa PE, McNeely R and Haffner GD. (2008). The Plankton Community of Lake Matano: Factors Regulating Plankton Composition and Relative Abundance in an Ancient Tropical Lake of Indonesia. *Hydrobiologia*, 615, 225–235
- Sagan, V., Peterson, K. T., Maimaitijiang, M., Sidike, P., Sloan, J., Greeling, B. A., Maalouf, S., & Adams, C. (2020). Monitoring inland water quality using remote sensing: potential and limitations of spectral indices, bio-optical simulations, machine learning, and cloud computing. In *Earth-Science*

Reviews (Vol. 205). Elsevier B.V.

<https://doi.org/10.1016/j.earscirev.2020.103187>

Sentosa, Agus A., Hediando, Dimas A., Satria H. (2017). Dugaan Eutrofikasi di Danau Matano Ditinjau dari Komunitas Fitoplankton dan Kualitas Perairan. LIMNOTEK Perairan Darat Tropis di Indonesia. Vol. 24, No. 2, Desember 2017 : 61-73

Siadari, E. L. (2017). Pengaruh Suhu Permukaan Laut dan Angin Terhadap Distribusi Klorofil-A di Perairan Papua Tahun 2002-2016. Prosiding Seminar Nasional Sains Atmosfer 2017

Soomets, T., Uudeberg, K., Jakovels, D., Brauns, A., Zagars, M., & Kutser, T. (2020). Validation and Comparison of Water Quality Products in Baltic Lakes using Sentinel-2 MSI and Sentinel-3 OLCI data. *Sensors (Switzerland)*, 20(3).
<https://doi.org/10.3390/s20030742>

Sørensen, K., E. Aas, and J. Høkedal. (2007). Validation of MERIS Water Products and Bio-optical Relationships in the Skagerrak. *International Journal of Remote Sensing* 28 (3–4): 555–68.
<https://doi.org/10.1080/01431160600815566>

Sørensen, K., A. Folkestad, K. Stelzer, C. Brockmann, and R. Doerffer. (2008). Validation of MERIS Products in the Skagerrak. In Proc. of the 2nd MERIS/(A) ATSR User Workshop.
http://earth.esa.int/ers/pub/ESA_DOC/meris_workshop_2008/papers%20o15_sore.pdf.

Sulastri, Nomosatryo, S., & Sulawesty, F. 2016. Keterkaitan unsur hara dan biomassa fitoplankton (klorofil-a) di Danau Maninjau, Sumatera Barat. Prosiding Pertemuan Ilmiah MLI tahun 2015: Tantangan Terkini Perairan Darat Di Wilayah Regional Tropis Menyongsong World Lake Conference. Masyarakat Limnologi Indonesia (MLI) (hal. 129 – 141). Cibinong, Bogor.

Sulawesty, F., Yustiawati, Aisyah, S., (2016). Komunitas Fitoplankton di Daerah Litoral Danau Maninjau dan Sungai Ranggeh, Kabupaten Agam; Kaitannya dengan Kandungan Nutrien di Perairan. *Oseanologi dan Limnologi di Indonesia* 2020 5(1): 47-59

- Susanto, Joko P., Riyadi A., Garno, Yudhi S. (2021). Kelayakan Air Danau Toba di Wilayah Kabupaten Tapanuli Utara untuk Air Baku dan Rekreasi Air. *Jurnal Teknologi Lingkungan* Vol. 22, No 2, Juli 2021, 231-2
- Tan, W., Liu, P., Liu, Y., Yang, S., Feng, S. A (2017). 30-Year Assessment of Phytoplankton Blooms in Erhai Lake Using Landsat Imagery: 1987 to 2016. *Remote Sens.* 9, 1265
- Torbick, N., Corbiere, M. A. (2015). Multiscale Mapping Assessment of Lake Champlain Cyanobacterial Harmful Algal Blooms. *Int. J. Environ. Res. Public Health*, 12, 11560–11578.
- Tundisi, J. G., & Tundisi, T. M. (2011). *Limnology*. Boca Raton, Florida: Taylor & Francis Group CRC Press.
- Urbanski, J.A., Wochna, A., Bubak, I., Grzybowski, W., Lukawska-Matuszewska, K., Lacka, M., Sliwinska, S., Wojtasiewicz, B., Zajackowski, M. (2016). Application of Landsat 8 imagery to regional-scale assessment of lake water quality. *Int. J. Appl. Earth Obs. Geoinf.* 51, 28–36
- Quevauviller, P., Thomas, O., & Van Der Beken, A. (2007). Wastewater Quality Monitoring and Treatment. In *Wastewater Quality Monitoring and Treatment*. <https://doi.org/10.1002/9780470058725>
- Vaillant, James J., Haffner Gordon D., Cristescu Melania E. (2011). The Ancient Lakes of Indonesia: Towards Integrated Research on Speciation. *Integrative and Comparative Biology*, 1–10.
- Verpoorter, C., Kutser, T., Seekell, D., Tranvik, L. A. (2014). Global Inventory of Lakes Based on High-Resolution Satellite Imagery. *Geophys. Res. Let.* 41, 6396–6402.
- Wang, M. (2014). Atmospheric correction of Ocean Color RS observations. In *Proceedings of the IOCCG Summer Lecture Series, Villefranche-sur-Mer, France*. pp. 1–58.
- Warren, M. A., Simis, S. G. H., Martinez-Vicente, V., Poser, K., Bresciani, M., Alikas, K., Spyrakos, E., Giardino, C., & Ansper, A. (2019). Assessment of atmospheric correction algorithms for the Sentinel-2A MultiSpectral Imager

- over coastal and inland waters. *Remote Sensing of Environment*, 225. <https://doi.org/10.1016/j.rse.2019.03.018>
- Wetzel, R. G. (2001). Limnology: Lake and River Ecosystems. In *Journal of Phycology* (Vol. 37). <http://doi.wiley.com/10.1046/j.1529-8817.2001.37602.x>
- Wibowo, H. (2016). Pengelolaan Kualitas Air untuk Danau Prioritas. Depok: Puslit Limnologi LIPI. www.lipi.go.id
- Widhiarso, W. (2012). Memperkenalkan Program G*Power untuk Mengkalkulasi Berapa Ukuran Sampel untuk Penelitian. Yogyakarta: Fakultas Psikologi Universitas Gadjah Mada.
- Wijopriono, Purnomo K, Kartamihardja ES, Fahmi Z. 2010. Fishery resources and ecology of Toba Lake. *Indonesian Fisheries Research Journal*. 16(1): 714.
- Williamson, C. E., Saros, Jasmine E., Vincent, Warwick F., Smol, John P. (2009). Lakes and Reservoirs as Sentinels, Integrators, and Regulators of Climate Change. *Limnology and Oceanography*, 54(6_part_2), 2273–2282. doi:10.4319/lo.2009.54.6_part_2.2273
- Zhang, Y., Ma, R., Duan, H., Loiselle, S., Xu, J. (2014a). A spectral decomposition algorithm for estimating chlorophyll-a concentrations in Lake Taihu, China. *Remote Sens.* 6, 5090–5106
- Zhang, Y.C., Ma, R.H., Duan, H.T., Loiselle, S.A., Xu, J.D., Ma, M.X., (2014b). A novel algorithm to estimate algal bloom coverage to subpixel resolution in Lake Taihu. *Ieee Journal of Selected Topics in Applied Earth Observations and Remote Sensing* 7, 3060–3068.
- Zhang, F., Li, J., Shen, Q., Zhang, B., Wu, C., Wu, Y., Wang, G., Wang, S., Lu, Z. (2015). Algorithms and schemes for chlorophyll-a estimation by remote sensing and optical classification for turbid lake Taihu, China. *IEEE J. Sel. Top. Appl. Earth Obs. Remote Sens.* 8, 350–364.