

## REFERENSI

- [1] W. F. Lamb et al., “A review of trends and drivers of greenhouse gas emissions by sector from 1990 to 2018,” *Environmental Research Letters*, vol. 16, no. 7, p. 073005, Jun. 2021, doi: 10.1088/1748-9326/abee4e.
- [2] G. Contributor, “Meeting the Paris Agreement targets: The role of EVs,” *Smart Energy International*, May 14, 2021. <https://www.smart-energy.com/industry-sectors/electric-vehicles/the-role-of-evs-in-meeting-paris-agreement-climate-targets/> (accessed Nov. 23, 2021).
- [3] “Powering up: Global battery demand to surge by 2030, supply headaches on the horizon,” *www.rystadenergy.com*, Mar. 03, 2022. <https://www.rystadenergy.com/newsevents/news/press-releases/powering-up-global-battery-demand-to-surge-by-2030-supply-headaches-on-the-horizon/>
- [4] M.-K. Tran and M. Fowler, “A Review of Lithium-Ion Battery Fault Diagnostic Algorithms: Current Progress and Future Challenges,” *Algorithms*, vol. 13, no. 3, p. 62, Mar. 2020, doi: 10.3390/a13030062.
- [5] X. Feng, M. Ouyang, X. Liu, L. Lu, Y. Xia, and X. He, “Thermal runaway mechanism of lithium ion battery for electric vehicles: A review,” *Energy Storage Materials*, vol. 10, no. 24058297, pp. 246–267, Jan. 2018, doi: 10.1016/j.ensm.2017.05.013.
- [6] G. L. Plett, *Battery management systems. 1 Battery modeling* / Gregory L. Plett. Boston Artech House, 2015.
- [7] Henk Jan Bergveld, W. S. Kruijt, and P. H. L. Notten, *Battery Management Systems*. Dordrecht Springer Netherlands, 2002.
- [8] K. Liu, K. Li, Q. Peng, and C. Zhang, “A brief review on key technologies in the battery management system of electric vehicles,” *Frontiers of Mechanical Engineering*, vol. 14, no. 1, pp. 47–64, Apr. 2018, doi: 10.1007/s11465-018-0516-8.
- [9] R. R. Thakkar, “Electrical Equivalent Circuit Models of Lithium-ion Battery,” *Energy Storage Devices [Working Title]*, Sep. 2021, doi: 10.5772/intechopen.99851.
- [10] M. H. Hayes, *Statistical digital signal processing and modeling*. New Delhi: Wiley, 2014.
- [11] “Differential Amplifier - The Voltage Subtractor,” *Basic Electronics Tutorials*, Aug. 22, 2013. <https://www.electronics-tutorials.ws/opamp/opamp5.html>



- [12] M. Lab, “INA219 Current Sensor Module with Arduino - Print values on OLED,” Microcontrollers Lab, Feb. 05, 2021. <https://microcontrollerslab.com/ina219-current-sensor-module-pinout-interfacing-with-arduino-oled/> (accessed Aug. 29, 2022).
- [13] H. Ren, Y. Zhao, S. Chen, and T. Wang, “Design and implementation of a battery management system with active charge balance based on the SOC and SOH online estimation,” *Energy*, vol. 166, no. 03605442, pp. 908–917, Jan. 2019, doi: 10.1016/j.energy.2018.10.133.
- [14] “Battery Management and Monitoring Systems BMS,” [www.mpoweruk.com](http://www.mpoweruk.com). <https://www.mpoweruk.com/bms.htm>
- [15] M. A. Hannan, M. S. H. Lipu, A. Hussain, and A. Mohamed, “A review of lithium-ion battery state of charge estimation and management system in electric vehicle applications: Challenges and recommendations,” *Renewable and Sustainable Energy Reviews*, vol. 78, no. 18790690, pp. 834–854, Oct. 2017, doi: 10.1016/j.rser.2017.05.001.
- [16] S. Yang et al., “A parameter adaptive method for state of charge estimation of lithium-ion batteries with an improved extended Kalman filter,” Mar. 2021. doi: 10.1038/s41598-021-84729-1.
- [17] J. Wei, G. Dong, and Z. Chen, “Model-based fault diagnosis of Lithium-ion battery using strong tracking Extended Kalman Filter,” *Energy Procedia*, vol. 158, no. 18766102, pp. 2500–2505, Feb. 2019, doi: 10.1016/j.egypro.2019.01.391.
- [18] Y. Kang et al., “A comparative study of fault diagnostic methods for lithium-ion batteries based on a standardized fault feature comparison method,” *Journal of Cleaner Production*, vol. 278, no. 09596526, p. 123424, Jan. 2021, doi: 10.1016/j.jclepro.2020.123424.
- [19] Y. C. H. Yuwono, B. R. Dewangga, A. I. Cahyadi, and S. Herdjunto, “Fault Detection on the Battery SOC-OCV by Using Observer,” Aug. 2018, doi: 10.1109/icstc.2018.8528607.
- [20] L. Khaula Amifia, I. Riansyah, I. Hafidz, D. Adiputra, and A. Faricha, “Desain Deteksi Kesalahan Battery Management System Menggunakan Algoritma Kalman Filter pada Mobil Listrik Nasional,” vol. 2, no. 1, pp. 2655–5646, 2019, Accessed: Nov. 15, 2021. [Online].
- [21] G. Welch and G. Bishop, “An Introduction to the Kalman Filter,” 2006.
- [22] A. Sidhu, A. Izadian and S. Anwar, “Adaptive Nonlinear Model-Based Fault Diagnosis of Li-Ion Batteries,” in *IEEE Transactions on Industrial Electronics*, vol. 62, no. 2, pp. 1002-1011, Feb. 2015, doi: 10.1109/TIE.2014.2336599.
- [23] M. Thirumarimurugan, N. Bagyalakshmi, and P. Paarkavi, “Comparison of fault detection and isolation methods: A review,” 2016 10th International Conference on Intelligent Systems and Control (ISCO), Jan. 2016, doi: 10.1109/isco.2016.7726957.



- [24] W. Kai, "State of Charge (SOC) Estimation of Lithium-ion Battery Based on Adaptive Square Root Unscented Kalman Filter," *International Journal of Electrochemical Science*, vol. 15, no. 14523981, pp. 9499–9516, Sep. 2020, doi: 10.20964/2020.09.84.
- [25] Y. Mazzi, H. Ben Sassi, F. Errahimi, and N. Es-Sbai, "State of charge estimation using extended kalman filter," Apr. 2019, doi: 10.1109/wits.2019.8723707.
- [26] S. Dey et al., "On-board Thermal Fault Diagnosis of Lithium-ion Batteries For Hybrid Electric Vehicle Application," *IFAC-PapersOnLine*, vol. 48, no. 15, pp. 389–394, 2015, doi: 10.1016/j.ifacol.2015.10.056.
- [27] S. Susanna, B. R. Dewangga, O. Wahyunggoro, and A. I. Cahyadi, "Comparison of Simple Battery Model and Thevenin Battery Model for SOC Estimation Based on OCV Method," 2019 International Conference on Information and Communications Technology (ICOIACT), Jul. 2019, doi: 10.1109/icoiact46704.2019.8938495.
- [28] IEA, "Trends and developments in electric vehicle markets – Global EV Outlook 2021 – Analysis," IEA, 2021. <https://www.iea.org/reports/global-ev-outlook-2021/trends-and-developments-in-electric-vehicle-market>.
- [29] D. Miljković, "Fault Detection Methods: A Literature Survey," May 2011.
- [30] S. Singirikonda and Y. P. Obulesu, "Battery modelling and state of charge estimation methods for Energy Management in Electric Vehicle-A review," *IOP Conference Series: Materials Science and Engineering*, vol. 937, no. 1757–899X, p. 012046, Oct. 2020, doi: 10.1088/1757-899x/937/1/012046.
- [31] B. C. Florea and D. D. Taralunga, "Blockchain IoT for Smart Electric Vehicles Battery Management," *Sustainability*, vol. 12, no. 10, p. 3984, May 2020, doi: 10.3390/su12103984.