

DAFTAR PUSTAKA

- A. G. Namdeo. 2007. Plant cell elicitation for production of secondary metabolites: a review. *Pharmacognosy Reviews*, 1:69–79pp.
- Abobkar, I.M.S. and A.M. Elshahed. 2012. Plant Tissue Culture Media, Recent Advances in Plant in Vitro Culture, Annarita Ieva and Laura M.R. Rinaldi, IntechOpen, DOI: 10.5772/50569. <https://www.intechopen.com/books/recent-advances-in-plant-in-vitro-culture/plant-tissue-culture-media>.
- Abraham, F., A. Bhatt, C. Lai Keng, G. Indrayanto and F. Shaida, 2011. Effect of yeast extract and chitosan on shoot proliferation, morphology and antioxidant activity of *Curcuma mangga* in Vitro plantlets. *African Journal of Biotechnology*, 10(40): 7787-7795.
- Afnidar. 2014. Fitokimia dan Uji Aktivitas Antibakteri Ekstrak Kalus Tumbuhan Sernai (*Wedelia biflora* (L)DC.). *JESBIO*, 3(4): 9-16.
- Ahmad, Z., A. Shahzad, and S. Sharma. 2018. Chitosan Versus Ekstrak yeast Driven Elicitation for Enhanced Production of Fragrant Compound 2-hydroxy-4-methoxybenzaldehyde (2H4MB) in root tuber derived callus of *Decalepis salicifolia* (Bedd. Ex Hook.f.) Venter. *Plant Cell, Tissue and Organ Culture*, 136: 29-40.
- Ariati, S.N., W. Muslimin, dan N. Suwastika. 2012. Induksi Tanaman Kakao (*Theobroma cacao* L.) pada Media MS dengan Penambahan 2,4-D, BAP, dan Air Kelapa. *Jurnal Natural Science*, 1(1): 74-78.
- Arif, N. 2011. Produksi Solasodin dalam Kultur kalus *Solanum khasianum* Clarke dengan Penambahan Ekstrak Khamir. *Agriplus*, 21(3): 257-263.
- Azmir, J. *et al.* (2013) 'Techniques for extraction of bioactive compounds from plant materials: A review', *Journal of Food Engineering*. Elsevier Ltd, 117(4), pp. 426–436.
- Barz, W., W. Bless., G. Borger-Papendorf., W. Gunia., U. Makenborck., D. Meier., C.H. Otto., and E. Super. 1990. Phytoalexin as the part of induced defense reaction in plant: Their elicitation, function and metabolism. In: Bioactive compound of plants (Ciba Foundation Symposium 154). Wiley. Hichester. 141-156pp.
- Basset, Jeffer, Mendham, and Denney. 1989. Vogel's Textbook of Quantitative Chemical Analysis. Fifth Edition. New York: John Wiley & Sons, Inc.
- Boller, T., 1995. Chemoperception of microbial signals in plant cells. *Annu. Rev. Plant Physiol. Plant Mol. Biol.* 46, 189–214.
- Bosila, H., M. A. Hamza, and A. A. E. El-Ateeq. 2016. Enhancement of callus growth and hyoscyamine alkaloid production in *hyoscyamus muticus* by nanotechnology, biotic elicitors and precursor.
- Bougand F, A. Graval, S. Melesi, E. Gontier. 2001. Production of plant secondary metabolites: a historical perspective. *Plant Science* 161 (2001) 839–851.
- Cai, Z., A. Kastell, I. Mewis, D. Knorr, Smetanska. 2012. Polysaccharide elicitors enhance anthocyanin and phenolic acid accumulation in cell suspension cultures of *Vitis vinifera*. *Plant Cell Tissue Org. Cult.* 108, 401–409.
- Campbell N.A, Reece J.B, Mitchel L.G. *Biologi*. Edisi kelima jilid 2, Jakarta: Erlangga; 2003.

- Chaudhary, G. & Dantu P. K. 2015. Evaluation of Callus Browning and Develop a Strategically Callus Culturing of *Boerhaavia diffusa* L. *Journal of Plant Development* 22: 47-58.
- Chopra, B., A.K. Dhingra, R.P. Kapoor, and D.N. Prasad. 2016. Piperine and its various Physicochemical and biological aspects: A review. *Open Chemistry Journal*, 3: 75-96.
- Dena, A., R. Restiani, and D. Aditiyarini. 2021. Peningkatan produksi saponin pada kultur kalus ginseng jawa (*Talinum paniculatum* Gaertn) dengan penambahn ekstrak yeast. *Sciscitatio*, 2(1): 35-44.
- Departemen Kesehatan RI (2010) *Acuan Sediaan Herbal Volume 5 Edisi I*. Jakarta: Direktorat Obat Asli Indonesia, Badan Pengawas Obat dan Makanan Republik Indonesia.
- Dewick PM (2009) *Medicinal natural products. A biosynthetic approach*. Wiley, Chichester
- Dipti, T., Mujib, A., Maqsood, M., Ali, M., Zafar, N., 2016. *Aspergillus flavus* fungus elicitation improves vincristine and vinblastine yield by augmenting callus biomass growth in *Catharanthus roseus*. *Plant Cell Tissue Org. Cult.* 126, 291–303.
- Djauhariya, E., and Rosman, R. 2009. *Status Teknologi Tanaman Cabe Jamu (Piper retrofractum Vahl.)*. Balai Penelitian Tanaman Obat dan Aromatik. Bogor.
- Dwiyani, R. 2015. *Kultur Jaringan Tumbuhan*. Pelawa Sari. Bali. pp: 46-48,54.
- Elshorbagy, M. I., S. S. Ibrahim, K. A. A. El-Seoud, and A. I. A. El-Maksoud. 2018. Tropane alkaloids production from callus culture of *Atropa belladonna* L. as affected by elicitors and precursor feeding. *International research Journal of Pharmacy*, 9(7): 116-125.
- Faramayuda, F., Elfahmi, Ramelan, R.S. 2016. Optimasi Induksi Kalus Tanaman Cabe Jawa (*Piper retrofractum* Vahl) dengan Berbagai Variasi Zat Pengatur Tumbuh. *Kartika-Jurnal Ilmiah Farmasi*, 4(2):21-25.
- Faramayuda, F., J. Permana, A. K. Syam., and Elfahmi. 2021. Identification Secondary Metabolites From Callus *Piper retrofractum* Vahl. *Journal of Islamic Science and Technology*, 7(1):197-214.
- Farjaminezhad, R., and G. Garoosi. 2021. Improvement and prediction of secondary metabolites production under yeast extract elicitation of *Azadirachta indica* cell suspension culture using response surface methodology. *AMB expr*, 11(43):1-16.
- Ferrari, S. 2010. Biological Elicitors of Plant Secondary Metabolites: Mode of Action and Use in the Production of Nutraceuticals. *Adv Exp Med Biol*, 698: 152-166.
- Fowler, M.W. *Commercial application and economic aspects of mass plant cell culture*, dari Mantell, S.H., Smith, H. (ed.). London: Plant Biotechnology. Cambridge University Press, 3-38; 1983.
- Fukomoto, J., T. Yamamoto., D. Tsuru and K. Tchikawa. 1998 Effect of nitrogen source. *Proceedings of the international symposium on enzyme chemistry*. Tokyo and Kyoto. Pergamon Press. Los Angeles. P. 479-482.
- George, E.F., and Sherrington, P.D. 1984. *Plant Propagation by Tissue Culture Handbook and Directory of Commercial Laboratories*. England: Excegetics Limited.

- George, E.F., M.A. Hall and G.J. De Klerk, 2008. *The Components of Plant Tissue Culture Media II: Organic Additions, Osmotic and pH Effects, and Support Systems*. In: George EF, Hall MA, De Klerk GJ (eds), *Plant Propagation by Tissue Culture* (3rd edition) Springer, The Netherlands, pp: 115-173.
- Giap D.D., T.D. Thai, D.D. Thang, N.T.H. Trang, T.T. Tuan, N.T. Xuyen, D.D. Hieu. 2018. Effects of several organic extracts on the growth, yield and quality of *Anoectochilus formosanus* biomass. *Intl J Agric Technol* 14 (2): 171-182.
- Haryudin, W., & O. Rostiana. (2015). Morphological Characteristics of Java Chili (*P. retrofractum* Vahl) Plants in Several Production Centers. *Spice and Medicinal Plant Research Bulletin*, 20 (1), 1–10
- Hendaryono, D.P.S., and A. Wijayanti. 1994. *Teknik Kultur Jaringan*. Yogyakarta: Kanisius.
- Hikmawanti, N. P. E. 2016. Kandungan piperin dalam ekstrak buah lada hitam dan buah lada putih (*Piper nigrum* L.) yang diekstraksi dengan variasi konsentrasi etanol menggunakan metode KLTdensitometri. *Media Farmasi*, 13(2), pp. 173–185.
- Indah, P. N. & D. Ermavitalini. 2013. Induksi Kalus Daun Nyamplung (*Calophyllum inophyllum* Linn.) pada Beberapa Kombinasi Konsentrasi 6-Benzylaminopurine (BAP) dan 2,4-Dichlorophenoxyacetic Acid (2,4-D). *JURNAL SAINS DAN SENI POMITS* 2(1):2337-3520.
- Isaac S. 1992. *Fungal plant interaction*, 186-206. Chapman and Hall, London.
- ITIS. 2021. *Integrated Taxonomic Information System–Report*. [Online] Available at https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=506526#null. DOI: <https://doi.org/10.5066/F7KH0KBK>. Accessed 25th July 2022.
- J. F. Xu, C. B. Liu, A. M. Han, P. S. Feng, and Z. G. Su, “Strategies for the improvement of salidroside production in cell suspension cultures of *Rhodiola sachalinensis*,” *Plant Cell Reports*, vol. 17, no. 4, pp. 288–293, 1998.
- Jones, A.M.P., and P.K. Saxena. 2013. Inhibition of Phenylpropanoid Biosynthesis in *Artemisia annua* L.: A Novel Approach to Reduce Oxidative Browning in Plant Tissue Culture. *PLoS ONE*, 8(10): 1-13.
- Joy, B., Sandhya, C.P., and Remitha, K.R. 2010. Comparison and Bioevolution of Piper lognum Fruit Extracts. *J Chem Pharm Res*, 2(4):696-706.
- Junairiah, D.A. Sofiana, Y.S.W. Manuhara, and Surahmaida. 2018. Induksi kalus *Piper retrofractum* Vahl. dengan Zat Pengatur Tumbuh Auksin dan Sitokinin. *Journal of Pharmacy and Science*, 3(2):2549-3558.
- Kim, K.J., M. Lee, K. Jo, and J. Hwang. 2011. Piperidine Alkaloids from *Piper retrofractum* Vahl. Protect Against Diet-Induced Obesity by Regulating Lipid Metabolism and Activating AMP-Activated Protein Kinase. *Biochemical and Biophysical Research Communications*, 411(2011):219-225.
- Lan, T.T. P., N. D. Huy, N. N. Luong, H.T. Quang, T. H. Tan, L. T. A. Thu, N. X Huy, and N. H. Loc. 2019. Effect of salicylic acid and yeast extract on curcuminoids biosynthesis gene expression and curcumin accumulation in cells of *Curcuma zedoria*. *J Plant Biotechnol*, 2019(46): 172-179.
- Lestari, N.K.D., N.W. Deswiniyanti, I.A. Astarini, N. L. Arpiwi. 2019. *Bioteknologi In Vitro Lili*. Yogyakarta: Depublish Publisher. 41-49pp.

- Leupin, Compact callus induction and plant regeneration of a non-flowering vetiver from Java. *Plant Cell, Tissue and Organ Culture*, 2000:62: 115–123.
- Maqsood, M., and M, Abdul. 2017. Ekstrak yeast Elicitation Increases Vinblastine and Vincristine Yield in Protoplast Derived Tissues and Plantlets in *Catharanthus roseus*. *Revista Brasileira de Farmacognosia*, 27(2017): 549-556.
- Marchev, A., C.S.S. Haas, V. Georgiev, J. Steingroewer, T. Bley, and A. Pavlov. 2014. Sage In Vitro Cultures: A Promising Tool For The Production of Bioactive Terpenes and Phenolic Substantance. *Biotechnol. Lett*, 36: 211-221.
- Mardina, P. 2011. Pengaruh kecepatan putar pengaduk dan waktu operasi pada ekstraksi tannin dari mahkota dewa. *Jurnal Kimia*. 5(2): 125-132.
- Medina, T. J. T, and L.B. Cardenas. 2018. Induction of anthoyanin production in established callus cultures of Roselle (*Hibiscus sabdariffa* L.) using Yeast Extract. *Asian Journal of Biotechnology and Bioresource Technology*, 4(3): 1-8.
- Moreno PRH, R van der Heijden and R Verpoorte. 1994. *Catharanthus roseus* (L.) G. Don. Cell suspension cultures: a literature survey, updating from 1988-1993. *Plant Cell Report* 12, 702-705.
- Mujahid, R., Santoso, Fitriana. 2010. Pengaruh jenis Media Terhadap Kandungan Piperin Kalus Daun Cabe Jawa (*Piper retrofractum* Vahl.). *Jurnal tumbuhan Obat Indonesia*, 3(1): 42-46.
- Murthy H.N, E.J. Lee, K.Y. Paek. 2014. Production of secondary metabolites from cell and organ cultures: strategies and approaches for biomass improvement andmetabolite accumulation. *Plant Cell Tissue Organ Cult* 118:1–16.
- Mustapha, Z., and H. Harun. 2014. Phytochemical Constituent in Leaves and Callus of *Ficus deltoidei* Jack var. *Kunstleri* (King) Corner. *Walailak J Scie and Tech*, 11(10): 1-15.
- Nugroho, L.H. 2017. *Struktur dan Produk Jaringan Sekretori Tumbuhan*. Gadjah Mada University Press. Yogyakarta. pp:131-133.
- Nugroho, L.H., I. Sumardi, M. Wisnu, and R.N. Anggraeny. 2007. Distribusi dan Profil Kromatogram Minyak Atsiri pada Temulawak (*Curcuma xanthorrhiza* Roxb.) yang ditumbuhkan secara In Vitro dan In Vivo. *Berkala Ilmiah Biologi*, 6(2):87-95.
- P. F. Heinsteins and C. J. Chang, “Annual review of plant physiology and plantmolecular biology,” *Taxol*, vol. 45,pp. 663–674, 1994.
- Pakseresht, G., M. Mansouri, T. Ghorbani, and N. Kazemi. 2016. Study of callus induction and cell culture to secondary metabolite production in *Hyssopus officinalis* L. *Journal of Reports in Pharmaceutical Sciences*. 5(2): 104-111.
- Panphut, W., T. Budsabun & P. Sangsurya. 2020. In Vitro Antimicrobial Activity of *Piper Retrofractum* Fruit Extracts Against Microbial Patogens Causing Infection in Human and Animals. *Hindawi: International Journal of Microbiology*: 1-6. <https://doi.org/10.1155/2020/5638961>.
- Parizot, B., L. Laplaze, L. Ricaud, E. Boucheron-Dubuisson, V. Bayle, M. Bonke, and D. Chriqui. 2008. Diarch Symmetry of The Vasculae Bundle in *Arabidopsis* Root Encompasses the Pericycle and is Reflected in Distich Lateral Root Initiation. *Plant Physiology*, 146(1): 140-148.
- Purwaningsih, W. dan Y. Hamdiyati. 2008. Metode Elisitasi menggunakan Ragi *Sacharomyces cereviceae* H. untuk Meningkatkan Kandungan Bioaktif Kuinon

- Kalus *Morinda citrifolia* L. (Mengkudu). Prodi Biologi, Jurusan Pendidikan Biologi FP-MIPA Universitas Pendidikan Indonesia. 14p.
- Putalun, W., W. Luealon, W. De-Eknamkul, Tanaka, H., Shoyama, Y., 2007. Improve-ment of artemisinin production by chitosan in hairy root cultures of *Artemisia annua*. *Biotechnol. Lett.* 29, 1143–1146.
- Rudge K and P Morris. 1986. The effect of stress osmotic on growth and alkaloid accumulation in *Catharanthus roseus*. In: *Secondary Metabolism in Plant Cell Cultures*, 85-191. P Morris, AH Scragg, A Stanford and MW Fower. Cambridge University Press.
- Schnabel, A., F. Cotinguiba, B. Athmer, C. Yang, B. Westermann, A. Schaks, A. Porzel, W. Brandt, F. Schumacher, and T. 2020. A piperic acid CoA ligase produces a putative precursor of piperine, the pungent principle from black pepper fruits. *The Plant Journal*, 1-13. Doi: 10.1111/tpj.14652
- Senduk, T.W., A.D.Y. Lita, Montolalu, Dotulong, V. 2020. Rendemen ekstrak air rebusan daun tua mangrove *Sonneratia alba*. *Jurnal Perikanan dan Kelautan tropis*. 11(1): 9-15.
- Silalahi, M. 2010. Elisitasi peningkatan produksi ajmalisin oleh kalus *Catharanthus roseus* (L.) G. Don. *Berita Biologi*, 10(3): 305-311.
- Silalahi, M. 2015. Pengetahuan Mahasiswa Prodi Pendidikan Biologi FKIP UKI terhadap Keanekaragaman Tumbuhan di Lingkungan Kampus Universitas Kristen Indonesia Cawang, Jakarta Timur Sebagai Langkah Awal untuk Mewujudkan *Green Campus*. Laporan Penelitian Prodi Pendidikan Biologi Universitas Kristen Indonesia, Jakarta.
- Singh, N., M.K. Meena, and V. Patni. 2013. Phytochemical profiling and GC-MS Analysis of Bioactive Constituents of Callus of *Naringi crenulate* (Roxb.) *Nicolson. Int. J. Pharm. Sci. Rev. Res*, 24 (1): 29-34.
- Sitinjak, R.R., A. H. Siregar, and R.E. Rizkita. 2000. Pengaruh pemberian ekstrak *Saccharomyces cerevisiae* Hansen Terhadap kandungan Gossipol pada kultur kalus *Gossypium hisutum* L. *Berita Biologi*, 5(2): 131-136.
- Sorentina, M.S.M., Haliani, Muslimin, dan I.N. Suwastika. 2013. Induksi Kalus Bawang Merah (*Allium ascalonicum* L.) Lokal Palu pada Medium MS dengan Penambahan 2,4-D (2,4-Asam Dikloropenoksi Asetat) dan Air Kelapa. *Online Jurnal of Natural Science*, 2(2): 55-63.
- Sozzi G.O, K.V. Peter, K.N. Babu, M. Divakaran, Capers and Caperberries. *Handb. Herbs spices. Elsevier*; 2012; 193–224.
- Suryawati, S. Sucipto dan N. Syamsiyah. 2009. Efektifitas Air Seni Sapi Terhadap pertumbuhan Stek Sulur Tanaman Cabe Jamu (*Piper retrofractum* Vahl.). *J. Agrovigor*. 2(2): 97-102.
- Susanty and F. Bachdim. 2016. Perbandingan metode ekstraksi maserasi dan refluks terhadap kadar fenolik dari ekstrak tongkol jaung (*Zea mays* L.). *Konversi* 5(2):87-93.
- Tiwari, A., K. R. Mahadik, and S.Y. Gabhe. 2020. Piperine: A comprehensive review of methods of isolation, purification, and biological properties. *Medicine in Drug Discovery*, 7: 1-21.
- Utami. N.W., F. Syarif, dan N. Setyowati. 2016. Respon Pertumbuhan Setek Cabe Puyang (*Piper retrofractum* Vahl.) pada Medium Cair dengan Penambahan IBA dan Vitamin C. *Bul. Littro*, 27(1): 11-17.

- Van der Plas L.H.W, C. Eijkelboom and M.J.M. Hagendoorn. 1995. Relation between Primary and Secondary Metabolism in Plant Cell Suspension. Competition between Secondary Metabolite Production and Growth in a Model System (*Morinda citrifolia*). *Plant Cell Tissue and Organ Culture* 43,111-116.
- Vasavirama, K. and M. Upender. (2014) 'Piperine: A valuable alkaloid from piper species', *International Journal of Pharmacy and Pharmaceutical Sciences*, 6(4), pp. 34–38.
- Wiendi N.M.A, G.A. Wattimena dan L.W. Gunawan. 1992. Produksi Metabolit Sekunder dengan Kultur Jaringan. Dalam: *Bioteknologi Tanaman*. GA Wattimena (Ed.), 168-219. Depdikbud. Direktorat Pendidikan Tinggi. Pusat Antar Universitas. IPB. Bogor.
- Wijaya, H., Novitasari, Jubaidah, S. 2018. Perbandingan metode ekstraksi terhadap rendemen ekstrak daun rambai laut. *Jurnal Ilmiah Manutung*. 4(1):79-83.
- Wijaya, R., R. Restiani & D. Aditiyarini. (2020). Pengaruh Kitosan terhadap Produksi Saponin Kultur Kalus Daun Ginseng Jawa (*Talinum paniculatum* (Jacq.) Gaertn.). *Prosiding Seminar Nasional Biologi*, 5 (1), pp. 252-261.
- Yogananth, N., R. Bhakayaraj, M.S. Ali, and R. Muthezhilan. 2019. Effect of Yeast Elicitor on The Enhancement of Kaempferol from in vivo and in vitro Callus Cultures of *Dregea volubilis* Benth. *Asian Journal of Biological Sciences*, 12(2): 278-283.
- Zachariah TJ, Parthasarathy VA. Black pepper. *Chem spices*, 196; 2008; 21 ISBN 13: 9781 845934057.
- Zaman, G., U. Farooq, M. N. Bajwa, H. Jan, M. Shah, R. Ahmad, A. Andleeb, S. Drouet, C. Hano, B.H. Abbasi. 2022. Effects of yeast extract on the production of phenylpropanoid metabolites in callus culture of purple basil (*Ocimum basilicum* L. var *pupurascens*) and their in-vitro evaluation for antioxidant potential. *Plant Cell, Tissue and Organ Culture*, 1-11. <https://doi.org/10.1007/s11240-022-02303-7>
- Zhang, J., L.P. Zheng, and J.W. Wang. 2012. Nitric Oxide Elicitation for The Secondary Metabolites Production in Cultured Plant Cell. *Appl Microbiol Biotechnol*, 93: 455-466.
- Zhao, J., B. Zheng, Y. Li, T. Shan, Y. Mou, S. Lu, P. Li, L. Zhou. 2011. Enhancement of Diepoxin _ production by yeast extract and its fractions in liquid culture of *Berkleasium*-like endophytic fungus Dzf12 from *Dioscorea zingiberensis*. *Molecules* 16, 847–856.
- Zuchri, A. 2008. Habitus dan pencirian tanaman cabe janu (*Piper retrofractum* Vahl.) spesifik Madura. *Agrovigor*. 1(1):39-44.
- Zuldin, N. N. M., I.M. Said, N. M. Noor, Z. Zainal, C.J. Klat, and I. Ismail. 2013. Induction and analysis of the alkaloid Mitragynine content of a *Mitragyna speciosa* suspension culture system upon elicitation and precursor feeding. *The Scientific World Journal*, 2013: 1-12.