

## DAFTAR PUSTAKA

- Abd-Allah, S. M., Goud, N. A., & Talha, M. M. (2012). Ecological Hazards of Some Pesticides on Unicellular Freshwater Green Alga; *Pseudokirchneriella subcapitata*. *Alexandria Science Exchange Journal*, 33(1).
- Abdourahime, H., Anastassiadou, M., Arena, M., Auteri, D., Barmaz, S., Brancato, A., Bura, L., Carrasco Cabrera, L., Chaideftou, E., Chiusolo, A., Court Marques, D., Crivellente, F., de Lentdecker, C., Egsmose, M., Fait, G., Ferreira, L., Gatto, V., Greco, L., Ippolito, A., ... Villamar-Bouza, L. (2020). Peer review of the pesticide risk assessment of the active substance mancozeb. *EFSA Journal*, 18(12). <https://doi.org/10.2903/j.efsa.2020.5755>
- Akcha, F., Arzul, G., Rousseau, S., & Bardouil, M. (2008). Comet assay in phytoplankton as biomarker of genotoxic effects of environmental pollution. *Marine Environmental Research*, 66(1), 59–61. <https://doi.org/10.1016/j.marenvres.2008.02.022>
- Aoyama, K., Iwahori, K., & Miyata, N. (2003). Application of Euglena gracilis cells to comet assay: Evaluation of DNA damage and repair. *Mutation Research - Genetic Toxicology and Environmental Mutagenesis*, 538(1–2), 155–162. [https://doi.org/10.1016/S1383-5718\(03\)00113-X](https://doi.org/10.1016/S1383-5718(03)00113-X)
- Asselborn, V., Fernández, C., Zalocar, Y., & Parodi, E. R. (2015). Effects of chlорpyrifos on the growth and ultrastructure of green algae, *Ankistrodesmus gracilis*. *Ecotoxicology and Environmental Safety*, 120, 334–341. <https://doi.org/10.1016/j.ecoenv.2015.06.015>
- Atifah, Y., Lubis, M., Lubis, L. T., & Maulana, A. (2019). Pencemaran Pestisida pada Sungai Batang Gadis, Mandailing Natal, Sumatera Utara. *BIOEDUSCIENCE: Jurnal Pendidikan Biologi Dan Sains*, 3(2), 100–105. <https://doi.org/10.29405/j.bes/32100-1053729>
- Avila, R., Peris, A., Eljarrat, E., Vicent, T., & Blánquez, P. (2021). Biodegradation of hydrophobic pesticides by microalgae: Transformation products and impact on algae biochemical methane potential. *Science of The Total Environment*, 754, 142114. <https://doi.org/10.1016/j.scitotenv.2020.142114>
- Azaman, S. N. A. (2017). *MORPHOLOGICAL, BIOCHEMICAL AND TRANSCRIPTOMIC CHARACTERISATION OF Chlorella sorokiniana AND Chlorella zofingiensis DURING NORMAL AND STRESS CONDITIONS*. Universiti Putra Malaya.
- Azqueta, A., & Collins, A. R. (2011). The Comet Assay: A Sensitive and Quantitative Method for Analysis of DNA Damage. In *Encyclopedia of Analytical Chemistry*. John Wiley & Sons, Ltd. <https://doi.org/10.1002/9780470027318.a9192>



- Barron, M. G., & Woodburn, K. B. (1995). Ecotoxicology of Chlorpyrifos. *Reviews of Environmental Contamination and Toxicology*, 144, 1–93.
- Bhuvaneswari, G. R., Purushothaman, C. S., Pandey, P. K., Gupta, S., Kumar, H. S., & Shukla, S. P. (2018). Toxicological Effects of Chlorpyrifos on Growth, Chlorophyll a Synthesis and Enzyme Activity of a Cyanobacterium Spirulina (Arthrospira) platensis. *International Journal of Current Microbiology and Applied Sciences*, 7(6), 2980–2990. <https://doi.org/10.20546/ijcmas.2018.706.351>
- Boutet-Robinet, E., Canitrot, Y., & Trouche, D. (2013). Neutral Comet Assay. *Bio-Protocol*, 3(18), 1–6. <http://www.bio-protocol.org/e915>
- BTI. (2015). *Algae to Energy-Using and Re-using a Hemocytometer to Count Algae Cells* (BTI Curriculum Development Projects in Plant Biology). <https://www.youtube.com/watch?v=69T755-J33A>
- Budiman, A. B. (2021). *Morfotoksik dan Genotoksik Fungisida berbahan Aktif Mancozeb pada Tanaman Bawang Merah (Allium ascalonicum L.)* [Undergraduate Thesis]. Universitas Gadjah Mada.
- Cáceres, T., Megharaj, M., & Naidu, R. (2008). Toxicity and transformation of fenamiphos and its metabolites by two micro algae Pseudokirchneriella subcapitata and Chlorococcum sp. *Science of the Total Environment*, 398, 53–59. <https://doi.org/10.1016/j.scitotenv.2008.03.022>
- Calviello, G., Piccioni, E., Boninsegna, A., Tedesco, B., Maggiano, N., Serini, S., Wolf, F. I., & Palozza, P. (2006). DNA damage and apoptosis induction by the pesticide Mancozeb in rat cells: Involvement of the oxidative mechanism. *Toxicology and Applied Pharmacology*, 211(2), 87–96. <https://doi.org/10.1016/j.taap.2005.06.001>
- Chai, S., Shi, J., Huang, T., Guo, Y., Wei, J., Guo, M., Li, L., Dou, S., Liu, L., & Liu, G. (2018). Characterization of chlorella sorokiniana growth properties in monosaccharide-supplemented batch culture. *PLoS ONE*, 13(7). <https://doi.org/10.1371/journal.pone.0199873>
- Chamsi, O., Pinelli, E., Faucon, B., Perrault, A., Lacroix, L., Sánchez-Pérez, J. M., & Charcosset, J. Y. (2019). Effects of herbicide mixtures on freshwater microalgae with the potential effect of a safener. *Annales de Limnologie*, 55(3). <https://doi.org/10.1051/limn/2019002>
- Chen, S., Chen, M., Wang, Z., Qiu, W., Wang, J., Shen, Y., Wang, Y., & Ge, S. (2016). Toxicological effects of chlorpyrifos on growth, enzyme activity and chlorophyll a synthesis of freshwater microalgae. *Environmental Toxicology and Pharmacology*, 45, 179–186. <https://doi.org/10.1016/j.etap.2016.05.032>
- Cid, Á., Prado, R., Rioboo, C., Suarez-Bregua, P., & Herrero, C. (2012). Use of Microalgae as Biological Indicators of Pollution: Looking for New Relevant

- Cytotoxicity Endpoints. In M. N. Johnsen (Ed.), *Microalgae: Biotechnology, Microbiology and Energy* (pp. 311–323). Nova Science Publisher.
- Collins, A. R., & Azqueta, A. (2012). Single-Cell Gel Electrophoresis Combined with Lesion-Specific Enzymes to Measure Oxidative Damage to DNA. In *Methods in Cell Biology* (Vol. 112, Issue C, pp. 69–92). <https://doi.org/10.1016/B978-0-12-405914-6.00004-4>
- Connell, D. W., & Miller, G. J. (1984). *Chemistry and Ecotoxicology of Pollution* (1st ed.). John Wiley and Sons.
- Dall'agnol, J. C., Pezzini, M. F., Uribe, N. S., & Joveleviths, D. (2021). Systemic effects of the pesticide mancozeb – A literature review. *European Review for Medical and Pharmacological Sciences*, 25, 4113–4120.
- Dasgupta, C. N., Singh, V. K., Nayaka, S., & Kishore, S. (2019). Molecular phylogeny of a commercially important thermophilic microalga Chlorella sorokiniana LWG002615 and associated bacterium Aquimonas sp. NBRI01 isolated from Jeori thermal spring, Shimla, India. *Nucleus*, 63(2).
- DeLorenzo, M. E., & Serrano, L. (2003). Individual and mixture toxicity of Three pesticides; atrazine, chlorpyrifos, and chlorothalonil to the marine phytoplankton species Dunaliella tertiolecta. *Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes*, 38(5), 529–538. <https://doi.org/10.1081/PFC-120023511>
- Dennis, N., Tiede, K., & Thompson, H. (2017). Repeated and multiple stress (exposure to pesticides) on aquatic organisms. *EFSA Supporting Publications*, 9(10). <https://doi.org/10.2903/sp.efsa.2012.en-347>
- Desai, S. R., Verlecar, X. N., Nagarajappa, & Goswami, U. (2006). Genotoxicity of cadmium in marine diatom *Chaetoceros tenuissimus* using the alkaline Comet assay. *Ecotoxicology*, 15, 359–363.
- EPA. (2005). *Reregistration Eligibility Decision (RED) for Mancozeb (EBDC)* (No. 0643; Prevention, Pesticides and Toxic Substances).
- Erbes, M., Weßler, A., Obst, U., & Wild, A. (1997). Detection of Primary DNA Damage in *Chlamydomonas reinhardtii* by Means of Modified Microgel Electrophoresis. *Environmental and Molecular Mutagenesis*, 30, 448–458.
- Fatma, F., Verma, S., Kamal, A., & Srivastava, A. (2018). Monitoring of morphotoxic, cytotoxic and genotoxic potential of mancozeb using Allium assay. *Chemosphere*, 195, 864–870.
- Fernández, C., Asselborn, V., & Parodi, E. R. (2021). Toxic effects of chlorpyrifos, cypermethrin and glyphosate on the non-target organism *Selenastrum capricornutum* (Chlorophyta). *Anais Da Academia Brasileira de Ciencias*, 93(4). <https://doi.org/10.1590/0001-3765202120200233>

- Focke, F., Schuermann, D., Kuster, N., & Schär, P. (2010). DNA fragmentation in human fibroblasts under extremely low frequency electromagnetic field exposure. *Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis*, 683(1–2), 74–83. <https://doi.org/10.1016/j.mrfmmm.2009.10.012>
- Giroud, N., Dorge, S., & Trouvé, G. (2010). Mechanism of thermal decomposition of a pesticide for safety concerns: Case of Mancozeb. *Journal of Hazardous Materials*, 184(1–3), 6–15. <https://doi.org/10.1016/j.jhazmat.2010.07.053>
- Habibah, R., Iswanto, B., & Rinanti, A. (2020). The Significance Of Tropical Microalgae Chlorella Sorokiniana As A Remediate Of Polluted Water Caused By Chlorpyrifos. *International Journal Of Scientific & Technology Research*, 9(1), 4460–4463. <https://doi.org/10.1016/j.etap.2016.05.032>
- Haslina, A. Z., Devanthiran, L., & Fatimah, H. (2019). Morphological Changes and DNA Damage in Chlorella vulgaris (UMT-M1) Induced by Hg<sup>2+</sup>. *Malaysian Applied Biology*, 48(1), 27–33. <https://www.researchgate.net/publication/330725078>
- Hidayat, M. B. (2021). *Efek Bahan Aktif Klorpirifos terhadap Kandungan Protein, Karbohidrat, Lipid, dan Klorofil pada Chlorella sorokiniana Shihira et Krauss* [Undergraduate Thesis]. Universitas Gadjah Mada.
- Hill, M. K. (2010). *Understanding Environmental Pollution* (3rd ed.). Cambridge University Press.
- Kaeboon, S., Suksungworn, R., & Sanevas, N. (2021). Toxicity response of Chlorella microalgae to glyphosate herbicide exposure based on biomass, pigment contents and photosynthetic efficiency. *Plant Science Today*, 8(2), 293–300. <https://doi.org/10.14719/PST.2021.8.2.1068>
- Knopper, L. D., & McNamee, J. P. (2008). Use of the comet assay in environmental toxicology. In C. Martin (Ed.), *Methods in molecular biology* (Vol. 410, pp. 171–183). [https://doi.org/10.1007/978-1-59745-548-0\\_11](https://doi.org/10.1007/978-1-59745-548-0_11)
- Kumaravel, T. S., Vilhar, B., Faux, S. P., & Jha, A. N. (2009). Comet Assay measurements: A perspective. In *Cell Biology and Toxicology* (Vol. 25, Issue 1, pp. 53–64). <https://doi.org/10.1007/s10565-007-9043-9>
- Langie, S. A. S., Azqueta, A., & Collins, A. R. (2015). The comet assay: Past, present, and future. *Frontiers in Genetics*, 6(266). <https://doi.org/10.3389/fgene.2015.00266>
- León-Vaz, A., Romero, L. C., Gotor, C., León, R., & Vigara, J. (2021). Effect of cadmium in the microalga Chlorella sorokiniana: A proteomic study. *Ecotoxicology and Environmental Safety*, 207. <https://doi.org/10.1016/j.ecoenv.2020.111301>



- Li, M., Hu, C., Gao, X., Xu, Y., Qian, X., Brown, M. T., & Cui, Y. (2009). Genotoxicity of organic pollutants in source of drinking water on microalga Euglena gracilis. *Ecotoxicology*, 18(6), 669–676. <https://doi.org/10.1007/s10646-009-0343-0>
- Liang, S., Kang, Y., Zeng, L., Qin, Y., Wang, L., Zhang, Q., & Luo, J. (2017). How chlorella sorokiniana and its high tolerance to Pb might be a potential Pb biosorbent. *Polish Journal of Environmental Studies*, 26(3), 1139–1146. <https://doi.org/10.15244/pjoes/67532>
- Lizzul, A. M., Lekuona-Amundarain, A., Purton, S., & Campos, L. C. (2018). Characterization of chlorella sorokiniana, UTEX 1230. *Biology*, 7(2). <https://doi.org/10.3390/biology7020025>
- Ma, J., Wang, P., Chen, J., Sun, Y., & Che, J. (2007). Differential Response of Green Algal Species *Pseudokirchneriella subcapitata*, *Scenedesmus quadricauda*, *Scenedesmus obliquus*, *Chlorella vulgaris* and *Chlorella pyrenoidosa* to Six Pesticides. *Polish Journal of Environmental Studies*, 16(6), 847–851.
- Manuaba, P. I. B. (2007). Cemaran pestisida klor-organik dalam air danau Buyan Buleleng Bali. *Jurnal Kimia*, 1(1), 39–46.
- Martinez, R. S., di Marzio, W. D., & Sáenz, M. E. (2015). Genotoxic effects of commercial formulations of Chlorpyrifos and Tebuconazole on green algae. *Ecotoxicology*, 24(1), 45–54. <https://doi.org/10.1007/s10646-014-1353-0>
- Martins, M., & Costa, P. M. (2015). The comet assay in Environmental Risk Assessment of marine pollutants: Applications, assets and handicaps of surveying genotoxicity in non-model organisms. *Mutagenesis*, 30(1), 89–106. <https://doi.org/10.1093/mutage/geu037>
- Peraturan Menteri Kesehatan Nomor : 416/MEN.KES/PER/IX/1990 Tentang Syarat-syarat Dan Pengawasan Kualitas Air, (1990).
- Musa, M., Buwono, N. R., Iman, M. N., Ayuning, S. W., & Lusiana, E. D. (2019). Pesticides in Kalisat River: water and sediment assessment. *AACL Bioflux*, 12(5). <http://www.bioflux.com.ro/aacl>
- Nemcova, Y., & Kalina, T. (2000). Cell wall development, microfibril and pyrenoid structure in type strains of *Chlorella vulgaris*, *C. kessleri*, *C. sorokiniana* compared with *C. luteoviridis* (Trebouxiophyceae, Chlorophyta). *Algological Studies*, 100, 95–105.
- Neri, M., Milazzo, D., Ugolini, D., Milic, M., Campolongo, A., Pasqualetti, P., & Bonassi, S. (2015). Worldwide interest in the comet assay: A bibliometric study. *Mutagenesis*, 30(1), 155–163. <https://doi.org/10.1093/mutage/geu061>
- Olive, P. L., & Banath, J. P. (2006). The comet assay: a method to measure DNA damage in individual cells. *Nature Protocols*, 1, 23–29.

- Osman, A. G. M. (2014). Genotoxicity Tests and Their Contributions in Aquatic Environmental Research. *Journal of Environmental Protection*, 05(14), 1391–1399. <https://doi.org/10.4236/jep.2014.514132>
- Prabowo, R., & Subantoro, R. (2012). Kualitas Air dan Beban Pencemaran Pestisida di Sungai Babon Kota Semarang. *MEDIAGRO*, 8(1), 9–17.
- Prado, R., Díaz, R., Rioboo, C., Abalde, J., Herrero, C., Cid, A., & Cid, C. & (2009). Use of the Comet Assay to Evaluate Pesticide Toxicity on Non-Target Microalgae. In A. Kocsis & H. Molnar (Eds.), *Genotoxicity: Evaluation, Testing and Prediction* (pp. 311–319). Nova Science Publisher.
- Prado, R., García, R., Rioboo, C., Herrero, C., Abalde, J., & Cid, A. (2009). Comparison of the sensitivity of different toxicity test endpoints in a microalga exposed to the herbicide paraquat. *Environment International*, 35(2), 240–247. <https://doi.org/10.1016/j.envint.2008.06.012>
- Rezayan, M., Niknam, V., & Ebrahimzadeh, H. (2019). Oxidative damage and antioxidative system in algae. *Toxicology Reports*, 6, 1309–1313. <https://doi.org/10.1016/j.toxrep.2019.10.001>
- Saha, N. C., Giri, S. K., Chatterjee, N., Jyoti Biswas, S., & Bej, S. (2016). Acute toxic effects of Mancozeb to fish Oreochromis mossambicus (W.K.H. Peters, 1852) and their behaviour. *International Journal of Advanced Research in Biological Sciences*, 3(6), 40–44. <http://s-o-i.org/1.15/ijarbs-2016-3-6-6>
- Salyha, Y. (2010). Biological effects assessment of chlorpyrifos and some aspects of its neurotoxicity. *Visnyk of Lviv University Biology Series*, 54, 3–14.
- Santos, C. L. V., Pourrut, B., & Ferreira de Oliveira, J. M. P. (2015). The use of comet assay in plant toxicology: Recent advances. In *Frontiers in Genetics* (Vol. 6, Issue JUN). Frontiers Research Foundation. <https://doi.org/10.3389/fgene.2015.00216>
- Sasmita, P. T. (2021). *Efek Bahan Aktif Mancozeb terhadap Kandungan Karbohidrat, Protein, Lipid, dan Klorofil Chlorella sorokiniana Shihira et Krauss* [Undergraduate Thesis]. Universitas Gadjah Mada.
- Sembel, D. T. (2015). *Toksikologi Lingkungan* (1st ed.). Penerbit Andi.
- Shihira, I., & Krauss, R. W. (1965). *Chlorella: Physiology and taxonomy of forty-one isolates*. University of Maryland.
- Singh, J., & Mittal, S. K. (2012). Chlorella sp. based biosensor for selective determination of mercury in presence of silver ions. *Sensors and Actuators, B: Chemical*, 165(1), 48–52. <https://doi.org/10.1016/j.snb.2012.02.009>
- Singhal, M., Jadhav, S., Sonone, S. S., Sankhla, M. S., & Kumar, R. (2021). Microalgae Based Sustainable Bioremediation of Water Contaminated by



- Pesticides. *Biointerface Research in Applied Chemistry*, 12(1), 149–169.  
<https://doi.org/10.33263/briac121.149169>
- Srinivas, U. S., Tan, B. W., Vellayappan, B., & Jeyasekharan, A. D. (2019). ROS and the DNA damage response in cancer. *Redox Biology*, 25, 1–9.
- Sud, D., Kumar, J., Kaur, P., & Bansal, P. (2020). Toxicity, natural, and induced degradation of Chlorpyrifos. *Journal of Chilean Chemical Society*, 65(2).
- Sule, R. O., Condon, L., & Gomes, A. v. (2022). A Common Feature of Pesticides: Oxidative Stress—The Role of Oxidative Stress in Pesticide-Induced Toxicity. *Oxidative Medicine and Cellular Longevity*, 2022, 1–31.  
<https://doi.org/10.1155/2022/5563759>
- Thiruchelvam, M. (2005). Mancozeb. In P. Wexler (Ed.), *Encyclopedia of Toxicology* (pp. 5–8). Academic Press.
- Travers, A., & Muskhelishvili, G. (2015). DNA structure and function. *FEBS Journal*, 282, 2279–2295.
- Uijaya, C. D. (2022). *Efek Morfotoksik dan Genotoksik Campuran Pestisida Berbahan Aktif Metomil dan Mancozeb pada Bawang Merah (Allium ascalonicum L. 'Tuktuk')* [Undergraduate Thesis]. Universitas Gadjah Mada.
- Utami, R. R., Geerling, G. W., Salami, I. R. S., Notodarmojo, S., & Ragas, A. M. J. (2020). Agricultural pesticide use in the upper citarum river basin: basic data for model-based risk management. *JOURNAL OF ENVIRONMENTAL SCIENCE AND SUSTAINABLE DEVELOPMENT*, 3(2).  
<https://doi.org/10.7454/jessd.v3i2.1076>
- Valavanidis, A., & Vlachogianni, T. (2010). Agricultural pesticides: Ecotoxicological studies and environmental risk assessment. *Science Advances on Environment, Toxicology & Ecotoxicology Issues*, 1–15.  
[www.chem-tox-ecotox.org](http://www.chem-tox-ecotox.org)
- Verasoundarapandian, G., Lim, Z. S., Radziff, S. B. M., Taufik, S. H., Puasa, N. A., Shaharuddin, N. A., Merican, F., Wong, C. Y., Lalung, J., & Ahmad, S. A. (2022). Remediation of Pesticides by Microalgae as Feasible Approach in Agriculture: Bibliometric Strategies. In *Agronomy* (Vol. 12, Issue 1). MDPI.  
<https://doi.org/10.3390/agronomy12010117>
- Walker, C. (2014). *Ecotoxicology: Effects of Pollutants on the Natural Environment* (1st ed., Vol. 1). CRC Press.
- Wang, B., Ye, T., Li, C., Li, X., Chen, L., & Wang, G. (2022). Cell damage repair mechanism in a desert green algae Chlorella sp. against UV-B radiation. *Ecotoxicology and Environmental Safety*, 242.  
<https://doi.org/10.1016/j.ecoenv.2022.113916>



UNIVERSITAS  
GADJAH MADA

**Efek Kombinasi Pestisida Berbahan Aktif Klorpirifos dan Mancozeb terhadap Kerusakan DNA Chlorella sorokiniana Shihira et Krauss**  
YULFIZA EVAN NADAR, Dr.rer.nat. Andhika Puspito Nugroho  
Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Yun, H. S., Kim, Y. S., & Yoon, H. S. (2020). Characterization of Chlorella sorokiniana and Chlorella vulgaris fatty acid components under a wide range of light intensity and growth temperature for their use as biological resources. *Heliyon*, 6(7). <https://doi.org/10.1016/j.heliyon.2020.e04447>
- Zafar, M. I., van Wijngaarden, R. P. A., Roessink, I., & van den Brink, P. J. (2011). Effects of time-variable exposure regimes of the insecticide chlorpyrifos on freshwater invertebrate communities in microcosms. *Environmental Toxicology and Chemistry*, 30(6), 1383–1394. <https://doi.org/10.1002/etc.509>
- Zalizniak, L. B. (2006). *The effects of selected agricultural chemicals on freshwater microalgae and cladocerans in laboratory studies, with particular emphasis on hormesis*. Royal Melbourne Institute of Technology (RMIT).
- Zhang, J., Liu, S. S., Zhang, J., Qin, L. T., & Deng, H. P. (2012). Two novel indices for quantitatively characterizing the toxicity interaction between ionic liquid and carbamate pesticides. *Journal of Hazardous Materials*, 239–240, 102–109. <https://doi.org/10.1016/j.jhazmat.2012.07.063>
- Ziganshina, E. E., Bulynina, S. S., & Ziganshin, A. M. (2022). Growth Characteristics of Chlorella sorokiniana in a Photobioreactor during the Utilization of Different Forms of Nitrogen at Various Temperatures. *Plants*, 11(8). <https://doi.org/10.3390/plants11081086>