



DAFTAR PUSTAKA

- Ade, E., Atmowidi, T., dan Prawasti, T.S. 2019. Morphological characteristics and morphometric of Stingless (Apidae: Hymenoptera) from Banten Province, Indonesia. *Jurnal Biodiversitas*, 20(6): 1693-1698.
- Agashe, S.N., and E. Caulton. 2009. *Pollen & Spores: Application with Special Emphasis on Aerobiology & Allergy*. Boca Raton: CRC Press. p. 23-25;104-105.
- Agussalim. 2015. Produksi madu, polen, dan propolis lebah *Trigona* sp. Dalam Berbagai Desain Setup. Tesis Program Pascasarjana Fakultas Peternakan, Universitas Gadjah Mada, Yogyakarta.
- Agussalim, A.A., Umami, N., dan I. Gede, S.B. 2017. Variasi Jenis Tanaman Pakan Lebah Madu Sumber Nektar dan Polen Berdasarkan Ketinggian Tempat di Yogyakarta. *Buletin Peternakan*, 41(4): 448-460.
- Alves, Luis. H.S., Paulo, C.R.C., and Fabio, P. 2015. Effects of Abiotic Faktors on The Foraging Activity of *Apis Mellifera Linnaeus*, 1758 in Inflorescences of *Vernonia polyanthus* Less (Asteraceae). *Acta Scientiarum Animal Sciences*, 37 (4): 405-409.
- Asra, R. (2015). Serangga pengunjung pada perbungaan jernang rambai (*Daemonorops draco* (Willd.) Blume). *Jurnal Penelitian Universitas Jambi Seri Sains*, 17(2): 40-43.
- Basim, E., Huseyin, B., and Musa, O. 2006. Antibacterial Activities of Turkish Pollen and Propolis Extracts Against Plan Bacterial Pathogens. *Journal of Food Engineering*, 77: 992-996.
- Butler, C.G. and D. J. Finney. 1941. The Influence of Variance Physical and Biological Faktor of The Enviromental on Honeybee Activity. *An Examination of The Relationship Between Activity and Solar Radiation*. p .206-212.
- Caron, D.M., and L.J. Connor. 2013. *Honey Bee Biology and Beekeping*. Wicas Press.
pp : 139
- Contrera, F.A.L., Fonseca, V.L.I., & Nieh, J.C. (2004). Temporal and climatological influences on flight activity in the Stingless Bee *Trigona hyalinata* (Apidae: Meliponini). *Tecnologia Ambiente, Criciuma*, 10(2): 35-43.



Cushnie, T.P.T and Lamb, A.J. 2014. Alkaloids : An Overview of Their Antibacterial, antibiotic-enhancing, and antivirulence activities. *International Journal of Antimicrobial Agents*, 44: 377-386.

Dahlia., Syafrizal., dan Nova, H. 2019. Morfologi Polen dan Jenis Tanaman yang Terdapat pada Pollen Lebah *Stingless Bees* (*Trigona* spp.) dari Pulau Nunukan, Kalimantan Utara. *Jurnal Bioprospek*, 14(1): 54-60.

Danaraddi, C.S., Shashidhar, V., K. Basavanagoud and A.R.S. Bhat. 2009. Nesting Habits and Nest Structure of Stingless Bees , *Trigona iridipennis* Smith at Dhatward, Karnataka. *Karnataka Journal of Agricultural Science*, 22(2): 310-313.

Erdtman, G. 1986. *Pollen Morphology and Plant Taxonomy: Angiosperms*. New York: Hafner Publishing Company. p.16.

Faegri, K., and J. Iversen. 1989. *Textbook of Pollen Analysis 4th Ed.* Hoboken: John Wiley & Sons. p.219-236.

Flottum, K. 2009. *The Backyard Beekeper's Honey Handbook : A guide of Creating, Harvesting, and Cooking with Natura Honeys*. Quarry Books. USA. p. 55.

Gaston, K.J., Chown, S.L., and Evans, K.L. 2008. Ecogeographical Rules: Elements of a Synthesis. *Journal of Biogeography*, 3(35): 483-500.

Gupta, R.K., Rebroeck, W., van Veen, J.W., and Gupta, A. 2014. Beekeping for Poverty Alleviation and Libelihood Security. *Technological Aspects of Beekepings*, 1(1): 90-97

Halbritter, H., S.Ulrich, F.Grisson, M.Weber, R.Zetter, NM.Hesse, R.Buchner, M.Svojtka, and A.F.Radivo. 2018. *Illustrated Pollen Terminology, Second Edition*. Springer: Switzerland. Pp:38-57.

Halim, E., Hardiansyah, N.Sutandyo, A.Sulaeman, M.Artika, dan Y.Harahap. 2012. Kajian Bioaktif dan Zat Gizi Propolis Indonesia dan Brazil. *Jurnal Gizi dan Pangan*, 7(1): 1-6.

Hasanudin and Fitriana. 2014. Hubungan Kekerabatan Fenetik 12 Spesies Anggota Familia Asteraceae. *Jurnal EduBio Tropika*. 2(2) :187- 250



Hesse,M., H.Halbritter, R.Zetter, M.Weber, R.Buchner,A.F. Radivo,S.Ulrich. 2009.

Pollen Terminology,An Illustrated Handbook: Springer.Vienna.

Johnson, M.R., Barnes, S., Sweeny, D.J., Diasio, R.B. 1990. 2-Fluoro- β -alanine, a previously unrecognized substrate for bile acid coenzyme A:Amino acid:N-acyltransferase from human liver. *Biochemical Pharmacology*, 40(6): 1241-1246

Kahono S, Chantawannakul P, Engel MS. 2018. *Social Bees and the Current Status on Beekeeping in Indonesia*: Springer Nature Singapore Pte. Ltd, p 287-306.

Kumar, M Surech, A.J.A Ranjit, dan G Alagumuthu. 2012. *Traditional Beekeeping of Stingless Bee (*Trigona* sp.) by Kani Tribes of Western Ghats*.Tamil Nadu. India. p . 342-345.

Lamberkabel, J.S.A. 2011. Mengenal Jenis-jenis Lebah Madu, Produk-produk dan Cara Budidayanya. *Jurnal Ilmu Pengetahuan dan Teknologi*, 9(1): 70-78.

Loi, M., Paciolla, C., Logrieco, A.F., and Mule, G. 2020. Plant Bioactive Compounds in Pre and Postharvest Management for Aflatoxins Reduction. *Frontiers in Microbiology*, 11: 1-16.

Mali, S.M. and Gopi, H.N. 2014. Thioacetic Acid/NASH-Mediated Syhthesis of N-Protected Amino Thioacids and Their Utility in Peptide Synthesis. *The Journal of Organic Chemistry*, 79(6): 2377-2383.

Myers, P., R. Espinosa, C. S. Parr, T. Jones, G. S. Hammond, and T. A. Dewey. 2018. *The Animal Diversity*. <http://animaldiversity.org>. Accessed on April 3th, 2020.

Nagamitsu, T., and T.Inoue. 2020. Aggressive Foraging of Social Bees as a Mechanism of Floral Resource Partitioning in anAsian Tropical Rainforest. *Oecologia*. 110(3): 432-439.

Naghiloo, S., & S.N. Siahkolae. 2019. Does Breeding System Affect Pollen Morphology? A Case Study in *Zygophylloideae* (*Zygophyllaceae*). *Plant Reproduction*, 32: 381-390

Nurhalizah. 2020. *Potensi Produksi Produk Lebah Tetragonula biroi di Kelurahan Kahu Kecamatan Bontocani Kabupaten Bone [Skripsi]*. Fakultas Kehutanan Universitas Hasanuddin. Makassar.



- Peng, J., Zheng, T.T., Li, X., Liang, Y., Wang, L.J., Huang, Y.C., and Xiao, H.T. 2019. Plant-Derived Alkaloids: The Promising Disease-Modifying Agents for Inflammatory Bowel Disease. *Frontiers in Pharmacology*, 10: 1-15.
- Pichersky, E and Raguso, R.A. 2018. Why do Plants Produce so Many Terpenoid Compounds? *New Phytol*, 220: 692-702.
- Pribadi, A. 2020. Produktivitas Panen Propolis Mentah Lebah Trigona itama Cockerell (Hymenoptera: Apidae) Menggunakan Propolis Trap dan Manipulasi Lingkungan di Riau. *A Scientific Journal*, 37(2): 60-68.
- Putra, D.P., Dahelmi, S., Salmah, & Swasti, E. (2017). Daily Flight Activity of *Trigona laeviceps* and *T. minangkabau* in Red Pepper (*Capsicum annuum* L.) Plantations in Low and High Lands of West Sumatra. *International Journal of Applied Environmental Sciences*, 12(8): 1497-1507.
- Ramalho, M., Giovannini, A.K., Fonseca, V.L.I. 1990. Important Bee Plants for Stingless Bees (*Melipona* and *Trigonini*) and Africanized Honeybees (*Apis mellifera*) in Neotropical Habitats. *Apidologie*, 21. 469-488.
- Rosyidi, D., L.E.Radiati, S.Minarti, Mustakim, A.Susilo, F.Jaya, dan A.Azis. 2018. Perbandingan Sifat Antioksidan Propolis pada Dua Jenis Lebah (*Apis Mellifera* dan *Tetragonula laeviceps*) di Mojokerto dan Batu, Jawa Timur, Indonesia. *Jurnal Ilmu dan Teknologi Hasil Ternak*, 13(2): 108-117.
- Roubik, D. W. 2006. Stingless Bee Nesting Biology. *Journal Apidologie*, 37(2): 124–43.
- Roubik, D.W. and J.D. Ackerman. 1987. Long- Term Ecology of Euglossine Orchid-Bees (Apidae : Euglossini) in Panama. *Oecologia*. 73 : 321-333.
- Sakagami, S. F. 1978. "Tetragonula Stingless Bees of the Continental Asia and Sri Lanka (Hymenoptera, Apidae)." *Zoology*, 21(2): 165–247.
- Salatnaya, H., Fuah, A.M., Widodo, W.D., and Winarno. 2020. Aktivitas *Tetragonula laeviceps* (Hymenoptera:Apidae:Meliponini) pada Perkebunan Pala (*Myristica fragrans* Hout) Monokultur dan Polikultur di Jawa Barat. *Koli Journal*, 1(1): 14-20.
- Saras, T. 2020. *Rahasia Panjang Umur dan Awet Muda dengan Royal Jelly*. Tiram Media. Semarang. p. 22.
- Shaara, H.F. Abhou. 2014. The Foraging Behavior of Honey Bees, *Apis mellifera* : A Review. *Veterinarni Medicina*. Faculty of Agriculture Damghan University. Egypt, 59(1): 1- 10.



Sihombing, D.T.H. 2005. Ilmu Ternak Lebah Madu. Gadjah Mada University Press. Yogyakarta.

Simioni, L. C., Rosilda M.M., Murir M. Dalane, M.D., Fabriolo, F.P., and Silvana P.Q.S. 2015. Plant Pollinator Interactions in *Crambe abyssinica* Flochst. (Brassicaceae) Associated with Environmental Variables. 87(1): 137- 145.

Simpson, M.G. 2011. *Plant Systematics*. Elsevier. Academic Press: Canada. pp: 402

Singh, R. 2013. Domestication of *Tetragonula iridipennis* Smith in a Newly Designed Hive. *National Academy Science Letter*, 36(4): 367-371.

Situmorang, R.O.P dan Hadanudin, A. 2014. *Panduan Manual Budidaya Lebah Madu*. Balai Penelitian Kehutanan Aek Neuli. Perapat.

Sudaryadi, I., Sutikno., Firdausya, S.A., Rahmah, A.A., and Rasyiid, M. 2020. *Pollen Diversity as Feed Source of Stingless Bee, Tetragonula iridipennis* (Hymenoptera: Apidae) in the Forest of Biology Faculty, Universitas Gadjah Mada, Indonesia. *The 6th International Conference on Biological Science*: 1-5.

Suedy,S.W.A. 2012. *Paleorekonstruksi Vegetasi dan Lingkungan Menggunakan Fosil Polen dan Spora Pada Formasi Tapak Cekungan Banyumas Kala Plio-Oliosten*. Sekolah Pascasarjana Institut Pertanian Bogor. Bogor

Sugandha,G. 2019. *Morphological Characteristics of Pollen Grains*. Accessed at <http://www.biologydiscussion.com> on March 8th 2019.

Tambde, G.M., R.D.Gore, and M.M.Sardesai. 2016. A Synopsis of The Genus *Sida* L. (Malvaceae) from Maharastra, India. *Taiwania*. 61(3) :243-252.

Trianto, M and Purwanto, H. 2020. Morphological characteristics and morphometrics of Stingless Bees (Hymenoptera: Meliponini) in Yogyakarta, Indonesia. *Biodiversitas*, 21 (6): 2619-2628.

Tschudy, R.H., and R.A. Scott. 1969. *Aspect of Palynology*. New Jersey: Wiley-Interscience. p.26.

Vemerris, W and Nicholson, R. 2006. *Phenolic Compound Biochemistry*. Springer Press. Belanda

Winston, M.L. 1991. *The Biology of The Honey Bee*. Harvard University Press. London. p. 169.

Yuliana, R., E.Sutariningsih, H.B.Santoso, K.A.Hendarto, dan S.D. Riendrasari. 2015. Daya Antimikroba Sarang Lebah Madu *Trigona* spp. Terhadap Mikroba Patogen. *BIOEDUKASI*, 8(1): 67-72.