

DAFTAR PUSTAKA

- [1] A. W. H. Chin *et al.*, “Stability of SARS-CoV-2 in different environmental conditions,” *The Lancet Microbe*, vol. 1, no. 1, p. e10, May 2020, doi: 10.1016/S2666-5247(20)30003-3.
- [2] B. Ghosh, H. Lal, and A. Srivastava, “Review of bioaerosols in indoor environment with special reference to sampling, analysis and control mechanisms,” *Environment International*, vol. 85, pp. 254–272, Dec. 2015, doi: 10.1016/j.envint.2015.09.018.
- [3] M. Biasin *et al.*, “UV-C irradiation is highly effective in inactivating SARS-CoV-2 replication,” *Sci Rep*, vol. 11, no. 1, p. 6260, Dec. 2021, doi: 10.1038/s41598-021-85425-w.
- [4] M. Ploydaeng, N. Rajatanavin, and P. Rattanakaemakorn, “UV-C light: A powerful technique for inactivating microorganisms and the related side effects to the skin,” *Photodermatol Photoimmunol Photomed*, vol. 37, no. 1, pp. 12–19, Jan. 2021, doi: 10.1111/phpp.12605.
- [5] Center for Devices and Radiological Health, “UV Lights and Lamps: Ultraviolet-C Radiation, Disinfection, and Coronavirus,” *FDA*, Feb. 2021, Accessed: Oct. 03, 2022. [Online]. Available: <https://www.fda.gov/medical-devices/coronavirus-covid-19-and-medical-devices/uv-lights-and-lamps-ultraviolet-c-radiation-disinfection-and-coronavirus>
- [6] W. J. Kowalski, *Ultraviolet germicidal irradiation handbook: UVGI for air and surface disinfection*. Heidelberg ; New York: Springer-Verlag, 2009.
- [7] M. Buonanno, D. Welch, I. Shuryak, and D. J. Brenner, “Far-UVC light (222 nm) efficiently and safely inactivates airborne human coronaviruses,” *Sci Rep*, vol. 10, no. 1, Art. no. 1, Jun. 2020, doi: 10.1038/s41598-020-67211-2.
- [8] “911401507581_EU.en_ID.PROF.FP.pdf.pdf.” Accessed: Oct. 04, 2022. [Online]. Available: https://www.lighting.philips.co.id/api/assets/v1/file/Signify/content/fp911401507581-pss-en_id/911401507581_EU.en_ID.PROF.FP.pdf.
- [9] J. C. Kurnia, A. P. Sasmito, and A. S. Mujumdar, “Evaluation of the heat transfer performance of helical coils of non-circular tubes,” *J. Zhejiang Univ. Sci. A*, vol. 12, no. 1, pp. 63–70, Jan. 2011, doi: 10.1631/jzus.A1000296.
- [10] U. E. Inyang and I. J. Uwa, “Heat Transfer in Helical Coil Heat Exchanger,” *ACES*, vol. 12, no. 01, pp. 26–39, 2022, doi: 10.4236/aces.2022.121003.
- [11] S. Jayanti, *A-to-Z Guide to Thermodynamics, Heat and Mass Transfer, and Fluids Engineering: AtoZ*, vol. H. Begellhouse, 2006.
- [12] M. H. Reis, T. P. Varner, and F. A. Leibfarth, “The Influence of Residence Time Distribution on Continuous-Flow Polymerization,” *Macromolecules*, vol. 52, no. 9, pp. 3551–3557, May 2019, doi: 10.1021/acs.macromol.9b00454.
- [13] “Philips UV-C Solutions Updated June.pdf.” Accessed: Oct. 04, 2022. [Online]. Available:



- https://secure.datascrip.com/uploads/dirimg_support/Philips%20UV-C%20Solutions%20Updated%20June.pdf
- [14] C. P. Sabino *et al.*, “UV-C (254 nm) lethal doses for SARS-CoV-2,” *Photodiagnosis Photodyn Ther*, vol. 32, p. 101995, Dec. 2020, doi: 10.1016/j.pdpdt.2020.101995.
 - [15] W. J. Snelling *et al.*, “Efficacy of single pass UVC air treatment for the inactivation of coronavirus, MS2 coliphage and Staphylococcus aureus bioaerosols,” *Journal of Aerosol Science*, vol. 164, p. 106003, Aug. 2022, doi: 10.1016/j.jaerosci.2022.106003.
 - [16] H. Kitagawa *et al.*, “Effectiveness of 222-nm ultraviolet light on disinfecting SARS-CoV-2 surface contamination,” *American Journal of Infection Control*, vol. 49, no. 3, pp. 299–301, Mar. 2021, doi: 10.1016/j.ajic.2020.08.022.
 - [17] E. Maverakis, Y. Miyamura, M. P. Bowen, G. Correa, Y. Ono, and H. Goodarzi, “Light, Including Ultraviolet,” *J Autoimmun*, vol. 34, no. 3, pp. J247–J257, May 2010, doi: 10.1016/j.jaut.2009.11.011.
 - [18] N. Yamano *et al.*, “Long-term Effects of 222-nm ultraviolet radiation C Sterilizing Lamps on Mice Susceptible to Ultraviolet Radiation,” *Photochemistry and Photobiology*, vol. 96, no. 4, pp. 853–862, 2020, doi: 10.1111/php.13269.
 - [19] S. Freeman, K. Kibler, Z. Lipsky, S. Jin, G. K. German, and K. Ye, “Systematic evaluating and modeling of SARS-CoV-2 UVC disinfection,” *Sci Rep*, vol. 12, no. 1, Art. no. 1, Apr. 2022, doi: 10.1038/s41598-022-09930-2.
 - [20] “Anatomy of an Electromagnetic Wave | Science Mission Directorate.” https://science.nasa.gov/ems/02_anatomy (accessed Oct. 03, 2022).
 - [21] R. K. Funk, A. L. Stockham, and N. N. I. Laack, “Chapter 3 - Basics of Radiation Therapy,” in *Clinical Cardio-Oncology*, J. Herrmann, Ed. Elsevier, 2016, pp. 39–60. doi: 10.1016/B978-0-323-44227-5.00003-X.
 - [22] R. Percuoco, “Chapter 1 - Plain Radiographic Imaging,” in *Clinical Imaging (Third Edition)*, D. M. Marchiori, Ed. Saint Louis: Mosby, 2014, pp. 1–43. doi: 10.1016/B978-0-323-08495-6.00001-4.
 - [23] G. Verhoeven, “The reflection of two fields – Electromagnetic radiation and its role in (aerial) imaging,” vol. 55, pp. 13–18, Oct. 2017, doi: 10.5281/zenodo.3534245.
 - [24] “photon_interaction.pdf.” Accessed: Oct. 03, 2022. [Online]. Available: http://www.hep.ph.ic.ac.uk/~dbauer/tmp/photon_interaction.pdf
 - [25] “Interaction of Radiation with Matter.” <http://hyperphysics.phy-astr.gsu.edu/hbase/mod4.html#c2> (accessed Oct. 03, 2022).
 - [26] L. Prangnell, “Visible Light-Based Human Visual System Conceptual Model,” p. 8.
 - [27] G. Kaur, G. Pickrell, V. Kumar, O. P. Pandey, K. Singh, and S. K. Arya, “Mechanical, dielectric and optical assessment of glass composites prepared using milling technique,” *Bull Mater Sci*, vol. 38, no. 4, pp. 1003–1008, Aug. 2015, doi: 10.1007/s12034-015-0947-3.
 - [28] E. M. A. Hussein, “CHAPTER ONE - MECHANISMS,” in *Radiation Mechanics*, E. M. A. Hussein, Ed. Oxford: Elsevier Science Ltd, 2007, pp. 1–65. doi: 10.1016/B978-008045053-7/50002-1.



- [29] R. R. Bonaldi, “6 - Functional finishes for high-performance apparel,” in *High-Performance Apparel*, J. McLoughlin and T. Sabir, Eds. Woodhead Publishing, 2018, pp. 129–156. doi: 10.1016/B978-0-08-100904-8.00006-7.
- [30] Steril Aire, “UVC Q&A,” *Steril Aire*. <https://steril-aire.com.au/uvc-facts/uvc-qa/> (accessed Oct. 03, 2022).
- [31] the International Organization for Standardization, “ISO 21348 Definitions of Solar Irradiance Spectral Categories.” the International Organization for Standardization, 2007. [Online]. Available: https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=&cad=rja&uact=8&ved=2ahUKEwi_xe7yqcP6AhUd8HMBHaVQDq4QFnoEC AQQAQ&url=https%3A%2F%2Fpdf4pro.com%2Fcdn%2Fiso-21348-definitions-of-solar-irradiance-spectral-categories-51ee67.pdf&usg=AOvVaw2BQv5pGSONNGYHDS7toCvz
- [32] R. K. Funk, A. L. Stockham, and N. N. I. Laack, “Chapter 3 - Basics of Radiation Therapy,” in *Clinical Cardio-Oncology*, J. Herrmann, Ed. Elsevier, 2016, pp. 39–60. doi: 10.1016/B978-0-323-44227-5.00003-X.
- [33] J. L. Bologna, Ed., *Dermatology: ExpertConsult*, 3rd edition ff. Edinburgh: Elsevier, 2012.
- [34] Suleiman A. B, M. Sa'id, B. G., G. G. S. M., and T. L. S., “Study of electronic and transport properties of melanin structure using Density Functional Theory,” *Appl. J. Phys. Sci.*, vol. 1, pp. 8–13, Feb. 2019, doi: 0.31248/AJPS2019.014.
- [35] Center for Devices and Radiological Health, “Ultraviolet (UV) Radiation,” *FDA*, Dec. 2021, Accessed: Oct. 03, 2022. [Online]. Available: <https://www.fda.gov/radiation-emitting-products/tanning/ultraviolet-uv-radiation>
- [36] M. Wacker and M. F. Holick, “Sunlight and Vitamin D,” *Dermatoendocrinol*, vol. 5, no. 1, pp. 51–108, Jan. 2013, doi: 10.4161/derm.24494.
- [37] K. Botzenhart, H. Rüden, M. Tolon, and M. von K Scharfenberg, “[Clinical uses of ultraviolet light radiation],” *Prakt Anaesth*, vol. 11, no. 5, pp. 320–327, Oct. 1976.
- [38] F. Baes, “hps.org,” *Health Physics Society*. <http://hps.org/> (accessed Oct. 03, 2022).
- [39] Paul Nowatzki, Rajul Randive, and Sean Branagan, “Influence of UVC LED disinfection on polycarbonate materials.” Covestro LLC., 2021. [Online]. Available: https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=&ved=2ahUKEwigqoqNs8P6AhUF-3MBHRATBh4QFnoECAgQAQ&url=https%3A%2F%2Fsolutions.covestro.com%2F-%2Fmedia%2Fcovestro%2Fsolution-center%2Fbrochures%2Fpdf%2Fcov-291-influence-of-uv-led-disinfection-on-polycarbonate-materials.pdf&usg=AOvVaw31hP9lnl7ESUJx_xixZNRp
- [40] M. Hasanuzzaman, A. Rafferty, M. Sajjia, and A.-G. Olabi, “Properties of Glass Materials,” in *Reference Module in Materials Science and Materials Engineering*, Elsevier, 2016, p. B9780128035818040000. doi: 10.1016/B978-0-12-803581-8.03998-9.



- [41] Z. Hussain, "Optical Band Gap, Oxidation Polarizability, Optical Basicity and Electronegativity Measurements of Silicate Glasses Using Ellipsometer and Abbe Refractometer," *New Journal of Glass and Ceramics*, vol. 11, no. 01, Art. no. 01, Jan. 2021, doi: 10.4236/njgc.2021.111001.
- [42] "Corning-Pyrex.pdf." Accessed: Oct. 22, 2022. [Online]. Available: <https://glassfab.com/wp-content/uploads/2015/08/Corning-Pyrex.pdf>
- [43] "Fused Silica Glass/ Borosilicate Glass |." https://top-seiko.com/works/material-cat/quartz_glass/ (accessed Oct. 22, 2022).
- [44] S. Singh, D. Dattilo, U. Dietze, A. John, I.-Y. Jang, and F. Goodwin, "Investigation of EUVL Reticle Capping Layer Peeling under Wet Cleaning," presented at the Proceedings of SPIE - The International Society for Optical Engineering, Oct. 2013, vol. 8880, p. 888010. doi: 10.1117/12.2031430.
- [45] P. Lukes, M. Clupek, V. Babicky, and P. Sunka, "Ultraviolet radiation from the pulsed corona discharge in water," *PLASMA SOURCES SCIENCE AND TECHNOLOGY Plasma Sources Sci. Technol*, vol. 17, pp. 24012–11, May 2008, doi: 10.1088/0963-0252/17/2/024012.
- [46] N. C. Delic, J. G. Lyons, N. Di Girolamo, and G. M. Halliday, "Damaging Effects of Ultraviolet Radiation on the Cornea," *Photochemistry and Photobiology*, vol. 93, no. 4, pp. 920–929, 2017, doi: 10.1111/php.12686.
- [47] D. H. Sliney and B. E. Stuck, "A Need to Revise Human Exposure Limits for Ultraviolet UV-C Radiation†," *Photochemistry and Photobiology*, vol. 97, no. 3, pp. 485–492, 2021, doi: 10.1111/php.13402.
- [48] G. P. Pfeifer and A. Besaratinia, "UV wavelength-dependent DNA damage and human non-melanoma and melanoma skin cancer," *Photochem Photobiol Sci*, vol. 11, no. 1, pp. 90–97, Jan. 2012, doi: 10.1039/c1pp05144j.
- [49] "GUIDELINES ON LIMITS OF EXPOSURE TO ULTRAVIOLET RADIATION OF WAVELENGTHS BETWEEN 180 nm AND 400 nm (INCOHERENT OPTICAL RADIATION).," *Health Physics*, vol. 87, no. 2, pp. 171–186, Aug. 2004, doi: 10.1097/00004032-200408000-00006.
- [50] R. W. Stowe, "Practical aspects of irradiance and energy in UV curing," in *Radiation Curing: the technology for the next millenium*, Malaysia, 1999, vol. 31, p. 552. [Online]. Available: https://inis.iaea.org/collection/NCLCollectionStore/_Public/31/016/31016357.pdf?r=1
- [51] M. Templeton, "Basic Principles of UV Disinfection," Imperial College London, 2017. [Online]. Available: https://www.un-ihe.org/sites/default/files/3_-_templeton.pdf
- [52] "Efficacy | Disinfection & Sterilization Guidelines | Guidelines Library | Infection Control | CDC," Apr. 04, 2019. <https://www.cdc.gov/infectioncontrol/guidelines/disinfection/efficacy.html> (accessed Oct. 22, 2022).
- [53] L. D. Stetzenbach, "Airborne Infectious Microorganisms," in *Encyclopedia of Microbiology*, Elsevier, 2009, pp. 175–182. doi: 10.1016/B978-012373944-5.00177-2.
- [54] C. C. Wang *et al.*, "Airborne transmission of respiratory viruses," *Science*, vol. 373, no. 6558, p. eabd9149, Aug. 2021, doi: 10.1126/science.abd9149.



- [55] J. Cox, H. Mbareche, W. G. Lindsley, and C. Duchaine, "Field sampling of indoor bioaerosols," *Aerosol Science and Technology*, vol. 54, no. 5, pp. 572–584, May 2020, doi: 10.1080/02786826.2019.1688759.
- [56] H. Qian and X. Zheng, "Ventilation control for airborne transmission of human exhaled bio-aerosols in buildings," *J. Thorac. Dis.*, vol. 10, no. S9, pp. S2295–S2304, Jul. 2018, doi: 10.21037/jtd.2018.01.24.
- [57] M. T. Mamahlodi, "Potential benefits and harms of the use of UV radiation in transmission of tuberculosis in South African health facilities," *J Public Health Afr*, vol. 10, no. 1, Jun. 2019, doi: 10.4081/jphia.2019.742.
- [58] *2019 ASHRAE handbook. Heating, ventilating, and air-conditioning applications*, Inch-Pound edition. Atlanta, GA: ASHRAE, 2019.
- [59] "911401548581_EU.en_AA.PROF.FP.pdf." Accessed: Oct. 03, 2022. [Online]. Available: https://www.lighting.philips.com/api/assets/v1/file/Signify/content/fp911401548581-pss-global/911401548581_EU.en_AA.PROF.FP.pdf
- [60] "UVA, UVC LIGHT METER (YK-37UVSD)." Lutron, 2008.
- [61] "Cosine Correctors," *Avantes*. <https://www.avantes.com/products/fiber-optics/cosine-correctors/> (accessed Oct. 23, 2022).
- [62] J. Fraden, *Handbook of Modern Sensors*. Cham: Springer International Publishing, 2016. doi: 10.1007/978-3-319-19303-8.
- [63] Badan Standardisasi Nasional, "Sertifikat Kalibrasi UV Light Meter (254 nm) Lutron YK-37UVSD UVC Q975103." BSN, 2021.
- [64] W. Hennessy, "Flow and Level Sensors," in *Sensor Technology Handbook*, Elsevier, 2005, pp. 237–254. doi: 10.1016/B978-075067729-5/50050-1.
- [65] J. O. Bird and P. J. Chivers, "Measurement of fluid flow," in *Newnes Engineering and Physical Science Pocket Book*, Elsevier, 1993, pp. 370–381. doi: 10.1016/B978-0-7506-1683-6.50052-7.
- [66] Lutron, "ANEMOMETER HOTWIRE (AM4204)." 2008.
- [67] T. Myers, D. Gardenhire, A. Ari, and D. Hess, *A Guide to Aerosol Delivery Devices for Respiratory Therapists 3rd Edition*. 2013.
- [68] M. Bonnet, J. C. Lagier, D. Raoult, and S. Khelaifia, "Bacterial culture through selective and non-selective conditions: the evolution of culture media in clinical microbiology," *New Microbes and New Infections*, vol. 34, p. 100622, Mar. 2020, doi: 10.1016/j.nmni.2019.100622.
- [69] "M096.pdf." Accessed: Oct. 04, 2022. [Online]. Available: <https://himedialabs.com/TD/M096.pdf>
- [70] "M063.pdf." Accessed: Oct. 04, 2022. [Online]. Available: <https://himedialabs.com/TD/M063.pdf>
- [71] "M091.pdf." Accessed: Oct. 04, 2022. [Online]. Available: <https://himedialabs.com/TD/M091.pdf>
- [72] "M001.pdf." Accessed: Oct. 04, 2022. [Online]. Available: <https://himedialabs.com/TD/M001.pdf>
- [73] "media.pdf." Accessed: Oct. 03, 2022. [Online]. Available: https://www.microbiologics.com/core/media/media.nl?id=563&c=915960&h=7973622f91a75e047f37&_xt=.pdf





- [74] M. N. Nduni, A. M. Osano, and B. Chaka, "Synthesis and characterization of aluminium oxide nanoparticles from waste aluminium foil and potential application in aluminium-ion cell," *Cleaner Engineering and Technology*, vol. 3, p. 100108, Jul. 2021, doi: 10.1016/j.clet.2021.100108.
- [75] "UV222-datasheet.pdf." Accessed: Oct. 22, 2022. [Online]. Available: <https://uvmedico.com/wp-content/uploads/2022/07/UV222-datasheet.pdf>
- [76] C. Cifelli, I. Maples, and G. Miller, "Pasteurization: Implications for Food Safety and Nutrition," *Nutrition Today*, vol. 45, pp. 207–213, Sep. 2010, doi: 10.1097/NT.0b013e3181f1d689.
- [77] R. Antonucci, A. Porcella, and V. Fanos, "The infant incubator in the neonatal intensive care unit: unresolved issues and future developments," *Journal of Perinatal Medicine*, vol. 37, no. 6, Jan. 2009, doi: 10.1515/JPM.2009.109.
- [78] "ESB-200 Infant Incubator.pdf." Accessed: Oct. 04, 2022. [Online]. Available: <http://www.esse3-medical.com/userfiles/file/ESB-200%20Infant%20Incubator.pdf>

