

DAFTAR PUSTAKA

- [1] A. Milton, "How finger vein offers businesses a helping hand," *Biom. Technol. Today*, hlm. 3, 2020.
- [2] A. K. Jain, P. Flynn, dan A. A. Ross, Ed., *Handbook of biometrics*. New York: Springer, 2008.
- [3] R. Das, E. Piciucco, E. Maiorana, dan P. Campisi, "Convolutional Neural Network for Finger-Vein-Based Biometric Identification," *IEEE Trans. Inf. Forensics Secur.*, vol. 14, no. 2, hlm. 360–373, Feb 2019, doi: 10.1109/TIFS.2018.2850320.
- [4] A. Kumar dan Yingbo Zhou, "Human Identification Using Finger Images," *IEEE Trans. Image Process.*, vol. 21, no. 4, hlm. 2228–2244, Apr 2012, doi: 10.1109/TIP.2011.2171697.
- [5] R. Khanam, R. Khan, dan R. Ranjan, "Analysis of Finger Vein Feature Extraction and Recognition using DA and KNN Methods," dalam *2019 Amity International Conference on Artificial Intelligence (AICAI)*, Dubai, United Arab Emirates, Feb 2019, hlm. 477–483. doi: 10.1109/AICAI.2019.8701253.
- [6] X. Meng, X. Xi, Z. Li, dan Q. Zhang, "Finger Vein Recognition Based on Fusion of Deformation Information," *IEEE Access*, vol. 8, hlm. 50519–50530, 2020, doi: 10.1109/ACCESS.2020.2979902.
- [7] C. Xie dan A. Kumar, "Finger vein identification using Convolutional Neural Network and supervised discrete hashing," *Pattern Recognit. Lett.*, vol. 119, hlm. 148–156, Mar 2019, doi: 10.1016/j.patrec.2017.12.001.
- [8] A. Géron, "Hands-On Machine Learning with Scikit-Learn, Keras, and TensorFlow," hlm. 851.
- [9] F. Chollet, *Deep learning with Python*. Shelter Island, New York: Manning Publications Co, 2018.
- [10] K. He, X. Zhang, S. Ren, dan J. Sun, "Deep Residual Learning for Image Recognition," dalam *2016 IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, Las Vegas, NV, USA, Jun 2016, hlm. 770–778. doi: 10.1109/CVPR.2016.90.
- [11] N. D. Miranda, L. Novamizanti, dan S. Rizal, "Convolutional Neural Network pada Klasifikasi Sidik Jari Menggunakan Resnet-50," *J. Tek. Inform. Jutif*, vol. 1, no. 2, hlm. 61–68, Des 2020, doi: 10.20884/1.jutif.2020.1.2.18.
- [12] N. Jariya dan V. K. K. Malu, "Convolutional and residual networks for iris recognition," Kollam, India, 2020, hlm. 030019. doi: 10.1063/5.0006049.
- [13] S. Fairuz, M. H. Habaebi, dan E. M. A. Elsheikh, "Finger Vein Identification Based On Transfer Learning of AlexNet," dalam *2018 7th International Conference on Computer and Communication Engineering (ICCCE)*, Kuala Lumpur, Sep 2018, hlm. 465–469. doi: 10.1109/ICCCE.2018.8539256.
- [14] Y. Lu, S. J. Xie, S. Yoon, dan D. S. Park, "Finger vein identification using polydirectional local line binary pattern," dalam *2013 International*



- Conference on ICT Convergence (ICTC)*, JEJU ISLAND, Korea (South), Okt 2013, hlm. 61–65. doi: 10.1109/ICTC.2013.6675307.
- [15] A. Perez Vega, C. M. Travieso, dan J. B. Alonso, “Biometric personal identification system based on patterns created by finger veins,” dalam *3rd IEEE International Work-Conference on Bioinspired Intelligence*, Liberia, Costa Rica, Jul 2014, hlm. 65–70. doi: 10.1109/IWOBI.2014.6913940.
- [16] R. Al-Khafaji dan M. Al-Tamimi, “Vein Biometric Recognition Methods and Systems: A Review,” *Adv. Sci. Technol. Res. J.*, vol. 16, no. 1, hlm. 36–46, Jan 2022, doi: 10.12913/22998624/144495.
- [17] “Vlachos and Dermatas - 2015 - Finger Vein Segmentation from Infrared Images Base.pdf.”
- [18] “Finger Vein Recognition Using Generalized Local Line Binary Pattern,” *KSII Trans. Internet Inf. Syst.*, vol. 8, no. 5, hlm. 1766–1784, Mei 2014, doi: 10.3837/tiis.2014.05.015.
- [19] H. Liu, L. Song, G. Yang, L. Yang, dan Y. Yin, “Customized Local Line Binary Pattern Method for Finger Vein Recognition,” dalam *Biometric Recognition*, vol. 10568, J. Zhou, Y. Wang, Z. Sun, Y. Xu, L. Shen, J. Feng, S. Shan, Y. Qiao, Z. Guo, dan S. Yu, Ed. Cham: Springer International Publishing, 2017, hlm. 314–323. doi: 10.1007/978-3-319-69923-3_34.
- [20] B. A. Rosdi, C. W. Shing, dan S. A. Suandi, “Finger Vein Recognition Using Local Line Binary Pattern,” *Sensors*, vol. 11, no. 12, hlm. 11357–11371, Nov 2011, doi: 10.3390/s111211357.
- [21] S. Veluchamy dan L. R. Karlmarx, “System for multimodal biometric recognition based on finger knuckle and finger vein using feature-level fusion and k-support vector machine classifier,” *IET Biom.*, vol. 6, no. 3, hlm. 232–242, Mei 2017, doi: 10.1049/iet-bmt.2016.0112.
- [22] N. T. Han, N. Mukahar, dan B. A. Rosdi, “Finger Vein Recognition Using Principle Component Analysis and Adaptive k-Nearest Centroid Neighbour Classifier,” vol. 13, no. 1, hlm. 11, 2021.
- [23] D. Zhao, “Finger vein recognition based on lightweight CNN combining center loss and dynamic regularization,” *Infrared Phys. Technol.*, hlm. 10, 2020.
- [24] “Zhao - 2020 - Finger vein recognition based on lightweight CNN c.pdf.”
- [25] A. Farahani, B. Pourshojae, K. Rasheed, dan H. R. Arabnia, “A Concise Review of Transfer Learning,” dalam *2020 International Conference on Computational Science and Computational Intelligence (CSCI)*, Las Vegas, NV, USA, Des 2020, hlm. 344–351. doi: 10.1109/CSCI51800.2020.00065.
- [26] K. Shaheed, H. Liu, G. Yang, I. Qureshi, J. Gou, dan Y. Yin, “A Systematic Review of Finger Vein Recognition Techniques,” *Information*, vol. 9, no. 9, hlm. 213, Agu 2018, doi: 10.3390/info9090213.
- [27] H. Qin, X. He, X. Yao, dan H. Li, “Finger-vein verification based on the curvature in Radon space,” *Expert Syst. Appl.*, vol. 82, hlm. 151–161, Okt 2017, doi: 10.1016/j.eswa.2017.03.068.
- [28] M. S. H. Al-Tamimi, “A Survey on The Vein Biometric Recognition Systems: Trends and Challenges,” hlm. 18, 2005.



- [29] M. Kono, H. Ueki, dan S. Umemura, “Near-infrared finger vein patterns for personal identification,” *Appl. Opt.*, vol. 41, no. 35, hlm. 7429, Des 2002, doi: 10.1364/AO.41.007429.
- [30] C. Kauba, M. Drahanský, M. Nováková, A. Uhl, dan Š. Rydlo, “Three-Dimensional Finger Vein Recognition: A Novel Mirror-Based Imaging Device,” *J. Imaging*, vol. 8, no. 5, 2022, doi: 10.3390/jimaging8050148.
- [31] I. Boucherit, M. O. Zmirli, H. Hentabli, dan B. A. Rosdi, “Finger vein identification using deeply-fused Convolutional Neural Network,” *J. King Saud Univ. - Comput. Inf. Sci.*, vol. 34, no. 3, hlm. 646–656, Mar 2022, doi: 10.1016/j.jksuci.2020.04.002.
- [32] Y. Yin, L. Liu, dan X. Sun, “SDUMLA-HMT: A Multimodal Biometric Database,” hlm. 2.
- [33] A. H. Pratomo dan W. Kaswidjanti, “Implementasi Algoritma Region of Interest (ROI) untuk Meningkatkan Performa Algoritma Deteksi dan Klasifikasi Kendaraan,” hlm. 8.
- [34] B. Kurt, V. V. Nabiyev, dan K. Turhan, “Medical images enhancement by using anisotropic filter and CLAHE,” dalam *2012 International Symposium on Innovations in Intelligent Systems and Applications*, Trabzon, Turkey, Jul 2012, hlm. 1–4. doi: 10.1109/INISTA.2012.6246971.
- [35] “Machine Learning and Deep Learning,” *Int. J. Innov. Technol. Explor. Eng.*, vol. 8, no. 12, hlm. 4910–4914, Okt 2019, doi: 10.35940/ijitee.L3550.1081219.
- [36] P. Kuang, W.-N. Cao, dan Q. Wu, “Preview on structures and algorithms of deep learning,” dalam *2014 11th International Computer Conference on Wavelet Active Media Technology and Information Processing (ICCWAMTIP)*, Chengdu, China, Des 2014, hlm. 176–179. doi: 10.1109/ICCWAMTIP.2014.7073385.
- [37] K. O’Shea dan R. Nash, “An Introduction to Convolutional Neural Networks.” arXiv, 2 Desember 2015. Diakses: 5 Juli 2022. [Daring]. Tersedia pada: <http://arxiv.org/abs/1511.08458>
- [38] S. Albawi, T. A. Mohammed, dan S. Al-Zawi, “Understanding of a convolutional neural network,” dalam *2017 International Conference on Engineering and Technology (ICET)*, Antalya, Agu 2017, hlm. 1–6. doi: 10.1109/ICEngTechnol.2017.8308186.
- [39] T. Bezdán dan N. Bačanin Džakula, “Convolutional Neural Network Layers and Architectures,” dalam *Proceedings of the International Scientific Conference - Sinteza 2019*, Novi Sad, Serbia, 2019, hlm. 445–451. doi: 10.15308/Sinteza-2019-445-451.
- [40] C. Sharma dan S. Parikh, “Transfer Learning and its application in Computer Vision: A Review,” hlm. 6.
- [41] D. Sarkar, “A Comprehensive Hands-on Guide to Transfer Learning with Real-world Applications in Deep Learning,” *Towards Data Science*, 2018. <https://towardsdatascience.com/a-comprehensive-hands-on-guide-to-transfer-learning-with-real-world-applications-in-deep-learning-212bf3b2f27a>



- [42] A. Sarangam, “Epoch in Machine Learning: A Simple Introduction.” <https://www.jigsawacademy.com/blogs/ai-ml/epoch-in-machine-learning> (diakses 26 Juli 2022).
- [43] S. Sharma, S. Sharma, dan A. Athaiya, “Activation Functions in Neural Networks,” *Int. J. Eng. Appl. Sci. Technol.*, vol. 04, no. 12, hlm. 310–316, Mei 2020, doi: 10.33564/IJEAST.2020.v04i12.054.
- [44] S. Ji dan Y. Xie, “Logistic Regression: From Binary to Multi-Class,” hlm. 6.
- [45] L. Li dan M. H. Loew, “Approximating the Gradient of Cross-Entropy Loss Function,” vol. 8, hlm. 10, 2020.
- [46] S. V. G. Reddy, K. T. Reddy, dan V. ValliKumari, “Optimization of Deep Learning using various Optimizers, Loss functions and Dropout,” vol. 7, no. 4, hlm. 8, 2018.
- [47] S. Ruder, “An overview of gradient descent optimization algorithms.” arXiv, 15 Juni 2017. Diakses: 28 Juli 2022. [Daring]. Tersedia pada: <http://arxiv.org/abs/1609.04747>
- [48] “lecture_slides lec6.pdf.”
- [49] D. P. Kingma dan J. Ba, “Adam: A Method for Stochastic Optimization.” arXiv, 29 Januari 2017. Diakses: 28 Juli 2022. [Daring]. Tersedia pada: <http://arxiv.org/abs/1412.6980>
- [50] F. He, T. Liu, dan D. Tao, “Control Batch Size and Learning Rate to Generalize Well: Theoretical and Empirical Evidence,” hlm. 10.
- [51] S. Saxena, “Image Augmentation Techniques for Training Deep Learning Models,” *Analytics Vidhya*, 10 Maret 2021. <https://www.analyticsvidhya.com/blog/2021/03/image-augmentation-techniques-for-training-deep-learning-models/> (diakses 28 Juli 2022).
- [52] S. Yang dan G. Berdine, “The receiver operating characteristic (ROC) curve,” *Southwest Respir. Crit. Care Chron.*, vol. 5, no. 19, hlm. 34, Mei 2017, doi: 10.12746/swrccc.v5i19.391.
- [53] K. H. Zou, A. J. O’Malley, dan L. Mauri, “Receiver-Operating Characteristic Analysis for Evaluating Diagnostic Tests and Predictive Models,” *Circulation*, vol. 115, no. 5, hlm. 654–657, Feb 2007, doi: 10.1161/CIRCULATIONAHA.105.594929.
- [54] S. J. Xie, S. Yoon, J. Yang, Y. Lu, D. S. Park, dan B. Zhou, “Feature Component-Based Extreme Learning Machines for Finger Vein Recognition,” *Cogn. Comput.*, vol. 6, no. 3, hlm. 446–461, Sep 2014, doi: 10.1007/s12559-014-9254-3.

