

## DAFTAR PUSTAKA

- Agostini-costa, T. S. *et al.* (2012) *Secondary Metabolites*. Edited by S. Dhanarasu. Brasilia: IntechOpen. doi: 10.5772/35705.
- Akhgari, A. *et al.* (2019) 'Methyljasmonate Elicitation Increases Terpenoid Indole Alkaloid Accumulation in *Rhazya stricta* Hairy Root Cultures', *Plants*, 8(12), pp. 1–15. doi: 10.3390/plants8120534.
- de Costa, F. *et al.* (2013) 'Accumulation of A Bioactive Triterpene Saponin Fraction of *Quillaja brasiliensis* Leaves is Associated with Abiotic and Biotic Stresses', *Plant Physiology and Biochemistry*. Elsevier Masson SAS, 66, pp. 56–62. doi: 10.1016/j.plaphy.2013.02.003.
- Due, Y. P., Bukit, M. and Johannes, A. Z. (2019) 'Kajian Awal Spektrum Serapan UV–Vis Senyawa Hasil Ekstrak Daun Jeruk Nipis (*Citrus aurantifolia*) Asal Tarus Kabupaten Kupang', *Jurnal Fisika : Fisika Sains dan Aplikasinya*, 4(1), pp. 34–40. doi: 10.35508/fisa.v4i1.1437.
- Eze, C. N. *et al.* (2017) 'Evaluation of some biological activities of *Euglena gracilis* biomass produced by a fed-batch culture with some crop fertilizers', *African Journal of Biotechnology*, 16(8), pp. 337–345. doi: 10.5897/ajb2016.15651.
- Farag, M. A. *et al.* (2017) 'Metabolomics Reveals Biotic and Abiotic Elicitor Effects on The Soft Coral Sarcophyton ehrenbergi Terpenoid Content', *Scientific Reports*, 7(1), pp. 1–11. doi: 10.1038/s41598-017-00527-8.
- Figa, A. P. *et al.* (2020) 'Population Structure of *Gyrinops versteegii* within Floristic Community in Nggalak Protection Forest, Flores Island, Indonesia', *Biodiversitas*, 21(4), pp. 1561–1568. doi: 10.13057/biodiv/d210437.
- Habibah, N. A. (2009) 'Efektivitas Penambahan Elisitor Asam Jasmonik dalam Peningkatan Sintesis Senyawa Bioaktif Andrografolid pada Kultur Suspensi Sel Sambiloto', *Biosaintifika: Journal of Biology & Biology Education*, 1(1), pp. 11–18.
- Hussain, S. Z. and Maqbool, K. (2014) 'GC-MS: Principle, Technique and Its Application in Food Science', *International Journal of Current Science*, 13, pp. 116–126.
- Hussein, R. A. and El-Anssary, A. A. (2018) 'Plants Secondary Metabolites: The

- Key Drivers of the Phadmacological Actions of Medicinal Plants’, in *Herbal Medicine*. London: IntechOpen, pp. 13–27. Available at: <http://dx.doi.org/10.1039/C7RA00172J%0Ahttps://www.intechopen.com/books/advanced-biometric-technologies/liveness-detection-in-biometrics%0Ahttp://dx.doi.org/10.1016/j.colsurfa.2011.12.014>.
- ITIS. (2011) [https://www.itis.gov/servlet/SingleRpt/SingleRpt?search\\_topic=TSN&search\\_value=845834#null](https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=845834#null). Diakses 29 Agustus 2022. 09.17.
- Jarocka-karpowicz, I. and Markowska, A. (2021) ‘Therapeutic Potential of Jasmonic Acid and Its Derivatives’, *International Journal of Molecular Sciences*, 22(16), pp. 1–19. doi: 10.3390/ijms22168437.
- Jolliffe, I. T. and Cadima, J. (2016) ‘Principal Component Analysis: A Review And Recent Developments’, *Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences*, 374(2065), pp. 1–14. doi: 10.1098/rsta.2015.0202.
- Lauro, F. *et al.* (2020) ‘Biological Activity Exerted by *Crocodylus moreletii* Oil Against Heart Failure Using An Ischemia/Reperfusion Model’, *Letters in Applied NanoBioScience*, 9(3), pp. 1284–1293. doi: 10.33263/lianbs93.12841293.
- Martinez, C. S., Ribotta, P. D. and León, A. E. (2016) ‘Influence of the Addition of *Amaranthus mantegazzianus* Flour on the Nutritional and Health Properties of Pasta’, *Cogent Food and Agriculture*. Cogent, 2(1), p. 7. doi: 10.1080/23311932.2015.1136097.
- Nasution, A. A. *et al.* (2018) ‘Identification of Chemical Compounds in Agarwood-Producing Species *Aquilaria malaccensis* and *Gyrinops versteegii*’, *Journal of Forestry Research*. Springer Berlin Heidelberg, 31(4), pp. 1371–1380. doi: 10.1007/s11676-018-00875-9.
- Parsaeimehr, A., Sargsyan, E. and Vardanyan, A. (2011) ‘Expression of Secondary Metabolites in Plants and Their Useful Perspective in Animal Health’, *International Journal of the Bioflux Society*, 3(2), pp. 129–134.
- Rajesh, K. D. *et al.* (2021) ‘GC-MS Analysis of Secondary Metabolites from the Whole Plant Methanolic Extract of *Drynaria Quercifolia* (L) J. Smith

- (Polypodiaceae)', *Journal of Advanced Applied Scientific Research*, 1(3), pp. 84–89. doi: 10.46947/joaasr13201622.
- Ramirez-Estrada, K. *et al.* (2016) 'Elicitation, An Effective Strategy for The Biotechnological Production of Bioactive High-Added Value Compounds in Plant Cell Factories', *Molecules*, 21(182), pp. 1–24. doi: 10.3390/molecules21020182.
- Ranjha, M. M. A. N. *et al.* (2021) 'Sonication, A Potential Technique for Extraction of Phytoconstituents: A Systematic Review', *Processes*, 9(8), pp. 5–16. doi: 10.3390/pr9081406.
- Salazar, A. *et al.* (2017) 'Allergen-Based Diagnostic: Novel and Old Methodologies with New Approaches', in *Allergen*. London: IntechOpen, p. 83. doi: 10.5772/intechopen.69276.
- Shofiyani, A. and Purnawanto, A. M. (2017) 'Pertumbuhan Kalus Kencur (*Kaemferia galanga* L) Pada Komposisi Media Dengan Perlakuan Sukrosa Dan Zat Pengatur Tumbuh (2,4 D dan Benzil Aminopurin)', *Agritech*, 19(1), pp. 55–64.
- Sumarna, Y. (2012) *Budidaya Jenis Pohon Penghasil Gaharu*. Bogor: Departemen Kehutanan, Badan Penelitian dan Pengembangan Kehutanan, Pusat Litbang Produktivitas Hutan.
- Susilo, A., Kalima, T. and Santoso, E. (2014) *Buku Panduan Lapangan Pengenalan Gyrinops ( Gaharu ). pdf*. Edited by M. Turjaman, T. E. Komar, and M. Wardani. Bogor: Pusat Penelitian dan Pengembangan Konservasi dan Rehabilitasi.
- Sutomo, S. and Oktaviani, G. (2019) 'Eksplorasi Lapangan Jenis Penghasil Gaharu (*Gyrinops versteegii*) di Pulau Lombok Nusa Tenggara Barat', *ULIN: Jurnal Hutan Tropis*, 3(2), pp. 64–69. doi: 10.32522/ujht.v3i2.2874.
- Talamond, P., Verdeil, J. L. and Con  j  ro, G. (2015) 'Secondary Metabolite Localization by Autofluorescence in Living Plant Cells', *Molecules*, 20(3), pp. 5024–5037. doi: 10.3390/molecules20035024.
- Taniguchi, M. and Lindsey, J. S. (2018) 'Database of Absorption and Fluorescence Spectra of >300 Common Compounds for use in PhotochemCAD', *Photochemistry and Photobiology*, 94(2), pp. 290–327. doi:

10.1111/php.12860.

- Wahyuni, A., Satria, B. and Zainal, A. (2020) 'Induksi Kalus Gaharu dengan NAA dan BAP Secara In Vitro', *Agrosains : Jurnal Penelitian Agronomi*, 22(1), pp. 40–43. doi: 10.20961/agsjpa.v22i1.36007.
- Wardana, T. A. P. *et al.* (2019) 'Phytochemical Analysis of Agarwood (*Gyrinops versteegii* (Gilg.) Domke) Leaves Extracts as Anticancer Using GC-MS', in *AIP Conference Proceedings*, pp. 1–9. doi: 10.1063/1.5139868.
- Warono, D. and Syamsudin (2013) 'Unjuk Kerja Spektrofotometer Untuk Analisa Zat Aktif Ketoprofen', *Konversi*, 2(2), pp. 57–65.
- Wasternack, C. and Song, S. (2017) 'Jasmonates: Biosynthesis, Metabolism, and Signaling by Proteins Activating and Repressing Transcription', *Journal of Experimental Botany*, 68(6), pp. 1303–1321. doi: 10.1093/jxb/erw443.
- Widayat, T. *et al.* (2021) 'Metabolite Profiles of Agarwood *Gyrinops versteegii* (Gilg.) Domke Leaves collected from Different Locations', *Research Journal of Biotechnology*, 16(4), pp. 12–19.
- Widyaningrum, I., Wibisono, N. and Kusumawati, A. H. (2020) 'Effect of Extraction Method on Antimicrobial Activity Against *Staphylococcus Aureus* of Tapak Liman (*Elephantopus Scaber* L.) Leaves', *International Journal of Health & Medical Sciences*, 3(1), pp. 105–110. Available at: <https://www.neliti.com/publications/329617/effect-of-extraction-method-on-antimicrobial-activity-against-staphylococcus-aur>.
- Yang, Q. *et al.* (2016) '(-)-Guaiol Regulates RAD51 Stability Via Autophagy to Induce Cell Apoptosis in Non-Small Cell Lung Cancer', *Oncotarget*, 7(38), pp. 62585–62597. doi: 10.18632/oncotarget.11540.
- Zhang, Q. W., Lin, L. G. and Ye, W. C. (2018) 'Techniques for Extraction and Isolation of Natural Products: A Comprehensive Review', *Chinese Medicine (United Kingdom)*. BioMed Central, 13(1), pp. 1–26. doi: 10.1186/s13020-018-0177-x.