

DAFTAR PUSTAKA

- Agoesdy, R., Hanum, H., Rauf, A., & Harahap, F. S. (2019). Status Hara Fosfor Dan Kalium Di Lahan Sawah Di Kecamatan Tanjung Morawa Kabupaten Deli Serdang. *Jurnal Tanah dan Sumberdaya Lahan*, 6(2), 1387–1390.
- Aktaruzzaman, M., Islam, A. T. M. S., & Rashid, M. M. (2010). *Fungicidal Management of Sheath Blight of Rice*. LAP LAMBERT Academic Publishing GmbH & Co. KG.
- Ambavaram, M. M. R., Krishnan, A., Trijatmiko, K. R., & Pereira, A. (2011). Coordinated Activation of Cellulose and Repression of Lignin Biosynthesis Pathways in Rice. *Plant Physiology*, 155(2), 916–931.
- Anderson, N. A. (1982). The Genetics and Pathology of *Rhizoctonia solani*. *Annual Review of Phytopathology*, 20(1), 329–347.
- Aristya, V. E., & Taryono. (2019). Pemuliaan Tanaman Partisipatif untuk Meningkatkan Peran Varietas Padi Unggul dalam Mendukung Swasembada Pangan Nasional. *Agrinova: Journal of Agriculture Innovation*, 2(1), 26–35.
- Badan Standardisasi Nasional Indonesia. (2008). *Pulp dan kayu - Cara uji kadar lignin - Metode Klason*.
- Balittanah. (2005). Pupuk Organik Tingkatkan Produksi Pertanian. *Warta Penelitian dan Pengembangan Pertanian*, 27(6), 1–3.
- Barros, J., Serk, H., Granlund, I., & Pesquet, E. (2015). The Cell Biology of Lignification in Higher Plants. *Annals of Botany*, 115(7), 1053–1074.
- Barrs, H., & Weatherley, P. (1962). A Re-Examination of the Relative Turgidity Technique for Estimating Water Deficits in Leaves. *Australian Journal of Biological Sciences*, 3(15), 413–428.
- Bond, J., Donaldson, L., Hill, S., & Hitchcock, K. (2008). Safranine Fluorescent Staining of Wood Cell Walls. *Biotechnic and Histochemistry*, 83(3–4), 161–171.
- Buranov, A. U., & Mazza, G. (2008). Lignin in straw of herbaceous crops. *Industrial Crops and Products*, 28(3), 237–259.
- Burpee, L., Sanders, P., Cole, H., & SH, K. (1978). A Staining Technique for Nuclei of *Rhizoctonia solani*. *Mycologia*, 70(6), 1281–1283.
- Carling, D. E. (1996). Grouping in *Rhizoctonia solani* by Hyphal Anastomosis Reaction. In B. Sneh, S. Jabaji-Hare, S. Neate, & G. Dijst (Ed.), *Rhizoctonia Species: Taxonomy, Molecular Biology, Ecology, Pathology and Disease Control* (hal. 37–47). Kluwer Academic Publisher.
- Chang, S., Tzeng, D., & Li, C. (2002). Effect of silicon nutrient on bacterial blight resistance of rice (*Oryza sativa* L.). *Proceedings of the Second Silicon in Agriculture Conference, Tsuruoka, Yamagata, Japan*, 31–33.
- Cuong, T. X., Ullah, H., Datta, A., & Hanh, T. C. (2017). Effects of Silicon-Based Fertilizer on Growth, Yield and Nutrient Uptake of Rice in Tropical Zone of Vietnam. *Rice Science*, 24(5), 283–290.
- Desvani, S. D., Lestari, I. B., Wibowo, H. R., Supyani, S., Poromarto, S. H., & Hadiwiyo, H. (2018). Morphological Characteristics and Virulence of *Rhizoctonia solani* Isolates Collected from Some Rice Production Areas in Some Districts of Central Java. *AIP Conference Proceedings*, 1–7.
- El-Shafey, R. A. S., Elamawi, R. M., Saleh, M. M., Tahooun, A. M., & Emeran, A. A. (2019). Morphological, Pathological and Molecular Characterisation of Rice Sheath Blight Disease Causal Organism *Rhizoctonia solani* AG-1 IA in

- Egypt. *Archives of Phytopathology and Plant Protection*, 52(5–6), 507–529.
- GaoFeng, X., WanChun, S., ALin, S., ZhaoJun, L., FenLiang, F., & YongChao, L. (2010). Influence of Silicon On Rice Growth, Resistance to Bacterial Blight and Activity of Pathogenesis-Related Proteins. *Scientia Agricultura Sinica*, 43(4), 690–697.
- González García, V., Portal Onco, M. A., & Rubio Susan, V. (2006). Review. Biology and Systematics of The Form Genus *Rhizoctonia*. *Spanish Journal of Agricultural Research*, 4(1), 55–79.
- Gopireddy, B. M., Devi, G. U., Kumar, K. V., Babu, T. R., & Naidu, T. C. M. (2017). Cultural and Morphological Characterization of *Rhizoctonia solani* f. sp. *sasakii* Isolates Collected from Different Districts of Andhra Pradesh. *International Journal of Current Microbiology and Applied Sciences*, 6(11), 3457–3469.
- Groth, D. E. (2008). Effects of cultivar resistance and single fungicide application on rice sheath blight, yield, and quality. *Crop Protection*, 27(7), 1125–1130.
- Harahap, F. S., Kurniawan, D., & Susanti, R. (2021). Pemetaan Status pH Tanah dan C-Organik Tanah Sawah Tadah Hujan di Kecamatan Panai Tengah Kabupaten Labuhanbatu. *Agrosains : Jurnal Penelitian Agronomi*, 23(1), 37.
- Harahap, F. S., Walida, H., & Fadillah, W. (2019). Evaluasi Status Kesuburan N P K Tanah Sawah Tadah Hujan Di Kecamatan Beringin Kabupaten Deli Serdang. *Jurnal Agroplasma*, 5(1), 30–34.
- Harborne, J. B. (1987). *Metode Fitokimia : Penuntun Cara Modern Menganalisis Tumbuhan* (S. Niksolihin (ed.); Kedua). Penerbit ITB.
- Hardjowigeno, S., Subagyo, H., & Rayes, M. L. (2004). Morfologi Dan Klasifikasi Tanah Sawah. *Prosiding Balitbang Tanah*, 1–28.
- Hillel, D. (1982). *Introduction to Soil Physics*. Academic Press Inc. (London) Limited.
- Hossain, M. K., Tze, O. S., Nadarajah, K., Jena, K., Bhuiyan, M. A. R., & Ratnam, W. (2014). Identification and validation of sheath blight resistance in rice (*Oryza sativa* L.) cultivars against *Rhizoctonia solani*. *Canadian Journal of Plant Pathology*, 36(4), 482–490.
- Husnain. (2009). Ketersediaan Silika (Si) Pada Tanah Sawah dan Metode Penetapan Si Tersedia Di Dalam Tanah Serta Perbandingan Beberapa Metode Ekstrasinya. In *Balai Penelitian Tanah* (hal. 155–163).
- Husnain. (2010). Mengenal Silika Sebagai Unsur Hara. In *Warta Penelitian dan Pengembangan Pertanian* (Vol. 32, hal. 19–20).
- Husnain et al. (2020). *Rekomendasi Padi, Jagung dan Kedelai pada Lahan Sawah (Per Kecamatan) Buku I : PADI*.
- Husnain, Rochayati, S., & Adamy, I. (2012). Pengelolaan Hara Silika pada Tanah Pertanian di Indonesia. *Prosiding Seminar Nasional Teknologi Pemupukan dan Pemulihan Lahan Terdegradasi*, 12, 237–246.
- Indasari, I. N., Budiono, J. D., & Wisanti. (2013). Wenter sebagai Pewarna Alternatif Dalam Pewarnaan Media Preparat Jaringan Batang dan Akar Tumbuhan Pletekan (*Ruellia* sp.) dan Beluntas (*Pluchea indica*). *BioEdu*, 2(1), 35–39.
- Irawati, A. F. C., & Hartati, S. (2011). Seleksi Ketahanan Beberapa Varietas Padi (*Oryza sativa*) Terhadap Patogen Penyebab Penyakit Hawar Pelepah Daun (*Rhizoctonia solani* Khün). *Buletin Pertanian Perkotaan*, 1(1), 27–36.
- IRRI. (2002). *Standard Evaluation System of Rice*.
- Jawahar, Jain, N., Kumar, S. V., Kalaiyarasan, C., Arivukkarasu, K., Ramesh, S.,

- & Suseendran, K. (2019). Effect of Silicon Sources on Silicon Uptake and Blast Incidence in Low Land Rice. *Journal of Pharmacognosy and Phytochemistry*, 8(3), 2275–2278. <https://doi.org/10.5897/ajar2015.10155>
- Jia, Y., Liu, G., Park, D. S., & Yang, Y. (2013). Inoculation and Scoring Methods For Rice Sheath Blight Disease. *Methods in Molecular Biology*, 956, 257–268.
- Juliano, B. O., & Tuano, A. P. P. (2018). Gross Structure and Composition of The Rice Grain. In *Rice: Chemistry and Technology* (Nomor 1).
- Kareem, T., & Hassan, M. (2018). Morphology and Molecular Identification of *Rhizoctonia solani*. In *LAMBERT Academic Publishing, Germany*.
- Khoshkdaman, M., Mousanejad, S., Elahinia, S. A., Ebadi, A. A., & Padasht-Dehkaei, F. (2021). Sheath blight development and yield loss on rice in different epidemiological conditions. *Journal of Plant Pathology*, 103(1), 87–96.
- Kim, J. S., & Zhao, X. (2020). Analysis of Several Key Factors in Soil Organic Reconstruction. *IOP Conf.Series: Earth and Environmental Science*, 1–6.
- Kotba, I., Achouri, M., Benbouazza, A., Achbani, E. H., Touhami, A. O., & Douira, A. (2018). Morphological, Pathogenic and Molecular Characterisation of *Rhizoctonia solani* Strains Isolated from Potato. *Annual Research & Review in Biology*, 29(4), 1–16.
- Kozaka. (1961). Ecological Studies on Sheath Blight of Rice of Rice Caused *Pellicularia sasakii* (Shirai) and its Chemical Control. *Chugoko agric. Res*, 21, 1–133.
- Lakshman, D. K., Jambhulkar, P. P., Singh, V., Sharma, P., & Mitra, A. (2016). Molecular Identification, Genetic Diversity, Population Genetics and Genomics of *Rhizoctonia solani*. *Perspectives of Plant Pathology*, 55–89.
- Lakshmi, B., Latha, M., Ch, S. R., & M, S. R. (2020). Effect of Different Sources and Methods of Silicon Application on Direct Sown Rice. *Journal of Pharmacognosy and Phytochemistry*, 9(5), 461–465.
- Lal, M., & Kandhari, J. (2009). Cultural and Morphological Variability in *Rhizoctonia solani* Isolates Causing Sheath Blight of Rice. *Journal Mycology and Plant Pathology*, 39(1), 77–81.
- Lamtiar, H., Yenie, E., & Yelmida. (2015). Isolasi Lignin dari Jerami Padi dengan Metode Klason. *JOM FTEKNIK*, 2(2), 1–9.
- Lee, M., Jeon, H. S., Kim, S. H., Chung, J. H., Roppolo, D., Lee, H., Cho, H. J., Tobimatsu, Y., Ralph, J., & Park, O. K. (2019). Lignin-based barrier restricts pathogens to the infection site and confers resistance in plants. *The EMBO Journal*, 38(23), 1–17.
- Leroy, N., Tombeur, F. De, Walgra, Y., & Corn, J. (2019). Silicon and Plant Natural Defenses against Insect Pests : Impact on Plant Volatile Organic Compounds and Cascade Effects on Multitrophic Interactions. *Plants*, 8(11), 444.
- Li, D., Li, S., Wei, S., & Sun, W. (2021). Strategies to Manage Rice Sheath Blight : Lessons from Interactions between Rice and *Rhizoctonia solani*. *Rice*, 14(21), 1–15.
- Li, W., Wang, K., Chern, M., Liu, Y., Zhu, Z., Liu, J., Zhu, X., Yin, J., Ran, L., Xiong, J., He, K., Xu, L., He, M., Wang, J., Liu, J., Bi, Y., Qing, H., Li, M., Hu, K., ... Chen, X. (2020). Sclerenchyma Cell Thickening Through Enhanced Lignification Induced by OsMYB30 Prevents Fungal Penetration of Rice Leaves. *New Phytologist*, 226(6), 1850–1863.
- Lin, W., Guo, X., Pan, X., & Li, Z. (2018). Chlorophyll composition, chlorophyll fluorescence, and grain yield change in esl mutant rice. *International Journal*

- of Molecular Sciences*, 19(10), 1–12.
- Liu, H., Rao, Y., Yang, Y., Leng, Y., Huang, L., Zhang, G., Hu, J., Guo, L., Gao, Z., Zhu, L., Dong, G., Liu, J., Yan, M., Qian, Q., & Zeng, D. (2011). Genetic Analysis of Traits Related to Leaf Sheath in Rice (*Oryza sativa* L.). *Rice Genomics and Genetics*, 2(3), 21–30.
- Liu, Q., Luo, L., & Zheng, L. (2018). Lignins: Biosynthesis and Biological Functions in Plants. *International Journal of Molecular Sciences*, 19(2), 1–16.
- Lu, B. R. (1999). Taxonomy of The Genus *Oryza* (Poaceae): Historical Perspective and Current Status. *International Rice Research Notes*, 24, 4–8.
- Ma, J. F., & Yamaji, N. (2006). Silicon Uptake and Accumulation in Higher Plants. *Trends in Plant Science*, 11(8), 392–397.
- Ma, J. F., Yamaji, N., Tamai, K., & Mitani, N. (2007). Genotypic Difference in Silicon Uptake and Expression of Silicon Transporter Genes in Rice 1. *Plant Physiology*, 145(November), 919–924.
- Mandlik, R., Thakral, V., Raturi, G., Shinde, S., & Nikoli, M. (2020). Significance of silicon uptake, transport, and deposition in plants. *Journal of Experimental Botany*, 71(21), 6703–6718.
- Marshall, D. S., & Rush, M. C. (1980). Infection Cushion Formation on Rice Sheaths by *Rhizoctonia solani* [Histological Aspects of Cultivar resistance]. *Phytopathology*, 70(10), 947–950.
- Minina, E. A., Filonova, L. H., Daniel, G., & Bozhkov, P. V. (2013). Detection and Measurement of Necrosis in Plants. *Methods in Molecular Biology*, 1004, 229–248.
- Mishra, P. K., Gogoi, R., Singh, P. K., Rai, S. N., & Kumar, A. (2014). Effect of Photo Period on Morpho-cultural Characteristics of *Rhizoctonia solani* f. Sp. *Sasakii* of maize. *Annals of Biology*, 30(4), 733–737.
- More, S. S., Shinde, S. E., & Kasture, M. C. (2019). Status of silica in agriculture : A review. *The Pharma Innovation Journal*, 8(6), 211–219.
- Moreira-Vilar, F. C., Siqueira-Soares, R. D. C., Finger-Teixeira, A., De Oliveira, D. M., Ferro, A. P., Da Rocha, G. J., Ferrarese, M. D. L. L., Dos Santos, W. D., & Ferrarese-Filho, O. (2014). The Acetyl Bromide Method is Faster, Simpler and Presents Best Recovery of Lignin in Different Herbaceous Tissues than Klason and Thioglycolic Acid Methods. *PLoS ONE*, 9(10), 1–7.
- Moura, J. C. M. S., Bonine, C. A. V., de Oliveira Fernandes Viana, J., Dornelas, M. C., & Mazzafera, P. (2010). Abiotic and Biotic Stresses and Changes in The Lignin Content and Composition in Plants. *Journal of Integrative Plant Biology*, 52(4), 360–376.
- Nagaraj, B. T., Sunkad, G., Pramesh, D., Naik, M. K., & Patil, M. B. (2017). Host Range Studies of Rice Sheath Blight Fungus *Rhizoctonia solani* (Kuhn). *International Journal of Current Microbiology and Applied Sciences*, 6(11), 3856–3864.
- Nawawi, D. S., Sari, R. K., Wistara, N. J., Fatrawana, A., Astuti, P., & Syafii, W. (2019). Karakteristik Lignin Empat Jenis Bambu (Lignin Characteristic of Four Bamboo Species). *Jurnal Ilmu Teknol. Kayu Tropis*, 17(1), 1–7.
- Nejad, M. S., Bonjar, G. H. S., Khatami, M., Amini, A., & Aghighi, S. (2017). In Vitro and In Vivo Antifungal Properties of Silver Nanoparticles Against *Rhizoctonia solani*, a Common Agent of Rice Sheath Blight Disease. *IET Nanobiotechnology*, 11(3), 236–240. h
- Novák, V., & Hlaváčiková, H. (2019). Basic Physical Characteristics of Soils. *Theory and Applications of Transport in Porous Media*, 32, 15–28.

- Nuryanto, B. (2018). Penyakit Hawar Pelepah (*Rhizoctonia solani*) pada Padi dan Taktik Pengelolaannya. *Jurnal Perlindungan Tanaman Indonesia*, 21(2), 63.
- Park, D., Sayler, R. J., Hong, Y. G., Nam, M. H., & Yang, Y. (2008). A Method for Inoculation and Evaluation of Rice Sheath Blight Disease. *Plant Disease*, 92(1), 25–29.
- Pati, S., Pal, B., Badole, S., Hazra, G. C., & Mandal, B. (2016). Effect of Silicon Fertilization on Growth, Yield, and Nutrient Uptake of Rice. *Communications in Soil Science and Plant Analysis*, 47(3), 284–290.
- Patil, A., Durgude, A., Pharande, A., Kadlag, A., & Nimbalkar, C. (2017). Effect of Calcium Silicate as a Silicon Source on Growth and Yield of Rice Plants. *International Journal of Chemical Studies*, 5(6), 545–549.
- Paulert, R., Ebbinghaus, D., Urllass, C., & Moerschbacher, B. M. (2010). Priming of the oxidative burst in rice and wheat cell cultures by ulvan, a polysaccharide from green macroalgae, and enhanced resistance against powdery mildew in wheat and barley plants. *Plant Pathology*, 59(4), 634–642.
- Ploetz, R. C., & Freeman, S. (2009). Foliar, floral and soilborne diseases. In *The Mango, 2nd Edition: Botany, Production and Uses* (Nomor April 2009).
- Pokhrel, A. (2021). Role of Individual Components of Disease Triangle in Disease Development : A Review Plant Pathology & Microbiology. *Journal of Plant Pathology & Microbiology*, 12(9), 1–7.
- Prathumchai, K., Nagai, M., Tripathi, N. K., & Sasaki, N. (2018). Forecasting transplanted rice yield at the farm scale using moderate-resolution satellite imagery and the aquacrop model: A case study of a rice seed production community in Thailand. *ISPRS International Journal of Geo-Information*, 7(2), 8.
- Priyatmojo, A. (2006). Tipe Mating pada Empat Isolat *Thanatephorus cucumeris* (Anamorf: *Rhizoctonia solani*) Anastomosis Group (AG) 1-IC. *Jurnal Perlindungan Tanaman Indonesia*, 12(2), 112–122.
- Putri, F. M., Widodo, S., Suedy, A., Darmanti, S., Biologi, P. S., Biologi, D., Diponegoro, U., Biologi, D., & Diponegoro, U. (2017). Pengaruh Pupuk Nanosilika Terhadap Jumlah Stomata, Kandungan Klorofil dan Pertumbuhan Padi Hitam (*Oryza sativa* L . cv . *japonica*). *Buletin Anatomi dan Fisiologi*, 2(1), 72–79.
- Rao, G. B., Pi, P. Y., & Syriac, E. K. (2015). Silicon Uptake , Transportation and Accumulation in Rice. *Agricultural Reviews*, 26(3), 223–228.
- Sabatini, S. D., Budihastuti, R., & Suedy, S. W. A. (2017). Pengaruh Pemberian Pupuk Nanosilika terhadap Tinggi Tanaman dan Jumlah Anakan Padi Beras Merah (*Oryza sativa* L.var. *indica*). *Buletin Anatomi dan Fisiologi*, 2(2), 128–133.
- Sakr, N. (2016a). Silicon Control of Bacterial and Viral Diseases in Plants. *Journal of Plant Protection Research*, 56(4), 331–336. <https://doi.org/10.1515/jppr-2016-0052>
- Sakr, N. (2016b). The role of silicon (Si) in increasing plant resistance against fungal diseases. *Hellenic Plant Protection Journal*, 9(1), 1–15.
- Sari, W. (2019). Inventarisasi Penyakit Tanaman Padi ‘Pandan Wangi’ (*Oryza sativa* var. *Aromatic*) Di Beberapa Sentra Penanaman Padi ‘Pandan Wangi’ Kabupaten Cianjur. *Agroscience (Agsci)*, 9(2), 116.
- Sathe, A. P., Kumar, A., Mandlik, R., Raturi, G., Yadav, H., Raj, T., & Sonah, H. (2021). Role of Silicon in Elevating Resistance Against Sheath Blight and Blast Diseases in Rice (*Oryza sativa* L .). *Plant Physiology and Biochemistry*,

166(March), 128–139.

- Savary, S., Willocquet, L., Elazegui, F. A., Castilla, N. P., & Teng, P. S. (2000). Rice pest constraints in tropical Asia: Quantification of yield losses due to rice pests in a range of production situations. *Plant Disease*, 84(3), 357–369.
- Saveinai, R., Baiswar, P., Kumar, R., Rajesh, T., & Behere, G. T. (2017). Pathogenicity of *Rhizoctonia solani* AG 1-IA on major weeds prevalent in rice and maize ecosystem in Meghalaya. *Indian Phytopathology*, 70(1), 91–97.
- Schurt, D. A., Cruz, M. F. A., Nascimento, K. J. T., Filippi, M. C. C., & Rodrigues, F. A. (2014). Silicon Potentiates The Activities of Defense Enzymes in The Leaf Sheaths of Rice Plants Infected by *Rhizoctonia solani*. *Tropical Plant Pathology*, 39(6), 457–463.
- Seal, P., Das, P., & Biswas, A. K. (2018). Versatile Potentiality of Silicon in Mitigation of Biotic and Abiotic Stresses in Plants: A Review. *American Journal of Plant Sciences*, 09(07), 1433–1454.
- Senapati, M., Tiwari, A., Sharma, N., & Chandra, P. (2022). *Rhizoctonia solani* Kühn Pathophysiology: Status and Prospects of Sheath Blight Disease Management in Rice Morphological Diversity Based on. *Frontiers in Plant Science*, 13(May), 1–22.
- Shrestha, J., Kandel, M., Subedi, S., & Shah, K. K. (2020). Role of nutrients in rice (*Oryza sativa* L.): A review. *Agrica*, 9(1), 53.
- Simanjuntak, M. S., Desclarita, D., & Arthagama, I. D. M. (2021). Evaluasi Status Kesuburan Tanah Sawah di Subak Kerdung dan Subak Kapaon, Kecamatan Denpasar Selatan. *Journal Agroekoteknologi*, 14(2), 123–130.
- Singh, P., Mazumdar, P., Harikrishna, J. A., & Babu, S. (2019). Sheath Blight of Rice: a Review and Identification of Priorities for Future Research. *Planta*, 250(5), 1387–1407.
- Singh, R., Sunder, S., & Kumar, P. (2019). Sheath blight of rice : Current status and perspectives. *Indian Phytopathology*, 69(4), 340–351.
- Sipahutar, I. A., Kasno, A., & Sukristiyonubowo. (2007). *Karakteristik Kimia Tanah Pada Pengelolaan Lahan dan Pemupukan yang Berbeda di Daerah Pertanian Sayuran*.
- Sitairesmi, T., Wening, R. H., Rakhmi, A. T., Yunani, N., & Susanto, U. (2013). Pemanfaatan Plasma Nutfah Padi Varietas Lokal dalam Perakitan Varietas Unggul. *Iptek Tanaman Pangan*, 8(1), 22–30.
- Song, A., Xue, G., Cui, P., Fan, F., Liu, H., Yin, C., Sun, W., & Liang, Y. (2016). The Role of Silicon in Enhancing Resistance to Bacterial Blight of Hydroponic- and Soil-Cultured Rice. *Scientific Reports*, 6(November 2015), 1–13.
- Souri, Z., Khanna, K., Karimi, N., & Ahmad, P. (2021). Silicon and Plants: Current Knowledge and Future Prospects. *Journal of Plant Growth Regulation*, 40(3), 906–925.
- Steffens, B., Geske, T., & Sauter, M. (2011). Aerenchyma formation in the rice stem and its promotion by H₂O₂. *New Phytologist*, 190(2), 369–378.
- Sturrock, C. J., Woodhall, J., Brown, M., Walker, C., Mooney, S. J., & Ray, R. V. (2015). Effects of damping-off caused by *Rhizoctonia solani* anastomosis group 2-1 on roots of wheat and oil seed rape quantified using X-ray computed tomography and real-time PCR. *Frontiers in Plant Science*, 6, 1–11.
- Subiksa, I. G. M. (2018). Pengaruh Pupuk Silika terhadap Pertumbuhan dan Hasil Tanaman Padi Sawah pada Inceptisols Effect of Silica Fertilizer on Lowland Rice Growth and Yield on Inceptisols. *Jurnal Tanah dan Iklim*, 42(2), 153–

160.

- Suhartini, T. (2010). Keragaman Karakter Morfologis Plasma Nutfah Spesies Padi Liar (*Oryza* spp.). *Buletin Plasma Nutfah*, 16(1), 17–28.
- Sunder, S., Kataria, H. R., Satyavir, & Sheoran, O. P. (2003). Characterization of *Rhizoctonia solani* associated with root/collar rots and blights. *Indian Phytopathology*, 56(1), 27–33.
- Suprihatno, B., Daradjat, A. A., Satoto, SE., B., Suprihanto, Setyono, A., Indrasari, S. D., Wardana, I. P., & Sembiring, H. (2010). *Deskripsi Varietas Padi 2018*. Balai Besar Penelitian Tanaman Padi.
- Suthin Raj, T., Muthukumar, A., Muthukumaran, N., Sudhagar Rao, G., & Ann Suji, H. (2019). Induction of Defence Enzymes Activities in Rice Plant Treated by Seaweed Algae Against *Rhizoctonia solani* Kuhn Causing Sheath Blight of Rice. *Journal of Pharmacognosy and Phytochemistry*, 2, 210–218.
- Suzuki, S., Ma, J. F., Yamamoto, N., Hattori, T., Sakamoto, M., & Umezawa, T. (2012). Silicon deficiency promotes lignin accumulation in rice. *Plant Biotechnology*, 29(4), 391–394.
- Swain, R., & Rout, G. R. (2018). Effect Of Silicon Interaction With Nutrients In Rice. *Journal of Experimental Biology and Agricultural Sciences*, 6(4), 717–731.
- Taheri, P., & Tarighi, S. (2011). Cytomolecular aspects of rice sheath blight caused by *Rhizoctonia solani*. *European Journal of Plant Pathology*, 129(4), 511–528.
- Toriba, T., Tokunaga, H., Shiga, T., Nie, F., Naramoto, S., Honda, E., Tanaka, K., Taji, T., Itoh, J. I., & Kyojuka, J. (2019). *BLADE-ON-PETIOLE* Genes Temporally and Developmentally Regulate the Sheath to Blade Ratio of Rice Leaves. *Nature Communications*, 10(1), 1–13.
- USDA. (2020). *Plant Database United States Departement of Agriculture*. Natural Resources Conservation Service.
- Vanholme, R., Demedts, B., Morreel, K., Ralph, J., & Boerjan, W. (2010). Lignin biosynthesis and structure. *Plant Physiology*, 153(3), 895–905.
- Vazquez-Cooz, I., & Meyer, R. W. (2002). A differential staining method to identify lignified and unlignified tissues. *Biotechnic and Histochemistry*, 77(5–6), 277–282.
- Wang, A., & Zheng, A. (2018). Characteristics and Control Measures of Rice Sheath Blight. *China National Rice Research Institute (CNRRI)*, 24(3), 124–126.
- Wang, M., Gao, L., Dong, S., Sun, Y., Shen, Q., & Guo, S. (2017). Role of silicon on plant–pathogen interactions. *Frontiers in Plant Science*, 8(May), 1–14.
- Wang, Q., Hu, J., Yang, T., & Chang, S. (2020). Anatomy and lignin deposition of stone cell in *Camellia oleifera* shell during the young stage. *Protoplasma*, 258(2), 1–10.
- Wang, X., Jiang, N., Liu, J., Liu, W., & Wang, G. L. (2014). The role of effectors and host immunity in plant–necrotrophic fungal interactions. *Virulence*, 5(7), 722–732.
- Wang, Y., Wang, D., Shi, P., & Omasa, K. (2014). Estimating Rice Chlorophyll Content and Leaf Nitrogen Concentration with a Digital Still Color Camera Under Natural Light. *Plant Methods*, 10(36), 1–11.
- Wu, X., Yu, Y., Baerson, S. R., Song, Y., Liang, G., Ding, C., Niu, J., Pan, Z., & Zeng, R. (2017). Interactions between nitrogen and silicon in rice and their effects on resistance toward the brown planthopper *Nilaparvata lugens*.

Frontiers in Plant Science, 8(1), 1–11.

- Yaduman, R., Singh, S., & Lal, A. A. (2019). Morphological and Pathological Variability of Different Isolates of *Rhizoctonia solani* Kuhn Causing Sheath Blight Disease of Rice. *Plant Cell Biotechnology and Molecular Biology*, 20(1–2), 73–80.
- Yalda Hoseinian, Bahmanyar, M. A., Sadegh-zade, F., Emadi, M., & Biparva, P. (2020). Effects of different sources of silicon and irrigation regime on rice yield components and silicon dynamics in the plant and soil. *Journal of Plant Nutrition*, 43(15), 2322–2335.
- Yamasaki, S., & Dillenburg, L. R. (1999). Measurements of Leaf Relative Water Content in *Araucaria Angustifolia* 1. *Revista Brasileira de Fisiologia Vegetal*, 11(2), 69–75.
- Yang, G., & Li, C. (2012). General Description of *Rhizoctonia* Species Complex. In *Plant Pathology*.
- Yoshida, S. (1981). Fundamentals of Rice Crop Science. In *Fundamentals of rice crop science*.
- Zhang, S. B., Zhao, L., Zhu, Z., & Zhang, Y. D. (2006). Genetic Analysis for Plant Height of a Semi-Dwarf Mutant 02428ha with Eui Gene in Rice. *Jiangsu Journal of Agronomic Science*, 22(2), 100–104.