

DAFTAR PUSTAKA

- Abraham, R.J., Griffiths, L., and Perez, M., 2013, ^1H NMR Spectra. Part 30[†]: ^1H Chemical Shifts in Amides and The Magnetic Anisotropy, Electric Field and Steric Effects of The Amide Group, *Magn. Reson. Chem.*, 51, 143–155.
- Aher, R.B., Wanare, G., Kawathekar, N., Kumar, R.R., Kaushik, N.K., Sahal, D., and Chauhan, V.S., 2011, Dibenzylideneacetone Analogues as Novel *Plasmodium falciparum* Inhibitors, *Bioorganic Med. Chem. Lett.*, 10(21), 3034–3036.
- Al-Awadhi, M., Ahmad, S., and Iqbal, J., 2021, Current Status and The Epidemiology of Malaria in The Middle East Region and Beyond, *Microorganisms*, 2(9), 1–20.
- Anand, P., Kunnumakkara, A.B., Newman, R.A., and Aggarwal, B.B., 2007, Reviews Bioavailability of Curcumin : Problems and Promises, *Mol Pharm.*, 6(4), 807–818.
- Anonim, 2021a, World Malaria Report 2021, World Health Organization, Geneva.
- Anonim, 2021b, Profil Kesehatan Indonesia 2020, Kementerian Kesehatan R.I, Jakarta.
- Antony, H.A. and Parija, S.C., 2016, Antimalarial Drug Resistance: An overview, *Trop. Parasitol.*, 1(6), 30–41.
- Arief, I., 2021, Perancangan Senyawa Baru Turunan Asam Betulinat Sebagai Inhibitor Maturasi HIV, *Disertasi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Ashley, E.A., Dhorda, M., Fairhurst, R.M., Amaratunga, C., Lim, P., Suon, S., Sreng, S., Anderson, J.M., Mao, S., Sam, B., Sopha, C., Chuor, C.M., Nguon, C., Sovannaroeth, S., Pukrittayakamee, S., Jittamala, P., Chotivanich, K., Chutasmit, K., Suchatsoonthorn, C., et al., 2014, Spread of Artemisinin Resistance in *Plasmodium falciparum* Malaria, *N. Engl. J. Med.*, 5(371), 411–423.
- Astuti, E., Raharjo, T.J., Boangmanalu, P.M., Putra, I.S.R., Waskitha, S.S.W., and Solin, J., 2021, Synthesis, Molecular Docking and Evaluation of Some New Curcumin Analogs as Antimalarial Agents, *Indones. J. Chem.*, 2(21), 452–461.

- Balaji, S.N., Ahsan, M.J., Jadav, S.S., and Trivedi, V., 2019, Molecular Modelling, Synthesis, and Antimalarial Potentials of Curcumin Analogues Containing Heterocyclic Ring, *Arab. J. Chem.*, 8(12), 2492–2500.
- Basco, L.K., 2007, *Field Application of In Vitro Assays for The Sensitivity of Human Malaria Parasites to Antimalarial Drugs*, World Health Organization, Geneva.
- Basyar, M.A. Al, 2021, Sintesis dan Uji Aktivitas Antimalaria Analog Kurkumin dari 2-Metoksibenzaldehida dengan Variasi Keton serta Penambatan Molekul terhadap Protein PfLDH, *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Batista, R., De Jesus Silva Junior, A., and De Oliveira, A.B., 2009, Plant-derived Antimalarial Agents: New Leads and Efficient Phytomedicines. Part II. Non-Alkaloidal Natural Products, *Molecules*, 8(14), 3037–3072.
- Bilmen, J.G., Khan, S.Z., Javed, M.U.H., and Michelangeli, F., 2001, Inhibition of The SERCA Ca^{2+} Pumps by Curcumin: Curcumin Putatively Stabilizes The Interaction Between The Nucleotide-binding and Phosphorylation Domains in The Absence of ATP, *Eur. J. Biochem.*, 23(268), 6318–6327.
- Blass, B.E., 2015, *Basic Principles of Drug Discovery and Development*, 1st Ed. Academic Press, Amsterdam.
- Brandl, M., Weiss, M.S., Jabs, A., Su, È., and Jena, D.-, 2001, C-H . . . π -Interactions in Proteins, *J. mol. Biol.*, 307, 357-377.
- Burgos-Moron, E., Calderon-Montano, J.M., Salvador, J., Robles, A., and Lopez-Lazaro, M., 2010, The Dark Side of Curcumin, *Int. J. Cancer*, 126, 1771–1775.
- Cameron, A., Read, J., Tranter, R., Winter, V.J., Sessions, R.B., Brady, L.L., Vivas, L., Easton, A., Kendrick, H., Croft, S.L., Barros, D., Lavandera, J.L., Martin, J.J., Risco, F., García-Ochoa, S., Gamo, F.J., Sanz, L., Leon, L., Ruiz, J.R., et al., 2004, dentification and Activity of A Series of Azole-based Compounds with Lactate Dehydrogenase-directed Anti-malarial Activity, *J. Biol. Chem.*, 30(279), 31429–31439.
- Carafoli, E., 2002, Calcium Signaling: A Tale for All Seasons, *Proc. Natl. Acad. Sci. U. S. A.*, 3(99), 1115–1122.
- Chander, S., Tang, C.R., Al-Maqtari, H.M., Jamalis, J., Penta, A., Hadda, T. Ben, Sirat, H.M., Zheng, Y.T., and Sankaranarayanan, M., 2017, Synthesis and Study of Anti-HIV-1 RT Activity of 5-benzoyl-4-methyl-1,3,4,5-tetrahydro-2H-1,5-benzodiazepin-2-one Derivatives, *Bioorg. Chem.*, 72, 74–79.

- Chevula, J., Balabadra, S., Sivan, S.K., and Manga, V., 2018, A Quest for New Antimalarial Agents with Improved Specificity Guided by Molecular Docking, 3D QSAR and Molecular Dynamics Simulation Studies, *Asian J. Chem.*, 8(30), 1717–1722.
- Damayanti, P.N., Ritmaleni, and Setyowati, E.P., 2020, Synthesis and Antibacterial Activity of 4-piperidone Curcumin Analogues Against Gram-Positive And Gram-Negative Bacteria, *Res. J. Pharm. Technol.*, 10(13), 4765–4769.
- Dambuza, N.S., Smith, P., Evans, A., Norman, J., Taylor, D., Andayi, A., Egan, T., Chibale, K., and Wiesner, L., 2015, Antiplasmodial Activity, In Vivo Pharmacokinetics and Anti-Malarial Efficacy Evaluation of Hydroxypyridinone Hybrids in A Mouse Model, *Malar. J.*, 1(14), 1–8.
- Dohutia, C., Chetia, D., Gogoi, K., and Sarma, K., 2017, Experimental Parasitology Design, In Silico and In Vitro Evaluation of Curcumin Analogues Against *Plasmodium falciparum*, *Exp. Parasitol.*, 175, 51–58.
- Egan, T.J. and Ncokazi, K.K., 2005, Quinoline Antimalarials Decrease The Rate of β -Hematin Formation, *J. Inorg. Biochem.*, 7(99), 1532–1539.
- Ekoue-Kovi, K., Yearick, K., Iwaniuk, D.P., Natarajan, J.K., Alumasa, J., de Dios, A.C., Roepe, P.D., and Wolf, C., 2009, Synthesis and Antimalarial Activity of New 4-amino-7-chloroquinolyl Amides, Aulfonamides, Ureas and Thioureas, *Bioorganic Med. Chem.*, 1(17), 270–283.
- Ekowati, J., Diyah, N.W., Nofianti, K.A., Hamid, I.S., and Siswandono, 2018, Molecular Docking of Ferulic Acid Derivatives on P2Y12 Receptor and Their ADMET Prediction, *J. Math. Fundam. Sci.*, 2(50), 203–219.
- Erhirhie, E.O., Ihekwereme, C.P., and Ilodigwe, E.E., 2018, Advances in Acute Toxicity Testing: Strengths, Weaknesses and Regulatory Acceptance, *Interdiscip. Toxicol.*, 1(11), 5–12.
- Eryanti, Y., Hendra, R., Herlina, T., Zamri, A., and Supratman, U., 2018a, Synthesis of N-methyl-4-piperidone curcumin analogues and their cytotoxicity activity against T47D cell lines, *Indones. J. Chem.*, 18, 362–366.
- Eryanti, Y., Hidayah, N., Herlina, T., and Zamri, A., 2014b, Synthesis and Cytotoxic Activity Of Curcumin Analogues, *Bionatura*, 2(16), 95 – 102.
- Fidock, D.A., Nomura, T., Talley, A.K., Cooper, R.A., Dzekunov, S.M., Ferdig, M.T., Ursos, L.M.B., Bir Singh Sidhu, A., Naudé, B., Deitsch, K.W., Su, X.Z., Wootton, J.C., Roepe, P.D., and Welles, T.E., 2000, Mutations in The P. falciparum Digestive Vacuole Transmembrane Protein PfCRT and Evidence for Their Role in Chloroquine Resistance, *Mol. Cell*, 4(6), 861–871.

- Furuyama, W., Enomoto, M., Mossaad, E., Kawai, S., Mikoshiba, K., and Kawazu, S.I., 2014, An Interplay Between 2 Signaling Pathways: Melatonin-cAMP and IP 3-Ca²⁺ signaling Pathways Control Intraerythrocytic Development of The Malaria Parasite *Plasmodium falciparum*, *Biochem. Biophys. Res. Commun.*, 1(446), 125–131.
- Gogoi, K., Chetia, D., Barua, N.C., Gogoi, N., and Dohutia, C., 2018, In vitro Antimalarial Evaluation and Molecular Docking Analysis of Mannich Base Curcumin Analogues Against The Artemisinin Target PfATP6, *Asian J. Pharm. Pharmacol.*, 1(5), 120–128.
- Gomez-Jeria, J.-S., Robles-Navarro, A., Kpotin, G., Garrido-Saez, N., and Nelson, G.-D., 2020, Some Remarks About The Relationships between The Common Skeleton Concept within The Klopman-Peradejordi-Gomez QSAR Method and The Weak Molecule-Site Interactions, *Chem. Res. J.*, 2(5), 32–52.
- Gopinathan, A., Moidu, M., Mukundan, M., Ellickal Narayanan, S., Narayanan, H., and Adhikari, N., 2020, Design, Synthesis and Biological Evaluation of Several Aromatic Substituted Chalcones as Antimalarial Agents, *Drug Dev. Res.*, 8(81), 1048–1056.
- Han, Y., Zhang, J., Hu, C.Q., Zhang, X., Ma, B., and Zhang, P., 2019, In silico ADME and Toxicity Prediction of Ceftazidime and Its Impurities, *Front. Pharmacol.*, 10, 1–12.
- Hughes, J.P., Rees, S.S., Kalindjian, S.B., and Philpott, K.L., 2011, Principles of Early Drug Discovery, *Br. J. Pharmacol.*, 6(162), 1239–1249.
- Ji, H.F. and Shen, L., 2009, Interactions of Curcumin with The PfATP6 Model and The Implications for Its Antimalarial Mechanism, *Bioorganic Med. Chem. Lett.*, 9(19), 2453–2455.
- Jung, M., Kim, H., Ki, Y.N., and Kyoung, T.N., 2005, Three-dimensional Structure of *Plasmodium falciparum* Ca²⁺-ATPase(PfATP6) and Docking of Artemisinin Derivatives to PfATP6, *Bioorganic Med. Chem. Lett.*, 12(15), 2994–2997.
- Kalai, T., Kuppusamy, M.L., Balog, M., Selvendiran, K., Rivera, B.K., Kuppusamy, P., and Hideg, K., 2011, Synthesis of N-substituted 3,5-bis(arylidene)-4-piperidones with High Antitumor and Antioxidant Activity, *J. Med. Chem.*, 15(54), 5414–5421.
- Kar, S. and Leszczynski, J., 2020, Expert Opinion on Drug Discovery Open Access In Silico Tools to Predict The ADMET Profiling of Drug Candidates, *Expert Opin. Drug Discov.*, 12(15), 1473–1487.

- Kesuma, D., Siswandono, S., Purwanto, B.T., and Hardjono, S., 2018, Uji In Silico Aktivitas Sitotoksik Dan Toksisitas Senyawa Turunan N-(Benzoil)-N'- Feniltiourea Sebagai Calon Obat Antikanker, *JPSCR J. Pharm. Sci. Clin. Res.*, 1(3), 1–11.
- Khaerunnisa, S., Suhartati, and Awaluddin, R., 2020, *Penelitian in Silico Untuk Pemula*, Airlangga University Press, Surabaya.
- Krishna, S., Pulcini, S., Moore, C.M., Teo, B.H.Y., and Staines, H.M., 2014, Pumped up: Reflections on PfATP6 as The Target for Artemisinins, *Trends Pharmacol. Sci.*, 1(35), 4–11.
- Krishna, S., Uhlemann, A.C., Cameron, A., Eckstein, U., Ho, W., Croft, S., Fischbarg, J., Iserovich, P., Zuniga, F., East, M., Lee, A., Brady, L., and Haynes, R., 2009, Homology model of PfATP6, (www.rcsb.org).
- Kubinyi, H., 2002, Chemical Similarity and Biological Activities, *J. Braz. Chem. Soc.*, 6(13), 717–726.
- Kubinyi, H., 1998, Similarity and Dissimilarity: A Medicinal Chemist's View, *Perspect. Drug Discov. Des.*, 9, 225–252.
- Kumar, S., Bhardwaj, T.R., Prasad, D.N., and Singh, R.K., 2018, Drug Targets for Resistant Malaria: Historic to Future Perspectives, *Biomed. Pharmacother.*, 104, 8–27.
- Leach, A.R., Shoichet, B.K., and Peishoff, C.E., 2006, Docking and Scoring Perspective, *J. Med. Chem.*, 49, 5851–5855.
- Lengauer, T. and Rarey, M., 1996, Computational Methods for Biomolecular Docking. *Current Opinion in Structural Biology*, 6(3), 402–406.
- Lee, K.H., Farida, F.H., Syahida, A., Abas, F., Shaari, K., Israf, D.A., and Lajis, N.H., 2009, Synthesis and Biological Evaluation of Curcumin-Like Diarylpentanoid Analogues for anti-Inflammatory, Antioxidant and Anti-Tyrosinase Activities, *Eur. J. Med. Chem.*, 8(44), 3195–3200.
- Liang, G., Yang, S., Jiang, L., Zhao, Y., Shao, L., Xiao, J., Ye, F., Li, Y., and Li, X., 2008, Synthesis and Anti-bacterial Properties of Mono-carbonyl Analogues of Curcumin, *Chem. Pharm. Bull.*, 2(56), 162–167.
- Malau, N.D. and Azzahra, S.F., 2020, Analysis Docking Of Plasmodium falciparum Enoyl Acyl Carrier Protein Reductase (PfENR) with Organic Compunds from Virtual Screening of Herbal Database, *Acta Chim. Asiana*, 1(3), 127–134.
- Mustofa, 2009, *Obat Antimalaria Baru: Antara Harapan dan Kenyataan*, Pidato pengukuhan jabatan Guru Besar, Universitas Gadjah Mada, Yogyakarta.

- Muttaqin, F.Z., Ismail, H., and Muhammad, H.N., 2019, Studi Molecular Docking, Molecular Dynamic dan Prediksi Toksisitas Senyawa Turunan Alkaloid Naftiridin sebagai Inhibitor Protein Kasein Kinase 2-A pada Kanker Leukemia, *Pharmacoscript*, 1(2), 49–64.
- Nagasundaram, N., Doss, G.P.C., Chakraborty, C., Karthick, V., Kumar, D.T., Balaji, V., Siva, R., Lu, A., Ge, Z., and Zhu, H., 2016, Mechanism of Artemisinin Resistance for Malaria PfATP6 L263 Mutations and Discovering Potential Antimalarials: An Integrated Computational Approach, *Sci. Rep.*, 6, 1–12.
- Narayanaswamy, R., Wai, L.K., and Ismail, I.S., 2017, Natural Compounds as Inhibitors of Plasmodium falciparum Enoyl-acyl Carrier Protein Reductase (PfENR): An In silico Study, *J. Chosun Nat. Sci.*, 1(10), 1–6.
- Nguyen, N.T., Nguyen, T.H., Pham, T.N.H., Huy, N.T., Bay, M. Van, Pham, M.Q., Nam, P.C., Vu, V. V., and Ngo, S.T., 2020, Autodock Vina Adopts More Accurate Binding Poses but Autodock4 Forms Better Binding Affinity, *J. Chem. Inf. Model.*, 1(60), 204–211.
- Nzila, A. and Mwai, L., 2009, In Vitro Selection of Plasmodium falciparum Drug-resistant Parasite Lines, *J. Antimicrob. Chemother.*, 3(65), 390–398.
- Pagadala, N.S., Syed, K., and Tuszynski, J., 2017, Software for Molecular Docking: A Review, *Biophys. Rev.*, 2(9), 91–102.
- Perozzo, R., Kuo, M., Sidhu, A.B.S., Valiyaveetil, J.T., Bittman, R., Jacobs, W.R., Fidock, D.A., and Sacchettini, J.C., 2002, Structural Elucidation of The Specificity of The Antibacterial Agent Triclosan for Malarial Enoyl Acyl Carrier Protein Reductase, *J. Biol. Chem.*, 15(277), 13106–13114.
- Pires, D.E.V., Blundell, T.L., and Ascher, D.B., 2015, pkCSM: Predicting Small-Molecule Pharmacokinetic and Toxicity Properties Using Graph-Based Signatures, *J. Med. Chem.*, 9(58), 4066–4072.
- Plowe, C. V., Kublin, J.G., and Doumbo, O.K., 1998, P. falciparum dihydrofolate Reductase and Dihydropteroate Synthase Mutations: Epidemiology and Role in Clinical Resistance to Antifolates, *Drug Resist. Updat.*, 6(1), 389–396.
- Pranowo, H.D., 2011, *Pengantar Kimia Komputasi*, CV. Lubuk Agung, Bandung.
- Preuss, J., Jortzik, E., and K, B., 2012, Glucose-6-Phosphate Metabolism in *Plasmodium falciparum*, *IUBMB Life*, 64(7), 603–611.
- Pushpakumari, K.N., Varghese, N., and Kottol, K., 2015, Enhancing The Absorption of Curcuminoids from Formulated Turmeric Extracts, *Int. J. Pharm. Sci. Res.*, 6(6), 2468–2476.

- Ramirez, D. and Caballero, J., 2018, Is it Reliable to take The Molecular Docking Top Scoring Position as The Best Solution without Considering Available Structural Data?, *Molecules*, 5(23), 1–17.
- Rasmussen, H.B., Christensen, S.B., Kvist, L.P., and Karazmi, A., 2000, A Simple and Efficient Separation of The Curcumins, The Antiprotozoal Constituents of *Curcuma longa*, *Planta Med.*, 4(66), 396–398.
- Rauf, M.A., Zubair, S., and Azhar, A., 2010, Ligand Docking and Binding Site Analysis with PyMOL and Autodock/Vina, *J. Comput. Aided. Mol. Des.*, 5(24), 417–422.
- Read, J.A., Wilkinson, K.W., Tranter, R., Sessions, R.B., and Brady, R.L., 1999, Chloroquine Binds in The Cofactor Binding Site of *Plasmodium falciparum* Lactate Dehydrogenase, *J. Biol. Chem.*, 15(274), 10213–10218.
- Ridley, R.G., 2002, Medical Need, Scientific Opportunity and The Drive for Antimalarial Drugs, *Nature*, 6872(415), 686–693.
- Rieckmann, K.H., Campbell, G.H., Sax, L.J., and Ema, J.E., 1978, Drug Sensitivity of *Plasmodium falciparum*, *Lancet*, 8054(311), 22–23.
- Salas, P.F., Herrmann, C., Cawthray, J.F., Nimphius, C., Kenkel, A., Chen, J., Kock, C. De, Smith, P.J., Patrick, B.O., Adam, M.J., and Orvig, C., 2013, Structural Characteristics of Chloroquine-Bridged Ferrocenophane Analogues of Ferroquine May Obviate Malaria Drug-Resistance Mechanisms, *J. Med. Chem. Chart*, 56, 1596–1613.
- Salentin, S., Haupt, V.J., Daminelli, S., and Schroeder, M., 2014, Polypharmacology Rescored: Protein-ligand Interaction Profiles for Remote Binding Site Similarity Assessment, *Prog. Biophys. Mol. Biol.*, 116, 174–186.
- Salmaso, V. and Moro, S., 2018, Bridging Molecular Docking to Molecular Dynamics in Exploring Ligand-Protein Recognition Process: An Overview, *Front. Pharmacol.*, 9, 1–16.
- Sardjiman, S.S., Reksohadiprodjo, M.S., Hakim, L., Van Der Goot, H., and Timmerman, H., 1997, 1,5-Diphenyl-1,4-pentadiene-3-ones and Cyclic Analogues as Antioxidative Agents. Synthesis and Structure-Activity Relationship, *Eur. J. Med. Chem.*, 7-8(32), 625–630.
- Silva, C.C. da, Pacheco, B.S., Neves, R.N. das, Die Alves, M.S., Sena-Lopes, N., Moura, S., Borsuk, S., and de Pereira, C.M.P., 2019, Antiparasitic Activity of Synthetic Curcumin Monocarbonyl Analogues Against *Trichomonas vaginalis*, *Biomed. Pharmacother.*, 111, 367–377.

- Silva, D.A.A., Oliveira, L.M., and Alves, C.Q., 2020, Identification of Flavonoids as Inhibitors of Plasmodium falciparum Enoyl-ACP Reductase by Hierarchical Virtual Screening, *J. Brazil Chem. Soc.*, 12(31), 2544–2552.
- Silverstein, R.M., Webster, F.X., and Kiemle, D.J., 2005, *Spectrometric Identification of Organic Compounds*, Edition, 7th Ed., John Wiley & Sons, Inc, United States of America.
- Sinha, S., Batovska, D.I., Medhi, B., Radotra, B.D., Bhalla, A., Markova, N., and Sehgal, R., 2017, In Vitro Anti-Malarial Efficacy of Chalcones: Cytotoxicity Profile, Mechanism of Action and Their Effect on Erythrocytes, *Malar. J.*, 1(18), 1–11.
- Sinha, S., Sarma, P., Sehgal, R., and Medhi, B., 2017, Development in Assay Methods for In Vitro Antimalarial Drug Efficacy Testing: A Systematic Review, *Front. Pharmacol.*, 8, 1–14.
- Snow, R.W., 2015, Global Malaria Eradication and The Importance of Plasmodium falciparum Epidemiology in Africa, *BMC Med.*, 1(13), 14–16.
- Sridhar, G.R., Nageswara Rao, P.V., Kaladhar, D.S., Devi, T.U., and Kumar, S.V., 2012, In Silico Docking of HNF-α Receptor Ligands, *Adv. Bioinformatics*, 2012, 4–9.
- Sviatenko, L.K., 2013, Molecular Docking of Curcumin Analogues as SERCA Inhibitory Agents, *Bull. Dnipropetr. Univ. Ser. Chem. Sect.*, 20(21), 16–22.
- Syafruddin, D., Siregar, J.E., and Marzuki, S., 1999, Mutations in The Cytochrome b Gene Of Plasmodium Berghei Conferring Resistance To Atovaquone, *Mol. Biochem. Parasitol.*, 2(104), 185–194.
- Syahri, J., 2017, Sintesis Senyawa Turunan Kalkon Sebagai Antimalaria Berdasarkan Studi Quantitative Structure-Activity Relationships (QSAR), *Disertasi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Syahri, J., Yuanita, E., Nurohmah, B.A., Wathon, M.H., Syafri, R., Armunanto, R., and Purwono, B., 2017, Xanthone as Antimalarial: QSAR Analysis, Synthesis, Molecular Docking and In-Vitro Antimalarial Evaluation, *Orient. J. Chem.*, 1(33), 29–40.
- Talapko, J., Škrlec, I., Alebić, T., Jukić, M., and Včev, A., 2019, Malaria: The Past and The Present, *Microorganisms*, 7, 1–17.
- Tallorin, L., Durrant, J.D., Nguyen, Q.G., McCammon, J.A., and Burkart, M.D., 2014, Celastrol Inhibits Plasmodium falciparum Enoyl-Acyl Carrier Protein Reductase, *Bioorganic Med. Chem.*, 21(22), 6053–6061.

- Tasdemir, D., 2006, Type II Fatty Acid Biosynthesis, A New Approach in Antimalarial Natural Product Discovery, *Phytochem. Rev.*, 1(5), 99–108.
- Tharwat, A., Moemen, Y. S., and Hassanien, A. E., 2017, Classification of Toxicity Effects of Biotransformed Hepatic Drugs Using Whale Optimized Support Vector Machines, *J. Biomed. Inform.*, 68, 132–149.
- Theppawong, A., Kaur, G., Kumar, V., Camp, J. Van, and Matthias, D., 2020, Synthetic Strategies in Curcumin Chemistry Focused on Anticancer Applications, *Arkivoc*, 257–305.
- Tripathi, A. and Bankaitis, V.A., 2018, Molecular Docking: From Lock and Key to Combination Lock, *J. Mol. Med. Clin. Appl.*, 1(2), 1–19.
- Varma, A.K., Patil, R., Das, S., Stanley, A., Yadav, L., and Sudhakar, A., 2010, Optimized Hydrophobic Interactions and Hydrogen Bonding at The Target-Ligand Interface Leads The Pathways of Drug-Designing, *PLoS One*, 8(5), 1–10.
- Vyas, V.K., Bhati, S., Patel, S., and Ghate, M., 2021, Structure and Ligand-Based Drug Design Methods for The Modeling of Antimalarial Agents: A Review of Updates From 2012 Onwards, *J. Biomol. Struct. Dyn.*, 1–26.
- Wang, J., Guo, Z., Fu, Y., Wu, Z., Huang, C., Zheng, C., Shar, P.A., Wang, Z., Xiao, W. and, and Wang, Y., 2017, Weak-Binding Molecules are Not Drugs?-Toward a Systematic Strategy for Finding Effective Weak-Binding Drugs, *Brief. Bioinform.*, 2(18), 321–332.
- Xiong, G., Wu, Z., Yi, J., Fu, L., Yang, Z., Hsieh, C., Yin, M., Zeng, X., Wu, C., Lu, A., Chen, X., Hou, T., and Cao, D., 2021, ADMETlab 2.0: An Integrated Online Platform for Accurate and Comprehensive Predictions of ADMET Properties, *Nucleic Acids Res.*, 49, W5–W14.
- Yang, J., Zhen, X., Wang, B., Gao, X., Ren, Z., Wang, J., Xie, Y., Li, J., Peng, Q., Pu, K., and Li, Z., 2018, The Influence of The Molecular Packing on The Room Temperature Phosphorescence of Purely Organic Luminogens, *Nat. Commun.*, 1(9), 1–10.
- Yin, S., Zheng, X., Yao, X., Wang, Y., and Liao, D., 2013, Synthesis and Anticancer Activity of Mono-Carbonyl Analogues of Curcumin, *J. Cancer. Ther.*, 4, 113–123.
- Zadorozhnii, P. V, Kiselev, V. V, and Kharchenko, A. V, 2022, In Silico ADME Profiling of Salubrinol and Its Analogues, *Futur. Pharm.*, 2(2), 160–197.
- Zakaria, N.H., Hassan, N.I., and Wai, L.K., 2020, Molecular Docking Study of The Interactions between Plasmodium falciparum Lactate Dehydrogenase and 4-aminoquinoline Hybrids, *Sains Malaysiana*, 8(49), 1905–1913.

- Zakiah, M., Syarif, R.A., Mustofa, M., Jumina, J., Fatmasari, N., and Sholikhah, E.N., 2021, Cytotoxicity of Hydroxyxanthone Derivatives, *J. Trop. Med.*, 2021, 1–11.
- Zhao, C., Liu, Z., and Liang, G., 2013, Promising Curcumin-based Drug Design: Mono-carbonyl Analogues of Curcumin (MACs), *Curr. Pharm. Des.*, 19, 2114–2135.
- Zhao, Y., Li, J., Gu, H., Wei, D., Xu, Y. chang, Fu, W., and Yu, Z., 2015, Conformational Preferences of π – π Stacking Between Ligand and Protein, Analysis Derived from Crystal Structure Data Geometric Preference of π – π Interaction, *Interdiscip. Sci. – Comput. Life Sci.*, 3(7), 211–220.
- Zhuang, W.R., Wang, Y., Cui, P.F., Xing, L., Lee, J., Kim, D., Jiang, H.L., and Oh, Y.K., 2019, Applications of π – π stacking Interactions in The Design of Drug-Delivery Systems, *J. Control. Release*, 294, 311–326.