

DAFTAR PUSTAKA

- Abdallah, I. I., and Quax W.J. 2017. A glimpse into the biosynthesis of terpenoids. *KnE Life Sciences* 3(5), 81-98. <https://doi.org/10.18502/cls.v3i5.981>.
- Agustina, N., Purwestri, Y. A., & Nugroho, L. H. 2016. Antioxidant activity and histochemical analysis of *Acalypha indica* L. and *Acalypha wilkesiana* Muell. Arg. vegetative and generative organs. *International Journal of Pharmacognosy and Phytochemical Research*, 8(10), 1657–1662. Retrieved from <http://impactfactor.org/PDF/IJPPR/8/IJPPR>,
- Akhlaghi, M., & Bandy, B. 2009. Mechanisms of flavonoid protection against myocardial ischemia-reperfusion injury. *Journal of Molecular and Cellular Cardiology*, 46(3), 309–317. <https://doi.org/10.1016/j.yjmcc.2008.12.003>
- Al-Edany, T. Y., & Al-Saadi, S. A. A. M. 2012. Taxonomic significance of anatomical characters in some species of the family Myrtaceae. *American Journal of Plant Sciences*, 03, 572–581.
- Al-Edany, T., & Malik, A. 2012. Taxonomic significance of anatomical characteristics in some species of the family Myrtaceae. *American Journal of Plant Science*, 3(5), 572–581.
- Alemanno, L., Ramos, T., Gargadenec, A., Andary, C., & Ferriere, N. 2003. Localization and identification of phenolic compounds in *Theobroma cacao* L. Somatic Embryogenesis. *Annals of Botany*, 92, 613–623.
- Ali, K., Maltese, F., Fortes, A. M., Pais, M. S., Choi, Y. H., & Verpoorte, R. 2011. Monitoring biochemical changes during grape berry development in portuguese cultivars by NMR Spectroscopy. *Food Chemistry* 124, 1760–1769. <https://doi.org/10.1016/j.foodchem.2010.08.015>
- Andréia B. O, Maria S. M, Azevedo, Renata M. S. A. M. 2012. Anatomy and histochemistry of the vegetative organs of *Cissus verticillata* - a native medicinal plant of the Brazilian amazon. *Revista Brasileira de Farmacognosia* 22 (5): 1140–44. <https://doi.org/10.1590/S0102-695X2012005000053>.
- Antolovich, M., Prenzler, P. D., Patsalides, E., McDonald, S., & Robards, K. 2002. Methods for testing antioxidant activity. *Analyst*, 127(1), 183–198. <https://doi.org/10.1039/b009171p>
- Arruda, R., & Victorio, C. 2011. Leaf secretory structure and volatile compounds of *Eugenia copacabanensis* Kiaersk. (Myrtaceae). *Journal of Essential Oil Research*, 23(5), 1–6.

- Bancroft, J. D. 1975. *Histochemical Techniques*. In *Butterworths & Co (Publishers) Ltd. London*. pp 5-8
- Belwal, T., Pandey, A., Bhatt, I. D., Rawal, R. S., & Luo, Z. 2019. Trends of polyphenolics and anthocyanins accumulation along ripening stages of wild edible fruits of Indian Himalayan region. *Scientific Reports*, 9(1), 1–11. <https://doi.org/10.1038/s41598-019-42270-2>
- Benzie, I. F. F., & Strain, J. J. 1996. The ferric reducing ability of plasma (FRAP) as a measure of antioxidant power: The FRAP Assay. In *Analytical Biochemistry*, 239, 70-76.
- Bhatla, S C., dan Lal M A.. 2018. *Plant Physiology, Development and Metabolism*. *Plant Physiology, Development and Metabolism*. Springer Nature Singapore Pte Ltd. p865 <https://doi.org/10.1007/978-981-13-2023-1>
- Blois, M. S. 1958. Antioxidant determinations by the use of a stable free radical. *NATURE*, 181(4617), 1199–1200.
- Brenes, A., & Roura, E. 2010. Essential oils in poultry nutrition: Main effects and modes of action. *Animal Feed Science and Technology*, 158(1), 1–14.
- Bureau, S., Renard, C. M. G. C., Reich, M., Ginies, C., & Audergon, J.-M. 2009. Change in anthocyanin concentrations in red apricot fruits during ripening. *Food Science and Technology*, 42, 372–377. <https://doi.org/10.1016/j.lwt.2008.03.010>
- Beckman C.H, & W.C. Mueller. 1970. Distribution of phenol in specialized banana root. *Phytopathology*, 60, 79–82.
- Camargo Neves, L., Monique Carvalho da Silva, P., Ruffo Roberto, S., Mayara Rocha Leão, P., de Brito Carvalho, L., Crysthina Lucas da Silva, B., & Cisneros-Zevallos, L. 2022. Physiological maturity and wound-based orchard practices influence the antioxidant content and metabolic activity of two species of açai fruit at harvest and during storage. *Food Chemistry*, 382, 1-8. <https://doi.org/10.1016/j.foodchem.2022.132279>
- Campbell, N.A., Jane B. Reece, Lisa A. Urry, Michael L. Cain, Steven A. Wasserman, Peter V. Minorsky, and Robert B. Jackson. 2008. *Biology*. 8th edition. Pearson Education, Inc. San Francisco. pp. 738-821
- Campmajó, G., Núñez, N., & Núñez, O. 2019. Mass Spectrometry - future perceptions and applications. *Mass Spectrometry - Future Perceptions and Applications*, 1–22. <https://doi.org/10.5772/intechopen.78510>
- Carqueijeiro, I., Noronha, H., Duarte, P., Gerós, H., & Sottomayor, M. 2013. Vacuolar transport of the medicinal alkaloids from *Catharanthus roseus* is mediated by a Proton-Driven Antiport. *Plant Physiology*, 162(3), 1486–1496.

<https://doi.org/10.1104/pp.113.220558>

- Cartea, M. E., Francisco, M., Soengas, P., & Velasco, P. 2011. Phenolic compounds in brassica vegetables. *Molecules*, 16(1), 251–280. <https://doi.org/10.3390/molecules16010251>
- Celli, G. B., Pereira-Netto, B., & Beta, T. 2011. Comparative analysis of total phenolic content, antioxidant activity, and flavonoids profile of fruits from two varieties of brazilian cherry (*Eugenia uniflora* L.) throughout the fruit developmental stages. *Food Research International*, 44, 2442–2451. <https://doi.org/10.1016/j.foodres.2010.12.036>
- Cerulli, A., Masullo, M., Montoro, P., Hošek, J., Pizza, C., & Piacente, S. 2018. Metabolite profiling of “green” extracts of *Corylus avellana* Leaves by ¹H NMR spectroscopy and multivariate statistical analysis. *Journal of Pharmaceutical and Biomedical Analysis*, 160, 168–178. <https://doi.org/10.1016/j.jpba.2018.07.046>
- Chanda, S., & Dave, R. 2009. In vitro models for antioxidant activity evaluation and some medicinal plants possessing antioxidant properties: an overview. *African Journal of Microbiology Research*, 3(13), 981–996.
- Chen, J., Yuan, Z., Zhang, H., Li, W., Shi, M., Peng, Z., dan Xu, J. 2019. Cit1,2RhaT and two novel CitdGlcTs participate in flavor-related flavonoid metabolism during citrus fruit development. *Journal of experimental botany*, 70(10), 2759–2771. <https://doi.org/10.1093/jxb/erz081>.
- Cheng, A X, Yong G L, Ying B M, S L, Ling J W, dan Xiao Y C. 2007. Plant terpenoids: biosynthesis and ecological functions. *Journal of Integrative Plant Biology* 49 (2): 179–86. <https://doi.org/10.1111/j.1744-7909.2007.00395.x>.
- Choi, M. Y., Choi, W., Park, J. H., Lim, J., & Kwon, S. W. 2010. Determination of coffee origins by integrated metabolomic approach of combining multiple analytical data. *Food Chemistry*, 121(4), 1260–1268. <https://doi.org/10.1016/j.foodchem.2010.01.035>
- Chorachoo, J., Saeloh, D., Srichana, T., Amnuait, T., Musthafa, K. S., Sretrirutchai, S., & Voravuthikunchai, S. P. 2016. Rhodomyrtone as a potential anti-proliferative and apoptosis inducing agent in HaCaT keratinocyte cells. *European Journal of Pharmacology*, 772, 144–151.
- Dickison, W. C. 2000. Integrated plant anatomy. USA: Academic Press.
- Coll, J. C., & Bowden, B. F. 1986. The application of vacuum liquid chromatography to the separation of terpene mixtures. In *Journal of Natural Products*, 49(5), 934–936.
- Cui, C., Zhang, S., You, L., Ren, J., Luo, W., Chen, W., & Zhao, M. 2013. Antioxidant

- capacity of anthocyanins from *Rhodomyrtus tomentosa* (Ait.) and identification of the major anthocyanins. *Food Chemistry*, 139, 1–8.
- D'Archivio, M., Filesì, C., Di Benedetto, R., Gargiulo, R., Giovannini, C., & Masella, R. 2007. Polyphenols, dietary sources and bioavailability. *Annali Dell'Istituto Superiore Di Sanita*, 43(4), 348–361. <https://doi.org/>
- Dai, G. H., Nicole, M., Andary, C., Martinez, C., Bresson, E., Boher, B., Geiger, J. P. 1996. Flavonoids accumulate in cell walls, middle lamellae and callose-rich papillae during an incompatible interaction between *Xanthomonas campestris* P.v. *malvacearum* and cotton. *Physiological and Molecular Plant Pathology*, 49(5), 285–306. <https://doi.org/10.1006/pmpp.1996.0055>
- De Andrade, E. A., Folquitto, D. G., Luz, L. E. C., Paludo, K. S., Farago, P. V., & Budel, J. M. 2017. Anatomy and histochemistry of leaves and stems of *Sapium glandulosum*. *Revista Brasileira de Farmacognosia*, 27(3), 282–289. <https://doi.org/10.1016/j.bjp.2017.01.001>
- Dewatisari, W F, Leni R, dan Ismi R. 2018. Rendemen dan skrining fitokimia pada ekstrak daun *Sansevieria* Sp. *Jurnal Penelitian Pertanian Terapan* 17 (3): 197-202. <https://doi.org/10.25181/jppt.v17i3.336>.
- Dewick, P. M. 2009. *Medical Natural Products : A Biosynthesis Approach*, John Wiley and Sons Ltd. Chichester. pp. 7-48.
- Dhale, D. A. 2011. Histochemical investigation of some medical plants. *Advance Research in Pharmaceuticals and Biologicals*, 1(2), 147–154. Retrieved from <http://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.404.1022&rep=rep1&type=pdf>
- Elmastaş, M, Ayşe D, Nusret G, Ümit D, dan Mehmet G. 2017. Changes in flavonoid and phenolic acid contents in some rosa species during ripening. *Food Chemistry* 235: 154–59. <https://doi.org/10.1016/j.foodchem.2017.05.004>.
- Ene-Obong, H., Onuoha, N., Aburime, L., & Mbah, O. 2018. Chemical composition and antioxidant activities of some indigenous spices consumed in nigeria. *Food Chemistry*, 238, 58–64. <https://doi.org/10.1016/j.foodchem.2016.12.072>
- Fahmi, R., Rullah, K., Dewi Rahmat, R., Lucida, H., Manjang, Y., & Hj Lajis, N. 2012. Pengembangan potensi rhodomyrtone sebagai bahan aktif sediaan topikal. *Jurnal Farmasi Indonesia*, 6(1), 7–12.
- Fahmi, R., Sargent, M. V., Skelton, B. W., & White, A. H. 2004. 5-Hydroxy-3,3',4',5',7-pentamethoxyflavone (combretol). *Acta Crystallographica Section E: Structure Reports Online*, 60(1). <https://doi.org/10.1107/S1600536803027880>
- Fahn A 1990. *Plant anatomy*. Oxford: Pergamon press. Farmacopeia

- Farhan, M., Rosli, A., Asaruddin, M. R., Romli, A. M., Radhakrishnan, S. E., Nyawai, T. N., & Ahmad, M. N. 2017. Phytochemical studies of *Rhodomyrtus tomentosa* leaves, stem and fruits as antimicrobial and antioxidant agents. *Transactions on Science and Technology*, 4(3–3), 396–401.
- Farrés, M., Platikanov, S., Tsakovski, S., & Tauler, R. 2015. Comparison of the variable importance in projection (VIP) and of the selectivity ratio (SR) methods for variable selection and interpretation. *Journal of Chemometrics*, 29(10), 528–536. <https://doi.org/10.1002/CEM.2736>
- Fawole, O. A., & Opara, U. L. 2013. Changes in physical properties, chemical and elemental composition and antioxidant capacity of pomegranate (*Cv. ruby*) fruit at five maturity stages. *Scientia Horticulturae*, 150, 37–46. <https://doi.org/10.1016/j.scienta.2012.10.026>
- Ferreira, P., Mendes, C., Reis, S., Rodrigues, C., & Oliveira, D. 2011. Morphoanatomy, histochemistry and phytochemistry of *Psidium guineense* Sw. (Myrtaceae) Leaves. *Journal of Pharmacy Research*, 4(4), 942–944.
- Fiorucci, S., Golebiowski, J., Cabrol-Bass, D., & Antonczak, S. 2007. DFT Study of quercetin activated forms involved in antiradical, antioxidant, and prooxidant biological processes. *Journal of Agricultural and Food Chemistry*, 55(3), 903–911. <https://doi.org/10.1021/jf061864s>
- Flamini, R., Mattivi, Fulvio, Arapitsas, P., Bavaresco, L., & Rosso, M. 2013. Advanced knowledge of three important classes of grape phenolics: anthocyanins, stilbenes and flavonols. *International Journal of Molecular Sciences*, 14(10), 19651–19669. <https://doi.org/10.3390/ijms141019651>
- Furr, M., & Mahlberg, P. G. 1981. Histochemical analyses of laticifers and glandular trichomes in *Cannabis sativa*. *Journal of Natural Products*, 44(2), 153–158.
- Garrett, R. H and C.M. Grisham. 2009. *Biochemistry*. 5nd edition. Cole Cengage Learning. Virginia. pp. 238-258.
- Gervais, A., Lazarski, K. E., & Porco, J. A. 2015. Divergent total syntheses of rhodomyrtosones A and B. *Journal of Organic Chemistry*, 80(19), 9584–9591.
- Giusti, M., & Wrolstad, R. E. 2005. Characterization and measurement of anthocyanins by UV-visible Spectroscopy. *Handbook of Food Analytical Chemistry*, 2–2, 19–31. <https://doi.org/10.1002/0471709085.ch18>
- Gogna, N., Hamid, N., & Dorai, K. 2015. Metabolomic profiling of the phytomedicinal constituents of *Carica papaya* L. leaves and seeds by ¹H NMR spectroscopy and multivariate statistical analysis. *Journal of Pharmaceutical and Biomedical Analysis*, 115, 74–85. <https://doi.org/10.1016/j.jpba.2015.06.035>

- Hamid, H. A., Mutazah, R., Yusoff, M. M., Karim, N. A. A., & Razis, A. F. A. 2017. Comparative analysis of antioxidant and antiproliferative activities of *Rhodomyrtus tomentosa* extracts prepared with various solvents. *Food and Chemical Toxicology*, 108, 451–457. <https://doi.org/10.1016/j.fct.2016.10.004>
- Hamid, H. A., Sileshi Zeyohannes Roziyahira M, S., & Yusoff, M. M. 2017. *Rhodomyrtus tomentosa*: A Phytochemical and pharmacological review. *Asian Journal of Pharmaceutical and Clinical Research*, 10(1), 1-10. <https://doi.org/10.22159/ajpcr.2017.v10i1.12773>
- Harbone, J.B. 1987. *Metode Fitokimia*. ITB, Bandung.p 43
- Hasibuan, R., Ilyas, S., & Hanum, S. 2015. Effect of leaf extract haramonting (*Rhodomyrtus tomentosa*) to lower blood sugar levels in mice induced by alloxan. *International Journal of PharmTech Research*, 8(6), 284–291.
- Hassanpour, S, Naser M-S, Behrad E, Farhad B M S H, dan Farhad B M. 2011. Plants and secondary metabolites (tannins): A Review. *International Journal of Forest, Soil and Erosion Int. J. Forest, Soil and Erosion* 1 (11): 47–53. www.ijfse.com.
- Hatada, K, and T. Kitayama. 2004. *Basic principles of NMR*. In: Hatada K. and T. Kitayama (eds) *NMR Spectroscopy of Polymers*. Springer, New York, pp 1– 34
- Hermanto, C., Luh, N., Indriani, P., & Hadiati, S. 2013. *Keragaman dan Kekayaan Buah Tropika Nusantara*. IAARD Press.
- Hiranrat, A., Chitbankluoi, W., Mahabusarakam, W., Limsuwan, S., & Voravuthikunchai, S. P. 2012. A new flavellagic acid derivative and phloroglucinol from *Rhodomyrtus tomentosa*. *Natural Product Research*, 26(20), 1904–1909. <https://doi.org/10.1080/14786419.2011.628666>
- Hiranrat, Asadhawut, & Mahabusarakam, W. 2008. New acylphloroglucinols from the leaves of *Rhodomyrtus tomentosa*. *Tetrahedron*, 64, 11193–11197.
- Hiranrat, W., Hiranrat, A., & Mahabusarakam, W. 2017. Rhodomyrtosones G and H, minor phloroglucinols from the leaves of *Rhodomyrtus tomentosa*. *Phytochemistry Letters*, 21, 25–28. <https://doi.org/http://dx.doi.org/10.1016/j.phytol.2017.05.013>
- Hmoteh, J., Syed Musthafa, K., & Piyawan Voravuthikunchai, S. 2018. Effects of *Rhodomyrtus tomentosa* extract on virulence factors of *Candida albicans* and human neutrophil function. *Archives of Oral Biology*, 87, 35–42. <https://doi.org/https://doi.org/10.1016/j.archoralbio.2017.11.007>
- Huang, W.-Y., Cai, Y.-Z., Corke, H., & Sun, M. 2010. Survey of antioxidant capacity and nutritional quality of selected edible and medicinal fruit plants in Hong Kong.

- Journal of Food Composition and Analysis*, 23(6), 510–517.
<https://doi.org/10.1016/j.jfca.2009.12.006>
- Hui, W. H., Li, M. M., & Luk, K. 1975. Triterpenoids and steroids from *Rhodomyrtus tomentosa*. *Phytochemistry*, 14(3), 833–834. [https://doi.org/10.1016/0031-9422\(75\)83058-5](https://doi.org/10.1016/0031-9422(75)83058-5)
- Hou, J, Lu L, Mingyue S, Tianming Y, Xuejin M, dan Yuanxing W. 2021. Variations in phenolic acids and antioxidant activity of navel orange at different growth stages. *Food Chemistry* 360, 1–7.
<https://doi.org/10.1016/j.foodchem.2021.129980>.
- Hwang, I.-W., & Chung, S.-K. 2018. Isolation and identification of myricitrin, an antioxidant flavonoid, from daebong persimmon peel. *Prev. Nutr. Food Sci*, 23(4), 341–346. <https://doi.org/10.3746/pnf.2018.23.4.341>
- Islamadina, R., Can, A., & Rohman, A. 2020. Chemometrics application for grouping and determinating volatile compound which related to antioxidant activity of turmeric essential oil (*Curcuma longa* L). *Journal of Food and Pharmaceutical Sciences*, 8(2), 225-239. <https://doi.org/10.22146/jfps.658>
- Jan, R, Sajjad A, Muhammad N. L, dan Kyung M K. 2021. Plant secondary metabolite biosynthesis and transcriptional regulation in response to biotic and abiotic stress conditions. *Agronomy* 11 (5): 1–31. <https://doi.org/10.3390/agronomy11050968>.
- Janick, J. & Paull, R.E. 2006. *The Encyclopedia of Fruit and Nuts*. Cambridge University Press, Cambridge.p 37
- Jeong, D., Yang, W. S., Yang, Y., Nam, G., Kim, J. H., Yoon, H., dan Cho, J. Y. 2013. In vitro and in vivo anti-inflammatory effect of *Rhodomyrtus tomentosa* methanol extract. *Journal of Ethnopharmacology*, 146, 205–213.
<https://doi.org/http://dx.doi.org/10.1016/j.jep.2012.12.034>
- Johansen D.A. 1940. Plant Microtecchnique. New York (US): McGraw-Hill. p 25
- Juniar, E., & Alimuddin, A. H. 2017. Aktivitas Sitotoksik dan antioksidan ekstrak batang karamunting (*Rhodomyrtus tomentosa* (Aiton) Hassk). *JKK*, 6(2), 37–43.
- Kantachot, C., Chantaranothai, P., & Thammathaworn, A. 2007. Contributions to the leaf anatomy and taxonomy of thai Myrtaceae. *The Natural History Journal of Chulalongkorn University*, 7(1), 35–45.
- Katalinic, V., Milos, M., Kulisic, T., & Jukic, M. 2006. Screening of 70 medicinal plant extracts for antioxidant capacity and total phenols. *Food Chemistry*, 94(4), 550–557. <https://doi.org/10.1016/j.foodchem.2004.12.004>
- Khan, M. A., Rahman MM, Sardar MM, A. M., Islam MB, K. M., Rashid M, M., G,

- S., & AK, A. 2016. Comparative investigation of the free radical scavenging potential and anticancer property of *Diospyros blancoi* (Ebenaceae). *Asian Pac J Trop Biomed*, 6(5), 410–417. <https://doi.org/10.1016/j.apjtb.2016.03.004>
- Kiernan, J. A. 1990. *Histological & Histochemical Methods : Theory & Practice*. In Pergamon Press. New York.
- Kim, H. K., Choi, Y. H., & Verpoorte, R. 2010. NMR-based metabolomic analysis of plants. *Nature Protocols*, 5(3), 536–549. <https://doi.org/10.1038/nprot.2009.237>
- Kristiani, E. B. E., Nugroho, L. H., Moeljopawiro, S., & Widyarini, S. 2016. The cytotoxicity of mekai (*Alburtisia papuana* Becc.) root extract on breast cancer cell lines T47D and Vero cell lines. *AIP Conference Proceedings*, 1744(May), 959–964. <https://doi.org/10.1063/1.4953490>
- Kulkarni, A. P., & Aradhya, M. 2005. Chemical changes and antioxidant activity in pomegranate arils during fruit development. *Food Chemistry*, 93, 319–324. <https://doi.org/10.1016/j.foodchem.2004.09.029>
- Kusuma, I. W., Ainiyati, N., & Suwinarti, W. 2016. Search for biological activities from an invasive shrub species rosemyrtle (*Rhodomirtus tomentosa*). *Nusantara Bioscience*, 8(1), 55–59. <https://doi.org/10.13057/nusbiosci/n080110>
- Lacy, P., McKay, R. T., Finkel, M., Karnovsky, A., Woehler, S., Lewis, M. J., Chang, D., & Stringer, K. A. 2014. Signal intensities derived from different NMR probes and parameters contribute to variations in quantification of metabolites. *PLoS ONE*, 9(1). 1-9. <https://doi.org/10.1371/journal.pone.0085732>
- Lai, T., André, C. M., Chirinos, R., Bich Thuy Nguyen, T., Larondelle, Y., Rogez, H., & Molina, L. 2014. Optimisation of extraction of piceatannol from *Rhodomirtus tomentosa* seeds using response surface methodology. *Separation and Purification Technology*, 134, 139–146. <https://doi.org/http://dx.doi.org/10.1016/j.seppur.2014.07.032>
- Lai, T. N. H., André, C., Rogez, H., Mignolet, E., Nguyen, T. B. T., & Larondelle, Y. 2015. Nutritional composition and antioxidant properties of the sim fruit (*Rhodomirtus tomentosa*). *Food Chemistry*, 168, 410–416. <https://doi.org/10.1016/j.foodchem.2014.07.081>
- Lai, T. N. H., Herent, M.-F., Quetin-Leclercq, J., Nguyen, T. B. T., Rogez, H., Larondelle, Y., & André, C. M. 2013. Piceatannol, a potent bioactive stilbene, as major phenolic component in *Rhodomirtus tomentosa*. *Food Chemistry*, 138(2–3), 1421–1430. <https://doi.org/10.1016/j.foodchem.2012.10.125>
- Lavanya, G., Voravuthikunchai, S. P., & Towatana, N. H. 2012. Acetone extract from *Rhodomirtus tomentosa*: A potent natural antioxidant. *Evidence-Based Complementary and Alternative Medicine*, 1–8.

<https://doi.org/10.1155/2012/535479>

- Lee, J. T. J., Dely, A., Ramanayake, M., Adasuriyya, I., & Ginjom, I. R. 2016. Phenolic contents and antioxidant activities of *Sonneratia caseolaris*. *2nd International Conference on Sustainable Global Agriculture and Food (ICSAGF)* "Safeguarding Global Consumers: Innovation in Food Science and Technology. 9–10.
- Leiss, K. A., Choi, Y. H., Verpoorte, R., & Klinkhamer, P. G. L. 2011. An overview of NMR-based metabolomics to identify secondary plant compounds involved in host plant resistance. *Phytochemistry Reviews*, 10(2), 205–216. <https://doi.org/10.1007/s11101-010-9175-z>
- Li, X., Mai, W., & Chen, D. 2014. Chemical study on protective effect against hydroxyl-induced DNA damage and antioxidant mechanism of myricitrin. *Journal of the Chinese Chemical Society*, 61(3), 383–390. <https://doi.org/10.1002/jccs.201300396>
- Limsuwan, S., Hesselning-Meinders, A., Piyawan Voravuthikunchai, S., Maarten Van Dijk, J., & Kayser, O. 2011. Potential antibiotic and anti-infective effects of rhodomyrtone from *Rhodomyrtus tomentosa* (Aiton) Hassk. on *Streptococcus pyogenes* as revealed by proteomics. *Phytomedicine*, 18, 934–940. <https://doi.org/doi:10.1016/j.phymed.2011.02.007>
- Limsuwan, S., Trip, E. N., Kouwen, T. R. H. M., Piersma, S., Hiranrat, A., Mahabusarakam, W., Kayser, O. 2009. Rhodomyrtone: a new candidate as natural antibacterial drug from *Rhodomyrtus tomentosa*. *Phytomedicine*, 16, 645–651. <https://doi.org/10.1016/j.phymed.2009.01.010>
- Lin, Y., Huang, G., Zhang, Q., Wang, Y., Dia, V. P., & Meng, X. 2020. Ripening affects the physicochemical properties, phytochemicals and antioxidant capacities of two blueberry cultivars. *Postharvest Biology and Technology*, 162, 1–8. <https://doi.org/10.1016/j.postharvbio.2019.111097>
- Liu, G. L., Guo, H. H., & Sun, Y. M. 2012. Optimization of the extraction of anthocyanins from the fruit skin of *Rhodomyrtus tomentosa* (Ait.) Hassk and identification of anthocyanins in the extract using high-performance liquid chromatography-electrospray ionization-mass spectrometry (HPLC-ESI-MS). *International Journal of Molecular Sciences*, 13, 6292–6302.
- Liu, H., Feng, M. Y., Yu, Q., Yan, H., Zeng, Y., Qin, X. J., & Liu, H. Y. 2018. Formyl phloroglucinol meroterpenoids from *Eucalyptus tereticornis* and their bioactivities. *Tetrahedron*, 74(13), 1540–1545. <https://doi.org/10.1016/j.tet.2018.02.020>
- López-Alarcón, C., & Denicola, A. 2013. Evaluating the antioxidant capacity of natural products: A review on chemical and cellular-based assays. *Analytica Chimica*

- Acta*, 763, 1–10. <https://doi.org/10.1016/j.aca.2012.11.051>
- Lü, J., Lin, P. H., Yao, Q., & Chen, C. 2010. Chemical and molecular mechanisms of antioxidants : experimental approaches and model systems. *J. Cell. Mol. Med.*, 14(4), 840–860. <https://doi.org/10.1111/j.1582-4934.2009.00897.x>
- Maeda H, dan Dudareva N. 2012. The shikimate pathway and aromatic amino acid biosynthesis in plants.” *Annual Review of Plant Biology* 63: 73–105. <https://doi.org/10.1146/annurev-arplant-042811-105439>.
- Marinova, G., & Batchvarov, V. 2011. Evaluation of methods for determination of the free radical scavenging activity by DPPH. *Bulgarian Journal of Agricultural Science*, 17(1), 11–24.
- Martin, D., Tholl, D., Gershenzon, J., & Rg Bohlmann, J. 2002. Methyl jasmonate induces traumatic resin ducts, terpenoid resin biosynthesis, and terpenoid accumulation in developing xylem of norway spruce stems 1. *Plant Physiology*, 129, 1003–1017.
- Maskam, M. F., Mohamad, J., Abdulla, M. A., Afzan, A., & Wasiman, I. 2014. Antioxidant activity of *Rhodomyrtus tomentosa* (kemunting) fruits and its effect on lipid profile in induced-cholesterol New Zealand white rabbits. *Sains Malaysiana*, 43(11), 1673–1684.
- Maulida, R., & Guntarti, A. 2015. Pengaruh ukuran partikel beras hitam (*Oryza sativa* L.) terhadap rendemen ekstrak dan kandungan total antosianin. *Pharmaciana*, 5(1), 9–16. <https://doi.org/10.12928/pharmaciana.v5i1.2281>
- Medham, J., Jeffery, G.H., Denney, R.C., & Bassett, J., 1994, Buku Ajar Vogel : *Kimia Analisis Kuantitatif Anorganik*, 15, diterjemahkan oleh A. Hadyana Putjaatmaka, L. Setiono, Penerbit Buku Kedokteran EGC, Jakarta.
- Molyneux, P. 2004. The use of the stable free radical diphenylpicryl-hydrazyl (DPPH) for estimating antioxidant activity. *Songklanakarin J. Sci. Technol*, 26(2), 211–219.
- Moreno, M. A., Mercado, M. I., Nuño, G., Zampini, I. C., Cuello, A. S., Ponessa, G. I., & Isla, M. I. 2015. Histochemical localization and characterization of chalcones on the foliar surface of *Zuccagnia punctata* Cav. Insights Into Their Physiological Role. *Phytochemistry Letters*, 13, 134–140.
- Moulehi, I., Bourgou, S., Ourghemmi, I., & Tounsi, M. S. 2012. Variety and ripening impact on phenolic composition and antioxidant activity of mandarin (*Citrus reticulata* Blanco) and bitter orange (*Citrus aurantium* L.) seeds extracts. *Industrial crops and products*, 39, 74–80. <https://doi.org/10.1016/j.indcrop.2012.02.013>.

- Mukaka, M. M. 2012. Statistics Corner: A guide to appropriate use of correlation coefficient in medical research. *Malawi Medical Journal*, 24(September), 69–71. Retrieved from <https://www.ajol.info/index.php/mmj/article/view/81576>
- Mullick, A., Mandal, S., Bhattacharjee, R., & Banerjee, A. 2013. In-vitro assay of antioxidant and antibacterial activity of leaf extract and leaf derived callus extract of *Acalypha indica* L. In *International Journal of Pharmacy and Biological Sciences*. Retrieved from www.ijpbsonline.com
- Nugroho, L.H., 2017. *Struktur dan Produk Jaringan Sekretori Tumbuhan*. Gadjah Mada University Press. Yogyakarta.pp 173-175
- Nugroho, L. N., & Verpoote, R. 2002. Secondary metabolism in tobacco. *Plant Cell, Tissue and Organ Culture*, 68, 105–125.
- Nuringtyas, T. R., Choi, Y. H., Verpoorte, R., Klinkhamer, P. G. L., & Leiss, K. A. 2012. Differential tissue distribution of metabolites in *Jacobaea vulgaris*, *Jacobaea aquatica* and their crosses. *Phytochemistry*, 78, 89–97.
- Padmanabhan, P., & Jangle, S. N. 2012. In-vitro antioxidant potential of a herbal preparation containing four selected medicinal plants. *Journal of Krishna Institute of Medical Sciences University JKIMSU*, 1(2), 52–63.
- Park, K. S., Chong, Y., & Kim, M. K. 2016. Myricetin: biological activity related to human health. *Applied Biological Chemistry*, 59(2), 259–269. <https://doi.org/10.1007/s13765-016-0150-2>
- Parsaeimehr, A., Sargsyan, E., & Vardanyan, A. 2011. Expression of secondary metabolites in plants and their useful perspective in animal health. *International Journal of the Bioflux Society*, 3(2), 115–124.
- Parwata, I. M. O. A. 2016. *Kimia Organik Bahan Alam Flavonoid. Bahan Ajar, Laboratorium Kimia Organik FMIPA Universitas Udayana, Denpasar.*, 1–51.
- Pauli, G. F., Jaki, B. U., & Lankin, D. C. 2005. Reviews quantitative ¹H NMR: development and potential of a method for natural products analysis. *Journal of Natural Product*, 68(1), 133–149. <https://doi.org/10.1021/np0497301>
- Petrussa, E., Braidot, E., Zancani, M., Peresson, C., Bertolini, A., Patui, S., & Vianello, A. 2013. Plant flavonoids-biosynthesis, transport and involvement in stress responses. *International Journal of Molecular Sciences*, 14(7), 14950–14973. <https://doi.org/10.3390/ijms140714950>
- Prior, X Wu, A. K. S. 2005. Standardized methods for the determination of antioxidant capacity and phenolics in foods and dietary supplements. *Journal of Agricultural and Food Chemistry*, 53(10), 4290–4302. <https://doi.org/10.1021/jf0502698>
- Purwakusumah, E. D., Royani, L., & Rafi, M. 2016. Evaluasi aktivitas antioksidan dan

perubahan metabolit sekunder mayor temulawak (*Curcuma xanthorrhiza*) pada Umur Rimpang yang Berbeda. *Jurnal Jamu Indonesia*, 1(1), 10–17. <https://doi.org/10.29244/jjidn.v1i1.30590>

Raghvendra K. D, Satish D, dan Ashwini K. D. 2021. Pharmacognostical and qualitative phytochemical study of *Glinus oppositifolius* (Linn .) Aug . DC : An Important Ethnobotanical Plant.” *Gis Science Journal* 8 (7): 2105–19.

Rahmadi, A, Yuliadini P, Desy N, Ira S S, Rica O, Herry S, dan Wiwit M. 2016. Analisis Proksimat, Senyawa Fenolik, Sifat Antioksidan Dan Antibakteri Kulit Buah *Lepisanthes alata*. *Jurnal Teknologi Dan Industri Pangan* 27 (2): 115–22. <https://doi.org/10.6066/jtip.2016.27.2.115>.

Ramadhan, B. C., Aziz, S. A., & Ghulamahdi, M. 2015. Potensi kadar biokatif yang terdapat pada daun kepel (*Stelechocarpus burahol*). *Buletin Penelitian Tanaman Rempah Dan Obat*, 26(2), 99–108. <https://doi.org/10.21082/bullittro.v26n2.2015.99-108>

Retamales, H., Serra, M. T., & Scharaschkin, T. 2014. Anatomical studi of the flower, fruit and seeds of *Myreugenia rufa* (Myrtaceae). *Boletin Del Nacional de Historia Natural*, 63, 89–100.

Rizzuti, A, Rocco C, Vito G, Piero M, Giuseppe C, and Mario L. 2013. A combined approach for characterisation of fresh and brined vine leaves by x-ray powder diffraction, NMR spectroscopy and direct infusion high resolution mass spectrometry *Food Chemistry* 141 (3): 1908–15. <https://doi.org/10.1016/j.foodchem.2013.05.044>.

Ruzin, S.E. 1999. *Plant Microtechnique and Microscopy*. Oxford University Press, Oxford.p53

Salni, Sargent, M. V., Skelton, B. W., Soediro, I., Sutisna, M., White, A. H., & Yulinah, E. 2002. Rhodomyrtone, an antibiotic from *Rhodomyrtus tomentosa*. *Australian Journal of Chemistry*, 55(3), 229–232. <https://doi.org/10.1071/CH01194>

Sayuti, K., & Yenrina, R. 2015. *Antioksidan Alami dan Sintetik*. Andalas University Press. Padang. p 45

Scott, A. J. 1978. A Revision of *Rhodomyrtus* (Myrtaceae). *Kew Bulletin*, 33(2), 311–329.

Selawa, W., Revolva, M., Runtuwene, J., & Citraningtyas, G. 2013. Kandungan flavonoid dan kapasitas antioksidan total ekstrak etanol daun binahong [*Anredera cordifolia* (Ten.) Steenis.]. *PHARMACON Jurnal Ilmiah Farmasi – UNSRAT*, 2(01), 2302–2493.

Shankar, S., Leejae, S., Jaiswal, L., & Piyawan Voravuthikunchai, S. 2017. Metallic

- nanoparticles augmented the antibacterial potency of *Rhodomyrtus tomentosa* acetone extract against *Escherichia coli*. *Microbial Pathogenesis*, 107, 181–184. <https://doi.org/http://dx.doi.org/10.1016/j.micpath.2017.03.036>
- Shen, N, Tongfei W, Quan G, Sian L, Li W, dan Biao J. 2022. Plant flavonoids: classification, distribution, biosynthesis, and antioxidant activity. *Food Chemistry*. 383, 1-13. <https://doi.org/10.1016/j.foodchem.2022.132531>.
- Smith, L.G. and Hake, S. 1992. The Initiation And Determination Of Leaves. *Plant Cell*. 4:1017-1027
- Soobrattee, M. A., Neergheen, V. S., Luximon-Ramma, A., Aruoma, O. I., & Bahorun, T. 2005. Phenolics as potential antioxidant therapeutic agents: Mechanism and actions. *Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis*, 579(1–2), 200–213. <https://doi.org/10.1016/j.mrfmmm.2005.03.023>
- Srisuwan, S., Mackin, K. E., Hocking, D., Lyras, D., Bennett-Wood, V., Voravuthikunchai, S. P., & Robins-Browne, R. M. 2018. Antibacterial activity of rhodomyrtone on *Clostridium difficile* vegetative cells and spores in vitro. *International Journal of Antimicrobial Agents*, 52(5), 724-729. <https://doi.org/10.1016/j.ijantimicag.2018.08.014>
- Sutomo, Arnida, Febri Hernawati, M. Y. 2010. Kajian farmakognostik simplisia daun karamunting (*Rhodomyrtus tomentosa*) asal pelaihari kalimantan selatan. *Sains Dan Terapan Kimia*, 4(1), 38–50.
- Swamy T, N, Gorrepati R, Kakumanu B, Kovvada V K, dan Naragani K. 2019. Influence of soil elements on photosynthesis and secondary metabolites in selected medicinal plants. *Research Journal of Life Science, Bioinformatic, Pharmaceutica and Chemical Sciences*, 5 (908): 908–26. <https://doi.org/10.26479/2019.0502.68>.
- Terry, L. A., Cools, K., & Vicente, A. 2011. *8 Methodologies for Extraction, Isolation, Characterization and Quantification of Bioactive Compounds*. CAB International. Pp 371-379
- Theodoridis, G. A., Gika, H. G., Want, E. J., & Wilson, I. D. 2012. Liquid chromatography-mass spectrometry based global metabolite profiling: A review. *Analytica Chimica Acta*, 711, 7–16. <https://doi.org/10.1016/j.aca.2011.09.042>
- Tirzitis, G., & Bartosz, G. 2010. Determination of antiradical and antioxidant activity: Basic principles and new insights. *Acta Biochimica Polonica*, 57(2), 139–142. https://doi.org/10.18388/abp.2010_2386
- Tjitrosoepomo, G. 2013. *Taksonomi Tumbuhan (Spermatophyta)*. Gadjah Mada University Press, Yogyakarta.p 20

- Tomasina, F., Carabio, C., Celano, L., & Thomson, L. 2012. Analysis of two methods to evaluate antioxidants. *Biochemistry and Molecular Biology Education*, 40(4), 266–270. <https://doi.org/10.1002/bmb.20617>
- Triba, M. N., Le Moyec, L., Amathieu, R., Goossens, C., Bouchemal, N., Nahon, P., & Savarin, P. 2015. PLS/OPLS models in metabolomics: The impact of permutation of dataset rows on the K-fold cross-validation quality parameters. *Molecular BioSystems*, 11(1), 13–19. <https://doi.org/10.1039/c4mb00414k>
- Trimanto., Dwiyantri, D., & Indriyani, S. 2018. Morfologi, anatomi dan uji histokimia rimpang *Curcuma aeruginosa* Valetton dan Zipj. *Jurnal Ilmu-Ilmu Hayati : LIPI*, 17(2), 123–133. <https://doi.org/DOI:10.14203/beritabiologi.v17i2.3086>
- Tung, N. H., Ding, Y., Choi, E. M., Van Kiem, P., Van Minh, C., & Kim, Y. H. 2000. New anthracene glycosides from *Rhodomyrtus tomentosa* stimulate osteoblastic differentiation of MC3T3-E1 cells. *Archives of Pharmacal Research*, 32(4), 515–520. <https://doi.org/10.1007/s12272-009-1406-8>
- Verpoorte, R. 2000. Secondary Metabolism. In *Metabolic Engineering of Plant Secondary Metabolism*. pp 1-29. kluwer Academic Publisher. The Netherlands
- Vio-Michaelis, S, Walter F, Miguel G, Johannes H, Dieter T, dan Wilfried S. 2020. Histochemical analysis of anthocyanins, carotenoids, and flavan-3-ols/proanthocyanidins in *Prunus domestica* L. fruits during ripening. *Journal of Agricultural and Food Chemistry* 68 (10): 2880–90. <https://doi.org/10.1021/acs.jafc.9b01954>
- Wai-H, H., & Man-, L. 1976. Two new triterpenoids from *Rhodomyrtus tomentosa*. *Phytochemistry*, 15(11), 1741–1743. [https://doi.org/10.1016/S0031-9422\(00\)97468-5](https://doi.org/10.1016/S0031-9422(00)97468-5)
- Wang, P., Zhong, L., Yang, H., Hou, X., Wu, C., Zhang, R., & Cheng, Y. 2022. Systematic transcriptomic and metabolomic analysis of walnut (*Juglans regia* L.) kernel to trace variations in antioxidant activity during ripening. *Scientia Horticulturae*, 295, 1-12. <https://doi.org/10.1016/j.scienta.2021.110849>
- Wijaya, Y. A., Widyadinata, D., Irawaty, W., & Ayucitra, A. 2017. Fractionation of phenolic and flavonoid compounds from kaffir lime (*Citrus hystrix*) peel extract and evaluation of antioxidant activity. *Reaktor*, 17(3), 111–117. <https://doi.org/10.14710/reaktor.17.3.111-117>
- Wilde, S.A. 1977. *Munsell Color Charts for Plant Tissues*. New Windsor, New York. pp 10-15
- Wink, M. 2010. Introduction: biochemistry, physiology and ecological functions of secondary metabolites. *Biochemistry of Plant Secondary Metabolism: Second Edition*, 40, 1–19. <https://doi.org/10.1002/9781444320503.ch1>

- Wu, P., Ma, G., Li, N., Deng, Q., Yin, Y., & Huang, R. 2015. Investigation of in vitro and in vivo antioxidant activities of flavonoids rich extract from the berries of *Rhodomyrtus tomentosa* (Ait.) Hassk. *Food Chemistry*, 173, 194–202. <https://doi.org/10.1016/j.foodchem.2014.10.023>
- Wu, X., Beecher, G. R., Holden, J. M., Haytowitz, D. B., Gebhardt, S. E., & Prior, R. L. 2004. Lipophilic and hydrophilic antioxidant capacities of common foods in the United States. *Journal of Agricultural and Food Chemistry*, 52(12), 4026–4037. <https://doi.org/10.1021/jf049696w>
- Xia, J., & Wishart, D. S. 2016. Using metaboanalyst 3.0 for comprehensive metabolomics data analysis. *Current Protocols in Bioinformatics*, 55, 1-91. <https://doi.org/10.1002/cpbi.11>
- Xiao, T., Cui, J., Guo, Z., & Zhao, Y. 2014. HPLC Analysis of five phenolic compounds from the fruits and roots of *Rhodomyrtus tomentosa* in different regions and their antioxidant effects. *European Journal of Integrative Medicine*, 6, 686–745. <https://doi.org/http://dx.doi.org/10.1016/j.eujim.2014.09.083>
- Zaman, FQ., Anisa SA, Shamsul K., Fatin F.R, dan Syuhada M.Z. 2018. Anatomy and Histochemistry of Structures Producing Aroma in Leaves of *Syzygium Aromaticum* (L.) Merr. and *Clausena Excavata* Burm. F. *Pertanika Journal of Tropical Agricultural Science* 41 (1): 225–40.
- Zargoosh, Z., Ghavam, M., Bacchetta, G., & Tavili, A. 2019. Effects of ecological factors on the antioxidant potential and total phenol content of *Scrophularia striata* Boiss. *Scientific Reports*, 9(1), 1–15. <https://doi.org/10.1038/s41598-019-52605-8>
- Zhang, L, Yujiao G, Yuanhu Z, Jing Liu, dan Junwei Y. 2010. Changes in bioactive compounds and antioxidant activities in pomegranate leaves. *Scientia Horticulturae* 123 (4): 543–46. <https://doi.org/10.1016/j.scienta.2009.11.008>.
- Zhang, Y.-B., Li, W., Jiang, L., Yang, L., Chen, N.-H., Wu, Z.-N., & Wang, G.-C. 2018. Cytotoxic and anti-inflammatory active phloroglucinol derivatives from *Rhodomyrtus tomentosa*. *Phytochemistry*, 153, 111–119. <https://doi.org/https://doi.org/10.1016/j.phytochem.2018.05.018>
- Zhang, Y. L., Zhou, X. W., Wu, L., Wang, X. B., Yang, M. H., Luo, J., & Kong, L. Y. 2017. Isolation, structure elucidation, and absolute configuration of syncarpic acid-conjugated terpenoids from *Rhodomyrtus tomentosa*. *Journal of Natural Products*, 80, 989–998. <https://doi.org/DOI: 10.1021/acs.jnatprod.6b01005>
- Zhao, G., Zhang, R., Liu, L., Deng, Y., Wei, Z., Zhang, Y., & Zhang, M. 2017. Different thermal drying methods affect the phenolic profiles, their bioaccessibility and antioxidant activity in *Rhodomyrtus tomentosa* (Ait.) Hassk

- berries. *Food Science and Technology*, 79, 260–266.
<https://doi.org/http://dx.doi.org/10.1016/j.lwt.2017.01.039>
- Zhao, Z., Wu, L., Xie, J., Feng, Y., Tian, J., He, X., & Zheng, X. 2019. *Rhodomyrtus tomentosa* (Aiton.): A review of phytochemistry, pharmacology and industrial applications research progress. *Food Chemistry*, 309, 1-10.
<https://doi.org/10.1016/j.foodchem.2019.125715>
- Zhou, K., & Yu, L. 2004. Effects of extraction solvent on wheat bran antioxidant activity estimation. *u-Technol*, 37, 717–721.
<https://doi.org/10.1016/j.lwt.2004.02.008>
- Zhu, C., Zhou, X., Long, C., Du, Y., Li, J., Yue, J., & Pan, S. 2020. Variations of Flavonoid composition and antioxidant properties among different cultivars, fruit tissues and developmental stages of citrus fruits. *Chemistry & Biodiversity*, 17(6).
<https://doi.org/10.1002/cbdv.201900690>.
- Zou, Z. X., Tan, G. S., Huang, Q., Sun, H. H., Huo, L. Q., Zhong, W. Q., & Tan, H. B. 2018. Brachyanins A-C, pinene-derived meroterpenoids and phloroglucinol derivative from *Leptospermum brachyandrum*. *Fitoterapia*, 130(August), 184–189. <https://doi.org/10.1016/j.fitote.2018.08.026>