

## DAFTAR PUSTAKA

- Amoresano, A., Carpentieri, A., Giangrande, C., Palmese, A., Chiappetta, G., Marino, G., and Pucci, P., 2009, Technical Advances in Proteomics Mass Spectrometry: Identification of Post – Translational Modifications, *Clin. Chem. Lab. Med.*, 47(6), 647 – 665.
- Anonim, 2006, Antimicrobial Use in Aquaculture and Antimicrobial Resistance Aeromonas Resist How It Eff Humans, *World Health Organization (WHO)*, 1-107.
- Atef, N. M., Shanab, S. M., Negm, S. I., and Abbas, Y. A., 2019, Evaluation of Antimicrobial Activity of Some Plant Extracts Against Antibiotic Susceptible and Resistant Bacterial Strains Causing Wound Infection, *Bull. Natl. Res. Cen.*, 43(144), 1-11.
- Balaban, N., Collins, L.V., Cullor, J.S., Hume, E.B., Medina, A.E., Vieira, M.O., O’Callaghan, R., Rossitto, P.V., Shirtliff, M.E., Serafim, S.L., Tarkowski, A., and Torres, J.V., 2000, Prevention of Diseases Caused by *Staphylococcus Aureus* Using The Peptide RIP, *Peptides*, 21(9), 1301-1311.
- Balouiri, M., Sadiki, M., and Koraichi, S., 2015, Methods for In Vitro Evaluating Antimicrobial Activity: A Review, *J. Pharm. Anal.*, 6, 71 – 79.
- Bechinger, B. and Gorr, S.U., 2017, Antimicrobial peptides: Mechanism of action and resistance, *J Dent Res.*, 96, 254-260.
- Betancourt, L. H., Bock, P. D., States, A., Timmerman, E., Perez-Riverol, Y., Sanchez, A., Besada, V., Gonzalez, L. J., Vandekerckhove, J., Gevaert, K., 2013, SCX charge state selective separation of tryptic peptides combined with 2D-RP-HPLC allows for detailed proteome mapping, *J. Proteom.*, 91, 164-171
- Brogden, K. A., 2005, Antimicrobial peptides: pore formers or metabolic inhibitors in bacteria?, *Nat. Rev. Microbiol.*, 3, 238-250.
- Chambi, H. N. M., Lacerda, R. S., Makishi, G. L. A., Bittante, A. M. Q. B., Gomide, C. A., and Sobral, P. J. A., 2014, Protein Extracted from Castor Bean (*Ricinus Communis* L.) Cake in High pH Result in Films with Improved Physical Properties, *Ind. Crop. Prod.*, 61, 217 – 224.
- Choi, B.D., Wong, N.A.K., Auh, J.H., 2017, Defatting and sonication enhances protein extraction from edible insects, *Food Sci. Anim. Resour.*, 37, 955– 961
- Christenson, J. C., Korgenski, E. K., Relish, R. F., 2018, Laboratory diagnosis of infection due to bacteria, fungi, parasites, and rickettsiae, Principles and practice of pediatric infectious diseases (5th edition), *Elsevier*, 1422-1434.
- Cottrell, J.S., 2011, Protein Identification using MS/MS data, *J. Proteomics*, 74, 1842-1851.

- Couto, N., Barber, J., Gaskell, S. J., 2011, Matrix-assisted laser desorption/ionisation mass spectrometric response factors of peptides generated using different proteolytic enzymes, *J. Mass. Spectrom.*, 46, 1233–1240.
- Dailami, M., Artika I.M., dan Kusriani . M.D., 2015, Prediksi Peptida Antimikroba dari Histon H2a dan Analisis Filogenetik Gen Coi dari Kodok Buduk *Duttaphrynus Melanostictus* dan *Phrynoidis Asper*, *Repository*, IPB-Mathematics and Natural Science, Bogor.
- Daliri, E.B.M., Oh, D.H., and Lee, B.H., 2017, Bioactive peptides, *Foods*, 6, 1-21.
- Deng, Y., Gruppen, H. and Wierenga, P.A., 2018, Comparison of protein hydrolysis catalyzed with bovine, porcine and human trypsin, *J. Agric. Food Chem.*, 66, 4219 – 4232.
- Egbuonu, A.C.C., Aguguesi, R.G., Samuel, R., Ojunkwu, O., Onyenmeri, F., Uzuegbu, U., 2015, Some physicochemical properties of the petroleum ether-extracted watermelon (*Citrullus lanatus*) seed oil, *Asian J. Sci. Res.*, 8, 519-525.
- El-Anead, A., Cohen, A., and Banoub, J., 2009, Mass Spectrometry, Review of The Basics: Electrospray, MALDI, and Commonly Used Mass Analyzers, *Appl. Spectrosc. Rev.*, 44, 210–230
- Endres, J.G., 2001, *Soy Protein Products: Characteristics, Nutritional Aspects, and Utilization*, AOCS Press, Champaign, Illinois.
- Esmailpour, M., Ehsani, M. R., Aminlari, M., Shekarforoushd, Sh., Hoseini, E., 2017, Antimicrobial Peptides Derived from Goat's Milk Whey Proteins Obtained by Enzymatic Hydrolysis, *J. Food sci. Technol.*, 7(1), 65-72.
- Fajr, A., 2019, Hidrolisis Protein dari Niji Jarak Kepyar (*Ricinus communis* L.) dengan Enzim Tripsin USP dan Uji Aktivitas Antibakteri Peptida yang dihasilkan, *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Fernandes, P. and Martens, E., 2017, Antibiotics in late clinical development, *Biochem. Pharmacol.*, 133, 152–163.
- Ferri, M., Graen-Heedfeld, J., Bretz, K., Guillon, F., Michelini, E., Calabretta, M. M., Lamborghini, M., Gruarin, N., Roda, A., Kraft, A., and Tassoni, A., 2017, Peptide Fractions Obtained from Rice By-Products by Means of an Environment-Friendly Process Show In Vitro Health-Related Bioactivities, *PLoS ONE*, 12(1), 1 – 14
- Gina, S.J., Adi, I.C., dan Sarasati, W., 2020, Resistensi *E. coli* Terhadap Berbagai Macam Antibiotik pada Hewan dan Manusia, *Indonesia Medicus Veterinus.*, 9(6), 970-983.

- Guzman, M., Dille, J., Godet, S., 2012, Synthesis and antibacterial activity of silver nanoparticles against Gram-positive and Gram-negative bacteria, *Nanomedicine NANOMED-NANOTECHNOL.*, 8, 37-45.
- Hall, F., Johnson, P.E., and Liceaga, A., 2018, Effect of enzymatic hydrolysis on bioactive properties and allergenicity of cricket (*Gryllodes sigillatus*) protein, *Food Chem.*, 262, 39–47.
- Han, X., Aslanian, A., and Yates, J. R., 2008, Mass Spectrometry for Proteomics, *Curr. Opin. Chem. Biol.*, 12(5), 483 – 490.
- Hermawan, A., Hana, W., dan Wiwiek, T., 2007, *Pengaruh Ekstrak Daun Sirih (Piper Betle L.) Terhadap Pertumbuhan Staphylococcus aureus dan Escherichia coli dengan Metode Difusi Disk*, Fakultas Kedokteran Hewan, Universitas Airlangga, Surabaya.
- Horvath, Gy., Bencsik, T., Acs, K., Kocsis, B., 2016, Chapter 12 - Sensitivity of ESBL-Producing Gram-negative bacteria to essential oils, plant extracts, and their isolated compounds, *Antibiotic Resistance, mechanisms and new antimicrobial approaches*, 239-269.
- Issaq, H.J., Chan, K.C., Blonder, J., Ye, X., Veenstra, T.D., 2009, Separation, detection and quantitation of peptides by liquid chromatography and capillary electrochromatography, *J. Chromatogr. A*, 1216, 1825–1837.
- Jawetz, E., Melnick, J.L., dan Adelberg, E.A., 2005, *Mikrobiologi Kedokteran*, Penerbit Salemba Medika, Jakarta.
- Jawetz, E., Melnick, J.L., dan Adelberg, E.A., 2013, *Medical Microbiology 26<sup>th</sup> Edition*, EGC, Jakarta.
- Jaziri. A. A., Sukoso. dan Firdaus. M., 2017, Karakteristik Protease dari Ekstrak Kasar Khamir Laut dan Aktivitasnya dalam Menghidrolisis Protein Ikan Rucah. *Journal of Fisheries and Marine Science*, 1(2), 78-87.
- Jenie, B.S.L. dan Kuswanto., 1994, Aktivitas Antimikroba dari Pigmen Angkak yang diproduksi oleh *Monasnr purpuracs* terhadap Beberapa Mikroba Patogen dan Perusak Makanan., *Prosiding Pertemuan Ilmiah Tahunan Permi*, 53-62.
- Jin, S.K., Choi, J. S., Yim, D. G., 2020, Hydrolysis Conditions of Porcine Blood Proteins and Antimicrobial Effects of Their Hydrolysates, *Food Sci. Anim. Resour.*, 40(2), 172-182
- Kim, E.K., 2013, *Marine Protein and Peptides, Biological Activities*, John Wiley and Sons, Oxford.
- Kuete, V., 2014, *Toxicological Survey of African Medicinal Plants*, Elsevier.
- Kumar, M., Tomar, M., Potkule, J., Verma, R., Punia, S., Mahapatra, A., Belwal, T., Dahuja, A., Joshi, S., Berwal, M.K., Satankar, V., Bhoite, A.G., Amarowicz,

- R., Kaur, C., Kennedy, J.F., 2021, Advances in the plant protein extraction: Mechanism and recommendations, *Food Hydrocoll.*, 115, 106595
- Kusmiyati, dan Agustini, N.W.S., 2007, Uji aktivitas senyawa antibakteri dari mikroalga *Porphyridium cruentum*, *Biodiversitas*, 8(1), 48 – 53.
- Kyte, J. and Doolittle, R.F., 1982, A simple method for displaying the hydropathic character of a protein, *J Mol Biol*, 157, 105-132.
- Lahl, W.J. and Braun S.D., 1994, Enzymatic Production of Protein Hydrolyzates for Food Use, *Food Technol.*, 48 (10), 68.
- Lai, Y. and Gallo, R.L., 2009, AMPed up immunity: How antimicrobial peptides have multiple roles in immune defense, *Trends Immunol*, 30, 131-141.
- Lei, J., Sun, L., Huang, S., Zhu, C., Li, P., He, J., Mackey, V., Coy, D. H., and He, Q., 2019, The Antimicrobial Peptides and Their Potential Clinical Applications, *Am. J. Transl. Res.*, 11(7), 3919 – 3931.
- Lingga, A.R., Pato, U., dan Rossi, E., 2016, Uji Antibakteri Ekstrak Batang Kecombrang (*Nicolaia speciose* Horan) Terhadap *Staphylococcus aureus* dan *Escherichia coli*, *JOM Faperta*, 3(1), 1-15.
- Leni, G., Soetemans, L., Caligiani, A., Sforza, S., Bastiaens, L., 2020, Degree of hydrolysis affects the techno-functional properties of lesser mealworm protein hydrolysates, *Foods*, 9,
- Lin, D., Tabb, D. L., Yates III, J. R., 2003, Large-scale protein identification using mass spectrometry, *Biochimica et Biophysica acta*, 1646, 1-10.
- Makishi, G.L.A., Lacerda, R.S., Mamani, H.N.C., Costa, P.A., Bittante, A.M.Q.B., Gomide, C.A., Sobral, P.J.A., 2014, Effect of alkaline agent and pH on the composition of freeze-dried proteins extracted from castor bean (*Ricinus communis* L.) cake, *Chem. Eng. Trans.*, 37.
- Matsuzaki, K, 1999, Why and how are peptide lipid interactions utilized for selfdefense? Magainins and tachyplesins as archetypes, *Biochimica et Biophysica Acta*, 1462, 1-10.
- Michalski, A., Damoc, E., Hauschild, J. P., Lange, O., Wiegand, A., Makarov, A., Nagaraj, N., Cox, J., Mann, M., and Hornings, S., 2011, Mass Spectrometry – Based Proteomics Using Q Exactive, A High – Performance Bechtop Quadrupole Orbitrap Mass Spectrometer, *Mol. Cell. Proteomics*, 10(9), 1- 11.
- Mostovenko, E., Hassan, C., Rattke, J., Deelder, A. M., and Veelen, P. A., Palmblada, M., 2013, Comparison of peptide and protein fractionation methods in proteomics, *EuPA open proteomic I*, 30-37.
- Mpila, D.A., Fatimawali, dan Wiyono, W.I., 2012, Uji Aktivitas Antibakteri Ekstrak Etanol Daun Mayana (*Coleus atropurpureus* [L] Benth) terhadap *Staphylococcus aureus*, *Escherichia coli* dan *Pseudomonas aeruginosa* secara In-Vitro, *Pharmacon*, 1(1), 13–21.

- Murniasih, T., dan Rasyid, A., 2010, Potensi Bakteri yang Berasosiasi dengan Spons Asal Barrang Lompo Sebagai Sumber Bahan Antibakteri, *J. Oseanologi Lommologi Indonesia*, 1(2), 133-144.
- Najafian, L., Babji, A. S., 2012, A review of fish-derived antioxidant and antimicrobial peptides : Their production, assessment and applications, *peptides*, 33, 178-185.
- Neshani, A., Zare, H., Eidgahi, M. R. A., Chichaklu, A. H., Movaghar, A., Ghazvini, K., 2018, *Review of antimicrobial peptides with anti-helicobacter pylori activity*, *Helicobacter*, 1-10.
- Ngo, T. N., Nguyen, T. T., Bui, D. T., Hoang, N. T., and Nguyen, T. D., 2016, Effects of Ricin Extracted from Seeds of The Castor Bean (*Rinicus Communis*) on Cytotoxicity and Tumorigenesis of Melanoma Cells, *Biomed. Res. Ther.*, 3(5), 633 – 644.
- Nikolaev, E. N., Popov, I. A., Kononikhin, A. S., Indeykina, M. I., Kukav, E. N., 2012, High-resolution mass-spectrometry analysis of peptides and proteins, *Russian chemical reviews*, 81(11), 1051-1070.
- Nostro, A., Germano, M.P., D'Angelo, V., Marino, A., and Cannatelli, M.A., 2000, Extraction Methode and Bioautography for Evaluation of Medical Plant Antimicrobial Activity, *Lett. Appl. Microbiol.*, 30, 379-384.
- Pavia, D. L., Lampman, G.M., and Kriz, G. S. R. G. E., 2018, *A Microscale Approach Organic 5th ed.*, Belmont, CA: Cengage Learning.
- Pérez, S.C., Perea-Flores, M. de J., Chanona-Pérez, J.J., Calderón-Domínguez, G., Garibay-Febles, V., Mendoza-Pérez, J.A., Hernández-Hernández, H.M., 2014, *Seeds as Functional Foods and Nutraceuticals: New Frontiers in Food Science*, Nova Science Publishers, Inc.,
- Prasad, R. B. N., and Rao, B. V. S. K., 2017, *Chemical Derivatization of Castor Oil and Their Industrial Utilization in Fatty Acids*, AOCS Press, Massachusetts.
- Purnomo, Y., 2005, *Optimasi Penambahan Crude Papain dan Suhu Inkubasi Pada Proses Pembuatan Virgin Coconut Oil (VOC)*. Jurusan Teknologi Pangan, UPN "Veteran" Jawa Timur.
- Qomar, M.S., Budiyanto, M.A.K., Sukarsono, Wahyuni, S., dan Husamah, H., 2018. Efektivitas Berbagai Konsentrasi Ekstrak Daun Kayu Manis (*Cinnamomum burmannii* [Ness.] BI) terhadap Diameter Zona Hambat Pertumbuhan Bakteri *Staphylococcus epidermidi*, *J Biota*, 4(1), 8-12.
- Rahmatia, T. U., 2016, Metode SPE (Solid Phase Extraction) sebagai Alternatif Terbaru dalam Analisis dan Pemurnian Senyawa Obat, *Farmaka*, 14 (2), 151-171.
- Rajawat, J., and Jhingan, G., 2019, *Data Processing Handbook for Complex Biological Data Sources*, Academic Press, Massachussets.

- Rao, L.P.V., Jayaraj, R., Bhaskar, A.S.B., Kumar, O., Bhattacharya, R., Saxena, P., Dash, P.K., and Vijayaraghavan R., 2005, Mechanism of Ricin-Induced Apoptosis In Human Servical Cancer Cells, *Biochem. Pharmacol.*, 69(5), 855-865
- Restiani, R., 2016, Hidrolisis Secara Enzimatis Protein Bungkil Biji Nyamplung (*Calophyllum inophyllum*) Menggunakan Bromelain, *J. Biota*, 1, 103–110.
- Ruslin., Putri, S.R., dan Arba, M., 2019, Pemodelan Homologi Protein Receptor Orphan Receptor-1 (ROR-1) sebagai Target Terapi *Chronic Lymphocytic Leukemia* (CLL), *Pharmauho*, 5(1), 1-6.
- Salihu, B. J., Gana, A. K., and Apuyor, B. O., 2012, Castor Oil Plant (*Ricinus communis* L.): Botany, ecology and uses, *Int. J. Sci. Res.*, 3(5), 1333 – 1341.
- Sheoran, I. S., Ross, A. R. S., Olson, D. J. H., Sawhney, V. K., 2009, Compatibility of plant protein extraction methods with mass spectrometry for proteome analysis, *Plant sci. J.*, 176, 99-104.
- Stock, N. L., 2017, Introducing graduate students to high-resolution mass spectrometry (HRMS) using a hands-on approach, *J. Chem. Educ.*, 94(12), 1978-1982.
- Sumantri, S., 2021, Uji Aktivitas Antibakteri Ekstrak dan Fraksi Spons *Leucetta chagosensis* dari Perairan Pulau Mantehage Sulawesi Utara terhadap Pertumbuhan Bakteri *Staphylococcus aureus* dan *Escherichia coli*, *Pharmacon*, 10 (2), (834-840).
- Trung, N.N., Tho, N.T., Thuy Dung, B.T., My Nhung, H.T., Thang, N.D., 2016, Effects of ricin extracted from seeds of the castor bean (*Ricinus communis*) on cytotoxicity and tumorigenesis of melanoma cells, *Biomed. Res. Ther.*, 3, 23.
- Utami, W. M., 2019, Identifikasi Peptida Hasil Hidrolisis Protein dari Biji Tanaman Jarak Kepyar (*Ricinus Communis*) dengan Tripsin Teknis dan Uji Aktivitasnya Sebagai Antibakteri, *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.
- Verma, A. K., Chatli, M. K., Kumar, P., Mehta, N., 2017, Antioxidant and antimicrobial activity of protein hydrolysate extracted from porcine liver, *Indian J. Anim. Sci.*, 87(6), 711-717.
- Winarno, E.G., 1983, *Enzim Pangan*, Penerbit, PT. Gramedia, Jakarta.
- Wisuthiphaet, N., Konggruang, S., Chamcheun, C, 2015, Production of fish protein hydrolysates by acid and enzymatic hydrolysis, *J. Med. Biol. Eng.*, 4(6), 466-470.
- Yeaman, M. R., Yount, N. Y., 2003, Mechanisms of antimicrobial peptides action and resistance, *Pharmacol. Rev.*, 55(1), 27-55.