

DAFTAR PUSTAKA

- Allen, N.S., Mahdjoub, N., Vishnyakov, V., Kelly, P.J., Kriek, R.J., 2018, The Effect of Crystalline Phase (Anatase, Brookite, and Rutile) and Size on The Photocatalytic Activity of Calcined Polymorphic Titanium Oxide (TiO_2), *Polym. Degrad. Stab*, 150, 31-36.
- Alzahrani, E., 2017, Photodegradation of Binary Azo Dyes Using Core-Shell $\text{Fe}_3\text{O}_4/\text{SiO}_2/\text{TiO}_2$ Nanospheres, *American J. Anal. Chem.*, 8, 9-115.
- Andari, N. D., dan Wardhani, S., 2014, Fotokatalis TiO_2 -Zeolit untuk Degradasi Metilen Biru, *Chem. Prog*, 1(7), 9-14.
- Ansari, R., Mosayebzadeh, Z., Keivani, M.B., dan Mohammad-khah, A., 2011, Adsorption of Cationic Dyes from Aqueous Solution using Polyaniline Conducting Polymer as a Novel Adsorbent, *J. Adv. Sci. Res*, 2, 27-34.
- Anwar, D.I., Mulyadi, D., 2015, Synthesis of Fe- TiO_2 Composite as a Photocatalyst for Degradation of Methylene Blue, *Procedia Chemistry*, 17, 49-54.
- Azlina, H.N., Hasnidawani, J.N., Norita, H., dan Surip, S.N., 2016, Synthesis of SiO_2 Nanostructure Using Sol-Gel Methode, *AphysPoIA*, 129(4), 842-844.
- Bagheri, S., and Julkapli, N. M., 2015, Magnetite Hybrid Photocatalysis: Advance Environmental Remediation, *Rev. Inor. Chem.*, 36(2), 1-16
- Beydoun, D., Amal, R., Low, G., and McEvory, S., 2000, Novel Photocatalyst: Titania-Coated Magnetite. Activity and Photodissolution, *J. Phys. Chem. B*, 104, 4387-4396.
- Chang, J. and Waclawik, E.R., 2014, Colloidal Semiconductor Nanocrystal: Controlled Synthesis and Surface Chemistry in Organic Media, *RSC Adv.*, 45, 23505-23527.
- Chen, X., and Mao S.S, 2007, Titanium Dioxide Nanomaterials: Synthesis, Properties, Modification, and Application, *Chem. Rev*, 107(7), 2891-2959.
- Cheng, J.P., Ma, R., Li, M., Wu, J.S., Liu, F., and Zhang, X.B., 2012, Anatase Nanocrystals Coating on Silica Coated Magnetite, *Chem. Eng. Jour.*, 210(16), 80-86.
- Cotton, F., and Wilkinson, G., 1999, *Advanced Inorganic Chemistry*, sixth edition, Jhon Wiley and Sons, New York.
- Dianggoni, Ilok., Saputra, Edy., dan Pinem, J.A., 2017, Pengolahan Zat Warna Tekstil (*Rhodamine B*) dengan Teknologi AOP (*Advance Oxidation Processes*) menggunakan Katalis Ce-Carbon Sphere dan Oksidan Peroxymonosulfate, *JOM Fteknik*, 4(2), 1-7.
- Diantariani, N.P. Suprihatin, I.E., Widihati, I.A.G., 2016, Fotodegradasi Zat Warna Tekstil Methylene Blue dan Congo Red menggunakan Komposit ZnO-AA dan Sinar UV, *Jurnal Kimia*, 10(1), 133-140.
- Fan, Y., Ma, C., Li, W. and Yin, Y., 2012, Synthesis and Properties of $\text{Fe}_3\text{O}_4/\text{SiO}_2/\text{TiO}_2$ Nanocomposite by Hydrothermal Synthetic Method, *Mater. Sci. Semicond. Process.*, 15(2012), 582-585.

- Fito, J., Abrham, S., dan Angassa, K., 2020, Adsorption of Methylene Blue from Textile Industrial Wastewater onto Activated Carbon of Parthenium Hysterophorus, *Int. J. Environ. Re.*, 14, 501–511.
- Gago, J., dan Ngapa, Y.D., 2021, Optimizing of Competitive Adsorption Methylene Blue and Methyl Orange using Natural Zeolite from Ende-Flores, *JKPK*, 1(6), 39-48.
- Hamdaoui, O., and Chiha, M., 2006, Removal of Methylene Blue from Aqueous Solution 45 by Wheat Bran, *Act. Chim. Slo.*, 54(2), 407-418.
- Hoffmann, M.R., Scot, T.M., Wonyong, C. dan Detlef, W. B., 1995, Environmental Applications of Semiconductor Photocatalysis, *Chem. Rev.*, 95, 69-96.
- Keerthana, B.G.T., Solaiyammal, T., Muniyappan, S., dan Murugakoothan, P., 2018, Hydrothermal Synthesis and Characterization of TiO₂ Nanostructures Prepared using Different Solvents, *Mater. Lett.*, 220, 20–23.
- Khan, I., Saeed, K., Zekker, I., Zhang, B., Hendi, A.H., Ahmad, A., Ahmad, S., Zada, N., Ahmad, H., Shah, L.A., Shah, T., dan Khan, I., 2021, Review on Methylene Blue: Its Properties, Uses, Toxicity, dan Photodegradation, *Water*, 14(242), 1-30.
- Kim, K.D., Kim, S.S., Choa, Y. and Kim, H.T., 2007, Formation and Surface Mof Fe₃O₄ Nanoparticles by Co-precipitation and Sol-gel Method, *J. Ind. Eng. Chem.*, 13(7), 1137-1141.
- Kumar, A., Khan, M., Zeng, X., and Lo, I.M.C., 2018, Development of g-C₃N₄/TiO₂/Fe₃O₄@SiO₂ Heterojunction via Sol-Gel Route: A Magnetically Recyclable Direct Contact Z-scheme Nanophotocatalyst for Enhanced Photocatalytic Removal of Ibuprofen from Real Sewage Effluent Under Visible Light, *Chem. Eng. J.*, 353, 645–656.
- Kumar, A., Pandey, G., 2017, A Review on The Factors Affecting The Photocatalytic Degradation of Hazardous Materials, *Material. Sci. and Eng. Int. J.*, 1(3), 106-114.
- Kunarti, E.S., Kartini, I., Syoufian, A., dan Widyandari, K.M., 2018, Synthesis and Photoactivity of Fe₃O₄/TiO₂-Co as a Magnetically Separable Visible Light Responsive Photocatalyst, *Indones. J. Chem*, 18(13), 403-410.
- Kunarti, E.S., Syoufian, A., Budi, I.S., dan Pradita, A.R., 2016, Preparation and Properties of Fe₃O₄/SiO₂/TiO₂ Core-Shell Nanocomposite as Reciverable Photocatalyst, *Asian. J. Chem.*, 6(28), 1343-1346.
- Kusworo, T.D., Dalanta, F., Aryanti, N., 2022, Synthesis, Characterization, and Performance Evaluation of UV Light-Driven Co-TiO₂@SiO₂ Based Photocatalytic Nanohybrid Polysulfone Membrane For Effective Treatment Of Petroleum Refinery Wastewater, *Appl. Catal. B.*, 316, 1-23
- Liang, Y., Sun, S., Deng, T., Ding, H., Chen, W., dan Chen, Y., 2018, The Preparation of TiO₂ Film by The Sol-Gel Method and Evaluation of Its Self-Cleaning Property, *Materials (Basel)*, 11, 1–12.
- Mahdavi, M., Ahmad, M., Haron, M., and Namwar, F., 2013, Synthesis, Surface Modification and Characterisation of Biocompatible Magnetic Iron Oxide Nanoparticles for Biomedical Applications, *J. Mol.*, 18, 7533-7548.

- Makovec, D., Sajko, M., Selisnik, A., and Drofenik, M., 2012, Low-temperature Synthesis of Magnetically Recoverable, Superparamagnetic, Photoacatalytic, Nanocomposite particles, *Mater.Chem.Phys.*, 136, 230-240.
- Mital, G.S. and Manoj, T., 2011, A Review of TiO₂ Nanoparticles, *Chin. Sci. Bull.*, 56, 1639-1657.
- Nasikhudin, N., Diantoro, M., Kusumaatmaja, A., and Triyana, K., 2018, Study on Photocatalytic Properties of TiO₂ Nanoparticle in Various pH Condition, *The International Conference on Theoretical and Applied Physics*, 1011, 1-7.
- Palupi, E., 2006, Degradasi Methylene Blue dengan Metode Fotokatalisis dan Fotoelektrokatalisis menggunakan Film TiO₂, *Skripsi*, Jurusan Fisika FMIPA IPB, Bogor.
- Pradipta, A.R., Enriyani, R., Rahmatia, L., Utami, A., 2021, Sintesis Nanokomposit Fe₃O₄/TiO₂ sebagai Fotokatalis yang Dapat Diambil Kembali dalam Fotoreduksi Limbah Ion Perak (I), *Warta AKAB*, 1(45), 32-29.
- Pratama, R., Hardeli, Yermadesi., 2012, Penentuan Kondisi Optimum Proses Degradasi Zat Warna Methylene Blue pada Reaktor Fotokatalitik TiO₂-PEG, *Periodic*, 2(1), 52-58
- Reza, K.M., Kurny, A.S.W., Gulshan, F., 2017, Parameters Affecting The Photocatalytic Degradation of Dyes using TiO₂, *Appl Water Sci*, 7, 1569-1578.
- Saha, D., Desipio, M.M., Hoinkis, T.J., Smeltz, E.J., Thorpe, R., Hensley, D.K., Fischer-Drowos, S.G., dan Chen, J., 2018, Influence of Hydrogen Peroxide in Enhancing Photocatalytic Activity of Carbon Nitride under Visible Light: An Insight into Reaction Intermediates, *J. Environ. Chem. Eng.*, 6, 4927–4936.
- Sahoo, M., Yadav, A.K., Ghosh, S., Jha, S.N., Bhattacharyya, D., dan Mathews, T., 2019, Structural Studies of Spray Pyrolysis Synthesized Oxygen Deficient Anatase TiO₂ Thin Films by using X-Ray Absorption Spectroscopy, *Phys. Chem. Chem. Phys.*, 21, 6198-6206.
- Said, A., 2021, Degradasi Pewarna Tartrazin dengan Fotokatalis Titanium Dioksida (TiO₂), *Cokroaminoto Journal of Chemical Science*, 1(3), 21-27.
- Sidiras, D. K., and Batzias F.A., 2007, Simulation of Dye Adsorbtion by Beech Sawdust as Affected by pH, *J. Hazard. Mater.*, 141, 668-679.
- Sridevi, D.V., Ramesh, V., Sakthivel, T., Geetha, K., Ratchagar, V., Jagannathan, K., Rajarajan, K., Ramachadran, K., 2017, Synthesis, Structural and Optical Properties of Co Doped TiO₂ Nanocrystals by Sol-Gel Method, *MMSE*, 9, 1-6.
- Susilowat, E., Mahatmanti, F.W., Haryani, S., 2018, Sintesis Kitosan-Silika *Bead* sebagai Pengadsorpsi Ion Logam Pb (II) pada Limbah Cair Batik, *Indo. J. Chem. Sci.*, 7(2), 124-131.
- Taimoory, S.M., Trant, J.F., Rahdar, A., Aliahmad, M., Sadeghfhar, F., 2017, Importance of The Inter-Electrode Distance For The Electrochemical

Synthesis of Magnetite Nanoparticle: Synthesis, Characterization, Computational Modelling, and Cytotoxicity, *e-J. Surf. Sci. Nanotech.*, 15, 31-39.

- Thomas, V.J., Jacob K.A., Peter, P.M., Jose, P.E., Balakrishnan, C.J., 2022, A Simple Method For The Synthesis Of Anatase-Rutile Mixed Phase TiO₂ Using A Convenient Precursor And Higher Visible-Light Photocatalytic Activity of Co-doped TiO₂, *Materials Today: Proceedings*, 49, 1408-1417.
- Tirukkovalluri, S.R., Chekuri, R. D., 2017, Synthesis Of Cobalt Doped Titania Nanomaterial Assisted By Gemini Surfactant: Characterization and Application In Degradation Of Acid Red Under Visible Light Irradiation, *South African Journal of Chemical Engineering*, 24, 183-195.
- Tripathi, A.K., Mathpal, M.C., Kumar, P., Singh, M.K., Mishra, S.K., Srivastava, R.K., Chung, J.S., Verma, G., Ahmad, M.M., dan Agarwal, A., 2014, Synthesis Based Structural and Optical Behavior of Anatase TiO₂ Nanoparticles, *Mater. Sci. Semicond. Process.*, 23, 136–143.
- Tripathy, D., Adeyeye, A.O., Boothroyd, C.B. dan Piramanayagam, S.N., 2007, Magnetic and Transport Properties of Co-Doped Fe₃O₄ Films, *J. Appl. Phys.*, 101, 1-6.
- Trisunaryanti, W., 2015, *Material Katalis dan Karakternya*, UGM Press, Yogyakarta.
- Triyana, K., Kusumaatmaja, A., Nasikhudin, Diantoro, M., 2018, Study on Photocatalytic Properties of TiO₂ Nanoparticle in Various pH Condition, *J. Phys*, 1011, 1-6.
- Wahyuni, E.T., Roto, dan Dwiyanra, R., 2021, Remazol Black Decontamination Study Using a Novel One-Plot Synthesized S and Co Co-doped TiO₂ Photocatalyst, *Photochem*, 1, 484-504.
- Wang, W., Gu, B., Liang, L., Hamilton, W.A. dan Wesolowski, D.J., 2004, Synthesis of Rutile (α -TiO₂) Nanocrystals with Controlled Size and Shape by Low-Temperature Hydrolysis: Effects of Solvent Composition, *J. Phys.Chem. B.*, 108, 92.
- Wang, R., Wang, X., Xi, X., Hu, R., and Jiang, G., 2012, Preparation and Photocatalytic Activity of Magnetic Fe₃O₄/SiO₂/TiO₂ Composite, *J. Mater. Sci. Chem. Eng.*, 409379, 1-8.
- Wei, Y., Han, B., Hu, X., Lin, Y., Wang, X., Deng, X., 2011, Synthesis of Fe₃O₄ Nanoparticles and Their Magnetic Properties, *Procedia Engineering*, 27, 632-637.
- Winatapura, D.S., dan Yusuf, Saeful., 2013, Sintesis Komposit Fe₃O₄-SiO₂-TiO₂ dan Aplikasinya untuk Mendegradasi Limbah Zat Warna Metilen biru, *Jusaml*, 3(15), 147-152.
- Wu, C. H., and Chern, J. M., 2006, Kinetics of Photocatalytic Decomposition of Methylene Blue, *Ind. Eng. Chem. Res.*, 45(19), 6450-6457.
- Yang, H. Bin, Jing, X.Y., Yang, S.K., dan Wang, W.K., 2010, Preparation of Doping Nano-TiO₂ by Impregnation Method and Study on Its

Photocatalytic Performance for Organic Pollutants, *2010 4th Int. Conf. Bioinforma. Biomed. Eng. iCBBE 2010*, 4–7.

Yu, X., Liu, S. and Yu, J., 2011, Superparamagnetic $\gamma\text{-Fe}_2\text{O}_3@ \text{SiO}_2@ \text{TiO}_2$ Composite Microspheres with Superior Photocatalytic Properties, *Appl.Catal.B:Environ.*, 104(2011), 12-20.

Zhao, D.L., Teng, P., Xu, Y., Xia, Q.S. dan Tang, J.T., 2010, Magnetic and Inductive Heating Properties of Fe_3O_4 /Polyethylene Glycol Composite Nanoparticles with Core Shell Structure, *Journal of Alloys and Compounds*, 502, 392-395.