



DAFTAR PUSTAKA

- Apriyani, N., Momen, M., Djaelani, S., Sodli, A., and Satria, A., 2014, Integrated Cleat Analysis and Coal Quality on CBM Exploration at Sangatta II PSC , Kutai Basin , Indonesia .: AAPG International Convention and Exhibition, p. 1–31.
- Arrow Energy, 2010, Arrow Bowen Gas Project EIS, *in* Inc., Arrow Energy Pty Ltd, v. 32, p. 39,
<http://search.ebscohost.com/login.aspx?direct=true&db=f5h&AN=54229228&site=ehost-live>.
- Borsaru, M., Biggs, M., Nichols, W., and Bos, F., 2001, The application of prompt-gamma neutron activation analysis to borehole logging for coal: Applied Radiation and Isotopes, v. 54, p. 335–343, doi:10.1016/S0969-8043(00)00109-3.
- Budi, Y.S., and Yatini, Y., 2021, Analisa Data Log Untuk Menentukan Karakteristik Batubara Di Daerah Bangko Barat, Tanjung Enim, Sumatera Selatan: Jurnal Geosaintek, v. 7, p. 1–8, doi:10.12962/j25023659.v7i1.8011.
- Chalmers, G.R.L., and Marc Bustin, R., 2007, On the effects of petrographic composition on coalbed methane sorption: International Journal of Coal Geology, v. 69, p. 288–304, doi:10.1016/j.coal.2006.06.002.
- Comet Ridge Limited, 2018, Memoloo 2 Well Completion Report.: 54p
- Cozzi, L. (International E.A., and Gould, T. (International E.A., 2021, World Energy Outlook 2021: Paris, Directorate of Sustainability, Technology and Outlooks International Energy Agency, 1–386 p., www.iea.org/weo.
- Dawson, G.K.W., and Esterle, J.S., 2010, Controls on Coal Cleat Spacing: International Journal of Coal Geology, v. 82, p. 213–218, doi:10.1016/j.coal.2009.10.004.
- Ellis, D. V., and Singer, K.M., 2007, Well logging for earth scientists: Dordrecht, Springer Publication, v. 2, 687 p., doi:10.1016/0920-4105(89)90013-2.
- Ettensohn, F.R., Pashin, J.C., and Gilliam, W., 2019, The appalachian and black warrior basins: Foreland basins in the eastern united states: Elsevier B.V., 129–237 p., doi:10.1016/B978-0-444-63895-3.00004-8.
- Fathan, H.U., Prasetyo, M.H., Linggadipura, R.D., Pratami, D.A., Rizky, M., Sari, N., Merapi, K., and Merapi, K., 2016, Pengaruh Tektonik Dalam Perkembangan Cleat Pada Lapisan Batubara Formasi Muara Enim, Kec. Merapi Timur, Kb. Lahat, Sumatera Selatan, *in* Seminar Nasional Kebumian Ke - 9, Yogyakarta, p. 127–138.
- Greb, S.F., Cortland, F.E., Douglas, C., and Alexander, R., 2006, Coal and The Environment: , p. 9–10.
- Hayes, B.J., Nicholls, P., Dorey, K., Bresnehan, R., and McDougall, W., 2013, Comparing Basin-Centred Gas Prospectivity in the Bowen- Surat Basin (Queensland , Australia) with the Deep Basin of Western Canada and the Piceance Basin of Utah: Search and Discovery Article #10866, v. 4, p. 1–9.
- Hillis, R.R., Enever, J.R., and Reynolds, S.D., 1999, In-situ Stress Field of Eastern Australia: Australian Journal of Earth Sciences, v. 46, p. 813–825, doi:10.1046/j.1440-0952.1999.00746.x.
- Kearey, P., Brooks, M., and Hill, I., 2002, An Introduction to Geophysical Exploration: London, Blackwell Science Ltd, 257 p.
- Kementrian ESDM., 2008, Hingga 2030, Permintaan Energi Dunia Meningkat 45 %:, [https://www.esdm.go.id/id/media-center/arsip-berita/hingga-2030-permintaan-energi-dunia-meningkat-45- \(diakses online Maret 2021\)](https://www.esdm.go.id/id/media-center/arsip-berita/hingga-2030-permintaan-energi-dunia-meningkat-45-).
- Khalil, M.I., Islam, F., and Akon, E., 2015, Gamma and resistivity logs for characterization of Gondwana coal seams at the Northwestern part of Bangladesh: Arabian Journal of Geosciences, v. 8, p. 6497–6506, doi:10.1007/s12517-014-1687-1.
- Laubach, S.E., Marrett, R.A., Olson, I.E., and Scott, A.R., 1998, Characteristics and origins



**FAKTOR - FAKTOR YANG MEMPENGARUHI PEMBENTUKAN CLEAT PADA BATUBARA DAN
PENGARUHNYA TERHADAP
PERMEABILITAS RESERVOAR CBM PADA BATUBARA FORMASI GERMAN CREEK DAN RANGAL
COAL MEASURE, BOWEN
BASIN, QUEENSLAND, AUSTRALIA**

UNIVERSITAS
GADJAH MADA

FADLI ROBBI A, Dr. Ir. Ferian Anggara, S.T., M.Eng., IPM; Dr. Sarju Winardi, S.T., M.T.

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>
of coal cleat: a review: International Journal of Coal Geology, v. 35, p. 175–207,
doi:10.1016/S0166-5162(97)00012-8.

- Linggadipura, R.D., Prasetyo, M.H., and Dimas, E., 2016, KARAKTERISTIK KUANTITATIF CLEAT SEBAGAI INDIKATOR GAS METANA, *in* Proceeding Seminar Nasional Kebumian Ke-9, p. 199–210.
- Lucia, F.J., 1983, Petrophysical Parameters Estimated From Visual Descriptions of Carbonate Rocks: a Field Classification of Carbonate Pore Space.: JPT, Journal of Petroleum Technology, v. 35, p. 629–637, doi:10.2118/10073-PA.
- Luthi, S.M., and Souhaite, P., 1990, Fracture apertures from electrical borehole scans: 1990 SEG Annual Meeting, v. 55, p. 18–21, doi:10.1190/1.1890143.
- Lv, Y., Tang, D., Xu, H., and Luo, H., 2012, Production characteristics and the key factors in high-rank coalbed methane fields: A case study on the Fanzhuang Block, Southern Qinshui Basin, China: International Journal of Coal Geology, v. 96–97, p. 93–108, doi:10.1016/j.coal.2012.03.009.
- Maulana, T., 2016, HUBUNGAN SISTEM CLEAT DENGAN PERMEABILITAS BATUBARA PERINGKAT RENDAH PADA TAMBANG BANKO BARAT, KABUPATEN MUARA ENIM, PROVINSI SUMATERA SELATAN: Universitas Gadjah Mada, 114 p.
- Maulana, T., and Anggara, F., 2016, Hubungan Sistem Cleat Dengan Permeabilitas Batubara Peringkat Rendah, pada Tambang Banko Barat, Muara Enim, Sumatera Selatan, *in* Seminar Nasional Kebumian ke - 9, Yogyakarta, p. 227–240.
- Meshram, P., Purohit, B.K., Sinha, M.K., Sahu, S.K., and Pandey, B.D., 2015, Demineralization of low grade coal - A review: Renewable and Sustainable Energy Reviews, v. 41, p. 745–761, doi:10.1016/j.rser.2014.08.072.
- Montgomery, S.L., 1999, Powder River basin, Wyoming: An expanding coalbed methane (CBM) play: AAPG Bulletin, v. 83, p. 1207–1222.
- Moore, T.A., 2012, Coalbed methane: A review: International Journal of Coal Geology, v. 101, p. 36–81, doi:10.1016/j.coal.2012.05.011.
- Mukherjee, S., Copley, J., and Esterle, J., 2017, In-Situ Stress and Fracture Controls on Permeability Distribution within Walloon Subgroup , Surat Basin, *in* SPE/IATMI Asia Pacific Oil & Gas Conference and Exhibition, p. 1–23.
- Mukherjee, S., Rajabi, M., and Esterle, J., 2021, Relationship between coal composition , fracture abundance and initial reservoir permeability : A case study in the Walloon Coal Measures , Surat: International Journal of Coal Geology, v. 240, p. 1–18, doi:10.1016/j.coal.2021.103726.
- Mukherjee, S., Rajabi, M., and Esterle, J., 2020, Subsurface fractures , in-situ stress and permeability variations in the Walloon Coal Measures , eastern Surat Basin , Queensland , Australia: International Journal of Coal Geology, v. 222, p. 1–16, doi:10.1016/j.coal.2020.103449.
- Murray, C.G., 1986, Tectonic setting of the Bowen Basin, *in* Bowen Basin coal symposium, Rockhampton, Queensland, Australia, p. 5–16.
- Musri, A., 2020, Hubungan Konsep Diri dengan Kecemasan dalam Mematuhi Aturan pada Santri Dayah Insan Qurani Sibreh Aceh Besar: Skripsi, <https://repository.ar-raniry.ac.id/id/eprint/12145/>.
- NSW Government Chief Scientist & Engineer, 2014, Final Report of the Independent Review of Coal Seam Gas Activities in NSW: Chief Scientist & Engineer GPO Box, v. 5477, p. 9338–6786, www.chiefscientist.nsw.gov.au/coal-seam-gas-review%0Awww.chiefscientist.nsw.gov.au.
- Pattinson, C.I., Fielding, C.R., McWatters, R.H., and Hamilton, L.H., 1996, Nature and origin of fractures in Permian coals from the Bowen Basin , Queensland , Australia:



**FAKTOR - FAKTOR YANG MEMPENGARUHI PEMBENTUKAN CLEAT PADA BATUBARA DAN
PENGARUHNYA TERHADAP
PERMEABILITAS RESERVOAR CBM PADA BATUBARA FORMASI GERMAN CREEK DAN RANGAL
COAL MEASURE, BOWEN
BASIN, QUEENSLAND, AUSTRALIA**

UNIVERSITAS
GADJAH MADA

FADLI ROBBI A, Dr. Ir. Ferian Anggara, S.T., M.Eng., IPM; Dr. Sarju Winardi, S.T., M.T.

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>
Geological Society Special Publication No 109, p. 133–150.

- Paul, C., Aripin, P.R., K, F.Z., Bahri, A.S., Amien Widodo, Syaifudin, F., Utama, W., and Rahadianyah, J., 2018, PENGOLAHAN DAN INTERPRETASI DATA LOG FMI (FULLBORE FORMATION MICROIMAGER) UNTUK ANALISA REKAHAN: Jurnal Geosaintek, v. 4, p. 1–6, doi:10.12962/j25023659.v4i1.3737.
- Ponziani, M., Slob, E., Luthi, S., Bloemenkamp, R., and Nir, L.I., 2015, Experimental validation of fracture aperture determination from borehole electric microresistivity measurements: Journal Geophysics, v. 80, p. D175–D181, doi:10.1190/GEO2014-0334.1.
- Putra, T., 2021, Krisis Hantam Eropa, Inggris Jadikan Batu Bara Primadona: CNBC Indonesia, <https://www.cnbcindonesia.com/market/20210926133258-17-279235/krisis-hantam-eropa-inggris-jadikan-batu-bar-a-primadona> (accessed February 2022).
- QGC Pty Limited, 2013a, Golding 1 Well Completion Report.: 78p
- QGC Pty Limited, 2014, Liberty 5 Well Completion Report, ATP 806.: 100p
- QGC Pty Limited, 2013b, Rhudana 1 Well Completion Report.: 151p
- Rahmawati, M.A., Sari, S.L., and Triyoga, A., 2018, Coal Characteristics and Cleat Attributes of Muara Enim Formation in Ulak Lebar and Surroundings Area , Lahat Regency , South Sumatra: Journal of Geoscience, Engineering, Environment, and Technology, v. 03, p. 115–121, doi:10.24273/jgeet.2018.3.2.586.
- Rajabi, M., Sherkati, S., Bohloli, B., and Tingay, M., 2010, Subsurface fracture analysis and determination of in-situ stress direction using FMI logs: An example from the Santonian carbonates (Ilam Formation) in the Abadan Plain, Iran: Journal of Tectonophysics, v. 492, p. 192–200, doi:10.1016/j.jtecto.2010.06.014.
- Ramaswamy, S., 2007, Selection of Best Drilling , Completion and Stimulation Methods for Coalbed Methane Reservoirs: 147 p.
- Reynolds, J.M., 1997, An Introduction to Applied and Environmental Geophysics: New York, John Wiley & Sons, Ltd, v. 7, 796 p., https://www.researchgate.net/publication/269107473_What_is_governance/link/548173090cf22525dcb61443/download%0Ahttp://www.econ.upf.edu/~reynal/Civil_wars_12December2010.pdf%0Ahttps://think-asia.org/handle/11540/8282%0Ahttps://www.jstor.org/stable/41857625.
- Robertson, E.P., and Christiansen, R.L., 2008, A permeability model for coal and other fractured, sorptive-elastic media: SPE Journal, v. 13, p. 314–324, doi:10.2118/104380-PA.
- Ryan, B., 2003, Cleat Development in Some British Columbia Coals: British Columbia Geological Survey, v. 1, p. 237–256.
- Salmachi, A., Rajabi, M., Reynolds, P., Yarmohammadtooski, Z., and Wainman, C., 2016, The effect of magmatic intrusions on coalbed methane reservoir characteristics: A case study from the Hoskissons coalbed, Gunnedah Basin, Australia: International Journal of Coal Geology, v. 165, p. 278–289, doi:10.1016/j.coal.2016.08.025.
- Salmachi, A., Rajabi, M., Wainman, C., Mackie, S., McCabe, P., Camac, B., and Clarkson, C., 2021, History, geology, in situ stress pattern, gas content and permeability of coal seam gas basins in Australia: A review: Energies, v. 14, p. 1–37, doi:10.3390/en14092651.
- Sapiie, B., Rifiyanto, A., and Perdana, L.A., 2014, Cleats Analysis and CBM Potential of the Barito Basin, South Kalimantan, Indonesia: 76th EAGE Conference & Exhibition, v. 10653, p. 1–19.
- Schopf, J.M., 1956, A Definition of Coal: Economic Geology, v. 51, p. 521–527.
- Seidle, J.P., Jeansonne, M.W., and Erickson, D.J., 1992, Application of Matchstick



UNIVERSITAS
GADJAH MADA

**FAKTOR - FAKTOR YANG MEMPENGARUHI PEMBENTUKAN CLEAT PADA BATUBARA DAN
PENGARUHNYA TERHADAP
PERMEABILITAS RESERVOAR CBM PADA BATUBARA FORMASI GERMAN CREEK DAN RANGAL
COAL MEASURE, BOWEN
BASIN, QUEENSLAND, AUSTRALIA**

FADLI ROBBI A, Dr. Ir. Ferian Anggara, S.T., M.Eng., IPM; Dr. Sarju Winardi, S.T., M.T.

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>
Geometry To Stress Dependent Permeability in Coals: SPE Rocky Mountain
Regional Meeting, Casper, Wyoming, USA, p. 433–444.

- Senthamaraikkannan, G., Gates, I., and Prasad, V., 2016, Development of a multiscale microbial kinetics coupled gas transport model for the simulation of biogenic coalbed methane production: *Journal of Fuel*, v. 167, p. 188–198, doi:10.1016/j.fuel.2015.11.038.
- Slim, M.I., 2007, BOREHOLE-IMAGE LOG INTERPRETATION AND 3D FACIES MODELING IN THE MESAVERDE GROUP , GREATER NATURAL BUTTES FIELD , UNTA BASIN , UTAH: Colorado School of Mines, 273 p.
- Speight, J.G., 2006, Handbook of Coal Analysis (J. D. Winefordner, Ed.): Hoboken, New Jersey, John Wiley & Sons, Ltd, 92–96 p.
- Stone, R., and Snoeberger, D.F., 1977, Cleat Orientation and Areal Hydraulic Anisotropy of a Wyoming Coal Aquifer: *Journal of Ground Water*, v. 15, p. 434–438.
- Su, X., Feng, Y., Chen, J., and Pan, J., 2001, The characteristics and origins of cleat in coal from Western North China: *International Journal of Coal Geology*, v. 47, p. 51–62.
- Sunuhadi, D.N. et al., 2020, Neraca Sumber Daya dan Cadangan Mineral, Batubara, dan Panas Bumi Indonesia Tahun 2020: Bandung, Pusat Sumber Daya, Mineral, Batubara, dan Panas Bumi, 120 p.
- Tavener, E., Flottmann, T., and Brooke-Barnett, S., 2017, In situ stress distribution and mechanical stratigraphy in the Bowen and Surat basins, Queensland, Australia: Geological Society Special Publication, v. 458, p. 31–47, doi:10.1144/SP458.4.
- Teichmüller, M., 1989, The genesis of coal from the viewpoint of coal petrology: *International Journal of Coal Geology*, v. 12, p. 1–87, doi:10.1016/0166-5162(89)90047-5.
- Teichmüller, M., and Teichmüller, R., 1979, Diagenesis of coal (coalification): Developments in Sedimentology, v. 25, p. 207–246, doi:10.1016/S0070-4571(08)71074-4.
- Ting, F.. T.C., 1977, Origin and Spacing of Cleats in Coal Beds: *Journal of Pressure Vessel Technology*, v. 99, p. 624–626.
- USGS, 2003, Coal-Bed Gas Resources of the Rocky Mountain Region: v. 02, p. 2, <http://pubs.usgs.gov/fs/fs-158-02/FS-158-02.pdf>.
- Uysal, I.T., Glikson, M., Golding, S.D., and Audsley, F., 2000, The thermal history of the Bowen Basin, Queensland, Australia: Vitrinite reflectance and clay mineralogy of late Permian Coal Measures: *Tectonophysics*, v. 323, p. 105–129, doi:10.1016/S0040-1951(00)00098-6.
- Watton, T.I.M.J., Cannon, S., Brown, R.J., Jerram, D.A., and Waichel, B.L., 2014, Using formation micro-imaging , wireline logs and onshore analogues to distinguish volcanic lithofacies in boreholes : examples from Palaeogene successions in the Faroe – Shetland Basin , NE Atlantic: *The Geological Society of London*, v. 397, p. 173–192.
- Weniger, S., Weniger, P., and Littke, R., 2016, Characterizing coal cleats from optical measurements for CBM evaluation: *International Journal of Coal Geology*, v. 154–155, p. 176–192, doi:10.1016/j.coal.2015.12.005.
- Zhang, E., Hill, R.J., Katz, B.J., and Tang, Y., 2008, Modeling of gas generation from the Cameo coal zone in the Piceance Basin, Colorado: *American Association of Petroleum Geologists Bulletin*, v. 92, p. 1077–1106, doi:10.1306/04020806015.