



DAFTAR PUSTAKA

- Abdelaal, K.A., 2015. Effect of salicylic acid and abscisic acid on morpho-physiological and anatomical characters of faba bean plants (*Vicia faba* L.) under drought stress. *Journal of Plant Production*, 6(11):1771-1788.
- Afrianto, W.F., Tamnge, F. and Hasanah, L.N., 2020. A relation between ethnobotany and bioprospecting of edible flower Butterfly Pea (*Clitoria ternatea*) in Indonesia. *Asian Journal of Ethnobiology*, 3(2): 51-60.
- Afshari, M., Shekari, F., Azimkhani, R., Habibi, H. and Fotokian, M.H., 2013. Effects of foliar application of salicylic acid on growth and physiological attributes of cowpea under water stress conditions. *Iran Agricultural Research*, 32(1):55-70.
- Banu, K.S. and Cathrine, L., 2015. General techniques involved in phytochemical analysis. *International journal of advanced research in chemical science*, 2(4):25-32.
- Brukhin, V. and Morozova, N., 2011. Plant growth and development-basic knowledge and current views. *Mathematical Modelling of Natural Phenomena*, 6(2): 1-53.
- Casson, S. and Gray, J.E., 2008. Influence of environmental factors on stomatal development. *New phytologist*, 178(1): 9-23.
- Chandra, A., Anand, A. and Dubey, A., 2007. Effect of salicylic acid on morphological and biochemical attributes in cowpea. *Journal of Environmental Biology*, 28(2): 193-196.
- Chapagai, D.P., 2014. *Biochemical Characterization of SBIP-470 and its role in SA-mediated Signaling in Plants* (Doctoral dissertation, East Tennessee State University).
- Chen, M. and Blankenship, R. E. (2011). Expanding the solar spectrum used by photosynthesis. *Trends in Plant Science*. 16: 427-431.
- Dambreville, A., Lauri, P.E., Normand, F. and Guédon, Y., 2015. Analysing growth and development of plants jointly using developmental growth stages. *Annals of Botany*, 115(1): 93-105.
- Davies, P.J., 2010. The plant hormones: their nature, occurrence, and functions. In *Plant hormones*. Dordrecht: Springer. pp.1-15.



- Efendi, M.Y., 2016. Pengaruh Konsentrasi Asam Salisilat Terhadap Pertumbuhan Kacang Koro Pedang (*Canavalia Ensiformis* L) Di Tanah Ultisol (*Doctoral dissertation*, Universitas Pasir Pengaraian).
- Ghasemzadeh, A. & Jaafar, H.Z.E., 2012. Effect of salicylic acid application on biochemical changes in ginger (*Zingiber officinale* Roscoe). *Journal of Medicinal Plants Research*, 6: 790-795.
- Ghasemzadeh, A., Jaafar, H.Z., and Karimi, E., 2012. Involvement of salicylic acid on antioxidant and anticancer properties, anthocyanin production and chalcone synthase activity in ginger (*Zingiber officinale* Roscoe) varieties. *International Journal of Molecular Sciences*, 13(11): 14828-14844.
- Ghasemi, M., Babaeian Jelodar, N., Modarresi, M., Bagheri, N. and Jamali, A., 2016. Increase of Chamazulene and α -Bisabolol contents of the essential oil of german chamomile (*Matricaria chamomilla* L.) using salicylic acid treatments under normal and heat stress conditions. *Foods*, 5(3): 56.
- Gorni, P.H. and Pacheco, A.C., 2016. Growth promotion and elicitor activity of salicylic acid in *Achillea millefolium* L. *African Journal of Biotechnology*, 15(16): 657-665.
- Grambow, H.J., Langenbeck-Schwitz, B., 1983. The relationship between oxidase activity, hydrogen peroxide and phenolic compounds in the degradation of indole-3-acetic acid in vitro. *Planta*, 157: 131-137.
- Gupta, G.K., Chahal, J. and Bhatia, M., 2010. *Clitoria ternatea* (L.): Old and new aspects. *Journal of Pharmacy Research*, 3(11): 2610-4.
- Gutiérrez-Coronado, M. A., Trejo-López, C., & Larqué-Saavedra, A., 1998. Effects of salicylic acid on the growth of roots and shoots in soybean. *Plant Physiology and Biochemistry*, 36(8): 563–565.
- Ha, T.M., 2014. A review of plants' flowering physiology: the control of floral induction by juvenility, temperature and photoperiod in annual and ornamental crops. *Asian Journal of Agriculture and Food Sciences*, 2(3): 186-195.
- Harborne, J. B. 1987. *Metode Fitokimia: Penentuan Cara Modern Menganalisis Tumbuhan*. Bandung: Penerbit ITB.
- Hasan, M.A., Al-Taweel, S.K., Alamrani, H.A., Al-Naqeeb, M.A., Al-Baldawwi, M.H.K. and Hamza, J.H., 2018. Anatomical and physiological traits of broad bean (*Vicia*



faba L.) seedling affected by salicylic acid and salt stress. Indian Journal of Agricultural Research, 52(4): 368-373.

Hasanah, Y. and Sembiring, M., 2018. Role of elicitors in chlorophyll content and stomatal density of soybean cultivars by foliar application. *Journal of Agronomy*, 17(2): 112-117.

Hasson, A.S. and Abduljabbar, I.A., 2019. Review on the role of salicylic acid in plants. In *Sustainable Crop Production*. IntechOpen. pp. 1-6

Hayat, Q., Hayat, S., Irfan, M. and Ahmad, A., 2010. Effect of exogenous salicylic acid under changing environment: a review. Environmental and experimental botany, 68(1):14-25.

He, J. and Liang, Y.K., 2018. Stomata. In *eLS*. John Wiley & Sons Ltd. pp.1-8.

Hussain, K., Nawaz, K., Majeed, A., Ilyas, U., Lin, F., Ali, K. and Nisar, M.F., 2011. Role of exogenous salicylic acid applications for salt tolerance in violet. *Sarhad Journal of Agriculture*, 27(2): 171-175.

Hynninen, P.H. and Leppäkases, T.S., 2002. *The functions of chlorophylls in photosynthesis*. EOLSS: Oxford, UK, 5: 1-9.

Indarwati, L.D., Sulistyaningsih, E. and Kurniasih, B., 2021. Impact of salicylic acid and biosilica application on plant growth of shallot under water deficit. In *IOP Conference Series: Earth and Environmental Science* (Vol. 883, No. 1, p. 012049). IOP Publishing.

Janda, T., Szalai, G. and Pál, M., 2020. Salicylic acid signalling in plants. *International Journal of Molecular Science*, 21: 1-6

Javanmardi, J. and Akbari, N., 2016. Salicylic acid at different plant growth stages affects secondary metabolites and phisico-chemical parameters of greenhouse tomato. Advances in Horticultural Science, 30(3): 151-158.

Kabiri, R., Nasibi, F. and Farahbakhsh, H., 2014. Effect of exogenous salicylic acid on some physiological parameters and alleviation of drought stress in *Nigella sativa* plant under hydroponic culture. *Plant Protection Science*, 50(1): 43-51.

Karel, A., Kumar, H. and Chowdhary, B., 2018. *Clitoria ternatea* L. a miraculous plant. *International Journal of Current Microbiology and Applied Sciences*, 7(9): 1-4.



- Khan, M.I.R., Jahan, B., Al-Ajmi, M.F., Rehman, M.T., Iqbal, N., Irfan, M., Sehar, Z. and Khan, N.A., 2021. Crosstalk of plant growth regulators protects photosynthetic performance from arsenic damage by modulating defense systems in rice. *Ecotoxicology and Environmental Safety*, 222: 112535.
- Khoo, H.E., Azlan, A., Tang, S.T. and Lim, S.M., 2017. Anthocyanidins and anthocyanins: colored pigments as food, pharmaceutical ingredients, and the potential health benefits. *Food & nutrition research*, 61(1): 1361779.
- Kim, Y.H., Hamayun, M., Khan, A.L., Na, C.I., Kang, S.M., Han, H.H., and Lee, I.J., 2009. Exogenous application of plant growth regulators increased the total flavonoid content in *Taraxacum officinale* (Wigg). *African Journal of Biotechnology*, 8: 5727-5732.
- Koelewijn, H.P., 2004. Rapid change in relative growth rate between the vegetative and reproductive stage of the life cycle in *Plantago coronopus*. *New phytologist*, 163(1): 67-76.
- Koo, Y.M., Heo, A.Y. and Choi, H.W., 2020. Salicylic acid as a safe plant protector and growth regulator. *The plant pathology journal*, 36(1): PMC7012573
- Krisna, W.A., 2020. 'Pengaruh Paklobutrazol Terhadap Pertumbuhan, Perkembangan dan Kandungan Fitokimia pada Tanaman Telang (*Clitoria ternatea L.*)', Skripsi Sarjana Sains, Fakultas Biologi Universitas Gadjah Mada, Yogyakarta.
- Krizek, B.A. and Anderson, J.T., 2013. Control of flower size. *Journal of Experimental Botany*, 64(6): 1427-1437.
- Kumar, P., Dube, S.D., Chauhan, V.S., 1999. Effect of salicylic acid on growth, development and some biochemical aspects of soybean (*Glycine max* L. Merrill). Ind. *Journal of Plant Physiology*. 4: 327–330.
- Kusrini, E. and Tristantini, D., 2017. Uji aktivitas ekstrak bunga telang (*Clitoria ternatea L.*) sebagai agen anti-katarak. *Jurnal Jamu Indonesia*, 2(1): 30-36.
- Kwartiningsih, E., Ramadhani, A.N., Putri, N.G.A. and Damara, V.C.J., 2021. Chlorophyll Extraction Methods Review and Chlorophyll Stability of Katuk Leaves (*Sauvagesia androgynous*). *Journal of Physics: Conference Series*, 1858(1): 012015.
- Lakshan, S.A.T., Pathirana, C.K., Jayanath, N.Y., Abeysekara, W.P.K.M. and Abeysekara, W.K.S.M., 2020. Antioxidant and selected chemical properties of the



- flowers of three different varieties of Butterfly Pea (*Clitoria ternatea* L.). *Ceylon Journal of Science*, 49(2): 195-201.
- Larqué-Saavedra, A., & Martin-Mex, R. 2007. Effects of Salicylic Acid on the Bioproductivity of Plants. In S. Hayat and A. Ahmad (eds.), *Salicylic Acid – A Plant Hormone*. Dordrecht: Springer. pp.15–23.
- Lefevere, H., Bauters, L. and Gheysen, G., 2020. Salicylic acid biosynthesis in plants. *Frontiers in plant science*, 11: 338.
- Lestari, E.G., 2006. Hubungan antara kerapatan stomata dengan ketahanan kekeringan pada somaklon padi Gajahmungkur, Towuti, dan IR 64. *Biodiversitas*, 7(1): 44-48.
- Li, A., Sun, X. and Liu, L., 2022. Action of Salicylic Acid on Plant Growth. *Frontiers in Plant Science*, 13: 878076
- Liu, Y., Tikhonov, Y., Schouten, R.E., Marcelis, L.F., Visser, R.G. and Bovy, A., 2018. Anthocyanin biosynthesis and degradation mechanisms in Solanaceous vegetables: a review. *Frontiers in Chemistry*, 6: 52.
- Mallik, M., Bommesh, J.C., Deepak, K. and Shashikumara, P., 2018. Flowering Control Mechanisms in Plants and Its Importance in Crop Production and Breeding. *International Journal of Pure & Applied Bioscience*, 6: 1033-1038.
- Mangena, P., 2018. Water stress: morphological and anatomical changes in soybean (*Glycine max* L.) plants. *Plant, abiotic stress and responses to climate change*, pp.9-31.
- Manjula, P., Mohan, C.H., Sreekanth, D., Keerthi, B. and Devi, B.P., 2013. Phytochemical analysis of *Clitoria ternatea* Linn., a valuable medicinal plant. *The Journal of Indian Botanical Society*, 92(3-4): 173-178.
- Marpaung, A.M., 2020. Tinjauan manfaat bunga telang (*Clitoria ternatea* L.) bagi kesehatan manusia. *Journal of Functional Food and Nutraceutical*: 63-85.
- More, P.M. and Hake, K.R., 2019. Medicinal importance of *Clitoria ternatea*. *International Journal of Applied Research 2019*, 5(11): 222-225.
- Nassour, R., Ayash, A. and Al-Tameemi, K., 2020. Anthocyanin pigments: Structure and biological importance. *Journal of Chemical and Pharmaceutical Science*, 13: 45-57.
- Nurtjahjaningsih, I.L.G., Sulistyawati, P., Widyatmoko, A.Y.P.B.C. and Rimbawanto, A., 2012. Karakteristik pembungaan dan sistem perkawinan nyamplung (*Calophyllum*



- inophyllum*) pada hutan tanaman di Watusipat, Gunung Kidul. *Jurnal Pemuliaan Tanaman Hutan*, 6(2): 65-78.
- Oguis, G.K., Gilding, E.K., Jackson, M.A. and Craik, D.J., 2019. Butterfly pea (*Clitoria ternatea* L.), a cyclotide-bearing plant with applications in agriculture and medicine. *Frontiers in plant science*, 10: 645.
- Pacheco, A.C., da Silva Cabral, C., da Silva Fermino, E.S. and Aleman, C.C., 2013. Salicylic acid-induced changes to growth, flowering and flavonoids production in marigold plants. *Journal of Medicinal Plants Research*, 7(42): 3158-3163.
- Pareek, S., Sagar, N.A., Sharma, S., Kumar, V., Agarwal, T., González-Aguilar, G.A. and Yahia, E.M., 2017. Chlorophylls: Chemistry and biological functions. *Fruit and Vegetable Phytochemicals*, 29: 269-284.
- Pervaiz, T., Songtao, J., Faghihi, F., Haider, M.S. and Fang, J., 2017. Naturally occurring anthocyanin, structure, functions and biosynthetic pathway in fruit plants. *Journal of Plant Biochemistry and Physiology*, 5(2): 1-9.
- Poudel, S. and Subedi, N., 2020. Effect of Foliar Application of Salicylic Acid in Marigold. *Acta Scientific Agriculture*, 4(12): 03-06.
- Prins, C.L., Vieira, I.J. and Freitas, S.P., 2010. Growth regulators and essential oil production. *Brazilian Journal of Plant Physiology*, 22: 91-102.
- Rivas-San Vicente, M. and Plasencia, J., 2011. Salicylic acid beyond defence: its role in plant growth and development. *Journal of experimental botany*, 62(10): 3321-3338.
- Silasahi, M., 2020. *Clitoria ternatea* L. Fabaceae, In: F. M. Franco (ed.), *Ethnobotany of the Mountain Regions of Southeast Asia*. Switzerland: Springer Nature, pp.1-7.
- Sitompul, S.M., dan B. Guritno. 1995. Analisa Pertumbuhan Tanaman. Yogyakarta: Gadjah Mada University Press. *Jurnal Biodiversitas*, 7(1): 44-48
- Srivastava, M.K. and Dwivedi, U.N., 2000. Delayed ripening of banana fruit by salicylic acid. *Plant Science*. 158: 87–96
- Suarna, I.W. and Wijaya, I.M.S., 2021. Butterfly Pea (*Clitoria ternatea* L.: Fabaceae) and Its Morphological Variations in Bali. *Journal of Tropical Biodiversity and Biotechnology*, 6(2): 63013.
- Sutedi, E., 2013. Potensi kembang telang (*Clitoria ternatea*) sebagai tanaman pakan ternak. *Wartazoa*, 23(2); 51-62.



- Suzery, M., S. Lestari, B. Cahyono. 2010. Penentuan Total Antosianin dari Kelopak Bunga Rosela (*Hibiscus sabdariffa* L.) dengan Metode Maserasi dan Sokshletasi. *Jurnal Sains & Matematika*, 18(1): 1-6
- Van Cothem, W.R.J., 1970. A classification of stomatal types. *Botanical Journal of the Linnean Society*, 63(3): 235-246.
- Vankar, P.S. and Srivastava, J., 2010. Evaluation of anthocyanin content in red and blue flowers. *International Journal of Food Engineering*, 6(4): 1-11
- Vatén, A. and Bergmann, D.C., 2012. Mechanisms of stomatal development: an evolutionary view. *EvoDevo*, 3(1): 1-9.
- Wang, H., Wang, W., Huang, W. and Xu, H., 2017. Effect of salicylic acid on the gene transcript and protein accumulation of flavonoid biosynthesis-related enzymes in *Vitis vinifera* cell suspension cultures. *HortScience*, 52(12):1772-1779.
- Wartikasari, W., 2019. ‘Pengaruh Paklobutrazol Terhadap Pertumbuhan dan Pembungaan Bunga Telang (*Clitoria ternatea* L.)’, Skripsi Sarjana Sains, Fakultas Biologi Universitas Gadjah Mada, Yogyakarta
- Wiyantoko, B., 2020. Butterfly Pea (*Clitoria Ternatea* L.) Extract as Indicator of Acid-Base Titration. *Indonesian Journal of Chemical Analysis (IJCA)*, 3(1): 22-32.
- Yan, B., Hou, J., Cui, J., He, C., Li, W., Chen, X., Li, M. and Wang, W., 2019. The effects of endogenous hormones on the flowering and fruiting of *Glycyrrhiza uralensis*. *Plants*, 8(11): 519.
- Yusuf, M., Hayat, S., Alyemeni, M.N., Fariduddin, Q. and Ahmad, A., 2013. Salicylic acid: physiological roles in plants. In *Salicylic acid*. Dordrecht: Springer. pp. 15-30.
- Zeb, A., Ullah, F., Gul, S.L., Khan, M., Zainub, B., Khan, M.N., and Amin, N., 2017. Influence of Salicylic Acid on Growth and Flowering of *Zinnia elegans* Cultivars. *Science International (Lahore)*, 29(6): 1329-1335.
- Zhao, Z., Yan, H., Zheng, R., Saeed, K.M., Fu, X., Tao, Z., Zhang, Z., 2018. Anthocyanin’s characterization and antioxidant activities of sugarcane (*Saccharum officinarum* L.) rind extracts. *Industrial Crops and Products*, 113: 38-45.