



DAFTAR PUSTAKA

- Abalde, J., Fabregas, J. and Herrero, C., 1991. β -Carotene, vitamin C and vitamin E content of the marine microalga *Dunaliella tertiolecta* cultured with different nitrogen sources. *Bioresource Technology*, 38(2-3), pp.121-125.
- Acquah, C., Tibbetts, S.M., Pan, S. and Udenigwe, C., 2020. Nutritional quality and bioactive properties of proteins and peptides from microalgae. In *Handbook of Microalgae-Based Processes and Products* (pp. 493-531). Academic Press.
- Aliyeh, A., Napoleon, A.N.A. and Yudono, B., 2015. Pemanfaatan limbah cair industri tahu sebagai pupuk cair organik terhadap pertumbuhan dan produksi tanaman kangkung darat (*Ipomoea reptans Poir*). *Jurnal penelitian sains*, 17(3).
- Alkayal, F., Albion, R.L., Tillett, R.L., Hathwaik, L.T., Lemos, M.S. and Cushman, J.C., 2010. Expressed sequence tag (EST) profiling in hyper saline shocked *Dunaliella salina* reveals high expression of protein synthetic apparatus components. *Plant Science*, 179(5): 437-449.
- Apriati, D., 2021. Kadar Klorofil *Chlorella pyrenoidosa* dalam Berbagai Konsentrasi Limbah Cair Tahu. *UNBARA Environmental Engineering Journal (UEEJ)*, 1(02): 1-8.
- Aulia, M., Istirokhatun, T. and Sudarno, S., 2017. Penyisihan Kadar Cod Dan Nitrat Melaluikultivasi *Chlorella SP.* dengan Variasi Konsentrasi Limbah Cair Tahu *Doctoral dissertation, Diponegoro University*.
- Azachi, M., Sadka, A., Fisher, M., Goldshlag, P., Gokhman, I. and Zamir, A., 2002. Salt induction of fatty acid elongase and membrane lipid modifications in the extreme halotolerant alga *Dunaliella salina*. *Plant physiology*, 129(3): 1320-1329.
- Barbarino, E. and Lourenço, S.O., 2005. An evaluation of methods for extraction and quantification of protein from marine macro-and microalgae. *Journal of Applied Phycology*, 17(5): 447-460.
- Barka, A. and Blecker, C., 2016. Microalgae as a potential source of single-cell proteins. A review. *Biotechnologie, Agronomie, Société et Environnement*, 20(3): 427-436.
- Barsanti, L., Vismara, R., Passarelli, V. and Gualtieri, P., 2001. Paramylon (β -1, 3-glucan) content in wild type and WZSL mutant of *Euglena gracilis* Effects of growth conditions. *Journal of applied phycology*, 13(1): 59-65.



BeMiller, J.N., 2007. Carbohydrate Chemistry for Food Scientists. St. Paul: AACC International.

BeMiller, J.N., 2010. Carbohydrate analysis. In *Food analysis*: 147-177 Springer, Boston, MA.

Berges, J.A., Fisher, A.E. and Harrison, P.J., 1993. A comparison of Lowry, Bradford and Smith protein assays using different protein standards and protein isolated from the marine diatom *Thalassiosira pseudonana*. *Marine Biology*, 115(2): 187-193.

Bi, Z. and He, B., 2020. *Biodiesel from microalgae*. pp. 329-371 In *Handbook of microalgae-Based Processes and Products*. Academic Press.

Bligh, E.G. and Dyer, W.J., 1959. A rapid method of total lipid extraction and purification. *Canadian journal of biochemistry and physiology*, 37(8): 911-917.

Bradford, M.M. 1976. A rapid and sensitive method for the estimation of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal. Biochem.* 72: 248-254.

Brown, M.R., 1991. The amino-acid and sugar composition of 16 species of microalgae used in mariculture. *Journal of experimental marine biology and ecology*, 145(1): 79-99.

Budzianowski, W.M., 2017. High-value low-volume bioproducts coupled to bioenergies with potential to enhance business development of sustainable biorefineries. *Renewable and Sustainable Energy Reviews*, 70, pp.793-804.

Buyssse, J.A.N. and Merckx, R., 1993. An improved colorimetric method to quantify sugar content of plant tissue. *Journal of Experimental Botany*, 44(10): 1627-1629.

Chae, S.R., Hwang, E.J. and Shin, H.S., 2006. Single cell protein production of *Euglena gracilis* and carbon dioxide fixation in an innovative photo-bioreactor. *Bioresource technology*, 97(2): 322-329.

Chen, C.Y., Kuo, E.W., Nagarajan, D., Ho, S.H., Dong, C.D., Lee, D.J. and Chang, J.S., 2020. Cultivating Chlorella sorokiniana AK-1 with swine wastewater for simultaneous wastewater treatment and algal biomass production. *Bioresource technology*, 302: 122814.

Chisti, Y., 2007. Biodiesel from microalgae. *Biotechnology advances*, 25(3): 294-306.



- Choudhary, A.R., Karmakar, R., Kundu, K. and Dahake, V.R., 2011. "Algal" biodiesel: future prospects and problems. *Water and Energy International*, 68(11): 44-51.
- Chronakis, I.S., 2001. Gelation of edible blue-green algae protein isolate (*Spirulina platensis strain pacifica*): thermal transitions, rheological properties, and molecular forces involved. *Journal of agricultural and food chemistry*, 49(2): 888-898.
- Clayton Jr, J.R., Dortch, Q., Thoresen, S.S. and Ahmed, S.I., 1988. Evaluation of methods for the separation and analysis of proteins and free amino acids in phytoplankton samples. *Journal of Plankton Research*, 10(3): 341-358.
- Compton, S.J. and Jones, C.G., 1985. Mechanism of dye response and interference in the Bradford protein assay. *Analytical biochemistry*, 151(2): 369-374.
- Crawford, D.L. ed., 1996. *Bioremediation: principles and applications* (No. 6). New York: Cambridge University Press.
- Crossman, D.J., Clements, K.D. and Cooper, G.J.S., 2000. Determination of protein for studies of marine herbivory: a comparison of methods. *Journal of Experimental Marine Biology and Ecology*, 244(1): 45-65.
- Dismukes, G.C., Carrieri, D., Bennette, N., Ananyev, G.M. and Posewitz, M.C., 2008. Aquatic phototrophs: efficient alternatives to land-based crops for biofuels. *Current opinion in biotechnology*, 19(3): 235-240.
- Edhy, W.A., Pribadi, J., & Kurniawan. 2003. Plankton di lingkungan PT. Central Pertiwi Bahari suatu pendekatan biologi dan manajemen plankton dalam budidaya udang. *Laboratorium Central Department Aquaculture*. PT. Central Pertiwi Bahari.
- Elloumi, W., Jebali, A., Maalej, A., Chamkha, M. and Sayadi, S., 2020. Effect of Mild Salinity Stress on the Growth, Fatty Acid and Carotenoid Compositions, and Biological Activities of the Thermal Freshwater Microalgae *Scenedesmus* sp. *Biomolecules*, 10(11): 1515.
- Elystia, S., Lestari, A.S. and Muria, S.R., Peningkatan kandungan lipid dan biomassa mikroalga *scenedesmus* sp. Dari media kultivasi limbah cair tahu sebagai bahan baku biodiesel. *Jukung (Jurnal Teknik Lingkungan)*, 5(2).
- Eze, J.M.O. and Dumbroff, E.B., 1982. A comparison of the Bradford and Lowry methods for the analysis of protein in chlorophyllous tissue. *Canadian Journal of Botany*, 60(7): 1046-1049.



- Gockel, G. and Hachtel, W., 2000. Complete gene map of the plastid genome of the nonphotosynthetic euglenoid flagellate *Astasia longa*. *Protist*, 151(4): 347-351.
- Green, A.G., 2004. From alpha to omega—producing essential fatty acids in plants. *Nature biotechnology*, 22(6): 680-682.
- Hanief, S., Prasakti, L., Pradana, Y.S., Cahyono, R.B. and Budiman, A., 2020. Growth kinetic of *Botryococcus braunii* microalgae using logistic and gompertz models. In *AIP Conference Proceedings* Vol. 2296, No. 1: 020065. AIP Publishing LLC.
- Hariskos, I. and Posten, C., 2014. Biorefinery of microalgae—opportunities and constraints for different production scenarios. *Biotechnology Journal*, 9(6): 739-752.
- Hayashi, M., Toda, K., Misawa, Y. and Kitaoka, S., 1993. Preparation of *Euglena gracilis* enriched with eicosapentaenoic and docosahexaenoic acids. *Aquaculture Science*, 41(2): 169-176.
- Henchion, M., Hayes, M., Mullen, A.M., Fenelon, M. and Tiwari, B., 2017. Future protein supply and demand: strategies and factors influencing a sustainable equilibrium. *Foods*, 6(7): 53.
- Höfler, K. and Höfler, L., 1952. Osmoseverhalten und Nekroseformen von *Euglena*. *Protoplasma*, 41(1): 76-102.
- Hoque, M.S., Benjakul, S. and Prodpran, T., 2010. Effect of heat treatment of film-forming solution on the properties of film from cuttlefish (*Sepia pharaonis*) skin gelatin. *Journal of Food Engineering*, 96(1): 66-73.
- Husna, F., Rachmawati, B., Samudra, T.T., Pradana, Y.S., Budiman, A. and Suyono, E.A., 2020, September. Effectivity of various media for biomass and lipid production of *mixed culture of Glagah* in open pond. In *AIP Conference Proceedings* Vol. 2260, No. 1: 040017. AIP Publishing LLC.
- Ilavarasi, A., Pandiaraj, D., Mubarakali, D., Ilyas, M.H. and Thajuddin, N., 2012. Evaluation of efficient extraction methods for recovery of photosynthetic pigments from microalgae. *Pakistan Journal of Biological Sciences: PJBS*, 15(18): 883-888.
- Istirokhatun, T., Aulia, M. and Utomo, S., 2017. Potensi *Chlorella* Sp. untuk Menyisihkan COD dan Nitrat dalam Limbah Cair Tahu. *Jurnal Presipitasi: Media Komunikasi dan Pengembangan Teknik Lingkungan*, 14(2), pp.88-96.



- Kaswinarni, F., 2007. Kajian Teknis Pengolahan Limbah Padat dan Cair Industri Tahu Studi Kasus Industri Tahu Tandang Semarang, *Doctoral dissertation*, Program Pasca Sarjana Universitas Diponegoro.
- Kiss, J.Z., Roberts, E.M., Brown, R.M. and Triemer, R.E., 1987. X-ray and dissolution studies of paramylon storage granules from Euglena. *Protoplasma*, 146(2): 150-156.
- Komarawidjaja, W., 2016. Kajian Pemanfaatan Limbah Padat Industri Pengolahan Rumput Laut Sebagai Media Kultur Mikroalga *Chlorella* sp. *Jurnal Teknologi Lingkungan*, 12(3): 241-250.
- Kottuparambil, S., Thankamony, R.L. and Agusti, S., 2019. *Euglena* as a potential natural source of value-added metabolites. A review. *Algal research*, 37: 154-159.
- Koyande, A.K., Chew, K.W., Rambabu, K., Tao, Y., Chu, D.T. and Show, P.L., 2019. Microalgae: A potential alternative to health supplementation for humans. *Food Science and Human Wellness*, 8(1): 16-24.
- Krajčovič, J., Vesteg, M. and Schwartzbach, S.D., 2015. Euglenoid flagellates: a multifaceted biotechnology platform. *Journal of Biotechnology*, 202: 135-145.
- Lam, M.K., Yusoff, M.I., Uemura, Y., Lim, J.W., Khoo, C.G., Lee, K.T. and Ong, H.C., 2017. Cultivation of *Chlorella vulgaris* using nutrients source from domestic wastewater for biodiesel production: Growth condition and kinetic studies. *Renewable Energy*, 103, pp.197-207.
- Laurens, L.M., Chen-Glasser, M. and McMillan, J.D., 2017. A perspective on renewable bioenergy from photosynthetic algae as feedstock for biofuels and bioproducts. *Algal Research*, 24: 261-264.
- Levina, E., 2016. Biogas from tofu waste for combating fuel crisis and Environmental damage in indonesia. *Apec youth scientist journal*, 8(1): 16-21.
- Liu, J., Sun, Z. and Gerken, H., 2014. Recent advances in microalgal biotechnology. *Potential applications of microalgae in wastewater treatments*. Published by OMICS Group eBooks, USA.
- Lowry, O.H., Rosebrough, N.J., Farr, A.L., and Randall, R.J. 1951. Protein measurement with the Folin phenol reagent. *J. Biol. Chem.* 193:265-275.
- Mahapatra, D.M., Chanakya, H.N. and Ramachandra, T.V., 2013. *Euglena* sp. as a suitable source of lipids for potential use as biofuel and sustainable wastewater treatment. *Journal of Applied Phycology*, 25(3): 855-865.



- Margarites, A.C., Volpato, N., Araújo, E., Cardoso, L.G., Bertolin, T.E., Colla, L.M. and Costa, J.A.V., 2017. *Spirulina platensis* is more efficient than *Chlorella homosphaera* in carbohydrate productivity. *Environmental technology*, 38(17): 2209-2216.
- McNeil, S.D., Nuccio, M.L. and Hanson, A.D., 1999. Betaines and related osmoprotectants. Targets for metabolic engineering of stress resistance. *Plant Physiology*, 120(4): 945-949.
- Merola, A. and Gambardella, R.C.P.D.R., A. Musacchio and R. Taddei. 1981. Revision of *Cyanidium caldarium*. Three species of acidophilic algae. *Giornale Botanico Italiano*, 115: 189-195.
- Mulyadi, A., 1999. Pertumbuhan dan Daya Serap Nutrien dari Mikroalga *Dunalilella tertiolecta* yang Dipelihara pada Limbah Domestik. *Jurnal Natur*, 11(1): 65-68.
- Nguyen, R.T. and Harvey, H.R., 1994. A rapid micro-scale method for the extraction and analysis of protein in marine samples. *Marine Chemistry*, 45(1-2): 1-14.
- O'Neill, E.C., Trick, M., Henrissat, B. and Field, R.A., 2015. *Euglena* sp. in time: Evolution, control of central metabolic processes and multi-domain proteins in carbohydrate and natural product biochemistry. *Perspectives in Science*, 6: 84-93.
- Olgún, E.J., 2003. Phycoremediation: key issues for cost-effective nutrient removal processes. *Biotechnology advances*, 22(1-2): 81-91.
- O'neill, E.C., Trick, M., Hill, L., Rejzek, M., Dusi, R.G., Hamilton, C.J., Zimba, P.V., Henrissat, B. and Field, R.A., 2015. The transcriptome of *Euglena gracilis* reveals unexpected metabolic capabilities for carbohydrate and natural product biochemistry. *Molecular BioSystems*, 11(10): 2808-2820.
- Pancha, I., Chokshi, K., Maurya, R., Trivedi, K., Patidar, S.K., Ghosh, A. and Mishra, S., 2015. Salinity induced oxidative stress enhanced biofuel production potential of microalgae *Scenedesmus* sp. CCNM 1077. *Bioresource Technology*, 189: 341-348.
- Pandit, P.R., Fulekar, M.H. and Karuna, M.S.L., 2017. Effect of salinity stress on growth, lipid productivity, fatty acid composition, and biodiesel properties in *Acutodesmus obliquus* and *Chlorella vulgaris*. *Environmental Science and Pollution Research*, 24(15): 13437-13451.



- Parimi, N.S., Singh, M., Kastner, J.R., Das, K.C., Forsberg, L.S. and Azadi, P., 2015. Optimization of protein extraction from *Spirulina platensis* to generate a potential co-product and a biofuel feedstock with reduced nitrogen content. *Frontiers in Energy Research*, 3: 30.
- Patias, L.D., Fernandes, A.S., Petry, F.C., Mercadante, A.Z., Jacob-Lopes, E. and Zepka, L.Q., 2017. Carotenoid profile of three microalgae/cyanobacteria species with peroxyl radical scavenger capacity. *Food research international*, 100: 260-266.
- Patil, R.A., Kausley, S.B., Joshi, S.M. and Pandit, A.B., 2020. *Process intensification applied to microalgae-based processes and products*. In *Handbook of microalgae-Based Processes and Products* (pp. 737-769). Academic Press.
- Pavlečić, M., Crnić, D., Jurković, E., Šantek, M.I., Rezić, T. and Šantek, B., 2018. Heterotrophic cultivation of *Euglena gracilis* on chemically pretreated media. *Brazilian Journal of Chemical Engineering*, 35: 19-26.
- Pellarin, I., Dall'Acqua, A., Gambelli, A., Pellizzari, I., D'Andrea, S., Sonego, M., Baldassarre, G. 2020. Splicing factor proline-and glutamine-rich (SFPQ) protein regulates platinum response in ovarian cancer-modulating SRSF2 activity. *Oncogene*, 39(22): 4390-4403.
- Phukoethphim, N., Salakkam, A., Laopaiboon, P. and Laopaiboon, L., 2017. Kinetic models for batch ethanol production from sweet sorghum juice under normal and high gravity fermentations: Logistic and modified Gompertz models. *Journal of Biotechnology*, 243: 69-75.
- Prayitno, J., 2016. Pola pertumbuhan dan pemanenan biomassa dalam fotobioreaktor mikroalga untuk penangkapan karbon. *Jurnal Teknologi Lingkungan*, 17(1): 45-52.
- Prihantini, N., Rachmayanti, W. and Wardhana, W., 2007. Pengaruh Variasi Fotoperiodisitas terhadap Pertumbuhan *Chlorella* dalam Medium Basal Bold. *Biota: Jurnal Ilmiah Ilmu-Ilmu Hayati*: 32-39.
- Ramsay, I.R. and Pullammanappallil, P.C., 2001. Protein degradation during anaerobic wastewater treatment: derivation of stoichiometry. *Biodegradation*, 12(4): 247-256.
- Rezayan, M., Niknam, V., and Ebrahimzadeh, H. 2019. Oxidative damage and antioxidative system in algae. *Toxicol Rep.* 24(6): 1311.



Richter P., 2000, Untersuchungen zur Gravitaxis (in German). *Dissertation at the Friedrich-Alexander University Erlangen, Germany.*

Richter, P., Börnig, A., Streb, C., Ntefidou, M., Lebert, M. and Häder, D.P., 2003. Effects of increased salinity on gravitaxis in *Euglena gracilis*. *Journal of plant physiology*, 160(6): 651-656.

Rizkytata, B.T., Gumelar, M.T. and Abdullah, T.H., 2014. Industrial tofu wastewater as a cultivation medium of microalgae *Chlorella vulgaris*. *Energy Procedia*, 47: 56-61

Rodriguez-Amaya, D. B., 2015. Food carotenoids: chemistry, biology and technology. John Wiley & Sons.

Rossiana, N., 2006. Uji toksisitas limbah cair tahu sumedang terhadap reproduksi *daphnia carinata king*. *Jurnal Biologi Jurusan Biologi Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Padjadjaran*: Bandung.

Ruhmawati, T. Sukandar, D. Karmini, M., Roni S. R. 2017. Penurunan kadar total suspended solid (TSS) air limbah pabrik tahu dengan metode fitoremediasi. *Jurnal Permukiman* Vol. 12 No. 1: 25-32.

Salim, M.A., 2013. Penggunaan limbah cair tahu untuk meningkatkan pertumbuhan dan produksi biodiesel dari mikroalga *Scenedesmus* sp. *Jurnal Istek*, 7(1).

Sally, S., Budianto, Y.P., Hakim, M.W.K. and El Kiyat, W., 2019. Potensi Pemanfaatan Limbah Cair Tahu Menjadi Biogas Untuk Skala Industri Rumah Tangga Di Provinsi Banten. *Agrointek: Jurnal Teknologi Industri Pertanian*, 13(1): 43-53.

Santoso, O.A., 2021. Pengaruh Limbah Cair Tahu Dengan Penambahan Aktivator Em4 Terhadap Pertumbuhan Jamur Tiram Putih (*Pleurotus ostreatus*) Sebagai Sumber Belajar Biologi, Doctoral dissertation, Universitas Muhammadiyah Malang.

Schmitt, C., Sanchez, C., Desobry-Banon, S. and Hardy, J., 1998. Structure and technofunctional properties of protein-polysaccharide complexes: a review. *Critical reviews in food science and nutrition*, 38(8): 689-753.

Shah, S.M.U., Che Radziah, C., Ibrahim, S., Latiff, F., Othman, M.F. and Abdullah, M.A., 2014. Effects of photoperiod, salinity and pH on cell growth and lipid content of *Pavlova lutheri*. *Annals of microbiology*, 64(1): 157-164.

Shalaby, E., 2011. Algae as promising organisms for environment and health. *Plant signaling & behavior*, 6(9): 1338-1350.



Shanab, S.M., Shalaby, E.A. and El-Fayoumy, E.A., 2011. *Enteromorpha compressa* exhibits potent antioxidant activity. *Journal of biomedicine and Biotechnology*.

Singh, R., Parihar, P., Singh, M., Bajguz, A., Kumar, J., Singh, S., Singh, V.P. and Prasad, S.M., 2017. Uncovering potential applications of cyanobacteria and algal metabolites in biology, agriculture and medicine: current status and future prospects. *Frontiers in microbiology*, 8: 515.

Slocombe, S.P., Ross, M., Thomas, N., McNeill, S. and Stanley, M.S., 2013. A rapid and general method for measurement of protein in micro-algal biomass. *Bioresource technology*, 129: 51-57.

Soeprobawati, T. R., 1996. Phytoplankton communities in South Creek, New South Wales, Australia. *Thesis University of Western Sydney-Hawkesbury*. Australia.

Stoscheck, C.M., 1990. Quantitation of protein. In *Methods in enzymology*. Vol. 182. Academic Press p. 50-68.

Suarez Ruiz, C.A., Emmery, D.P., Wijffels, R.H., Eppink, M.H. and van den Berg, C., 2018. Selective and mild fractionation of microalgal proteins and pigments using aqueous two-phase systems. *Journal of Chemical Technology & Biotechnology*, 93(9): 2774-2783.

Suyono, E.A., Haryadi, W., Zusron, M., Nuhamunada, M., Rahayu, S. and Nugroho, A.P., 2015. The effect of salinity on growth, dry weight and lipid content of the mixed microalgae culture isolated from *Glagah* as biodiesel substrate. *J. Life Sci* , : .229-233.

Syaichurrozi, I. and Jayanudin, J., 2017. Effect of Tofu Wastewater Addition on the Growth and Carbohydrate-Protein-Lipid Content of *Spirulina platensis*. *International Journal of Engineering*, 30(11): 1631-1638.

Takagi, M. and Yoshida, T., 2006. Effect of salt concentration on intracellular accumulation of lipids and triacylglyceride in marine microalgae Dunaliella cells. *Journal of bioscience and bioengineering*, 101(3): 223-226.

Talebi, A.F., Tabatabaei, M., Mohtashami, S.K., Tohidfar, M. And Moradi, F., 2013. Comparative salt stress study on intracellular ion concentration in marine and salt-adapted freshwater strains of mikroalga. *Notulae scientia biologicae*, 5(3): 309-315.

Tan, C.H., Show, P.L., Chang, J.S., Ling, T.C. and Lan, J.C.W., 2015. Novel approaches of producing bioenergies from microalgae: A recent review. *Biotechnology Advances*, 33(6), pp.1219-1227.



- Tan, K. M., & Kassim, M. A., 2020. Growth, carbohydrate productivity and growth kinetic study of *halochlorella rubescens* cultivated under co2-rich conditions. *Malaysian Applied Biology*, 49(1): 1-11
- Tan, X., Zhu, J. and Wakisaka, M., 2020. Effect of protocatechuic acid on *Euglena gracilis* growth and accumulation of metabolites. *Sustainability*, 12(21): 9158.
- Thohuroh, M., Harisuseno, D. and Sayekti, R.W., 2015. Studi Perencanaan Instalasi Pengolahan Air Limbah (IPAL) Pabrik Tahu “3 Saudara” Malang dengan Kombinasi Biofilter Anaerobik–Aerobik.
- Uslu, L., İçik, O., Koç, K. and Göksan, T., 2011. The effects of nitrogen deficiencies on the lipid and protein contents of *Spirulina platensis*. *African Journal of Biotechnology*, 10(3): 386-389.
- Vadlamani, A., Viamajala, S., Pendyala, B. and Varanasi, S., 2017. Cultivation of microalgae at extreme alkaline pH conditions: a novel approach for biofuel production. *ACS Sustainable Chemistry & Engineering*, 5(8): 7284-7294.
- Waldenstedt, L., Inbörre, J., Hansson, I. and Elwinger, K., 2003. Effects of astaxanthin-rich algal meal (*Haematococcus pluvialis*) on growth performance, caecal campylobacter and clostridial counts and tissue astaxanthin concentration of broiler chickens. *Animal Feed Science and Technology*, 108(1-4), pp.119-132.
- Wang B., Li Y, Wu N, Lan C.Q. 2008 CO₂ Bio-mitigation Using Mikroalga *Journal Applied Microbiology Biotechnology*, 79.
- Wang, A., Yan, K., Chu, D., Nazer, M., Lin, N.T., Samaranayake, E. and Chang, J., 2020. Microalgae as a mainstream food ingredient: demand and supply perspective. In Microalgae biotechnology for food, health and high value products : 29-79. Springer, Singapore.
- Wang, S.K., Wang, X., Miao, J. and Tian, Y.T., 2018. Tofu whey wastewater is a promising basal medium for microalgae culture. *Bioresource technology*, 253: 79-84.
- Watanabe, T., Shimada, R., Matsuyama, A., Yuasa, M., Sawamura, H., Yoshida, E. and Suzuki, K., 2013. Antitumor activity of the β-glucan paramylon from Euglena against preneoplastic colonic aberrant crypt foci in mice. *Food & function*, 4(11): 1685-1690.
- Weissman, J.C. and Goebel, R.P., 1987. *Design and analysis of microalgal open pond systems for the purpose of producing fuels: a subcontract report* (No. SERI/STR-231-2840). Solar Energy Research Inst., Golden, CO (USA).



- Wells, M.L., Potin, P., Craigie, J.S., Raven, J.A., Merchant, S.S., Helliwell, K.E., Smith, A.G., Camire, M.E. and Brawley, S.H., 2017. Algae as nutritional and functional food sources: revisiting our understanding. *Journal of applied phycology*, 29(2): 949-982.
- Widayat, W., Philia, J. and Wibisono, J., 2019, March. Liquid waste processing of tofu industry for biomass production as raw material biodiesel production. In *IOP Conference Series: Earth and Environmental Science*. Vol. 248, No. 1: 012064. IOP Publishing.
- Widianingsih, W., Hartati, R., Endrawati, H., Yudiaty, E. and Iriani, V.R., 2011. Pengaruh pengurangan konsentrasi nutrien fosfat dan nitrat terhadap kandungan lipid total *Nannochloropsis oculata*. *Ilmu Kelautan: Indonesian Journal of Marine Sciences*, 16(1): 24-29.
- Witari, A.S. and Nurika, I., 2016. Penentuan Isolat Bakteri Asidogenik yang Mampu Menghasilkan Total Asam Tertinggi dari Limbah Cair Tahu. *Industria: Jurnal Teknologi dan Manajemen Agroindustri*, 5(1): 9-20.
- Xia, L., Rong, J., Yang, H., He, Q., Zhang, D. and Hu, C., 2014. NaCl as an effective inducer for lipid accumulation in freshwater microalgae *Desmodesmus abundans*. *Bioresource Technology*, 161: 402-409.
- Xu, X.Q. and Beardall, J., 1997. Effect of salinity on fatty acid composition of a green microalga from an antarctic hypersaline lake. *Phytochemistry*, 45(4): 655-658.
- Yokoi, S., Bressan, R.A. and Hasegawa, P.M., 2002. Salt stress tolerance of plants. *JIRCAS working report*, 23(1): 25-33.
- Zakryś, B., Milanowski, R. and Karnkowska, A., 2017. Evolutionary origin of *Euglena*. *Euglena: biochemistry, cell and molecular biology*: 3-17.
- Zamer, W.E., Shick, J.M. and Tapley, D.W., 1989. Protein measurement and energetic considerations: Comparisons of biochemical and stoichiometric methods using bovine serum albumin and protein isolated from sea anemones. *Limnology and oceanography*, 34(1): 256-263.
- Zaparoli, M., Zierniczkak, F.G., Mantovani, L., Costa, J.A.V. and Colla, L.M., 2020. Cellular stress conditions as a strategy to increase carbohydrate productivity in *Spirulina platensis*. *BioEnergy Research*, 13(4): 1221-1234.
- Zeng, M.T. and Vonshak, A., 1998. Adaptation of *Spirulina platensis* to salinity-stress. *Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology*, 120(1): 113-118.



UNIVERSITAS
GADJAH MADA

Pengaruh Salinitas dan Media Limbah Cair Tahu terhadap Pertumbuhan, Lipid, Protein, Karbohidrat
dan

Pigmen Euglena sp.

AHMAD SAIFUN NASER, Dr. Eko Agus Suyono, S.Si., M.App.Sc.

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Zhu, J. and Wakisaka, M., 2018. Growth promotion of *Euglena gracilis* by ferulic acid from rice bran. *AMB Express*, 8(1): 1-7.