

DAFTAR PUSTAKA

- Abdul Khalil, H. P. S., Fizree, H. M., Bhat, A. H., Jawaid, M., & Abdullah, C. K. (2013). Development and characterization of epoxy nanocomposites based on nano-structured oil palm ash. *Composites Part B: Engineering*, 53, 324–333. <https://doi.org/10.1016/j.compositesb.2013.04.013>
- Agwa, M. A., Youssef, S. M., Ali-Eldin, S. S., & Megahed, M. (2020). Integrated vacuum assisted resin infusion and resin transfer molding technique for manufacturing of nano-filled glass fiber reinforced epoxy composite. *Journal of Industrial Textiles*. <https://doi.org/10.1177/1528083720932337>
- Aitomäki, Y., Moreno-Rodriguez, S., Lundström, T. S., & Oksman, K. (2016). Vacuum infusion of cellulose nanofibre network composites: Influence of porosity on permeability and impregnation. *Materials and Design*, 95, 204–211. <https://doi.org/10.1016/j.matdes.2016.01.060>
- Alsaadi, M., Bulut, M., Erklığ, A., & Jabbar, A. (2018). Nano-silica inclusion effects on mechanical and dynamic behavior of fiber reinforced carbon/Kevlar with epoxy resin hybrid composites. *Composites Part B: Engineering*, 152, 169–179. <https://doi.org/10.1016/j.compositesb.2018.07.015>
- Alsaadi, M., Uglu, A. A., & Erklığ, A. (2017). A comparative study on the interlaminar shear strength of carbon, glass, and Kevlar fabric/epoxy laminates filled with SiC particles. *Journal of Composite Materials*, 51(20), 2835–2844. <https://doi.org/10.1177/0021998317701559>
- Altin Karataş, M., & Gökkaya, H. (2018). A review on machinability of carbon fiber reinforced polymer (CFRP) and glass fiber reinforced polymer (GFRP) composite materials. *Defence Technology*, 14(4), 318–326. <https://doi.org/10.1016/j.dt.2018.02.001>
- Arul, S., Vijayaraghavan, L., Malhotra, S. K., & Krishnamurthy, R. (2006). The effect of vibratory drilling on hole quality in polymeric composites. *International Journal of Machine Tools and Manufacture*, 46(3–4), 252–259. <https://doi.org/10.1016/j.ijmachtools.2005.05.023>
- Ashori, A., Fallah, A., Ghiyasi, M., & Rabiee, M. (2018). Reinforcing effects of functionalized graphene oxide on glass fiber/epoxy composites. *Polymer Composites*, 39, E2324–E2333. <https://doi.org/10.1002/pc.24646>
- Ataabadi, A. K., Hosseini-Toudeshky, H., & Rad, S. Z. (2014). Experimental and analytical study on fiber-kinking failure mode of laminated composites. *Composites Part B: Engineering*, 61, 84–93. <https://doi.org/10.1016/j.compositesb.2014.01.039>
- Aveiga, D., & Ribeiro, M. L. (2018). A Delamination Propagation Model for Fiber Reinforced. *Hindawi Mathematical Problems in Engineering*, 2018. <https://doi.org/10.1155/2018/1861268>
- Bajpai, P. K., & Singh, I. (2019). *Reinforced Polymer Composites*. <https://doi.org/10.1002/9783527820979>
- Callister, J. W. D., & Rethwisch, D. G. (2010). Material Science and Engineering An Introduction. In *John Wiley & Sons, Inc* (8th Editio). John Wiley & Sons, Inc.

- Caradonna, A., Badini, C., Padovano, E., & Pietroluongo, M. (2019). Electrical and Thermal Conductivity of Epoxy-Carbon Filler Composites Processed by Calendaring. *Materials*, 12(9).
- Chakraborty, B. C., & Ratna, D. (2020). Polymers fir Vibration Damping Applications. In *Elsevier*. Matthew Deans.
- Chawla, K. K. (2019). Composite Materials: Science and Engineering. In *Springer Nature Switzerland AG*. ISBN: 9780471719854.
- Chen, Q., Linghu, T., Gao, Y., Wang, Z., Liu, Y., Du, R., & Zhao, G. (2017). Mechanical properties in glass fiber PVC-foam sandwich structures from different chopped fiber interfacial reinforcement through vacuum-assisted resin transfer molding (VARTM) processing. *Composites Science and Technology*, 144, 202–207. <https://doi.org/10.1016/j.compscitech.2017.03.033>
- Das, S., & Das, S. (2021). Properties for Polymer, Metal and Ceramic Based Composite Materials. In *Encyclopedia of Materials: Composites*. Elsevier Ltd. <https://doi.org/10.1016/b978-0-12-803581-8.11897-1>
- Davis, D. C., & Whelan, B. D. (2011). An experimental study of interlaminar shear fracture toughness of a nanotube reinforced composite. *Composites Part B: Engineering*, 42(1), 105–116. <https://doi.org/10.1016/j.compositesb.2010.06.001>
- Diharjo, K., Elharomy, I., & Purwanto, A. (2014). Pengaruh Fraksi Volume Filler terhadap Kekuatan Bending dan Ketangguhan Impak Komposit Nanosilika-Phenolic. *Jurnal Rekayasa Mesin*, 5(1), 27–32.
- Dong, Y., Chaudhary, D., Ploumis, C., & Lau, K. T. (2011). Correlation of mechanical performance and morphological structures of epoxy micro/nanoparticulate composites. *Composites Part A: Applied Science and Manufacturing*, 42(10), 1483–1492. <https://doi.org/10.1016/j.compositesa.2011.06.015>
- Ebrahimnezhad-Khaljiri, H., & Eslami-Farsani, R. (2020). The tensile properties and interlaminar shear strength of microcapsules-glass fibers/epoxy self-healable composites. *Engineering Fracture Mechanics*, 230(September 2019), 106937. <https://doi.org/10.1016/j.engfracmech.2020.106937>
- Ehrhart, B., Valeske, B., & Bockenheimer, C. (2013). 9 - Non-destructive evaluation (NDE) of aerospace composites: methods for testing adhesively bonded composites. In V. M. Karbhari (Ed.), *Non-Destructive Evaluation (NDE) of Polymer Matrix Composites* (pp. 220–237). Woodhead Publishing. <https://doi.org/https://doi.org/10.1533/9780857093554.2.220>
- Fan, Z., Santare, M. H., & Advani, S. G. (2008a). Interlaminar shear strength of glass fiber reinforced epoxy composites enhanced with multi-walled carbon nanotubes. *Composites Part A: Applied Science and Manufacturing*, 39(3), 540–554. <https://doi.org/10.1016/j.compositesa.2007.11.013>
- Fan, Z., Santare, M. H., & Advani, S. G. (2008b). Interlaminar shear strength of glass fiber reinforced epoxy composites enhanced with multi-walled carbon nanotubes. *Composites Part A: Applied Science and Manufacturing*, 39(3), 540–554. <https://doi.org/https://doi.org/10.1016/j.compositesa.2007.11.013>
- Gaitonde, V. N., Karnik, S. R., Rubio, J. C., Correia, A. E., Abrão, A. M., & Davim,

- J. P. (2008). Analysis of parametric influence on delamination in high-speed drilling of carbon fiber reinforced plastic composites. *Journal of Materials Processing Technology*, 203(1–3), 431–438. <https://doi.org/10.1016/j.jmatprotec.2007.10.050>
- Ghayoor, H., Marsden, C. C., Hoa, S. V., & Melro, A. R. (2019). Numerical analysis of resin-rich areas and their effects on failure initiation of composites. *Composites Part A: Applied Science and Manufacturing*, 117(March 2018), 125–133. <https://doi.org/10.1016/j.compositesa.2018.11.016>
- Gibson, R. F. (2016). *Principal of Composite Material Mechanics* (4th Editio; L. . Faulkner, ed.). CRC Press Taylor & Francis.
- Głogowska, K., Sikora, J. W., & Blase, J. (2018). The use of untreated neuburg siliceous earth as filler for high-density polyethylene. *Tehnicki Vjesnik*, 25(6), 1581–1586. <https://doi.org/10.17559/TV-20160713104159>
- Godara, A., Mezzo, L., Luizi, F., Warriar, A., Lomov, S. V., van Vuure, A. W., ... Verpoest, I. (2009). Influence of carbon nanotube reinforcement on the processing and the mechanical behaviour of carbon fiber/epoxy composites. *Carbon*, 47(12), 2914–2923. <https://doi.org/10.1016/j.carbon.2009.06.039>
- Greenhalgh, E. S. B. T.-F. A. and F. of P. C. (Ed.). (2009). Delamination-dominated failures in polymer composites. In *Failure Analysis and Fractography of Polymer Composites* (pp. 164–237). Woodhead Publishing. <https://doi.org/10.1533/9781845696818.164>
- Halder, S., Ahemad, S., Das, S., & Wang, J. (2016). Epoxy/Glass Fiber Laminated Composites Integrated with Amino Functionalized ZrO₂ for Advanced Structural Applications. *ACS Applied Materials and Interfaces*, 8(3), 1695–1706. <https://doi.org/10.1021/acsami.5b09149>
- Harris, B. (1999). Engineering composite materials. In *The Institute of Materials* (1st ed.). London: The Institute of Materials.
- Hibbeler, R. C. (2011). *Mechanics of Materials* (8th ed.). Pearson Prentice Hall.
- Hutschreuther, J., Kunz, R., Breu, J., & Altstädt, V. (2020). Influence of particle size on toughening mechanisms of layered silicates in CFRP. *Materials*, 13(10). <https://doi.org/10.3390/ma13102396>
- Hyde, A., He, J., Cui, X., Lua, J., & Liu, L. (2020). Effects of microvoids on strength of unidirectional fiber-reinforced composite materials. *Composites Part B: Engineering*, 187(January), 107844. <https://doi.org/10.1016/j.compositesb.2020.107844>
- Jefferson, A. J., Arumugam, V., & Dhakal, H. N. (2018). *Repair of Polymer Composites Methodology, Techniques, and Challenges* (A. G. Ortiz, ed.). Matthew Deans.
- Johnsen, B. B., Kinloch, A. J., Mohammed, R. D., Taylor, A. C., & Sprenger, S. (2007). Toughening mechanisms of nanoparticle-modified epoxy polymers. *Polymer*, 48(2), 530–541. <https://doi.org/10.1016/j.polymer.2006.11.038>
- Kaw, A. K. (2006). *Mechanics of Composite Materials* (2nd Editio). CRC Press Taylor & Francis.
- Khan, S., Mansoor, S., Rafi, Z., Kumari, B., Shoaib, A., Saeed, M., ... Shakeel, F. (2021). A review on nanotechnology: Properties, applications, and mechanistic insights of cellular uptake mechanisms. *Journal of Molecular*

- Liquids*, (xxxx), 118008. <https://doi.org/10.1016/j.molliq.2021.118008>
- Kim, J. H., Kwon, D. J., Shin, P. S., Beak, Y. M., Park, H. S., DeVries, K. L., & Park, J. M. (2018a). Interfacial properties and permeability of three patterned glass fiber/epoxy composites by VARTM. *Composites Part B: Engineering*, 148(April), 61–67. <https://doi.org/10.1016/j.compositesb.2018.04.041>
- Kim, J. H., Kwon, D. J., Shin, P. S., Beak, Y. M., Park, H. S., DeVries, K. L., & Park, J. M. (2018b). Interfacial properties and permeability of three patterned glass fiber/epoxy composites by VARTM. *Composites Part B: Engineering*, 148(February 2017), 61–67. <https://doi.org/10.1016/j.compositesb.2018.04.041>
- Kim, S. Y., Shim, C. S., Sturtevant, C., Kim, D. D. W., & Song, H. C. (2014). Mechanical properties and production quality of hand-layup and vacuum infusion processed hybrid composite materials for GFRP marine structures. *International Journal of Naval Architecture and Ocean Engineering*, 6(3), 723–736. <https://doi.org/10.2478/IJNAOE-2013-0208>
- Koricho, E. G., Khomenko, A., Haq, M., Drzal, L. T., Belingardi, G., & Martorana, B. (2015). Effect of hybrid (micro- and nano-) fillers on impact response of GFRP composite. *Composite Structures*, 134, 789–798. <https://doi.org/10.1016/j.compstruct.2015.08.106>
- Krishnan, P. (2019). 18 - Evaluation and methods of interfacial properties in fiber-reinforced composites. In M. Jawaidd, M. Thariq, & N. Saba (Eds.), *Mechanical and Physical Testing of Biocomposites, Fibre-Reinforced Composites and Hybrid Composites* (pp. 343–385). Woodhead Publishing. <https://doi.org/10.1016/B978-0-08-102292-4.00018-7>
- Kumar, A. A., & Sundaram, R. (2016). Cure cycle optimization for the resin infusion technique using carbon nanotube additives. *Carbon*, 96, 1043–1052. <https://doi.org/10.1016/j.carbon.2015.09.044>
- Kumar Pittala, R., Dhanaraju, G., Satish Ben, B., & Avinash Ben, B. (2022). Self-healing of matrix cracking and delamination damage assessment in microcapsules reinforced carbon fibre epoxy composite under flexural loading. *Composite Structures*, 291(February), 115691. <https://doi.org/10.1016/j.compstruct.2022.115691>
- Kundie, F., Azhari, C. H., Muchtar, A., & Ahmad, Z. A. (2018). Effects of filler size on the mechanical properties of polymer-filled dental composites: A review of recent developments. *Journal of Physical Science*, 29(1), 141–165. <https://doi.org/10.21315/jps2018.29.1.10>
- Kwon, D. J., Shin, P. S., Kim, J. H., Baek, Y. M., Park, H. S., DeVries, K. L., & Park, J. M. (2017). Interfacial properties and thermal aging of glass fiber/epoxy composites reinforced with SiC and SiO₂ nanoparticles. *Composites Part B: Engineering*, 130, 46–53. <https://doi.org/10.1016/j.compositesb.2017.07.045>
- Li, P., Zhou, J., Li, L., Gong, Y., Lu, J., & Meng, X. (2021). Materials Science & Engineering A Influence of depositing sequence and materials on interfacial characteristics and mechanical properties of laminated composites. *Materials Science & Engineering A*, 827(July), 142092. <https://doi.org/10.1016/j.msea.2021.142092>

- Liu, N., Wang, J., Yang, J., Han, G., & Yan, F. (2015). Effects of nano-sized and micro-sized carbon fibers on the interlaminar shear strength and tribological properties of high strength glass fabric/phenolic laminate in water environment. *Composites Part B: Engineering*, 68, 92–99. <https://doi.org/10.1016/j.compositesb.2014.08.035>
- Liu, Y., Yang, J. P., Xiao, H. M., Qu, C. B., Feng, Q. P., Fu, S. Y., & Shindo, Y. (2012). Role of matrix modification on interlaminar shear strength of glass fibre/epoxy composites. *Composites Part B: Engineering*, 43(1), 95–98. <https://doi.org/10.1016/j.compositesb.2011.04.037>
- Mahmood, A. S., Summerscales, J., & James, M. N. (2022). Resin-Rich Volumes (RRV) and the Performance of Fibre-Reinforced Composites: A Review. *Journal of Composites Science*, 6(2), 1–16. <https://doi.org/10.3390/jcs6020053>
- Mallick, P. K. (2007). Fibre-Reinforced Composites Materials, Manufacturing and Design. In *Composites* (3rd ed.). Taylor & Francis Group, LLC. [https://doi.org/10.1016/0010-4361\(89\)90651-4](https://doi.org/10.1016/0010-4361(89)90651-4)
- Manjunath, M., Renukappa, N. M., & Suresha, B. (2016). Influence of micro and nanofillers on mechanical properties of pultruded unidirectional glass fiber reinforced epoxy composite systems. *Journal of Composite Materials*, 50(8), 1109–1121. <https://doi.org/10.1177/0021998315588623>
- Matthews, F. ., & Rawlings, D. (1999). *Composite Materials: Engineering and Science* (2nd ed.). Woodhead Publishing Limited and CRC Press.
- Mehdikhani, M., Gorbatikh, L., Verpoest, I., & Lomov, S. V. (2019). Voids in fiber-reinforced polymer composites: A review on their formation, characteristics, and effects on mechanical performance. *Journal of Composite Materials*, 53(12), 1579–1669. <https://doi.org/10.1177/0021998318772152>
- Mehdikhani, M., Straumit, I., Gorbatikh, L., & Lomov, S. V. (2019). Detailed characterization of voids in multidirectional carbon fiber/epoxy composite laminates using X-ray micro-computed tomography. *Composites Part A: Applied Science and Manufacturing*, 125(January), 105532. <https://doi.org/10.1016/j.compositesa.2019.105532>
- Mitchell, B. S. (2003). An Introduction to Materials Engineering and Science. In *An Introduction to Materials Engineering and Science*. <https://doi.org/10.1002/0471473359>
- Mouritz, A. P. B. T.-I. to A. M. (Ed.). (2012). Introduction to aerospace materials. In *Introduction to Aerospace Materials* (pp. 1–14). Woodhead Publishing. <https://doi.org/10.1533/9780857095152.1>
- Nagaraja, K. C., Rajanna, S., Prakash, G. S., & Rajeshkumar, G. (2020). Improvement of mechanical and thermal properties of hybrid composites through addition of halloysite nanoclay for light weight structural applications. *Journal of Industrial Textiles*. <https://doi.org/10.1177/1528083720936624>
- Nallusamy, S., & Karthikeyan, A. (2017). Synthesis and wear characterization of reinforced glass fiber polymer composites with epoxy resin using granite powder. *Journal of Nano Research*, 49(1), 1–9. <https://doi.org/10.4028/www.scientific.net/JNanoR.49.1>
- Narayan, R., Wang, M., Laurencin, C., & Yu, X. (2018). *Encyclopedia of*

- Biomedical Engineering*. Elsevier.
- Naslain, R. R., & Pomeroy, M. (2016). Ceramic Matrix Composites: Matrices and Processing. In *Reference Module in Materials Science and Materials Engineering*. Elsevier Ltd. <https://doi.org/10.1016/b978-0-12-803581-8.02317-1>
- Park, C. G. (2016). Effect of the Volume Fraction of Jute Fiber on the Interlaminar Shear Stress and Tensile Behavior Characteristics of Hybrid Glass/Jute Fiber Reinforced Polymer Composite Bar for Concrete Structures. *International Journal of Polymer Science*, 2016, 1–9. <https://doi.org/10.1155/2016/3042392>
- Park, S. J., & Seo, M. K. (2011). Types of Composites. In *Interface Science and Technology* (Vol. 18). <https://doi.org/10.1016/B978-0-12-375049-5.00007-4>
- Qin, Q., & Ye, J. (2015). Toughening Mechanisms in Composite Materials. In *Woodhead Publishing*.
- Quaresimin, M., Salviato, M., & Zappalorto, M. (2012). Fracture and interlaminar properties of clay-modified epoxies and their glass reinforced laminates. *Engineering Fracture Mechanics*, 81, 80–93. <https://doi.org/10.1016/j.engfracmech.2011.10.004>
- Rafiq, A., Merah, N., Boukhili, R., & Al-Qadhi, M. (2017). Impact resistance of hybrid glass fiber reinforced epoxy/nanoclay composite. *Polymer Testing*, 57, 1–11. <https://doi.org/10.1016/j.polymertesting.2016.11.005>
- Rahman, M. M., Zainuddin, S., Hosur, M. V., Robertson, C. J., Kumar, A., Trovillion, J., & Jeelani, S. (2013). Effect of NH 2-MWCNTs on crosslink density of epoxy matrix and ILSS properties of e-glass/epoxy composites. *Composite Structures*, 95, 213–221. <https://doi.org/10.1016/j.compstruct.2012.07.019>
- Rajak, D. K., Wagh, P. H., Moustabchir, H., & Pruncu, C. I. (2021). Improving the tensile and flexural properties of reinforced epoxy composites by using cobalt filled and carbon/glass fiber. *Forces in Mechanics*, 4(January), 100029. <https://doi.org/10.1016/j.finmec.2021.100029>
- Ramadan, N., Taha, I., Hammouda, R., & Abdellatif, M. H. (2017). Behaviour of hybrid SiC/jute epoxy composites manufactured by vacuum assisted resin infusion. *Polymers and Polymer Composites*, 25(5), 333–344. <https://doi.org/10.1177/096739111702500503>
- Ren, D., Li, K., Chen, L., Chen, S., Han, M., Xu, M., & Liu, X. (2019). Modification on glass fiber surface and their improved properties of fiber-reinforced composites via enhanced interfacial properties. *Composites Part B: Engineering*, 177(July). <https://doi.org/10.1016/j.compositesb.2019.107419>
- Rezaei Jafari, S., Farrokhhabadi, A., & Montesano, J. (2021). The effect of staggered matrix crack induced delamination growth on the mechanical properties of cross-ply laminates. *Composite Structures*, 272, 114196. <https://doi.org/https://doi.org/10.1016/j.compstruct.2021.114196>
- Roy, A., Naskar, A., Ghosh, A., Adhikari, J., Saha, P., & Ghosh, M. (2021). Hybrid Plastics and Natural Materials. In *Reference Module in Materials Science and Materials Engineering*. Elsevier. <https://doi.org/https://doi.org/10.1016/B978-0-12-820352-1.00075-4>
- Russo, A., Zarrelli, M., Sellitto, A., & Riccio, A. (2019). Fiber bridging induced

- toughening effects on the delamination behavior of composite stiffened panels under bending loading: A numerical/experimental study. *Materials*, 12(15). <https://doi.org/10.3390/ma12152407>
- Saberian, M. H., Ashenai Ghasemi, F., Ghasemi, I., & Bagheri, M. S. (2019). Morphology, mechanical behavior, and prediction of A-glass/SiO₂/epoxy nanocomposite using response surface methodology. *Journal of Elastomers and Plastics*, 51(7–8), 669–683. <https://doi.org/10.1177/0095244318817927>
- Sadik, W. A., El-Demerdash, A. G. M., Abokhateeb, A. E. A., & Elessawy, N. A. (2021). Innovative high-density polyethylene/waste glass powder composite with remarkable mechanical, thermal and recyclable properties for technical applications. *Heliyon*, 7(4). <https://doi.org/10.1016/j.heliyon.2021.e06627>
- Sánchez, M., Campo, M., Jiménez-Suárez, A., & Ureña, A. (2013). Effect of the carbon nanotube functionalization on flexural properties of multiscale carbon fiber/epoxy composites manufactured by VARIM. *Composites Part B: Engineering*, 45(1), 1613–1619. <https://doi.org/10.1016/j.compositesb.2012.09.063>
- Saravanakumar, K. (2019). Influence of milled glass fillers on the impact and compression after impact behavior of glass/epoxy composite laminates. *Polymer Testing*, 75, 133–141. <https://doi.org/10.1016/j.polymertesting.2019.02.007>
- Saravanakumar, K., Subramanian, H., Arumugam, V., & Dhakal, H. N. (2019a). Influence of milled glass fillers on the impact and compression after impact behavior of glass/epoxy composite laminates. *Polymer Testing*, 75(January), 133–141. <https://doi.org/10.1016/j.polymertesting.2019.02.007>
- Saravanakumar, K., Subramanian, H., Arumugam, V., & Dhakal, H. N. (2019b). Influence of milled glass fillers on the impact and compression after impact behavior of glass/epoxy composite laminates. *Polymer Testing*, 75(January), 133–141. <https://doi.org/10.1016/j.polymertesting.2019.02.007>
- Schaffer, J. P., Saxena, A., Antolovich, S. D., Sanders Jr, T. H., & Warner, S. B. (1999). The Science and Design of Material. In *WCB/McGraw-Hill* (2nd Editio). WCB/McGraw-Hill.
- Selmy, A. I., Elsesi, A. R., Azab, N. A., & Abd El-Baky, M. A. (2012). Interlaminar shear behavior of unidirectional glass fiber (U)/random glass fiber (R)/epoxy hybrid and non-hybrid composite laminates. *Composites Part B: Engineering*, 43(4), 1714–1719. <https://doi.org/10.1016/j.compositesb.2012.01.031>
- Seydibeyoğlu, M. Ö., Mohanty, A. K., & Misra, M. (2017). *Fiber Technology for Fiber-Reinforced Composites*. Woodhead Publishing Limited.
- Shahdan, D., Chen, R. S., & Ahmad, S. (2021). Optimization of graphene nanoplatelets dispersion and nano-filler loading in bio-based polymer nanocomposites based on tensile and thermogravimetry analysis. *Journal of Materials Research and Technology*, 15, 1284–1299. <https://doi.org/10.1016/j.jmrt.2021.08.130>
- Shen, X. J., Meng, L. X., Yan, Z. Y., Sun, C. J., Ji, Y. H., Xiao, H. M., & Fu, S. Y. (2015). Improved cryogenic interlaminar shear strength of glass fabric/epoxy composites by graphene oxide. *Composites Part B: Engineering*, 73, 126–131. <https://doi.org/10.1016/j.compositesb.2014.12.023>

- Shi, J., Mizuno, M., Bao, L., & Zhu, C. (2022). A Facile Molding Method of Continuous Fiber-Reinforced Thermoplastic Composites and its Mechanical Property. *Polymers*, 14(5), 1–13. <https://doi.org/10.3390/polym14050947>
- Shindo, Y., Watanabe, S., Takeda, T., Miura, M., & Narita, F. (2013). Controllability of cryogenic Mode I delamination behavior in woven fabric composites using piezoelectric actuators. *Engineering Fracture Mechanics*, 102, 171–179. <https://doi.org/https://doi.org/10.1016/j.engfracmech.2013.01.013>
- Shrivastava, A. (2018). 3 - Plastic Properties and Testing. In A. Shrivastava (Ed.), *Introduction to Plastics Engineering* (pp. 49–110). William Andrew Publishing. <https://doi.org/https://doi.org/10.1016/B978-0-323-39500-7.00003-4>
- Staab, G. H. (2015). Laminar Composites. In *Elsevier* (2nd Editio). Elsevier.
- Thiagarajan, A., Velmurugan, K., & Sangeeth, P. P. (2020). Synthesis and mechanical properties of pistachio shell filler on glass fiber polymer composites by VARIM process. *Materials Today: Proceedings*, 39, 610–614. <https://doi.org/10.1016/j.matpr.2020.09.001>
- Thomas, S., Chirayil, C. J., & Hosur, M. (2019). Unsaturated polyester resins: Fundamentals, design, fabrication, and applications. In *Unsaturated Polyester Resins: Fundamentals, Design, Fabrication, and Applications*. <https://doi.org/10.1016/C2017-0-04622-0>
- Umer, R., Li, Y., Dong, Y., Haroosh, H. J., & Liao, K. (2015). The effect of graphene oxide (GO) nanoparticles on the processing of epoxy/glass fiber composites using resin infusion. *International Journal of Advanced Manufacturing Technology*, 81(9–12), 2183–2192. <https://doi.org/10.1007/s00170-015-7427-1>
- van Oosterom, S., Allen, T., Battley, M., & Bickerton, S. (2019). An objective comparison of common vacuum assisted resin infusion processes. *Composites Part A: Applied Science and Manufacturing*, 125(July), 105528. <https://doi.org/10.1016/j.compositesa.2019.105528>
- Vardhan, D. H. (2020). Effect of ceramic fillers on flexural strength of the GFRP composite material. *Materials Today: Proceedings*, 37, 1739–1742. <https://doi.org/10.1016/j.matpr.2020.07.356>
- Vardhan, D. H. (2021). Effect of Grey and White Portland Cement Fillers on Flexural and Shear Strength of GFRP Composite Material. *Advances in Materials Science and Engineering*, 2021. <https://doi.org/10.1155/2021/9586474>
- Wallenberger, F. T., & Bingham, P. A. (2010). Fiberglass and Glass Technology. In *Fiberglass and Glass Technology*. Springer US. <https://doi.org/10.1007/978-1-4419-0736-3>
- Warrier, A., Godara, A., Rochez, O., Mezzo, L., Luizi, F., Gorbatikh, L., ... Verpoest, I. (2010). The effect of adding carbon nanotubes to glass/epoxy composites in the fibre sizing and/or the matrix. *Composites Part A: Applied Science and Manufacturing*, 41(4), 532–538. <https://doi.org/10.1016/J.COMPOSITESA.2010.01.001>
- Yalcinkaya, M. A., Sozer, E. M., & Altan, M. C. (2017). Fabrication of high quality

- composite laminates by pressurized and heated-VARTM. *Composites Part A: Applied Science and Manufacturing*, 102, 336–346. <https://doi.org/10.1016/j.compositesa.2017.08.017>
- Yalcinkaya, M. A., Sozer, E. M., & Altan, M. C. (2019). Effect of external pressure and resin flushing on reduction of process-induced voids and enhancement of laminate quality in heated-VARTM. *Composites Part A: Applied Science and Manufacturing*, 121(December 2018), 353–364. <https://doi.org/10.1016/j.compositesa.2019.03.040>
- Yesgat, A. L., & Kitey, R. (2016a). Effect of filler geometry on fracture mechanisms in glass particle filled epoxy composites. *Engineering Fracture Mechanics*, 160, 22–41. <https://doi.org/10.1016/j.engfracmech.2016.03.034>
- Yesgat, A. L., & Kitey, R. (2016b). Effect of filler geometry on fracture mechanisms in glass particle filled epoxy composites. *Engineering Fracture Mechanics*, 160, 22–41. <https://doi.org/10.1016/j.engfracmech.2016.03.034>
- Zahid, S., Nasir, M. A., Nauman, S., Karahan, M., Nawab, Y., Ali, H. M., ... Ullah, M. (2019). Experimental analysis of ILSS of glass fibre reinforced thermoplastic and thermoset textile composites enhanced with multiwalled carbon nanotubes. *Journal of Mechanical Science and Technology*, 33(1), 197–204. <https://doi.org/10.1007/s12206-018-1219-0>
- Zahrouni, A., Bendaoued, A., & Salhi, R. (2021). Effect of sol-gel derived TiO₂ nanopowders on the mechanical and structural properties of a polymer matrix nanocomposites developed by vacuum-assisted resin transfer molding (VARTM). *Ceramics International*, 47(7), 9755–9762. <https://doi.org/10.1016/j.ceramint.2020.12.115>
- Zakaria, M. R., Md Akil, H., Abdul Kudus, M. H., Ullah, F., Javed, F., & Nosbi, N. (2019). Hybrid carbon fiber-carbon nanotubes reinforced polymer composites: A review. *Composites Part B: Engineering*, 176, 107313. <https://doi.org/10.1016/j.compositesb.2019.107313>
- Zhang, Y., Li, Y., Ma, H., & Yu, T. (2013). Tensile and interfacial properties of unidirectional flax/glass fiber reinforced hybrid composites. *Composites Science and Technology*, 88, 172–177. <https://doi.org/10.1016/j.compscitech.2013.08.037>
- Zhou, Y., Fan, M., & Chen, L. (2016). Interface and bonding mechanisms of plant fibre composites: An overview. In *Composites Part B: Engineering* (Vol. 101). Elsevier Ltd. <https://doi.org/10.1016/j.compositesb.2016.06.055>
- Zimmermann, N., & Wang, P. H. (2020). A review of failure modes and fracture analysis of aircraft composite materials. *Engineering Failure Analysis*, 115, 104692. <https://doi.org/10.1016/j.engfailanal.2020.104692>