

DAFTAR PUSTAKA

- Abbing, A., Koretsi, V., Eliades, T., Papageorgiou, S.N., 2020, Duration of orthodontic treatment with fixed appliances in adolescents and adults: a systematic review with meta-analysis, *Progress in Orthod.*, 21(1):37
- Ahmadi, H., Ebrahimi, A., Ghorbani, F., 2020, The impact of COVID-19 pandemic on dental practice in Iran: a questionnaire-based report. *BMC Oral Health*, 20:354
- Alabdulah, J.H., Daniel, S.J., 2018, A Systematic Review on the Validity of *Teledentistry*, *Telemed J. E. Health*, 24(8):639-48
- Alzahawi, K., Færøvig, E., Brudvik, P., 2014, Root resorption after leveling with super-elastic and conventional steel arch wires: a prospective study. *Prog Orthod.* 15:35
- Amurdhavani, S., 2016, A review on MBT system in orthodontics, *Research J. Pharm. and Tech*, 9(9):1529-32
- Andrews, L.F., 1979, The Straight-Wire Appliance. *British J. of Orthod.*, 6(3):125-134
- Anthopoulou C, Konstantonis D, Makou M. Treatment outcomes after extraction and nonextraction treatment evaluated with the American Board of Orthodontics objective grading system. *Am J Orthod Dentofacial Orthop.* 2014 Dec;146(6):717-23
- Bäckström, H., Mohlin, B., 2000, Quality assessment in orthodontics using the IOTN and PAR indices, *The Dent. J.*, Vol. 90(6): 1-8.
- Bennett, J.C. dan McLaughlin R.P., 2014, *Fundamentals of Orthodontic Treatment Mechanics*, London: LeGrande Publishing, hal. 139-45
- Bianco, A., Dalessandri, D., Olivia, B., Tonni, I., Isola, G., Visconti, L., Corrado, P., Bonetti, S., 2021, COVID-19 and Orthodontics: An Approach for Monitoring Patients at Home, *Open Dent J*, 15(1): 87-96
- Brook, P.H., Shaw, W.C., 1989, Development of an index of orthodontic treatment priorit, *Eur J. Of Orthod.*, 11(1989): 309-20
- Caruso, S., Caruso, S., Pellegrino, M., Skafi, R., Nota, A., Tecco, S., 2021, A Knowledge-Based Algorithm for Automatic Monitoring of Orthodontic Treatment: The Dental Monitoring System. Two Cases. *Sensors.* 21(5):1856
- Chauhan, D., Sachdev, V., Chauhan, T., Gupta, K., 2013, A study of malocclusion and orthodontic treatment needs according to dental aesthetic index among school children of a hilly state of India, *J. Int Soc Prev Community Dent.*, 3(1): 32-7

- Dannan, Darwish, M., Sawan, M., 2008, How Do The Periodontal Tissues React During The Orthodontic Alignment and Leveling Phase?, *Virtual J. Orthod.*, 8(1): 1-7
- Farhadian N., Miresmaeili, A., Soltani, M.K., 2005, Comparison of Extraction and Non-extraction Orthodontic Treatment using the Objective Grading System, *J. Of Dent. Tehran Univ. Med. Sci.*, 2(3): 91-5
- Favero, L., Pavan, L., Arreghini, A., 2009, Communication through telemedicine: Home teleassistance in orthodontics. *Eur J Paediatr Dent*, 10(4): 163-7.
- Garvin, J., 2020, ADA Updates teledentistry policy, <https://www.ada.org/en/publications/ada-news/2020-archive/november/ada-updates-teledentistry-policy>
- Ghai, S., 2020, *Teledentistry during COVID-19 pandemic*, *Diabetes Metab Syndr.*, 14(5): 933–35.
- Gill, D.S., Naini, F.B., 2011, *Orthodontics: Principles and Practice*, UK: Wiley-Blackwell, 249-52.
- Hamid, T., 2009, Treatment results evaluation using the Index of Orthodontic Treatment Need, *Dent. J. (Maj. Ked. Gigi)*, 42(4):204-9
- Hansa, I., Semaan, S.J., Vaid, N.R., Ferguson DJ., 2018, *Remote monitoring and “tele-orthodontics”: concept, scope and applications*. Elsevier. 1-13
- He S, Gao J, Wamalwa P, Wang Y, Zou S, Chen S. Camouflage Treatment of Skeletal Class III Malocclusion with Multiloop Edgewise Archwire and Modified Class III Elastics by Maxillary Miniimplant Anchorage. *Angle Orthod.* 2013; 83(4): 630-640.
- Jain, M., Varghese, J., Mascarenhas, R., Mogra, S., Shetty, S., Dhakar, N., 2013, Assessment of clinical outcomes of Roth and MBT bracket prescription using the American Board of Orthodontics Objective Grading System, *Contemp Clin Dent.* 4(3): 307-12
- Kafle, D., Mishra, R.K., Mahto, R.K., Luintel, S., Shrestha, S., Sangroula, S., 2019, Comparison of Orthodontic Treatment Duration Among Extraction Versus Non Extraction Therapies, *Orth. J. Nepal*, 9(2): 57-60
- Kamal, A.D., Shaikh, A., Fida, M., 2017, Improvement in Peer Assessment Rating scores after nonextraction, premolar extraction, and mandibular incisor extraction treatments in patients with Class I malocclusion, *American J. of Orthod. Dentofac. Orthop.*, 151(4):685-690

- Kapoor, P., Singh, H., 2015, Evaluation of esthetic component of the index of orthodontic treatment need: The orthodontists' perspective, *Indian J Dent.*, 6(4): 181–84
- Kattner P.F., Shneider B.J., 1993, Comparison of Roth appliance and Edgewise appliance treatment results. *American J. Orthod Dentofac Orthop*; 24-32
- Khan, H., 2016, *Orthodontic Brackets Selection, Placement and Debonding*, hal. 63
- Kim, D.K., Baek, S.H., 2013, Change in maxillary incisor inclination during surgical-orthodontic treatment of skeletal Class III malocclusion: Comparison of extraction and nonextraction of the maxillary first premolars. *American J. Orthod. Dentofac. Orthop.*, 143, 324–35
- Kim YH, Han UK. The Versatility and Effectiveness of the Multiloop Edgewise Archwire (MEAW) in Treatment of Various Malocclusions. *World J Orthod.* 2001; 2: 208- 218.
- Kocadereli, I., 2002, Changes in soft tissue profile after orthodontic treatment with and without extractions. *American J. Orthod. Dentofac. Orthop.*, 122, 67–72.
- Kolonio, F.E., Anindira, P.S., Mintjelungan, C.N., 2016, Kebutuhan perawatan ortodonsi berdasarkan index of orthodontic treatment need pada siswa usia 12-13 tahun di SMP Negeri 1 Wori, *Jurnal e-Gigi*, 4(2): 259-64
- Kotantoula, G., Shalish, M.H., Jerrol, L., 2017, Teleorthodontics, *American J. Orthod. Dentofac. Orthop.*, 151(1): 219-21
- Mandall, NA., O'Brien, KD., Brady, J., Worthington, HV., Harvey, L. 2005, *Teledentistry* for screening new patient orthodontic referrals., *Br Dent J.*, 199:659–62
- Mavreas, D., Athanasiou, A.E., 2008, Factors affecting the duration of orthodontic treatment: a systematic review. *Eur J. Orthod.*, 30(4):386-95
- Melo, A.C., Carneiro, L.O., Pontes, L.F., Cecim, R.L., Mattos, J.N., Normando, D., 2013, Factors related to orthodontic treatment time in adult patients, *Dent Press J Orthod.*, Sept-Oct;18(5):59-63
- Melsen, B., Allais, D., 2005, Factors of importance for the development of dehiscences during labial movement of mandibular incisors: A retrospective study of adult orthodontic patients. *Am. J. Orthod. Dentofac. Orthop.*, 127, 552–625.
- Moyers, R.E., 1988, *Handbook of Orthodontics*. London, UK: Year Book Medical Publisher;. p. 147-63
- Notoatmodjo, S. (2012). *Metodologi Penelitian Kesehatan*. Jakarta: Rineka Cipta, hal. 216.

- Osagh, M., Momeni D.S., Sardarian, A., Alipour, A., Roeinpeykar, M., Khaksar, Y., 2014, Root parallelism of canine and second premolar in preadjusted and standard Edgewise systems: A comparative study, *Galen Medical Journal*, 3(3): 112-7
- Papageorgiou, S.N., Cassina, C., Vandeyska-Radunovic, V., Eliades, T., 2021, Incisor and profile alterations in extraction cases treated with standard Edgewise and pre-adjusted appliances: A controlled before-and-after study, *J.of the World Fed.of Orthod.*, 10(3): 105-11
- Papageorgiou, S.N., Tilen, R., Radunovic, V.V., Eliades, T., 2021, Occlusal Outcome after Orthodontic Treatment with preadjusted Straightt-wire and standard Edgewise appliances, *J. Orofac. Orthop.*, 82(5):321-8
- Park, Jae & Rogowski, Leah & Kim, Janet & Sumayah, & Shami, Al & Howell, Scott & Howell, E & Jae, Hyun & Park,. (2021). Teledentistry Platforms for Orthodontics Teledentistry Platforms for Orthodontics. *The Journal of clinical pediatric dentistry*. 45. 47-52. 10.17796/1053-4625-45.1.9.
- Phulari, B.S., 2017, *Orthodontics Principles and Practice*, Philadelphia, *Jaypee Brothers*, hal. 319-25.
- Proffit, W.R., Fields, H.W., Larson, B.E., 2019, *Sarver DM Contemporary Orthodontics. 6th ed.* Philadelphia: Elsevier, 107-36.
- Rapeepattana S, Thearmontree A., Suntornlohanakul S., 2019, Etiology of malocclusion and dominant orthodontic problems in mixed dentition: A cross-sectional study in a group of Thai children aged 8–9 years. *J Int Soc Prevent Communit Dent*. 9(1):383-9
- Saccomanno, S., Quinzi, V. Sarhan, S., Laganà, D., Marzo, G., 2020, Perspectives of tele-orthodontics in the COVID-19 emergency and as a future tool in daily practice, *Europ J of Paed Dent*, 21(2): 157-62
- Skidmore, K.J., Thomson, W.M., Harding, W.J, Brook, K.J., 2006, Factors influencing treatment time in orthodontic patients, *Am. J. Orthod. Dentofac. Orthop*, 129(2): 230-38
- Siddiquim T.A., Shaikh, A., Fida, M., 2014, Agreement between orthodontist and patient perception using Index of Orthodontic Treatment Need, *The Saudi Dent J*, 26: 156-65
- Soltani, M., Saedi, B., Mohammadi, Z., 2013, Outcome of MBT and Standard Edgewise Techniques in Treating Cl I Malocclusion, *AJDR*, 4(2): 61-5
- Sun X.W., Xu, T.M., 2006, Comparison of straight wire appliance versus Edgewise appliance in orthodontic treatment outcome, *Hua Xi Kou Qiang Yi Xue Za Zhi*, 24(2):135-7. Chinese

- Turnbull NR, Birnie DJ., 2007, Treatment efficiency of conventional vs self-ligating brackets: effects of archwire size and material., *Am J Orthod and Dentofac Orthoped*, 131(3): 395-9
- Vaden, J.L., 2015, A century of the Edgewise Appnloace, *APOS Trends in Orthod*, 5(6):239-49
- Vegesna, A., Tran, M., Angelaccio, M., Arcona, S., 2017, Remote patient monitoring via non-invasive digital technologies: Asystematic review, *Telemed J E Health*, 23(1): 3-17.
- Wakhloo, T., 2017, Assessment of Orthodontic Treatment Need in Mixed Dentition Period (11- 12 Years) Among School Children in Marathahalli, Bangalore, *Research & Reviews: J of Dent Science*, 5(3): 11-17
- Winter, K., Bccaglini, L., Tomar, S., 2008, A review of malocclusion among individuals with mental and physical disabilities, *Spec Care Dent*, 28(1):19-26