

## DAFTAR PUSTAKA

- Aslantas, Y., & Surmeli, N. B. (2019). Effects of N-terminal and C-terminal polyhistidine tag on the stability and function of the thermophilic P450 CYP119. *Bioinorganic Chemistry and Applications*, 2019, 1–8. <https://doi.org/10.1155/2019/8080697>
- Balasingham, K., Warburton, D., Dunhill, P., & Lilly, M. D. (1972). The Isolation and Kinetics of Penicillin Amidase from Escherichia coli. *Biochimica Et Biophysica Acta*, 276, 250–256. [https://doi.org/10.1016/0005-2744\(72\)90027-7](https://doi.org/10.1016/0005-2744(72)90027-7)
- Balci, H., Ozturk, M. T., Pijning, T., Ozturk, S. I., & Gumusel, F. (2014). Improved activity and pH stability of E. coli ATCC 11105 penicillin acylase by error-prone PCR. *Applied Microbiology and Biotechnology*, 98(10), 4467–4477. <https://doi.org/10.1007/s00253-013-5476-7>
- Bio Rad. (2022). *Protein Solubilization*. <https://www.bio-rad.com/en-sg/applications-technologies/protein-solubilization?ID=LUSP3KFD4>
- Bozcal, E., & Dagdeviren, M. (2017). Toxicity of  $\beta$ -Lactam Antibiotics: Pathophysiology, Molecular Biology and Possible Recovery Strategies. In *Poisoning - From Specific Toxic Agents to Novel Rapid and Simplified Techniques for Analysis*. InTech. <https://doi.org/10.5772/intechopen.70199>
- BPPT. (2021). *Outlook Teknologi Kesehatan 2021 Inisiatif Industrialisasi Bahan Baku Obat Amoksisilin* (Adiarso, B. Marwoto, N. Widyastuti, P. D, M. Zubair, & S. Prihawantoro, Eds.). Pusat Pengkajian Industri Proses dan Energi. [www.bppt.go.id](http://www.bppt.go.id)
- Briand, L., Marcion, G., Kriznik, A., Heydel, J. M., Artur, Y., Garrido, C., Seigneuric, R., & Neiers, F. (2016). A self-inducible heterologous protein expression system in Escherichia coli. *Scientific Reports*, 6, 1–11. <https://doi.org/10.1038/srep33037>
- Burdette, L. A., Leach, S. A., Wong, H. T., & Tullman-Ercek, D. (2018). Developing Gram-negative bacteria for the secretion of heterologous proteins. *Microbial Cell Factories*, 17(1). <https://doi.org/10.1186/s12934-018-1041-5>
- Cao, E., Chen, Y., Cui, Z., & Foster, P. R. (2003). Effect of freezing and thawing rates on denaturation of proteins in aqueous solutions. *Biotechnology and Bioengineering*, 82(6), 684–690. <https://doi.org/10.1002/bit.10612>
- Carrion-Vazquez, M., Oberhauser, A. F., Fisher, T. E., Marszalek, P. E., Li, H., & Fernandez, J. M. (2000). Mechanical design of proteins studied by single-molecule force spectroscopy and protein engineering. *Progress in Biophysics & Molecular Biology*, 74, 63–91.
- Castiñeiras, T. S., Williams, S. G., Hitchcock, A. G., & Smith, D. C. (2018). E. coli strain engineering for the production of advanced biopharmaceutical products. *FEMS Microbiology Letters*, 365(15), 1–10. <https://doi.org/10.1093/femsle/fny162>

- Choi, J. H., & Lee, S. Y. (2004). Secretary and extracellular production of recombinant proteins using Escherichia coli. *Applied Microbiology and Biotechnology*, *64*(5), 625–635. <https://doi.org/10.1007/s00253-004-1559-9>
- Choi, T. J., & Geletu, T. T. (2018). High level expression and purification of recombinant flounder growth hormone in E. coli. *Journal of Genetic Engineering and Biotechnology*, *16*(2), 347–355. <https://doi.org/10.1016/j.jgeb.2018.03.006>
- Clark, D. P., & Pazdernik, N. J. (2016). Recombinant Proteins. In *Biotechnology* (pp. 335–363). Elsevier. <https://doi.org/10.1016/B978-0-12-385015-7.00010-7>
- de Bernardez Clark, E. (1998). Refolding of recombinant proteins Abbreviations DTT dithiotreititol GdmCI guanidinium chloride. *Current Opinion in Biotechnology*, *9*, 157–163.
- de Bernardez Clark, E., Schwarz, E., & Rainer, R. (1999). *Inhibition of Aggregation Side Reactions during in Vitro Protein Folding*. [https://doi.org/10.1016/s0076-6879\(99\)09017-5](https://doi.org/10.1016/s0076-6879(99)09017-5)
- Dvorak, P., Chrast, L., Nikel, P. I., Fedr, R., Soucek, K., Sedlackova, M., Chaloupkova, R., Lorenzo, V., Prokop, Z., & Damborsky, J. (2015). Exacerbation of substrate toxicity by IPTG in Escherichia coli BL21(DE3) carrying a synthetic metabolic pathway. *Microbial Cell Factories*, *14*(1). <https://doi.org/10.1186/s12934-015-0393-3>
- Englesberg, E., Anderson, R. L., Weinberg, R., Lee, N., Hoffee, P., Huttenhauer, G., Boyer, H., Wein-Berg, R., & Boyer, H. L. (1962). *L-ARABINOSE-SENSITIVE, L-RIBULOSE 5-PHOSPHATE 4-EPIMERASE-DEFICIENT MUTANTS OF ESCHERICHIA COLI*. <https://journals.asm.org/journal/jb>
- Faust, G., Stand, A., & Weuster-Botz, D. (2015). IPTG can replace lactose in auto-induction media to enhance protein expression in batch-cultured Escherichia coli. *Engineering in Life Sciences*, *15*(8), 824–829. <https://doi.org/10.1002/elsc.201500011>
- Gutiérrez-González, M., Fariás, C., Tello, S., Pérez-Etcheverry, D., Romero, A., Zúñiga, R., Ribeiro, C. H., Lorenzo-Ferreiro, C., & Molina, M. C. (2019). Optimization of culture conditions for the expression of three different insoluble proteins in Escherichia coli. *Scientific Reports*, *9*(1). <https://doi.org/10.1038/s41598-019-53200-7>
- Han, S. J., Machhi, S., Berge, M., Xi, G., Linke, T., & Schoner, R. (2017). Novel signal peptides improve the secretion of recombinant Staphylococcus aureus Alpha toxinH35L in Escherichia coli. *AMB Express*, *7*(1). <https://doi.org/10.1186/s13568-017-0394-1>
- Hassan, M. E. (2016). PRODUCTION, IMMOBILIZATION AND INDUSTRIAL USES OF PENICILLIN G ACYLASE. In *Int J Cur Res Rev*.
- Hausjell, J., Weissensteiner, J., Molitor, C., Halbwirth, H., & Spadiut, O. (2018). E. coli HMS174(DE3) is a sustainable alternative to BL21(DE3). *Microbial Cell Factories*, *17*(169), 1–9. <https://doi.org/10.1186/s12934-018-1016-6>

- Heiker, J. T., Klötting, N., Blüher, M., & Beck-Sickinger, A. G. (2010). Access to gram scale amounts of functional globular adiponectin from *E. coli* inclusion bodies by alkaline-shock solubilization. *Biochemical and Biophysical Research Communications*, *398*(1), 32–37. <https://doi.org/10.1016/j.bbrc.2010.06.020>
- Hume, A. R., Nikodinovic-Runic, J., & O'Connor, K. E. (2009). FadD from *Pseudomonas putida* CA-3 is a true long-chain fatty acyl coenzyme A synthetase that activates phenylalkanoic and alkanolic acids. *Journal of Bacteriology*, *191*(24), 7554–7565. <https://doi.org/10.1128/JB.01016-09>
- Hwang, P. M., Pan, J. S., & Sykes, B. D. (2014). Targeted expression, purification, and cleavage of fusion proteins from inclusion bodies in *Escherichia coli*. In *FEBS Letters* (Vol. 588, Issue 2, pp. 247–252). <https://doi.org/10.1016/j.febslet.2013.09.028>
- Jeong, H., Kim, H. J., & Lee, S. J. (2016). Complete genome sequence of *Escherichia coli* strain BL21. *Genome Announcements*, *3*(2). <https://doi.org/10.1128/genomeA.00134-15>
- Kafshnochi, M., Farajnia, S., Aboshof, R., Babaei, H., & Aminolroayae, M. (2010). Cloning and over-expression of Penicillin G acylase in *Escherichia coli* BL21. *African Journal of Biotechnology*, *9*(18), 2697–2701. <http://www.academicjournals.org/AJB>
- Kelly, C. L., Liu, Z., Yoshihara, A., Jenkinson, S. F., Wormald, M. R., Otero, J., Estévez, A., Kato, A., Marqvorsen, M. H. S., Fleet, G. W. J., Estévez, R. J., Izumori, K., & Heap, J. T. (2016). Synthetic Chemical Inducers and Genetic Decoupling Enable Orthogonal Control of the rhaBAD Promoter. *ACS Synthetic Biology*, *5*(10), 1136–1145. <https://doi.org/10.1021/acssynbio.6b00030>
- Khlebnikov, A., Risa, Ø., Skaug, T., Carrier, T. A., & Keasling, J. D. (2000). Regulatable Arabinose-Inducible Gene Expression System with Consistent Control in All Cells of a Culture. In *JOURNAL OF BACTERIOLOGY* (Vol. 182, Issue 24).
- Kittler, S., Kopp, J., Veelenturf, P. G., Spadiut, O., Delvigne, F., Herwig, C., & Slouka, C. (2020). The Lazarus *Escherichia coli* Effect: Recovery of Productivity on Glycerol/Lactose Mixed Feed in Continuous Biomanufacturing. *Frontiers in Bioengineering and Biotechnology*, *8*. <https://doi.org/10.3389/fbioe.2020.00993>
- Kopp, J., Slouka, C., Ulonska, S., Kager, J., Fricke, J., Spadiut, O., & Herwig, C. (2018). Impact of glycerol as carbon source onto specific sugar and inducer uptake rates and inclusion body productivity in *E. Coli* BL21(DE3). *Bioengineering*, *5*(1). <https://doi.org/10.3390/bioengineering5010001>
- Kubiak, M., Mayer, J., Kampen, I., Schilde, C., & Biedendieck, R. (2021). Structure-properties correlation of cross-linked penicillin g acylase crystals. *Crystals*, *11*(4). <https://doi.org/10.3390/cryst11040451>
- Kwon, S. bin, Yu, J. E., Kim, J., Oh, H., Park, C., Lee, J., & Seong, B. L. (2019). Quality screening of incorrectly folded soluble aggregates from functional recombinant proteins. *International Journal of Molecular Sciences*, *20*(4). <https://doi.org/10.3390/ijms20040907>

- Kwon, S. K., Kim, S. K., Lee, D. H., & Kim, J. F. (2015). Comparative genomics and experimental evolution of *Escherichia coli* BL21(DE3) strains reveal the landscape of toxicity escape from membrane protein overproduction. *Scientific Reports*, *5*, 16076. <https://doi.org/10.1038/srep16076>
- Latifi, A. M., Khajeh, K., Farnoosh, G., Hassanpour, K., & Khodi, S. (2015). The cytoplasmic and periplasmic expression levels and folding of organophosphorus hydrolase enzyme in *Escherichia coli*. *Jundishapur Journal of Microbiology*, *8*(12). <https://doi.org/10.5812/jjm.17790>
- Le, N. Q. K., Yapp, E. K. Y., Nagasundaram, N., & Yeh, H. Y. (2019). Classifying Promoters by Interpreting the Hidden Information of DNA Sequences via Deep Learning and Combination of Continuous FastText N-Grams. *Frontiers in Bioengineering and Biotechnology*, *7*. <https://doi.org/10.3389/fbioe.2019.00305>
- Lee, J., & Borukhov, S. (2016). Bacterial RNA polymerase-DNA interaction-The driving force of gene expression and the target for drug action. In *Frontiers in Molecular Biosciences* (Vol. 3, Issue NOV). Frontiers Media S.A. <https://doi.org/10.3389/fmolb.2016.00073>
- Lee, N., & Englesberg, E. (1962). DUAL EFFECTS OF STRUCTURAL GENES IN *ESCHERICHIA COLI*\*. In *J. A., Roux' Arch. Entw. Mech* (Vol. 51, Issue 1). Blackwell Scientific Publications. <https://www.pnas.org>
- Lee, S.-M. (2017). An Efficient Method for the Release of Recombinant Penicillin G Amidase from the *Escherichia coli* Periplasm. *Journal of Life Science*, *27*(10), 1145–1151. <https://doi.org/10.5352/JLS.2017.27.10.1145>
- Lin, Y.-H., Fang, W.-L., Lin, W.-J., Huang, S.-W., & Chou, C. P. (2001). Improving production of penicillin acylase in *Escherichia coli* via efficient DegP-mediated processing of precursors in periplasm. In *Process Biochemistry* (Vol. 37). [www.elsevier.com/locate/procbio](http://www.elsevier.com/locate/procbio)
- Listwan, P., Pédelacq, J. D., Lockard, M., Bell, C., Terwilliger, T. C., & Waldo, G. S. (2010). The optimization of in vitro high-throughput chemical lysis of *Escherichia coli*. Application to ACP domain of the polyketide synthase ppsC from *Mycobacterium tuberculosis*. *Journal of Structural and Functional Genomics*, *11*(1), 41–49. <https://doi.org/10.1007/s10969-009-9077-8>
- Lomas, D. A., & Carrell, R. W. (2002). Serpinopathies and the conformational dementias. In *Nature Reviews Genetics* (Vol. 3, Issue 10, pp. 759–768). <https://doi.org/10.1038/nrg907>
- Luche, S., Santoni, V., & Rabilloud, T. (2003). *Evaluation of Nonionic and Zwitterionic Detergents as Membrane Protein Solubilizers in Two-dimensional Electrophoresis*.
- MacDonald, I. C., Seamons, T. R., Emmons, J. C., Javdan, S. B., & Deans, T. L. (2021). Enhanced regulation of prokaryotic gene expression by a eukaryotic transcriptional activator. *Nature Communications*, *12*(1). <https://doi.org/10.1038/s41467-021-24434-9>

- Makam, S., Srirama, K., Dirisala, V. R., & Reddy, P. N. (2018). An efficient method for integration of PCR fragments into adjacent or overlapping restriction sites during gene cloning. *3 Biotech*, 8(4). <https://doi.org/10.1007/s13205-018-1214-2>
- Manzo, R. M., Simonetta, A. C., Rubiolo, A. C., & Mammarella, E. J. (2013). SCREENING AND SELECTION OF WILD STRAINS FOR L-ARABINOSE ISOMERASE PRODUCTION. *Brazilian Journal of Chemical Engineering*, 30(04), 711–720. [www.abeq.org.br/bjche](http://www.abeq.org.br/bjche)
- Marschall, L., Sagmeister, P., & Herwig, C. (2017). Tunable recombinant protein expression in E. coli: promoter systems and genetic constraints. In *Applied Microbiology and Biotechnology* (Vol. 101, Issue 2, pp. 501–512). Springer Verlag. <https://doi.org/10.1007/s00253-016-8045-z>
- Mauro, V. P., & Chappell, S. A. (2014). A critical analysis of codon optimization in human therapeutics. In *Trends in Molecular Medicine* (Vol. 20, Issue 11, pp. 604–613). Elsevier Ltd. <https://doi.org/10.1016/j.molmed.2014.09.003>
- MCLAB. (2022). *HB101 Competent E. coli*. <https://www.mclab.com/HB101-Competent-E.-Coli.html>
- Mönster, A., Villain, L., Scheper, T., & Beutel, S. (2013). One-step-purification of penicillin G amidase from cell lysate using ion-exchange membrane adsorbers. *Journal of Membrane Science*, 444, 359–364. <https://doi.org/10.1016/j.memsci.2013.05.054>
- Murakami, M., Murakami, A. M., & Itagaki, S. (2021). A dual prokaryotic (E. coli) expression system (pdMAX). *PLoS ONE*, 16(10 October). <https://doi.org/10.1371/journal.pone.0258553>
- Myung, S. H., Park, J., Han, J. H., & Kim, T. H. (2020). Development of the mammalian expression vector system that can be induced by IPTG and/or Lactose. *Journal of Microbiology and Biotechnology*, 30(8), 1124–1131. <https://doi.org/10.4014/jmb.2003.03030>
- Narayanan, N., Hsieh, M. Y., Xu, Y., & Chou, C. P. (2006). Arabinose-induction of lac-derived promoter systems for penicillin acylase production in Escherichia coli. *Biotechnology Progress*, 22(3), 617–625. <https://doi.org/10.1021/bp050367d>
- Novagen. (2021). *TB038VM pET-22b(+) Vector Map*. [https://www.merckmillipore.com/SG/en/product/pET-22b-DNA-Novagen,EMD\\_BIO-69744?ReferrerURL=https%3A%2F%2Fwww.google.com%2F#anchor\\_CITATION](https://www.merckmillipore.com/SG/en/product/pET-22b-DNA-Novagen,EMD_BIO-69744?ReferrerURL=https%3A%2F%2Fwww.google.com%2F#anchor_CITATION)
- Orr, V., Scharer, J., Moo-Young, M., Honeyman, C. H., Fenner, D., Crossley, L., Suen, S. Y., & Chou, C. P. (2012). Simultaneous clarification of Escherichia coli culture and purification of extracellularly produced penicillin G acylase using tangential flow filtration and anion-exchange membrane chromatography (TFF-AEMC). *Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences*, 900, 71–78. <https://doi.org/10.1016/j.jchromb.2012.05.039>

- Pan, X., Li, A., Peng, Z., Ji, X., Chu, J., & He, B. (2020). Efficient synthesis of  $\beta$ -lactam antibiotics with in situ product removal by a newly isolated penicillin G acylase. *Bioorganic Chemistry*, 99. <https://doi.org/10.1016/j.bioorg.2020.103765>
- Pan, X., Yu, Q., Chu, J., Jiang, T., & He, B. (2018). Fitting replacement of signal peptide for highly efficient expression of three penicillin G acylases in *E. coli*. *Applied Microbiology and Biotechnology*, 102(17), 7455–7464. <https://doi.org/10.1007/s00253-018-9163-6>
- Panda, A. K. (2003). Bioprocessing of Therapeutic Proteins from the Inclusion Bodies of *Escherichia coli*. *Adv Biochem Engin/Biotechnol*, 85, 43–93. <https://doi.org/10.1007/b11045>
- Peng, N., Deng, L., Mei, Y., Jiang, D., Hu, Y., Awayez, M., Liang, Y., & She, Q. (2012). A synthetic arabinose-inducible promoter confers high levels of recombinant protein expression in hyperthermophilic archaeon *Sulfolobus islandicus*. *Applied and Environmental Microbiology*, 78(16), 5630–5637. <https://doi.org/10.1128/AEM.00855-12>
- Pikal-Cleland, K. A., Rodríguez-Hornedo, N., Amidon, G. L., & Carpenter, J. F. (2000). Protein denaturation during freezing and thawing in phosphate buffer systems: Monomeric and tetrameric  $\beta$ -galactosidase. *Archives of Biochemistry and Biophysics*, 384(2), 398–406. <https://doi.org/10.1006/abbi.2000.2088>
- Plucinsky, S. M., Root, K. T., & Glover, K. J. (2018). Efficient solubilization and purification of highly insoluble membrane proteins expressed as inclusion bodies using perfluorooctanoic acid. *Protein Expression and Purification*, 143, 34–37. <https://doi.org/10.1016/j.pep.2017.10.012>
- Promega. (2022). Products; bacterial strains and competent cells; HB101 Competent Cells. Online. <https://www.promega.sg/products/cloning-and-dna-markers/bacterial-strains-and-competent-cells/hb101-competent-cells/?catNum=L2015>
- Przybycien, T. M., Dunn, J. P., Valax, P., & Georgiou, G. (1994). Secondary structure characterization of  $\beta$ -lactamase inclusion bodies. In *Protein Engineering* (Vol. 7). <http://peds.oxfordjournals.org/>
- Purwanto, Sismindari, & Purwantini, I. (2021). *Prioritas Riset Nasional: Produksi Enzim Penisilin-G Asilase (PGA)*.
- Qi, X., Sun, Y., & Xiong, S. (2015). A single freeze-thawing cycle for highly efficient solubilization of inclusion body proteins and its refolding into bioactive form. *Microbial Cell Factories*, 14(1), 1–12. <https://doi.org/10.1186/s12934-015-0208-6>
- Roca-Pinilla, R., López-Cano, A., Saubi, C., Garcia-Fruitós, E., & Arís, A. (2020). A new generation of recombinant polypeptides combines multiple protein domains for effective antimicrobial activity. *Microbial Cell Factories*, 19(1). <https://doi.org/10.1186/s12934-020-01380-7>

- Rosano, G. L., & Ceccarelli, E. A. (2014). Recombinant protein expression in *Escherichia coli*: Advances and challenges. In *Frontiers in Microbiology* (Vol. 5, Issue APR). Frontiers Research Foundation. <https://doi.org/10.3389/fmicb.2014.00172>
- Rosano, G. L., Morales, E. S., & Ceccarelli, E. A. (2019). New tools for recombinant protein production in *Escherichia coli*: A 5-year update. In *Protein Science* (Vol. 28, Issue 8, pp. 1412–1422). Blackwell Publishing Ltd. <https://doi.org/10.1002/pro.3668>
- Sandomenico, A., Sivaccumar, J. P., & Ruvo, M. (2020a). Evolution of *Escherichia coli* expression system in producing antibody recombinant fragments. In *International Journal of Molecular Sciences* (Vol. 21, Issue 17, pp. 1–39). MDPI AG. <https://doi.org/10.3390/ijms21176324>
- Sandomenico, A., Sivaccumar, J. P., & Ruvo, M. (2020b). Evolution of *Escherichia coli* expression system in producing antibody recombinant fragments. In *International Journal of Molecular Sciences* (Vol. 21, Issue 17, pp. 1–39). MDPI AG. <https://doi.org/10.3390/ijms21176324>
- Sambrook, J. & Russell, D.W. (2001). *Molecular Cloning: A Laboratory Manual*. 3<sup>rd</sup> Edition Vol. 1. New York: Cold Spring Harbor Laboratory Press.
- Schimek, C., Egger, E., Tauer, C., Striedner, G., Brocard, C., Cserjan-Puschmann, M., & Hahn, R. (2020). Extraction of recombinant periplasmic proteins under industrially relevant process conditions: Selectivity and yield strongly depend on protein titer and methodology. *Biotechnology Progress*, 36(5). <https://doi.org/10.1002/btpr.2999>
- Selas Castiñeiras, T., Williams, S. G., Hitchcock, A., Cole, J. A., Smith, D. C., & Overton, T. W. (2018). Development of a generic  $\beta$ -lactamase screening system for improved signal peptides for periplasmic targeting of recombinant proteins in *Escherichia coli*. *Scientific Reports*, 8(1). <https://doi.org/10.1038/s41598-018-25192-3>
- Shahzadi, I., Al-Ghamdi, M. A., Nadeem, M. S., Sajjad, M., Ali, A., Khan, J. A., & Kazmi, I. (2021). Scale-up fermentation of *Escherichia coli* for the production of recombinant endoglucanase from *Clostridium thermocellum*. *Scientific Reports*, 11(1). <https://doi.org/10.1038/s41598-021-86000-z>
- Singh, S. M., & Panda, A. K. (2005). Solubihzation and refolding of bacterial inclusion body proteins. *Journal of Bioscience and Bioengineering*, 99(4), 303–310. <https://doi.org/10.1263/jbb.99.303>
- Sockolosky, J. T., & Szoka, F. C. (2013). Periplasmic production via the pET expression system of soluble, bioactive human growth hormone. *Protein Expression and Purification*, 87(2), 129–135. <https://doi.org/10.1016/j.pep.2012.11.002>
- Srirangan, K., Orr, V., Akawi, L., Westbrook, A., Moo-Young, M., & Chou, C. P. (2013). Biotechnological advances on Penicillin G acylase: Pharmaceutical implications, unique expression mechanism and production strategies. In *Biotechnology Advances* (Vol. 31, Issue 8, pp. 1319–1332). <https://doi.org/10.1016/j.biotechadv.2013.05.006>

- Stargardt, P., Striedner, G., & Mairhofer, J. (2021). Tunable expression rate control of a growth-decoupled T7 expression system by l-arabinose only. *Microbial Cell Factories*, 20(1). <https://doi.org/10.1186/s12934-021-01512-7>
- Stathopoulos, P. B., Scholz, G. A., Hwang, Y.-M., Rumfeldt, J. A. O., Lepock, J. R., & Meiering, E. M. (2008). Sonication of proteins causes formation of aggregates that resemble amyloid. *Protein Science*, 13(11), 3017–3027. <https://doi.org/10.1110/ps.04831804>
- Supartono, Ratnaningsih, E., Achmad, S., & Liang, O. B. (2008). Characterization of Extracellular Penicillin G Acylase Produced by A New Local Strain of Bacillus subtilis BAC4. *HAYATI Journal of Biosciences*, 15(2), 71–76.
- Tapia-Pastrana, G., Chavez-Dueñas, L., Lanz-Mendoza, H., Teter, K., & Navarro-García, F. (2012). VirK is a periplasmic protein required for efficient secretion of plasmid-encoded toxin from enteroaggregative Escherichia coli. *Infection and Immunity*, 80(7), 2276–2285. <https://doi.org/10.1128/IAI.00167-12>
- Tegel, H., Ottosson, J., & Hober, S. (2011). Enhancing the protein production levels in Escherichia coli with a strong promoter. *FEBS Journal*, 278(5), 729–739. <https://doi.org/10.1111/j.1742-4658.2010.07991.x>
- ThermoFisher. (2022). Catalog Product EC0114. ThermoFisher Scientific [21 September 2022]. Online. <https://www.thermofisher.com/order/catalog/product/EC0114>
- Tishkov, V. I., Savin, S. S., & Yasnaya, A. S. (2010). Protein Engineering of Penicillin Acylase. *Acta Naturae*, 2(3), 47–61.
- UniProt. (2022). *Escherichia phage T7 (Bacteriophage T7)*. <https://www.uniprot.org/uniprotkb/P00573/entry>
- van Hijum, S. A. F. T., Medema, M. H., & Kuipers, O. P. (2009). Mechanisms and Evolution of Control Logic in Prokaryotic Transcriptional Regulation. *Microbiology and Molecular Biology Reviews*, 73(3), 481–509. <https://doi.org/10.1128/mmbr.00037-08>
- Vélez, A. M., da Silva, A. J., Horta, A. C. L., Sargo, C. R., Campani, G., Silva, G. G., Giordano, R. de L. C., & Zangirolami, T. C. (2014). High-throughput strategies for penicillin G acylase production in rE. coli fed-batch cultivations. *BMC Biotechnology*, 14(6), 1–13. <https://doi.org/10.1186/1472-6750-14-6>
- Wibawa, T., & Satoto, T. B. T. (2016). Magnitude of Neglected Tropical Diseases in Indonesia at Postmillennium Development Goals Era. In *Journal of Tropical Medicine* (Vol. 2016). Hindawi Limited. <https://doi.org/10.1155/2016/5716785>
- Wong, W. K. R., Ali, A. B., & Ma, M. C. (2003). Cloning, expression, and characterization of diuretic hormone Manduca diuresin from Manduca sexta in Escherichia coli. *Protein Expression and Purification*, 29(1), 51–57. [https://doi.org/10.1016/S1046-5928\(03\)00007-X](https://doi.org/10.1016/S1046-5928(03)00007-X)
- Xu, Y., Rosenkranz, S., Weng, C. L., Scharer, J. M., Moo-Young, M., & Chou, C. P. (2006a). Characterization of the T7 promoter system for expressing penicillin acylase

in *Escherichia coli*. *Applied Microbiology and Biotechnology*, 72(3), 529–536.  
<https://doi.org/10.1007/s00253-005-0293-2>

Xu, Y., Rosenkranz, S., Weng, C.-L., Scharer, J. M., Moo-Young, M., & Chou, C. P. (2006b). Characterization of the T7 Promotor System for Expressing Penicillin Acylase in *Escherichia coli*. *Applied Genetics and Molecular Biotechnology*, 72(3), 529–536. <https://doi.org/10.1007/s00253-005-0293-2>

Yang, D., Liu, H., Shi, J., Wang, X., Zhang, S., Zou, H., & Jiang, Z. (2016). Enhancing 6-APA Productivity and Operational Stability of Penicillin G Acylase via Rapid Surface Capping on Commercial Resins. *Industrial and Engineering Chemistry Research*, 55(39), 10263–10270. <https://doi.org/10.1021/acs.iecr.6b02866>

You, L., Usher, J. J., White, B. J., & Novotny, J. (2008). *European Patent Specification: Mutant Penicillin G Acylases “E. coli.”*

Zhang, X. L., Zong, M. H., & Li, N. (2016). Penicillin acylase-catalyzed synthesis of N-bromoacetyl-7-aminocephalosporanic acid, the key intermediate for the production of cefathiamidine. *Bioresources and Bioprocessing*, 3(1). <https://doi.org/10.1186/s40643-016-0127-3>