UNIVERSITAS
GADJAH MADA
Akurasi Ultrasonografi Konvensional dalam Memprediksi Limfadenopati Leher Maligna Berdasarkan Morfologi Limfonodi Bentuk Bulat dan Tanpa Hilus Ekogenik
RIZKI AMALLIA, Dr. dr. Bambang Supriyadi, Sp. Rad (K), MM; dr. Wigati Dhamiyati, Sp.Rad (K) Onk
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abdelgawad, E.A., Abu-samra, M.F., Abdelhay, N.M., & Abdel-Azeem, H.M., 2020. B-mode ultrasound, color Doppler, and sonoelastography in differentiation between benign and malignant cervical lymph nodes with special emphasis on sonoelastography. *Egypt. J. Radiol. Nucl. Med.* 51. doi:10.1186/s43055-020-00273-4

Aditya, M., & Simargi, Y., 2019. Kesesuaian hasil ultrasonografi dan diagnosis klinis terhadap pemeriksaan histopatologis penderita limfadenitis tuberkulosis regio servikal. *J. Biomedika dan Kesehat.* 2: 20–26. doi:10.18051/jbiomedkes.2019.v2.20-26

Ahuja, A.T., & Ying, M., 2005. Sonographic evaluation of cervical lymph nodes. *Am. J. Roentgenol.* 184: 1691–1699. doi:10.2214/ajr.184.5.01841691

Ahuja, A.T., Ying, M., Ho, S.Y., Antonio, G., Lee, Y.P., King, A.D., et al., 2008. Ultrasound of malignant cervical lymph nodes. *Cancer Imaging* 8: 48–56. doi:10.1102/1470-7330.2008.0006

Altrabulsi, B., Malpica, A., Deavers, M.T., Bodurka, D.C., Broaddus, R., & Silva, E.G., 2005. Undifferentiated carcinoma of the endometrium. *Am. J. Surg. Pathol.* 29: 1316–1321. doi:10.1097/01.pas.0000171003.72352.9a

Balm, A.J.M., van Velthuysen, M.L.F., Hoebers, F.J.P., Vogel, W. V., & van den Brekel, M.W.M., 2010. Diagnosis and treatment of a neck node swelling suspicious for a malignancy: An algorithmic approach. *Int. J. Surg. Oncol.* 2010: 1–8. doi:10.1155/2010/581540

Chang, S.S.Y., Xiong, M., How, C.H., & Lee, D.M., 2020. An approach to cervical lymphadenopathy in children. *Singapore Med. J.* 61: 569–577. doi:10.11622/SMEDJ.2020151

Dahlan, S., 2013. Statistik Untuk Kedokteran dan Kesehatan, 3rd ed. Salemba Medika, Jakarta.

Dahlan, S., 2010. Besar sampel dan cara pengambilan sampel, Salemba Medika, Jakarta.

Dudea, S.M., Lenghel, M., Botar-jid, C., Vasilescu, D., & Duma, M., 2012. Ultrasonography of superficial lymph nodes : benign vs . malignant.

Elahi, B., Javed, K., Parveen, I., Ibrahim, M.I., 2020. Comparison of ultrasound elastography versus B-Mode ultrasound in differentiating malignant from benign cervical lymph nodes. *Pak Armed Forces Med J 2020;* 70: 409–413.

UNIVERSITAS
GADJAH MADA
Akurasi Ultrasonografi Konvensional dalam Memprediksi Limfadenopati Leher Maligna Berdasarkan Morfologi Limfonodi Bentuk Bulat dan Tanpa Hilus Ekogenik
RIZKI AMALLIA, Dr. dr. Bambang Supriyadi, Sp. Rad (K), MM; dr. Wigati Dhamiyati, Sp.Rad (K) Onk
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Elsholtz, F.H.J., Asbach, P., Haas, M., Becker, M., Beets-Tan, R.G.H., Thoeny, H.C., et al., 2021. Introducing the node reporting and data system 1.0 (Node-RADS): a concept for standardized assessment of lymph nodes in cancer. *Eur. Radiol.* 31: 6116–6124. doi:10.1007/s00330-020-07572-4

George, P., & Appukuttan, A.J., 2021. Evaluation of ultrasonography and colour doppler in cervical lymphadenopathy taking histopathology as comparison. *J. Evol. Med. Dent. Sci.* 10: 1391–1397. doi:10.14260/jemds/2021/294

Horas, D., 2017. Kesesuaian gambaran ultrasonografi gray scale dengan hasil biopsi aspirasi jarum halus dalam membedakan limfadenopati leher jinak dan ganas. Univ. Hasanudidin Pascasarj. Fak. Kedokt. 1.

Hylton, D.A., Turner, S., Kidane, B., Spicer, J., Xie, F., Farrokhyar, F., et al., 2020. The canada lymph node score for prediction of malignancy in mediastinal lymph nodes during endobronchial ultrasound. *J. Thorac. Cardiovasc. Surg.* 159: 2499-2507.e3. doi:10.1016/j.jtcvs.2019.10.205

Jain, K.S., Sikora, A.G., Baxi, S.S., & Morris, L.G.T., 2013. Synchronous cancers in patients with head and neck cancer: Risks in the era of human papillomavirus-associated oropharyngeal cancer. *Cancer* 119: 1832–1837. doi:10.1002/cncr.27988

Kanwar:, V., & Steele, R., 2018. Lymphadenopathy: Practice essentials, pathophysiology, epidemiology. *Medscape*

Kumar, M., Sah, R.P., & Gupta, A.R., 2021. Evaluation of incidence, distribution and etiopathology of cervical lymphadenopathy in Patna population. *Int. J. Curr. Res. Rev.* 13: 146–149. doi:10.31782/ijcrr.2021.13934

Lyshchik, A., Higashi, T., Asato, R., Tanaka, S., Ito, J., Hiraoka, M., et al., 2007. Cervical lymph node metastases: Diagnosis at sonoelastography - Initial experience. *Radiology* 243: 258–267. doi:10.1148/radiol.2431052032

Maini, R., S. Nagalli. 2021. Lymphadenopathy. StatPearls Publishing. Available from: https://www.ncbi.nlm.nih.gov/books/NBK558918/, diakses pada tanggal 16 Januari 2022 (10.01)

Pandey, A., Kureel, S.N., Pandey, J., Wakhlu, A., Rawat, J., & Singh, T.B., 2012. Chronic cervical lymphadenopathy in children: Role of ultrasonography. *J. Indian Assoc. Pediatr. Surg.* 17: 58–62. doi:10.4103/0971-9261.93963

UNIVERSITAS
GADJAH MADA
Akurasi Ultrasonografi Konvensional dalam Memprediksi Limfadenopati Leher Maligna Berdasarkan Morfologi Limfonodi Bentuk Bulat dan Tanpa Hilus Ekogenik
RIZKI AMALLIA, Dr. dr. Bambang Supriyadi, Sp. Rad (K), MM; dr. Wigati Dhamiyati, Sp.Rad (K) Onk
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Pattanayak, S., Chatterjee, S., Ravikumar, R., Nijhawan, V.S., Vivek Sharma, & Debnath, J., 2018. Ultrasound evaluation of cervical lymphadenopathy: Can it reduce the need of histopathology/cytopathology? *Med. J. Armed Forces India* 74: 227–234. doi:10.1016/j.mjafi.2017.04.005

Priya S, S., Rajalakshmi, V., 2019. Spectrum of histopathological diagnosis of lymph node biopsies and utility of immunohistochemistry in diagnosis of lymphoma: A 5 year retrospective study from a tertiary care Centre in South India. Indian J. Pathol. Oncol. 6: 434–439. doi:10.18231/j.ijpo.2019.083

Raja Lakshmi, C., Sudhakara Rao, M., Ravikiran, A., Sathish, S., & Bhavana, S.M., 2014. Evaluation of reliability of ultrasonographic parameters in differentiating benign and metastatic cervical group of lymph nodes. *ISRN Otolaryngol.* 2014: 1–7. doi:10.1155/2014/238740

Rakhmawulan, I.A., Dewi, Y.A., & Nasution, N., 2015. Profile of head and neck cancer patients at department of otorhinolaringology-Head and Neck Surgery Dr. Hasan Sadikin General Hospital Bandung. *Althea Med. J.* 2: 474–479. doi:10.15850/amj.v2n4.630

Ramadas, A.A., Jose, R., Varma, B., & Chandy, M.L., 2017. Cervical lymphadenopathy: Unwinding the hidden truth. *Dent. Res. J. (Isfahan).* 14: 73–78. doi:10.4103/1735-3327.201136

Rashighi, M., & Harris, J.E., 2017. Cervical lymph node metastases from remote primary tumor sites. *Physiol. Behav.* 176: 139–148. doi:10.1002/hed.24344.Cervical

Ryu, K.H., Lee, K.H., Ryu, J., Baek, H.J., Kim, S.J., Jung, H.K., et al., 2016. Cervical lymph node imaging reporting and data system for ultrasound of cervical lymphadenopathy: A pilot study. *Am. J. Roentgenol.* 206: 1286–1291. doi:10.2214/AJR.15.15381

Sakr, M., 2016. Head and neck and endocrine surgery: From clinical presentation to treatment success. *Head Neck Endocr. Surg. From Clin. Present. to Treat. Success* 1–393. doi:10.1007/978-3-319-27532-1

Sastroasmoro, S., & Ismael, S., 2011. Dasar-dasar metodologi penelitian klinis. CV. Sagung Seto, Jakarta

Scully, C., 2013. Cervical lymphadenopathy. *Oral Maxillofac. Med.* 82–86. doi:10.1016/b978-0-7020-4948-4.00006-4

UNIVERSITAS
GADJAH MADA
Akurasi Ultrasonografi Konvensional dalam Memprediksi Limfadenopati Leher Maligna Berdasarkan Morfologi Limfonodi Bentuk Bulat dan Tanpa Hilus Ekogenik
RIZKI AMALLIA, Dr. dr. Bambang Supriyadi, Sp. Rad (K), MM; dr. Wigati Dhamiyati, Sp.Rad (K) Onk
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Sharadamani GS, 2019. Prevalence of various cancers in a rural setting in India – Karaikal. *Indian J. Pathol. Oncol.* 6: 112–117. doi:10.18231/2394-6792.2019.0020

Sugiyono, 2007. Statistik untuk penelitian, 11th ed. CV Alfabeta, Bandung

Ulfiawaty, U., Murtala, B., & Muis, M., 2019. Nilai diagnostik usg color doppler dan elastografi dibandingkan dengan hasil biopsi aspirasi jarum halus dalam menentukan limfadenopati leher jinak dan ganas. *Mandala Heal.* 12: 140. doi:10.20884/1.mandala.2019.12.1.1266

Verma, R., & Khera, S., 2020. Cervical lymphadenopathy - A Review. *Int. J. Heal. Sci. Res.* 10: 292–298.

Wang, Y., He, S.S., Bao, Y., Cai, X.Y., Chen, H.Y., Yang, X.L., et al., 2018. Cervical lymph node carcinoma metastasis from unknown primary site: a retrospective analysis of 154 patients. *Cancer Med.* 7: 1852–1859. doi:10.1002/cam4.1458

West, H., & Jin, J., 2016. Lymph nodes and lymphadenopathy in cancer. *JAMA Oncol.* 2: 971. doi:10.1001/jamaoncol.2015.3509

Widayati, W.T., Dwianingsih, E.K., Ardianto, B., Heriyanto, D.S., Indrasari, S.R., Herdini, C., et al., 2020. Sinonasal or nasopharyngeal undifferentiated Carcinoma?: diagnostic pitfall and the role of Epstein-Barrvirus (EBV) and human papillomavirus(HPV) examination. *J. thee Med. Sci. (Berkala Ilmu Kedokteran)* 52: 163–170. doi:10.19106/jmedsci005202202008

Wiganda, Achmad, D., & Abdurahman, M., 2021. Akurasi Pemeriksaan Biopsi Aspirasi Jarum Halus (BAJAH) dalam Diagnosis Keganasan Kelenjar Getah Bening Leher. *J. llmu Bedah Indones.* 35: 18–22. doi:10.46800/jibiikabi.v35i2.128

Ying, M., & Ahuja, A.T., 2006. Ultrasound of neck lymph nodes: How to do it and how do they look? *Radiography* 12: 105–117. doi:10.1016/j.radi.2005.04.004

Ying, M., Bhatia, K.S.S., Lee, Y.P., Yuen, H.Y., & Ahuja, A.T., 2014. Review of ultrasonography of malignant neck nodes: Greyscale, doppler, contrast enhancement and elastography. *Cancer Imaging* 13: 658–669. doi:10.1102/1470-7330.2013.0056

Zhang, X.M., & Lin, F., 2017. Lymph nodes. *Handb. Pract. Fine Needle Aspiration Small Tissue Biopsies* 143–191. doi:10.1007/978-3-319-57386-1_4