



DAFTAR PUSTAKA

- Abbattista, F., Delastro, A., Gozzelino, G., Mazza, D., Vallino, M., Busca, G., and Lorenzelli, V., 1990., Effect of Phosphate Ions on the Surface Chemistry and Microstructure of Amorphous Alumina, *J.Chem.Soc.*, 86, 3653-3658.
- Aboulayt, A., Onfroy, T., Travert, A., Clet, G., and Mauge, F., 2017, Relationship Between Phosphate Structure and Acid-Base Properties of Phosphate-Modified Zirconia: Application to Alcohol Dehydration, *Appl. Catal. A:Gen.*, 540, 193-202.
- Adewumi, I.O., and Bamgboye, A.I., 2020, Development of Biofuel Fermentation Chamber for Biomass Feedstock., *Agric. For. Meteorol.*, 3, 416-423.
- Adeeva, V., Dehaan, J.W., Janchen, J., Lei, G.D., Schunemann, V., Vandeven, L.J.M., Sachtler, W.M.H., and Vansanten, R.A., 1995, Acid Sites in Sulfated and Metal-Promoted Zirconium Dioxide Catalysts, *J.Catal.*, 151(2), 364-372.
- Afanasiev, P., Thiollier, A., Breysse, M., and Dubois, J., 1999, Control of The Textural Properties of Zirconium Oxide, *Top. Catal.*, 8, 147-160.
- Alberti, G., Cavalaglio, S., Marmottini, F., Matussek, K., Megyeri, J., and Szirtes, L., 2001, Preparation of A Composite γ -Zirconium Phosphate-Silica with Large Specific Surface and its First Characterization As Acid Catalyst, *Appl. Catal.A.*, 218, 219.
- Altass, H.M., and Khder, A.E.R.S., 2015, Surface and Catalytic Properties of Triflic Acid Supported Zirconia: Effect of Zirconia Tetragonal Phase, *J. Mol. Catal. A. Chem.*, 411, 138-145.
- Arico, A.S., Baglio, V., Blasi, A.D., and Antonucci, V., 2003, FTIR Spectroscopic Investigation of Inorganic Fillers for Composite DMFC Membranes, *Electrochem. Commun.*, 5, 862-866.
- Bailey, B., Eberhardt, J., Goguen, S., and Erwin, J., 1997, Diethyl Ether (DEE) As A Renewable Diesel Fuel, *SAE. Tech. Pap.*, 2(1), 972-978.
- Barik, D., and Murugan, S., 2016, Effects of Diethyl Ether (DEE) Injection on Combustion Performance and Emission Characteristics of Karanja Methyl Ester (KME)-Biogas Fueled Dual Fuel Diesel Engine, *Fuel.*, 164, 286-296.
- Boyse, R.A., and Ko, E.I., 1996, Preparation and Characterization of Zirconia-Phosphate Aerogels, *Catal. Lett.*, 38, 225-230.



- Cao, D., Yu, B., Zhang, S., Cui, L., Zhang, J., and Cai, W., 2016, Isosorbide Production from Sorbitol Over Porous Zirconium Phosphate Catalyst, *Appl. Catal. A:Gen.*, 528, 59-66.
- Capitami, D., Casciola, M., Donnadio, A., and Vivani, R., 2010, High Yield Precipitation of Crystalline α -Zirconium Phosphate from Oxalic Acid Solutions, *Inorg. Chem.*, 49, 9409-9415.
- Chaichana, E., Boonsinvarothai, N., Chitpong, N., and Jongsomjit, B., 2018, Catalytic Dehydration of Ethanol and Diethyl Ether Over Alumina Catalyst Containing Different Phases with Boron Modification., *J. Porous Mater.*, 26, 599-610.
- Cheng, L., Guo, X., Song, C., Yu, G., Cui, Y., Xue, N., Peng, L., Guo, X., and Ding, W., 2013, High Performance Mesoporous Zirconium Phosphate for Dehydration of Xylose to Furfural in Aqueous-Phase, *RSC Adv.*, 3, 23228-23229.
- Cheng, Y., Wang, X., Jaenicke, S., and Chuah, G.M., 2017, Minimalistics Liquid-Assisted Route to Highly Crystalline α -Zirconium Phosphate, *Chem. Sus. Chem.*, 10, 3235-3242.
- Cinar, C., Can, O., Sahin, F., and Yucesu, H.S., 2010, Effects of Premixed Diethyl Ether (DEE) on Combustion and Exhaust Emissions in A HCCI-DI Diesel Engine, *Appl. Therm. Eng.*, 30(4), 360-365.
- Costagliola, M.A., Prati, M.V., Florio, S., Scorletti, P., Terna, D., Iodice, P., Buono, D., and Senatore, A., 2016, Performances and Emmisions of A 4-stroke Motorcycle Fueled with Ethanol/Gasoline Blends, *Fuel.*, 183, 470-477.
- Deraz, N.M., 2018, The Comparative Jurisprudence of Catalysts Preparation Methods: Precipitation and Impregnation Methods., *J. Ind. Environ. Chem.*, 2, 19-21.
- Dogu, T., and Varisli, D., 2007, Alcohols as Alternatives to Petroleum for Environmentally Clean Fuels and Petrochemicals, *Turkish. J. Chem.*, 31, 551-567.
- Douaud, A., and Eyzat, P., 1978, Four-Octane Number Method for Predicting the Anti Knock Behavior of Fuels and Engines, *SAE Trans.*, 1, 294-308.
- Fajar, B., and Sukarno, 2015, Experimental Study of Additives on Viscosity Biodiesel at Low Temperature, *IOP.Conf. Ser.:Mater. Sci. Eng.*, 88, 012070.



- Gaglieri, C., Alarcon, R.T., Machado, R.D.G., Padovini, D.S.S., Pontes, F.M.L., and Caires, F.J., 2017, Thermal Study of ZrO₂ Nanoparticles: Effect of Heating and Cooling Cycles on Solid-Solid Transition, *Thermochim. Acta.*, 653, 59-61.
- Gionco, C., Hernandez, S., Castellino, M., Gadhi, T.A., Munoz-Tabares, J.A., Cerrato, E., Tagliaferro, A., Russo, N., and Paganini, M.C., 2019, Synthesis and Characterization of Ce and Cr-doped ZrO₂ Nanoparticles as Solar Light Driven Photocatalyst, *J. Alloy. Compd.*, 775, 896-904.
- Guarieiro, L.L.N., Sourza, A.F.D., Torres, E.A., and Andrade, J.B.D., 2009, Emission Profile of 18 Carbonyl Compounds, CO, CO₂, and NO_x Emitted by A Diesel Engine Fueled with Diesel and Ternary Blend Containing Diesel, Ethanol, and Biodiesel or Vegetabel Oils, *Atoms. Environ.*, 43, 2754-2761.
- Han, Y., and Zhu, J., 2013, Surface Science on the Zirconia-Based Model Catalysts, *Top. Catal.*, 56, 1525-1541.
- Hara, S., and Miyayama, M., 2004, Proton Conductivity of Superacidic Sulfated Zirconia, *Solid State Ion.*, 168(1), 111-116.
- Hidzir, N.S., Som, A.M., and Abdullah, Z., 2014, Ethanol Production via Direct Hydration of Ethylene, ICGSCE, Kuala Lumpur.
- Hino, M., and Arata, K., 1980, Synthesis of Solid Superacid Catalyst with Acid Strength of Ho₀ ≤ -16,04., *J. Chem. Soc. Chem. Commun.*, 18, 851-852.
- Hoek.I., Nijhuis, T.A., Stankiewicz, A.I., and Moujijn, J.A., 2004, Kinetics of Solid Acid Catalyzed Etherification of Symmetrical Primary Alcohols: Zeolite Beta Catalyzed Etherification of 1-Octanol, *Appl. Catal. A:Gen.*, 266, 109-116.
- Hosseini, M.M., Kolvari, E., Koukabi, N., Ziyaei, M., and Zolfigol, M.A., 2016, Zirconia Sulfuric Acid: An Efficient Heterogeneous Catalyst for The One-Pot Synthesis of 3,4-Dihydropyrimidinones under Solvent Free Conditions, *Catal. Lett.*, 146, 1040-1049.
- Huang, H.J., Ramaswamy, S., Tschirner, U.W., and Ramarao, B.V., 2008, A Review of Separation Technologies in Current and Future Biorefineries, *Sep. Purif. Technol.*, 62, 1-21.
- Ibrahim, A., 2016, Investigating the Effect of Using Diethyl Ether as A Fuel Additive on Diesel Engine Performance and Combustion., *Appl. Therm. Eng.*, 107, 853-862.



- Iodice, P., and Senatore, A., 2013, Influence of ethanol-gasoline blended Fuels on Cold Start Emissions of a Four-Stroke Motorcycle, Proceeding, International Conference on engines and vehicles, Italy.
- Jandera, P., 2013, *Liquid Chromatography*, Pardubice, Czech Republic.
- Jeevanantham, A.K., Nanthagopal, K., Ashok, B., Al-Muhtaseb, A.H., Thiagarajan, S., Geo, V.E., Ong, H.C., Samuel, K.J., and Chyuan, O.H., 2019, Impact of Addition of Two Ether Additives with High Speed Diesel Calophyllum Inophyllum Biodiesel Blends on NO_x Reduction in CI Engine., *Energy.*, 185, 39-54.
- Jia, L.W., Shen, M.Q., Wang, J., and Lin, M.Q., 2005, Influence of Ethanol-Gasoline Blended on Emission Characteristics from A Four-Stroke Motorcycle Engine, *J. Hazard. Mater.*, 123, 29-34.
- Jung, K.T., and Bel, A.T., 2000, The Effects of Synthesis and Pretreatment Conditions on the Bulk Structure and Surface Properties of Zirconia, *J. Mol. Catal. A:Chem.*, 163, 27-42.
- Kaimal, V.K., and Vijayabalan, P., 2016, An Investigation on the Effects of Using DEE Additive In A DI Diesel Engine Fueled with Waste Plastic Oil, *Fuel.*, 180, 90-96.
- Kamiya, Y., Sakata, S., Yoshinaga, Y., Onishi, R., and Okuhara, T., 2004, Zirconium Phosphate with A High Surface Area as A Water-Tolerant Solid Acid., *Catal. Lett.*, 94, 45-47.
- Khalaf, H.A., Mekhemer, G.A., Nohman, A.K., and Mansour, S.A.A., 2007, Phosphated Alumina Catalysts: Surface and Reactivity Towards 2-PrOH Decomposition, *Monatsh. Chem.*, 138, 641-648.
- Kim, Y., Kim, W.I., Min, B., Seo, J., and Lee, K., 2022, Experimental Investigation of Combustion Characteristics of Ethanol-Gasoline Blended Fuel in A T-GDI Engine., *Appl. Therm. Eng.*, 208, 118168.
- Kosaric, N.Z., Duvnjak, A., Farkas, H., Sahm, S., Bringer-Meyer, O., Goebel and Mayer, D., 1993, "Etanol" dalam Ulmann's Encyclopedia of Industrial Chemistry, edisi 5 vol A9, Verlag-Chemie, Weinheim, Jerman, hal 587-653.
- Laha, S.C., Mukherjee, P., Sainkar, S.R., Kumar, R., 2002, Cerium Containing MCM-41 Type Mesoporous Materials and Their Acidic and Redox Catalytic Properties, *J. Catal.*, 297(2), 213-223.



- Lee, S., and Kim, T.Y., 2017, Performance and Emission Characteristics of A DI Diesel Engine Operated with Diesel/DEE Blended Fuel, *Appl. Therm. Eng.*, 121, 454-461.
- Limlathong, M., Chitpong, N., and Jongsomjit, B., 2019, Influence of Phosphoric Acid Modification on Catalytic Properties of Al₂O₃ Catalysts for Dehydration of Ethanol to Diethyl Ether, *Bull. Chem. Eng. Catal.*, 14, 1-8.
- Macht, J., Baertsch, C.D., Lozano, M.M, Soled, S.L., Wang, Y., and Iglesia, E., 2004, Support Effects on Brønsted Acid Site Densities and Alcohol Dehydration Turn Over Rates On Tungsten Oxide Domains, *J. Catal.*, 227, 479-491.
- Malau, M.L.L., 2021, Preparasi, Karakterisasi dan Aplikasi Katalis SO₄/SiO₂ untuk Konversi Etanol menjadi Dietil Eter (DEE), *Skripsi*, Program studi Kimia Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Gadjah Mada, Yogyakarta.
- Marrodan, L., Fuster, M., Millera, A., Bilbao, R., Alzueta, U.U., 2018, Ethanol as Fuel Additive: High-Pressure Oxidation of Its Mixtures with Acetylene, *Energy. Fuels.*, 32, 10078-10087.
- Mekhmer, G.A.H., 1998, Characterization of Phospated Zirconia by XRD, Raman and IR spectroscopy, *Colloids. Surf. A. Physicochem. Eng. Asp.*, 141(2), 227-235.
- Mekhmer, G.A.H., Ismail, H.M., 2000, Strucutre Analysis of Phospated Zirconia Catalysts Using XRD and Nitrogen Adsorption Methods, *Colloids. Surf. A. Physicochem. Eng. Asp.*, 164, 227-235.
- Mokhar, M., and Basahel, S.N., 2013, Effects of Synthesis Methods for Mesoporous Zirconia on Its Structural and Textural Properties., *J. Mater. Sci.*, 48, 2705-2713.
- Oliverira, T.K.R.D., Rosset, M., and Lopez, O.W.P., 2017, Ethanol Dehydration to Diethyl Ether Over Cu-Fe/ZSM-5 Catalyst, *Catal. Comm.*, 104, 32-36.
- Parida, K.M., and Pattnayak, P.K., 1996, Studies on PO₄³⁻/ZrO₂, *J. Colloid. Interface. Sci.*, 182, 381-387.
- Park, C., Choi, Y., Kim, C., Oh, S., Lim, and Moriyoshi, Y., 2010, Performance and Exhaust Emission Characteristics of A Spark Ignition Engine Using Ethanol and Ethanol-Reformed Gas, *Fuel.*, 89, 2118-2125.
- Pica, M., 2017, Zirconium Phospate Catalysts In The XXI Century: State of the Art from 2010 to Date, *Catalysts*, 7(6), 190.



- Pica, M., Donnadio, A., Capitani, D., Vivani, R., Troni, E., and Casciola, M., 2011, Advance in The Chemistry of Nanosized Zirconium Phosphates: A New Mild and Quick Route to The Synthesis of Nanocrystals, *Inorg. Chem.*, 50, 11623-11630.
- Piconi, C., and Maccauro, G., 1999, Zirconia as A Ceramic Biomaterial, *Biomaterials.*, 20, 1-25.
- Pidol, L., Lecointe, B., Starck, L., and Jeuland, N., 2012, Ethanol-Biodiesel-Diesel Fuel Blends: Performances and Emissions in Conventional Diesel and Advanced Low Temperatures Combustions, *Fuel.*, 93, 329-338.
- Phung, T.K., and Busca, G., 2015, Diethyl Ether Cracking and Ethanol Dehydration: Acid Catalysis and Reaction Paths., *Chem.*, 272, 92-101.
- Phung, T.K., Lagazzo, A., Crespo, M.A.R., Escribano, V.S., and Busca, G., 2014, A Study of Commercial Transition Aluminas and of Their Catalytic Activity in Dehydration of Ethanol., *J. Catal.*, 311, 102-114.
- Rahmanian, A., and Ghaziaskar, H.S., 2013, Continuous Dehydration of Ethanol to Diethyl Ether Over Aluminium Phosphate-Hydroxyapatite Catalyst Under Sub and Supercritical Condition, *J. Of. Supercritical. Fluids.*, 78, 34-41.
- Ramassamy, K.K., and Wang, Y., 2014, Ethanol Conversion to Hydrocarbons on HZSM: Effect of Reaction Conditions and Si/Al Ratio on the Product Distributions, *Catal. Today.*, 237, 89-99.
- Rashad, M. M., and Baioumy, H.M., 2008, Effect of Thermal Treatment on the Crystal Structure and Morphology of Zirconia Nanopowders Produced by Three Different Routes, *J. Mater. Process. Technol.*, 195 (178-185).
- Richardson, T., 1989, *Principles of Catalyst Development*, Plenum Press, New York.
- Rigney, M.P., Funkenbusch, E.F., and Carr, P.W., 1990, Physical and Chemical Characterization of Microporous Zirconia, *J. Chromatography. A.*, 499, 291-304.
- Rosdiansono, Trisunaryanti, W., dan Triyono, 2007, Pengaruh Pengembangan Logam Ni dan Nb₂O₅ Pada Karakter Katalis Ni/Zeolit dan Ni/zeolite-Nb₂O₅, *Sains dan Terapan Kimia*, 1(1), 101-106.
- Rouquerol, J., Avnir, D., Fairbridge, C.W., Everett, D.H., Haynes, J.M., Pernicone, N., Ramsay, J.D.F., Sing, K.S.W., and Unger, K.K., 2009,



Recommendations for the Characterization of Porous Solids., *Pure. Appl. Chem.*, 66(8), 1739-1758.

- Rozi, T.Y., dan Astuti, A., 2016, Pengaruh Temperatur Kalsinasi pada Sintesis Nanopartikel Silica Pantai Purus Kota Padang, *J. Fis. Unand.*, 5, 351-356.
- Sakuth, M., Mensing, T., Schuler, J., Heitmann, W., Strehlke, G., and Mayer, D., 2012, "Ethers, Aplipathic", Vol.13, dalam Ullmann's Encyclopedia of Inudstrial Chemistry, Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim, hal. 433-449.
- Saravanan, K., Park, K.S., Jeon, S., and Bae, J.W., 2018, Aqueous Phase Synthesis of 5-Hydroxymethylfurfural from Glucose Over Large Pore Mesoporous Zirconium Phospates: Effect of Calcination Temperatur, *J. Am. Chem. Soc.*, 3, 808-820.
- Sarve, D.T., Singh, S.K., and Ekhe, J.D., 2020, Kinetic and Mechanistic Study of Ethanol Dehydration to Diethyl Ether Over Ni-ZSM-5 In A Closed Batch Reactor, *React. Kinet. Mech. Catal.*, 131, 261-281.
- Sezer, I., 2011, Thermodynamic, Performance and Emission Investigation of A Diesel Engine Running on Dimethyl Ether and Diethyl Ether, *Int. J. Therm. Sci.*, 50, 1694-1603.
- Signoretto, M., Pinna, F., Strukul, G., Cerrato, G., and Morterra, C., 1996, Platinum Promoted Zirconia-Sulfate Catalyst: One-Pot Preparation, Physical Properties and Catalytic Activity., *Catal. Lett.*, 36, 129-133.
- Singh, S., and Prabhahar, M., 2019, Effect of Diethyl Ether on Combustion and Emission Characteristics of Biodiesel Blend B20 Algae Oil, *Int. J. Eng. Adv. Technol.*, 9, 5609-5610.
- Spielbauer, D., Mekhamer, G.A.H., Zaki, M.I., and Knozinger, H., 1996, Acidity of Sulfated Zirconia as Studied by FTIR Spectroscopy of Adsorbed CO and NH₃ As Probe Molecules, *Catal. Letters.*, 40, 71-79.
- Spielbauer, D., Mekhemer, G.A.H., Riemer, T., Zaki, M.I., and Knozinger, H., 1997, Structure and Acidic Properties of Phosphate-Modified Zirconia, *J. Phys. Chem. B.*, 101, 4681-4688.
- Stichert, W., and Schuth, F., 1998, Influence of Crystallite Size on the Properties of Zirconia, *Chem. Mater.*, 10, 2020-2026.
- Sun, L., Boo, W., Sue, H., and Clearfield, A., 2007, Preparation of Alpha-Zirconum Phosphate Nanoplates with Wide Variations in Aspect Ratios, *New. J. Chem.*, 31, 39-43.



- Strohm, B., 2014, *Encyclopedia of Toxicology*, Academic Press, Amsterdam.
- Tresatayawed, A., Glinrun, P., and Jongsomjit, B., 2019, Ethanol Dehydration Over WO₃/TiO₂ Catalysts Using Titania Derived from Sol-Gel and Solvothermal Methods, *Int. J. Chem. Eng.*, 2019, 1-11.
- Tyagi, B., Sidhpuria, K., Shaik, B., and Jasra, R.V., 2006, Synthesis of Nanocrystalline Zirconia Using Sol-gel Precipitation Technique, *Ind. Eng. Chem. Res.*, 45, 8643-8650.
- Ullman, 1987, *Chemical Engineering and Plant Design*, Wiley&Sons Inc., New York.
- Vohra, M., Manwar.J., Manmode.R., Padgilwar.S., and Patil, S., 2013, Bioetanol Production: Feedstock and Current Technologies, *J. Environ. Chem. Eng.*, 2, 573-584.
- Wahyuni, I., 2012, Studi Pemisahan Campuran Azeotrope Etanol-Air dan Isopropyl Alcohol-Air Melalui Proses Pervaporasi dengan Membrane Thin Film Composite Komersial, *Tesis*, Fakultas Teknik Program Studi Magister Teknik Kimia, Depok.
- Wang, C.M., Fan, K.N., and Liu, Z.P., 2007, Origin of Oxide Sensitivity in Gold Based Catalysts: A First Principle Study of CO Oxidation Over Au Supported on Monoclinic and Tetragonal ZrO₂, *J. Am. Chem. Soc.*, 129, 2642-2647.
- Weingarten, R., Tompsett, G.A., Junior, Conner, W.C.J., and Huber, G.W., 2011, Design of Solid Acid Catalysts for Aqueous-Phase Dehydration of Carbohydrates: The Role of Lewis and Brønsted Acid Sites., *J. Catal.*, 279, 174-182.
- Wijaya, K., Putri, A.R., Sudiono, S., Mulijani, S., Patah, A., Wibowo, A.C., and Saputri, W.D., 2021, Effectively Synthesizing SO₄/TiO₂ Catalyst and Its Performance for Converting Ethanol Into Diethyl Ether (DEE), *Catalysts.*, 11, 1492.
- Yadav, G.D., and Nair, J.J., 1999, Sulfated Zirconia and Its Modified Versions as Promising Catalysts for Industrial Processes, *Micropor. Mesopor. Mater.*, 33, 1-48.
- Yaws, C.L., 1999, *Chemical Properties Handbook Physical, Thermodynamic, Environmental, Transport, Safety, and Health Related Properties for Organic and Inorganic Chemicals*, Mc Graw Hill Book Companies, New York.



- Zhai, P., Lv.G., Cai, Z., Zhu, Y., Li, H., Zhang, X., and Wang, F., 2019, Efficient Production of Ethyl Levulinate from Furfuryl Alcohol Catalyzed by Modified Zirconium Phosphate, *Chemistry. Select.*, 4, 3940-3947.
- Zhan, N., Hu, Y., Li, H., Yu, D., Han, Y., and Huang, H., 2010, Lanthanum-Phosphorous Modified HZSM-5 Catalysts in Dehydration of Ethanol to Ethylene: A Comparative Analysis, *Catal. Commun.*, 11, 633-637.
- Zhu, L., Cheung, C., Zhang, W., Huang, Z., 2011, Combustion, Performance and Emission Characteristics of A DI Diesel Engine Fueled with Ethanol-Biodiesel Blends, *Fuel.*, 90, 1743-1750.
- Zinatloo-Aljabshir, S., and Salavati-Niasari, M., 2016, Facile Route to Synthesize Zirconium Dioxide (ZrO₂) Nanostructures: Structural, Optical, and Photocatalytic Studies, *J. Mol. Liq.*, 216, 545-551.