

## DAFTAR PUSTAKA

- Altamirano-Diaz, L. *et al.* (2018) ‘Does obesity affect the non-invasive measurement of cardiac output performed by electrical cardiometry in children and adolescents?’, *Journal of Clinical Monitoring and Computing*, 32(1), pp. 45–52. Available at: <https://doi.org/10.1007/s10877-017-9994-1>.
- Association of Fatal and Nonfatal Cardiovascular Outcomes With 24-Hour Mean Arterial Pressure / Hypertension* (no date). Available at: <https://www.ahajournals.org/doi/10.1161/HYPERTENSIONAHA.120.14929> (Accessed: 28 September 2022).
- Barile, L. *et al.* (2013) ‘Cardiac Index Assessment by the Pressure Recording Analytic Method in Critically Ill Unstable Patients After Cardiac Surgery’, *Journal of Cardiothoracic and Vascular Anesthesia*, 27(6), pp. 1108–1113. Available at: <https://doi.org/10.1053/j.jvca.2013.02.016>.
- de Boode, W.-P. (2010) ‘Cardiac output monitoring in newborns’, *Early Human Development*, 86(3), pp. 143–148. Available at: <https://doi.org/10.1016/j.earlhumdev.2010.01.032>.
- Burtman, David T.M. *et al.* (2018) ‘Minimally Invasive Determinations of Oxygen Delivery and Consumption in Cardiac Surgery: An Observational Study’, *Journal of Cardiothoracic and Vascular Anesthesia*, 32(3), pp. 1266–1272. Available at: <https://doi.org/10.1053/j.jvca.2017.06.042>.
- Burtman, David T. M. *et al.* (2018) ‘Minimally Invasive Determinations of Oxygen Delivery and Consumption in Cardiac Surgery: An Observational Study’, *Journal of Cardiothoracic and Vascular Anesthesia*, 32(3), pp. 1266–1272. Available at: <https://doi.org/10.1053/j.jvca.2017.06.042>.

Chaiyakulsil, C. *et al.* (2018) ‘Comparison of three non-invasive hemodynamic

monitoring methods in critically ill children’, *PLOS ONE*. Edited by G.

Erdoes, 13(6), p. e0199203. Available at:

<https://doi.org/10.1371/journal.pone.0199203>.

Cherpanath, T.G.V. *et al.* (2013) ‘Basic concepts of fluid responsiveness’,

*Netherlands Heart Journal*, 21(12), pp. 530–536. Available at:

<https://doi.org/10.1007/s12471-013-0487-7>.

Cox, P.B.W. *et al.* (2017) ‘Accuracy, Precision, and Trending Ability of Electrical

Cardiometry Cardiac Index versus Continuous Pulmonary Artery

Thermodilution Method: A Prospective, Observational Study’, *BioMed*

*Research International*, 2017. Available at:

<https://doi.org/10.1155/2017/2635151>.

Dahlan, M.S. (2009) *Besar sampel dan cara pengambilan sampel dalam*

*penelitian kedokteran dan kesehatan*. Jakarta: Salemba Medika.

‘earl1917.pdf’ (no date).

Hadian, M. and Pinsky, M.R. (2006) ‘Evidence-based review of the use of the

pulmonary artery catheter: impact data and complications’, *Critical Care*,

10(3), p. S8. Available at: <https://doi.org/10.1186/cc4834>.

Hameed, S.M., Aird, W.C. and Cohn, S.M. (2003) ‘Oxygen delivery’, *Critical*

*Care Medicine*, 31(12), p. S658. Available at:

<https://doi.org/10.1097/01.CCM.0000101910.38567.20>.

Huygh, J. *et al.* (2016a) ‘Hemodynamic monitoring in the critically ill: an

overview of current cardiac output monitoring methods’, *F1000Research*, 5,

p. 2855. Available at: <https://doi.org/10.12688/f1000research.8991.1>.

Huygh, J. *et al.* (2016b) ‘Hemodynamic monitoring in the critically ill: an overview of current cardiac output monitoring methods’, *F1000Research*, 5.

Available at: <https://doi.org/10.12688/f1000research.8991.1>.

Kayilioglu, S.I. *et al.* (2015) ‘Postoperative fluid management’, *World Journal of Critical Care Medicine*, 4(3), p. 192. Available at:

<https://doi.org/10.5492/wjccm.v4.i3.192>.

Kazimierczyk, R. *et al.* (2017) ‘The pilot study of role of electrical cardiometry in non-invasive assessment of hemodynamic parameters in patients with pulmonary arterial hypertension (RCD code: II-1A.1)’, *Journal of Rare Cardiovascular Diseases*, 3(2), pp. 44–49. Available at:

<https://doi.org/10.20418/jrcd.vol3no2.270>.

King, J. and Lowery, D.R. (2022) ‘Physiology, Cardiac Output’, in *StatPearls*.

Treasure Island (FL): StatPearls Publishing. Available at:

<http://www.ncbi.nlm.nih.gov/books/NBK470455/> (Accessed: 27 September 2022).

Kubicek, W.G. *et al.* (1966) ‘Development and evaluation of an impedance cardiac output system’, *Aerospace Medicine*, 37(12), pp. 1208–1212.

Kuster, M. *et al.* (2019) ‘Non-invasive cardiac output monitoring device “ICON” in trauma patients: a feasibility study’, *European Journal of Trauma and Emergency Surgery*, 45(6), pp. 1069–1076. Available at:

<https://doi.org/10.1007/s00068-018-0984-x>.

Li, C. *et al.* (2013) ‘Stroke Volume Variation for Prediction of Fluid

Responsiveness in Patients Undergoing Gastrointestinal Surgery’,

*International Journal of Medical Sciences*, 10(2), pp. 148–155. Available at:

<https://doi.org/10.7150/ijms.5293>.

Marik, P.E. *et al.* (2009) ‘Dynamic changes in arterial waveform derived variables and fluid responsiveness in mechanically ventilated patients: A systematic review of the literature\*’; *Critical Care Medicine*, 37(9), pp. 2642–2647.  
Available at: <https://doi.org/10.1097/CCM.0b013e3181a590da>.

Marik, P.E., Monnet, X. and Teboul, J.-L. (2011) ‘Hemodynamic parameters to guide fluid therapy’, p. 9.

Martinez, G. (2018) *WHAT IS STROKE VOLUME VARIATION (SVV)?* Available at: <https://www.lidco.us/blog/what-is-stroke-volume-variation-svv>  
(Accessed: 20 May 2021).

Meidert, A.S. and Saugel, B. (2018) ‘Techniques for Non-Invasive Monitoring of Arterial Blood Pressure’, *Frontiers in Medicine*, 4, p. 231. Available at: <https://doi.org/10.3389/fmed.2017.00231>.

Mercado, P. *et al.* (2017) ‘Transthoracic echocardiography: an accurate and precise method for estimating cardiac output in the critically ill patient’, *Critical Care*, 21(1), p. 136. Available at: <https://doi.org/10.1186/s13054-017-1737-7>.

Miller, R.D. (ed.) (2015) *Miller’s anesthesia*. Eighth edition. Philadelphia, PA: Elsevier/Saunders.

Narula, J. *et al.* (2013) ‘Electrical Cardiometry in Patients undergoing Cardiac Catheterisation’, *International Journal of Perioperative Ultrasound and Applied Technologies*. Edited by R.K. Pandey, 2, pp. 102–107. Available at: <https://doi.org/10.5005/jp-journals-10027-1045>.

- Narula, J. *et al.* (2017) 'Electrical Cardiometry: A Reliable Solution to Cardiac Output Estimation in Children With Structural Heart Disease', *Journal of Cardiothoracic and Vascular Anesthesia*, 31(3), pp. 912–917. Available at: <https://doi.org/10.1053/j.jvca.2016.12.009>.
- Osypka, M. (2009) 'An Introduction to Electrical Cardiometry™', p. 10.
- Patel, N. and Makaryus, A.N. (2019) 'Physiology, Cardiac Index', in *StatPearls*. Treasure Island (FL): StatPearls Publishing. Available at: <http://www.ncbi.nlm.nih.gov/books/NBK539905/> (Accessed: 5 January 2020).
- Pinsky, M.R. and Payen, D. (2005) '[No title found]', *Critical Care*, 9(6), p. 566. Available at: <https://doi.org/10.1186/cc3927>.
- Pulse Wave Analysis Using the Pressure Recording Analytical Method to Measure Cardiac Output in Pediatric Cardiac Surgery Patients* (2022) *Anesthesia Experts*. Available at: <https://anesthesiaexperts.com/uncategorized/pulse-wave-analysis-pressure-recording-analytical-method-measure-cardiac-output-pediatric-cardiac-surgery-patients-2/> (Accessed: 2 October 2022).
- R, S. and D, Z. (2016) 'Bedside Assessment of Preload in Acute Circulatory Failure Using Cardiac Velocimetry', *Journal of Medical Diagnostic Methods*, 5(3). Available at: <https://doi.org/10.4172/2168-9784.1000222>.
- Romagnoli, S. *et al.* (2009) '20 Most Care®: a minimally invasive', p. 8.
- Romagnoli, S. *et al.* (2017) 'The Pressure Recording Analytical Method (PRAM): Technical Concepts and Literature Review', *Journal of Cardiothoracic and*

*Vascular Anesthesia*, 31(4), pp. 1460–1470. Available at:

<https://doi.org/10.1053/j.jvca.2016.09.004>.

Sanders, M., Servaas, S. and Slagt, C. (2020) ‘Accuracy and precision of non-invasive cardiac output monitoring by electrical cardiometry: a systematic review and meta-analysis’, *Journal of Clinical Monitoring and Computing*, 34(3), pp. 433–460. Available at: <https://doi.org/10.1007/s10877-019-00330-y>.

Sandham, J.D. *et al.* (2003) ‘A Randomized, Controlled Trial of the Use of Pulmonary-Artery Catheters in High-Risk Surgical Patients’, *The New England Journal of Medicine*, p. 10.

Sangkum, L. *et al.* (2016) ‘Minimally invasive or noninvasive cardiac output measurement: an update’, *Journal of Anesthesia*, 30(3), pp. 461–480. Available at: <https://doi.org/10.1007/s00540-016-2154-9>.

Saugel, B. and Sakka, S.G. (2018) ‘Editorial: Less and Non-invasive Hemodynamic Monitoring Techniques’, *Frontiers in Medicine*, 5, p. 258. Available at: <https://doi.org/10.3389/fmed.2018.00258>.

Suppan, M. *et al.* (2020) ‘Improved Exercise Tolerance, Oxygen Delivery, and Oxygen Utilization After Transcatheter Aortic Valve Implantation for Severe Aortic Stenosis’, *CJC Open*, 2(6), pp. 490–496. Available at: <https://doi.org/10.1016/j.cjco.2020.06.005>.

Teefy, P. *et al.* (2018) ‘Impact of Obesity on Noninvasive Cardiac Hemodynamic Measurement by Electrical Cardiometry in Adults With Aortic Stenosis’, *Journal of Cardiothoracic and Vascular Anesthesia*, 32(6), pp. 2505–2511. Available at: <https://doi.org/10.1053/j.jvca.2018.04.040>.

Tibby, S.M. and Murdoch, I.A. (2003) 'Monitoring cardiac function in intensive care', *Archives of Disease in Childhood*, 88(1), pp. 46–52. Available at: <https://doi.org/10.1136/ad.88.1.46>.

Truijen, J. *et al.* (2012) 'Noninvasive continuous hemodynamic monitoring', *Journal of Clinical Monitoring and Computing*, 26(4), pp. 267–278. Available at: <https://doi.org/10.1007/s10877-012-9375-8>.

Urbano, J. *et al.* (2016) 'Comparison between pressure-recording analytical method (PRAM) and femoral arterial thermodilution method (FATD) cardiac output monitoring in an infant animal model of cardiac arrest', *Intensive Care Medicine Experimental*, 4(1), p. 13. Available at: <https://doi.org/10.1186/s40635-016-0087-0>.

Uzman, S. *et al.* (2016) 'A retrospective analysis of postoperative patients admitted to the intensive care unit', *Hippokratia*, 20(1), pp. 38–43.

Vincent, J.-L. *et al.* (2015) 'Perioperative cardiovascular monitoring of high-risk patients: a consensus of 12', *Critical Care*, 19(1), p. 224. Available at: <https://doi.org/10.1186/s13054-015-0932-7>.

Weiser, T.G. *et al.* (2008) 'An estimation of the global volume of surgery: a modelling strategy based on available data', *The Lancet*, 372(9633), pp. 139–144. Available at: [https://doi.org/10.1016/S0140-6736\(08\)60878-8](https://doi.org/10.1016/S0140-6736(08)60878-8).

West, J.B. (2011) *Pulmonary Pathophysiology: The Essentials*. Lippincott Williams & Wilkins.