

DAFTAR PUSTAKA

- Abbasi, A.N., Hafiz, A., Ali, N., Khan, K.A., 2013. Plan dose evaluation of three dimensional conformal radiotherapy planning (3D-CRT) of nasopharyngeal carcinoma (NPC): Experience of a tertiary care university hospital in Pakistan. *Asian Pacific J. Cancer Prev.* 14(10): 5989–5993. doi:10.7314/APJCP.2013.14.10.5989
- Agnihotri, R. V., Courville, A.B., Linderman, J.D., Smith, S., Brychta, R., *et al.* 2014. Moderate weight loss is sufficient to affect thyroid hormone homeostasis and inhibit its peripheral conversion. *Thyroid.* 24(1): 19–26. doi:10.1089/thy.2013.0055
- Akgun, Z., Atasoy, B.M., Ozen, Z., Yavuz, D., Gulluoglu, B., *et al.* 2014. V30 as a predictor for radiation-induced hypothyroidism: A dosimetric analysis in patients who received radiotherapy to the neck. *Radiat. Oncol.* 9(104): 1–5. doi:10.1186/1748-717X-9-104
- Alabi, B.S., Badmos, K.B., Afolabi, O.A., Mo Buhari, M.O., Segun-Busari, S., 2010. Clinicopathological pattern of nasopharyngeal carcinoma in ilorin, Nigeria. *Niger. J. Clin. Pract.* 13(1): 445–448.
- Alam, A., 2018. Chemotherapy Treatment and Strategy Schemes: A Review. *Open Access J. Toxicol.* 2(5). doi:10.19080/oajt.2018.02.555600
- Aldossary, S.A., 2019. Review on pharmacology of cisplatin: Clinical use, toxicity and mechanism of resistance of cisplatin. *Biomed. Pharmacol. J.* 12(1): 7–15. doi:10.13005/bpj/1608
- Bernát, L., Hrušák, D., 2014. Hypothyroidism after radiotherapy of head and neck cancer. *J. Cranio-Maxillofacial Surg.* 42(2): 356–361. doi:10.1016/j.jcms.2013.09.009
- Bhandare, N., Kennedy, L., Malyapa, R.S., Morris, C.G., Mendenhall, W.M., 2007. Primary and Central Hypothyroidism After Radiotherapy for Head-and-Neck Tumors. *Int. J. Radiat.*



- Chandra, A., Rahman, S., Hafiz, A., Decroli, E., Bachtiar, H., 2019. Pengaruh Radioterapi Terhadap Kadar TSH dan T4 pada Pasien Tumor Ganas Kepala dan Leher. *Oto Rhino Laryngol. Indones.* 48(2): 159. doi:10.32637/orli.v48i2.238
- Chuang, W.Y., Chang, S.H., Yu, W.H., Yang, C.K., Yeh, C.J., *et al.* 2020. Successful identification of nasopharyngeal carcinoma in nasopharyngeal biopsies using deep learning. *Cancers (Basel)*. 12(1). doi:10.3390/cancers12020507
- De Groot, S., Janssen, L.G.M., Charehbili, A., Dijkgraaf, E.M., Smit, V.T.H.B.M., *et al.* 2015. Thyroid function alters during neoadjuvant chemotherapy in breast cancer patients: results from the NEOZOTAC trial (BOOG 2010-01). *Breast Cancer Res. Treat.* 149(1): 461–466. doi:10.1007/s10549-014-3256-4
- Du, T., Xiao, J., Qiu, Z., Wu, K., 2019. The effectiveness of intensity-modulated radiation therapy versus 2D-RT for the treatment of nasopharyngeal carcinoma: A systematic review and meta-analysis. *PLoS One*. 14(1): 1041–1046. doi:10.1371/journal.pone.0219611
- Fan, C.Y., Lin, C.S., Chao, H.L., Huang, W.Y., Su, Y.F., *et al.* 2017. Risk of hypothyroidism among patients with nasopharyngeal carcinoma treated with radiation therapy: A Population-Based Cohort Study. *Radiother. Oncol.* 123(1): 394–400. doi:10.1016/j.radonc.2017.04.025
- Fernando, J., Jones, R., 2015. The principles of cancer treatment by chemotherapy. *Surg. (cica United Kingdom)* 33(3): 131–135. doi:10.1016/j.mpsur.2015.01.005
- Fiorino, C., Guckemberger, M., Schwarz, M., van der Heide, U.A., Heijmen, B., 2020. Technology-driven research for radiotherapy innovation. *Mol. Oncol.* 14(1):1500-1513. doi:10.1002/1878-0261.12659
- Franklyn, J.A., 2009. Hypothyroidism. *Medicine (Baltimore)*. 37(8): 426–429.



- Fuertes, M., Castilla, J., Alonso, C., Pérez, J., 2012. Cisplatin Biochemical Mechanism of Action: From Cytotoxicity to Induction of Cell Death Through Interconnections Between Apoptotic and Necrotic Pathways. *Curr. Med. Chem.* 10(3): 257–266. doi:10.2174/0929867033368484
- Fujiwara, M., Kamikonya, N., Odawara, S., Suzuki, H., Niwa, Y., *et al.* 2014. The threshold of hypothyroidism after radiation therapy for head and neck cancer: A retrospective analysis of 116 cases. *J. Radiat. Res.* 56(3): 577–582. doi:10.1093/jrr/rrv006
- Gaitonde, D.Y., Rowley, K.D., Sweeney, L.B., 2012. Hipotiroidismo. *AAFP.* 86(3): 244–251.
- Garber, J.R., Cobin, R.H., Gharib, H., Hennessey, J. V., Klein, I., *et al.* 2012. Clinical practice guidelines for hypothyroidism in adults: Cosponsored by the american association of clinical endocrinologists and the American thyroid association. *Endocr. Pract.* 18(6): 988–1028. doi:10.4158/ep12280.gl
- Ghoncheh, M., MahdaviFar, N., Darvishi, E., Salehiniya, H., 2016. Epidemiology, incidence and mortality of breast cancer in Asia. *Asian Pacific J. Cancer Prev.* 7(6): 47–52. doi:10.7314/APJCP.2016.17.S3.47
- Haberer-Guillerm, S., Touboul, E., Huguet, F., 2015. Intensity modulated radiation therapy in nasopharyngeal carcinoma. *Eur. Ann. Otorhinolaryngol. Head Neck Dis.* 132(1): 147–151. doi:10.1016/j.anorl.2014.02.008
- Hall, S., Rudrawar, S., Zunk, M., Bernaitis, N., Arora, D., *et al.* 2016. Protection against radiotherapy-induced toxicity. *Antioxidants* 5(22). doi:10.3390/antiox5030022
- Hasan, I., Djakaria, H., 2013. Kematian Sel Akibat Radiasi. *Radioter. Onkol. Indones.* 4(1):1-7.
- Huang, C.L., Tan, H.W., Guo, R., Zhang, Y., Peng, H., *et al.* 2019. Thyroid dose-volume thresholds for the risk of radiation-related hypothyroidism in nasopharyngeal carcinoma treated with intensity-modulated radiotherapy—A single-institution study. *Cancer Med.* 8(1):



- Iqbal, M.S., Chaw, C., Kovarik, J., Aslam, S., Jackson, A., *et al.* 2017. Primary concurrent chemoradiation in head and neck cancers with weekly cisplatin chemotherapy: Analysis of compliance, toxicity and survival. *Int. Arch. Otorhinolaryngol.* 21(2): 171–177. doi:10.1055/s-0036-1594020
- Joiner, M.C., Kogel, A.J.V.A.N.D.E.R., Steel, G.G., 2020. Introduction : the significance of radiobiology and Radiotherapy for Cancer Treatment 1–10.
- Kim, M.Y., Yu, T., Wu, H.G., 2014. Dose-volumetric parameters for predicting hypothyroidism after radiotherapy for head and neck cancer. *Jpn. J. Clin. Oncol.* 44(1): 331–337. doi:10.1093/jjco/hyt235
- Lee, A.W.M., Ma, B.B.Y., Ng, W.T., Chan, A.T.C., 2015. Management of nasopharyngeal carcinoma: Current practice and future perspective. *J. Clin. Oncol.* 33(29): 3356–3364. doi:10.1200/JCO.2015.60.9347
- Leoncini, E., Ricciardi, W., Cadoni, G., Arzani, D., Petrelli, L., *et al.* 2014. Adult height and head and neck cancer: A pooled analysis within the INHANCE Consortium. *Head Neck.*36(1): 1391. doi:10.1002/hed.23482
- Li, F.F., Liu, B.L., Yin, G.P., Zhang, D.F., Zhai, X.F., *et al.* 2017. Hipotiroidismo AAFP. *Sci. Rep.* 86(2): 244–251.
- Licitra, L., Bernier, J., Cvitkovic, E., Grandi, C., Spinazzé, S., *et al.* 2003. Cancer of the nasopharynx. *Crit. Rev. Oncol. Hematol.* 45(1): 199–214. doi:10.1016/S1040-8428(01)00210-4
- Lin, Z., Wang, X., Xie, W., Yang, Z., Che, K., Wu, V.W., 2013. Evaluation of clinical hypothyroidism risk due to irradiation of thyroid and pituitary glands in radiotherapy of



nasopharyngeal cancer patients. *J. Med. Imaging Radiat. Oncol.* 57(2): 713–718.

doi:10.1111/1754-9485.12074

Lin, Z., Wu, V.W.C., Lin, J., Feng, H., Chen, L., 2011. A longitudinal study on the radiation-induced thyroid gland changes after external beam radiotherapy of nasopharyngeal carcinoma. *Thyroid* 21(1): 19–23. doi:10.1089/thy.2010.0229

Lin, Z., Yang, Z., He, B., Wang, D., Gao, X., *et al.* 2018. Pattern of radiation-induced thyroid gland changes in nasopharyngeal carcinoma patients in 48 months after radiotherapy. *PLoS One* 13(7): 1–9. doi:10.1371/journal.pone.0200310

Longley, D.B., Harkin, D.P., Johnston, P.G., 2003. 5-Fluorouracil: Mechanisms of action and clinical strategies. *Nat. Rev. Cancer* 3(1): 330–338. doi:10.1038/nrc1074

Miller, M.C., Agrawal, A., 2009. Hypothyroidism in pascarradiation head and neck cancer patients: Incidence, complications, and management. *Curr. Opin. Otolaryngol. Head Neck Surg.* 17(1): 111–115. doi:10.1097/MOO.0b013e328325a538

Morgan, W.F., Sowa, M.B., 2005. Effects of ionizing radiation in nonirradiated cells. *Proc. Natl. Acad. Sci. U. S. A.* 102(40): 14127–14128. doi:10.1073/pnas.0507119102

Murthy, V., Narang, K., Ghosh-Laskar, S., Gupta, T., Budrukkar, A., Agrawal, J.P., 2014. Hypothyroidism after 3-dimensional conformal radiotherapy and intensity-modulated radiotherapy for head and neck cancers: Prospective data from 2 randomized controlled trials. *Head Neck* 36(1): 1573–1580. doi:10.1002/hed.23482

Ochicha, O., Ahmad, A., 2019. Nasopharyngeal cancer in Kano – A histo pathologic review. *Niger. J. Basic Clin. Sci.* 16(1): 35-38. doi:10.4103/njbcs.njbcs_27_18

Paia, F., Di Cataldo, V., Zei, G., Pasquetti, E.M., Cecchini, S., *et al.* 2012. Role of chemotherapy in nasopharyngeal carcinoma. *Oncol. Rev.* 6(1): 1–6. doi:10.4081/oncol.2012.e1



- Pfister, D.G., Spencer, S., Adelstein, D., Adkins, D., Anzai, Y., *et al.* 2020. Head and neck cancers, version 2.2020. *JNCCN J. Natl. Compr. Cancer Netw.* 18(1): 873–898. doi:10.6004/jnccn.2020.0031
- Prayongrat, A., Lertbutsayanukul, C., 2020. Hypothyroidism after radiotherapy for nasopharyngeal carcinoma. *Ann. Nasopharynx Cancer.* 4(4):1–3. doi:10.21037/anpc.2020.03.03
- Prise, K.M., Schettino, G., Folkard, M., Held, K.D., 2005. New insights on cell death from radiation exposure. *Lancet Oncol.* 6(1): 520–528. doi:10.1016/S1470-2045(05)70246-1
- Rivas, A.M., Larumbe-Zabala, E., Diaz-Trastoy, O., Schurr, R.N., Jones, C., *et al.* 2020. Effect of chemoradiation on the size of the thyroid gland. *Baylor Univ. Med. Cent. Proc.* 33(4): 1–5. doi:10.1080/08998280.2020.1786227
- Sinambela, A., Supriana, N., 2018. Revolusi Teknik Radioterapi pada Karsinoma Nasofaring. *Radioter. Onkol. Indones.* 9(1): 20–28. doi:10.32532/jori.v9i1.71
- Srikantia, N., Rishi, K.S., Janaki, M.G., Bilimagga, R.S., Ponni, A., *et al.* 2011. How common is hypothyroidism after external radiotherapy to neck in head and neck cancer patients? *Indian J. Med. Paediatr. Oncol.* 32(3): 143–148. doi:10.4103/0971-5851.92813
- Valentini, V., Boldrini, L., Mariani, S., Massaccesi, M., 2020. Role of radiation oncology in modern multidisciplinary cancer treatment. *Mol. Oncol.* 14(1):1431–1441. doi:10.1002/1878-0261.12712
- West, C.M., Barnett, G.C., 2011. Genetics and genomics of radiotherapy toxicity: Towards prediction. *Genome Med.* 3(52):1-15. doi:10.1186/gm268
- Wu, Y.H., Wang, H.M., Chen, H.H.W., Lin, C.Y., Chen, E.Y.C., *et al.* 2010. Hypothyroidism After Radiotherapy for Nasopharyngeal Cancer Patients. *Int. J. Radiat. Oncol. Biol. Phys.* 76(4): 1133–1139. doi:10.1016/j.ijrobp.2009.03.011



- Xu, Y., Shao, Z., Tang, T., Liu, G., Yao, Y., *et al.* 2018. A dosimetric study on radiation-induced hypothyroidism following intensity-modulated radiotherapy in patients with nasopharyngeal carcinoma. *Oncol. Lett.* 16(1): 6126–6132. doi:10.3892/ol.2018.9332
- Zhang, M.X., Li, J., Shen, G.P., Zou, X., Xu, J.J., *et al.* 2015. Intensity-modulated radiotherapy prolongs the survival of patients with nasopharyngeal carcinoma compared with conventional two-dimensional radiotherapy: A 10-year experience with a large cohort and long follow-up. *Eur. J. Cancer* 51(1): 2587–2595. doi:10.1016/j.ejca.2015.08.006
- Zhang, N., Yin, Y., Xu, S.J., Chen, W.S., 2008. 5-Fluorouracil: Mechanisms of resistance and reversal strategies. *Molecules* 13(1): 1551–1569. doi:10.3390/molecules13081551
- Zhang, Y., Chen, L., Hu, G.-Q., Zhang, N., Zhu, X.-D., Yang, K.-Y., *et al.* 2019. Gemcitabine and Cisplatin Induction Chemotherapy in Nasopharyngeal Carcinoma. *N. Engl. J. Med.* 381(12): 1124–1135. doi:10.1056/nejmoa1905287