

DAFTAR PUSTAKA

- Ahammed, S., Liu, F., Khin, M. N., Yokoyama, W. H., & Zhong, F. (2020). Improvement of the water resistance and ductility of gelatin film by Zein. *Food Hydrocolloids*, 105, 105804. doi:10.1016/j.foodhyd.2020.105804
- Ahmad, M., Benjakul, S., Prodpran, T., & Agustini, T. W. (2012). Physico-mechanical and antimicrobial properties of gelatin film from the skin of Unicorn Leatherjacket incorporated with Essential Oils. *Food Hydrocolloids*, 28(1), 189-199. doi:10.1016/j.foodhyd.2011.12.003
- Amjadi, S., Emaminia, S., Nazari, M., Davudian, S.H., Roufegarinejad, L., Hamishehkar, H., 2019. Application of reinforced ZnO nanoparticle-incorporated gelatin bionanocomposite film with chitosan nanofiber for packaging of chicken fillet and cheese as food models. *Food Bioprocess Technol.* 12, 1205–1219. <https://doi.org/10.1007/s11947-019-02286-y>.
- Azarakhsh, N., Osman, A., Ghazali, H. M., Tan, C. P., & Mohd Adzahan, N. (2014). Lemongrass essential oil incorporated into alginate-based edible coating for shelf-life extension and quality retention of fresh-cut pineapple. *Postharvest Biology and Technology*, 88, 1-7. doi:10.1016/j.postharvbio.2013.09.004
- Badan Pusat Statistik Jakarta Pusat. 2021. *Konsumsi Daging Ayam di Indonesia tahun 2021*. Jakarta Pusat : Badan Pusat Statistik
- Badan Pusat Statistik Jakarta Pusat. 2021. *Produksi Daging Ayam di Indonesia tahun 2021*. Jakarta Pusat : Badan Pusat Statistik
- Bazargani-Gilani, B., Aliakbarlu, J., & Tajik, H. (2015). Effect of pomegranate juice dipping and chitosan coating enriched with Zataria multiflora boiss essential oil on the shelf-life of chicken meat during refrigerated storage. *Innovative Food Science & Emerging Technologies*, 29, 280-287. doi:10.1016/j.ifset.2015.04.007
- Bermúdez-Oria, A., Rodríguez-Gutiérrez, G., Rubio-Senent, F., Fernández-Prior, Á., & Fernández-Bolaños, J. (2019). Effect of edible pectin-fish gelatin films containing the olive antioxidants hydroxytyrosol and 3,4-dihydroxyphenylglycol on beef meat during refrigerated storage. *Meat Science*, 148, 213–218. <https://doi.org/10.1016/j.meatsci.2018.07.003>
- Butnariu, Monica., Ioan, Sarac. 2018. *Essential Oils from Plants*. Journal of Biotechnology And Biomedical Science. 2576-6694
- Cardoso, G. P., Andrade, M. P., Rodrigues, L. M., Massingue, A. A., Fontes, P. R., Ramos, A. D., & Ramos, E. M. (2019). Retail display of beef steaks coated with monolayer and bilayer chitosan-gelatin composites. *Meat Science*, 152, 20-30. doi:10.1016/j.meatsci.2019.02.009
- Cazón, P., Velazquez, G., Ramírez, J. A., & Vázquez, M. (2017). Polysaccharide-based films and coatings for Food Packaging: A Review. *Food Hydrocolloids*, 68, 136-148. doi:10.1016/j.foodhyd.2016.09.009

- Chatwall, G., 1985, Spectroscopy Atomic and Molecule, Himalaya Publishing House, Bombay
- Cho, S., Gu, Y., & Kim, S. (2005). Extracting optimization and physical properties of Yellowfin Tuna (*Thunnus albacares*) skin gelatin compared to mammalian gelatins. *Food Hydrocolloids*, 19(2), 221-229. doi:10.1016/j.foodhyd.2004.05.005
- Dewi, G., Nair, D. V., Peichel, C., Johnson, T. J., Noll, S., & Kollanoor Johny, A. (2021). Effect of lemongrass essential oil against multidrug-resistant *Salmonella Heidelberg* and its attachment to chicken skin and meat. *Poultry Science*, 100(7), 101116. doi:10.1016/j.psj.2021.101116
- Egerton, R. F. (2018). *Physical principles of electron microscopy: An introduction to TEM, Sem, and Aem*. Springer.
- Endreû, H.-U., Herbstreith & Fox, KG, Pektin-Fabrik NeuenbuÈrg, Germany., and S. H. Christensen, CP Kelco ApS, Germany. 2009. *Pectin*. Book of Hydrocolloids.
- Espitia, P. J., Du, W., Avena-Bustillos, R. D., Soares, N. D., & McHugh, T. H. (2014). Edible films from pectin: Physical-mechanical and antimicrobial properties - A Review. *Food Hydrocolloids*, 35, 287-296. doi:10.1016/j.foodhyd.2013.06.005
- Fletcher, D., Qiao, M., & Smith, D. (2000). The relationship of raw broiler breast meat color and pH to cooked meat color and pH. *Poultry Science*, 79(5), 784-788. doi:10.1093/ps/79.5.784
- Ganiari, S., Choulitoudi, E., & Oreopoulou, V. (2017). Edible and active films and coatings as carriers of natural antioxidants for Lipid Food. *Trends in Food Science & Technology*, 68, 70-82. doi:10.1016/j.tifs.2017.08.009
- Gao, H., He, Z., Sun, Q., He, Q., & Zeng, W. (2019). A functional polysaccharide film forming by pectin, Chitosan, and tea polyphenols. *Carbohydrate Polymers*, 215, 1-7. doi:10.1016/j.carbpol.2019.03.029
- Giteru, S. G., Oey, I., Ali, M. A., Johnson, S. K., & Fang, Z. (2017). Effect of kafirin-based films incorporating citral and quercetin on storage of fresh chicken fillets. *Food Control*, 80, 37-44. doi:10.1016/j.foodcont.2017.04.029
- Gupta, B., Tummalapalli, M., Deopura, B., & Alam, M. (2014). Preparation and characterization of in-situ crosslinked pectin-gelatin hydrogels. *Carbohydrate Polymers*, 106, 312-318. doi:10.1016/j.carbpol.2014.02.019
- Hafsa, J., Smach, M. A., Ben Khedher, M. R., Charfeddine, B., Limem, K., Majdoub, H., & Rouatbi, S. (2016). Physical, antioxidant and antimicrobial properties of chitosan films containing eucalyptus globulus essential oil. *LWT - Food Science and Technology*, 68, 356-364. doi:10.1016/j.lwt.2015.12.050
- Hansen, E., Juncher, D., Henckel, P., Karlsson, A., Bertelsen, G., & Skibsted, L. H. (2004). Oxidative stability of chilled pork chops following long term freeze storage. *Meat Science*, 68(3), 479-484. doi:10.1016/j.meatsci.2004.05.002
- Hassanzadeh, P., Tajik, H., Rohani, S. M., Moradi, M., Hashemi, M., & Aliakbarlu, J. (2017). Effect of functional chitosan coating and gamma irradiation on the

- shelf-life of chicken meat during refrigerated storage. *Radiation Physics and Chemistry*, 141, 103-109. doi:10.1016/j.radphyschem.2017.06.014
- Haug, J., and K. I. Draget. Gelatin. 2009. *Book of Hydrocolloids*. Norwegian University of Science and Technology (NTNU), Norway.
- Hosseini, S. F., Rezaei, M., Zandi, M., & Ghavi, F. F. (2013). Preparation and functional properties of fish gelatin–chitosan blend edible films. *Food Chemistry*, 136(3-4), 1490-1495. doi:10.1016/j.foodchem.2012.09.081
- Huang, S., Tu, Z., Sha, X., Hu, Y., Chen, N., & Wang, H. (2021). Fabrication and performance evaluation of pectin–fish gelatin–resveratrol preservative films. *Food Chemistry*, 361, 129832. doi:10.1016/j.foodchem.2021.129832
- Jahromi, M., Niakousari, M., Golmakani, M. T., & Mohammadifar, M. A. (2020). Physicochemical and structural characterization of sodium caseinate based film-forming solutions and edible films as affected by high methoxyl pectin. *International Journal of Biological Macromolecules*, 165, 1949-1959. doi:10.1016/j.ijbiomac.2020.10.057
- Jridi, M., Abdelhedi, O., Salem, A., Kechaou, H., Nasri, M., & Menchari, Y. (2020). Physicochemical, antioxidant and antibacterial properties of fish gelatin-based edible films enriched with orange peel pectin: Wrapping application. *Food Hydrocolloids*, 103, 105688. doi:10.1016/j.foodhyd.2020.105688
- Julianto, G.E., Ustadi & Husni, A. 2011. Karakterisasi edible film dari gelatin kulit nila merah dengan penambahan plasticizer sorbitol dan asam palmitat. *Jurnal Perikanan*. 8(1):27–34.
- Kaewprachu, P., Osako, K., Benjakul, S., & Rawdkuen, S. (2015). Quality attributes of minced pork wrapped with catechin–lysozyme incorporated gelatin film. *Food Packaging and Shelf Life*, 3, 88-96. doi:10.1016/j.fpsl.2014.11.002
- Khah, M. D., Ghanbarzadeh, B., Roufegarinejad Nezhad, L., & Ostadrahimi, A. (2021). Effects of virgin olive oil and grape seed oil on physicochemical and antimicrobial properties of pectin-gelatin blend emulsified films. *International Journal of Biological Macromolecules*, 171, 262-274. doi:10.1016/j.ijbiomac.2021.01.020
- Khodaei, D., Hamidi-Esfahani, Z., & Lacroix, M. (2020). Gelatin and low methoxyl pectin films containing probiotics: Film characterization and cell viability. *Food Bioscience*, 36, 100660. doi:10.1016/j.fbio.2020.100660
- Krochta, J.. 2002. Protein as material for films and coating: definition, current status, and opportunities. In A. Gennadios (ed.). Florida: CRC Press LLC Protein-Based Films and Coating. 1–32
- Lawrie, 2003. Ilmu Daging. (Penerjemah A. Parakkasi dan Yudha A). Universitas Indonesia Press, Jakarta.
- Lei, Y., Wu, H., Jiao, C., Jiang, Y., Liu, R., Xiao, D., Lu, J., Zhang, Z., Shen, G., & Li, S. (2019). Investigation of the structural and physical properties, antioxidant and antimicrobial activity of pectin-konjac glucomannan

- composite edible films incorporated with tea polyphenol. *Food Hydrocolloids*, 94, 128–135. <https://doi.org/10.1016/j.foodhyd.2019.03.011>
- Leimann, F. V., Gonçalves, O. H., Machado, R. A. F., & Bolzan, A. (2009). Antimicrobial activity of microencapsulated lemongrass essential oil and the effect of experimental parameters on microcapsules size and morphology. *Materials Science and Engineering: C*, 29(2), 430–436. <https://doi.org/10.1016/j.msec.2008.08.025>
- Leygonie, C., Britz, T. J., & Hoffman, L. C. (2012). Impact of freezing and thawing on the quality of meat: Review. *Meat Science*, 91(2), 93–98. doi:10.1016/j.meatsci.2012.01.013
- Lin, D., Zheng, Y., Wang, X., Huang, Y., Ni, L., Chen, X., . . . Wu, D. (2020). Study on physicochemical properties, antioxidant and antimicrobial activity of okara soluble dietary fiber/sodium carboxymethyl cellulose/thyme essential oil active edible composite films incorporated with pectin. *International Journal of Biological Macromolecules*, 165, 1241–1249. doi:10.1016/j.ijbiomac.2020.10.005
- Lin, D., Zheng, Y., Wang, X., Huang, Y., Ni, L., Chen, X., . . . Wu, D. (2020). Study on physicochemical properties, antioxidant and antimicrobial activity of okara soluble dietary fiber/sodium carboxymethyl cellulose/thyme essential oil active edible composite films incorporated with pectin. *International Journal of Biological Macromolecules*, 165, 1241–1249. doi:10.1016/j.ijbiomac.2020.10.005
- Lin, L., Regenstein, J. M., Lv, S., Lu, J., & Jiang, S. (2017). An overview of gelatin derived from aquatic animals: Properties and modification. *Trends in Food Science & Technology*, 68, 102–112. <https://doi.org/10.1016/j.tifs.2017.08.012>
- Liu, C., Huang, J., Zheng, X., Liu, S., Lu, K., Tang, K., & Liu, J. (2020). Heat sealable soluble soybean polysaccharide/gelatin blend edible films for food packaging applications. *Food Packaging and Shelf Life*, 24, 100485. <https://doi.org/10.1016/j.fpsl.2020.100485>
- Luo, Q., Hossen, M. A., Zeng, Y., Dai, J., Li, S., Qin, W., & Liu, Y. (2022). Gelatin-based composite films and their application in Food Packaging: A Review. *Journal of Food Engineering*, 313, 110762. doi:10.1016/j.jfoodeng.2021.110762
- Lv, L.-C., Huang, Q.-Y., Ding, W., Xiao, X.-H., Zhang, H.-Y., & Xiong, L.-X. (2019). Fish gelatin: The novel potential applications. *Journal of Functional Foods*, 63, 103581. <https://doi.org/10.1016/j.jff.2019.103581>
- Martins, W. da, de Araújo, J. S., Feitosa, B. F., Oliveira, J. R., Kotzebue, L. R., Agostini, D. L., de Oliveira, D. L., Mazzetto, S. E., Cavalcanti, M. T., & da Silva, A. L. (2021). Lemongrass (*Cymbopogon Citratus* DC. Stapf) essential oil microparticles: Development, characterization, and antioxidant potential. *Food Chemistry*, 355, 129644. <https://doi.org/10.1016/j.foodchem.2021.129644>

- Mendes, J., Norcino, L., Martins, H., Manrich, A., Otoni, C., Carvalho, E., . . . Mattoso, L. (2020). Correlating emulsion characteristics with the properties of active starch films loaded with lemongrass essential oil. *Food Hydrocolloids*, 100, 105428. doi:10.1016/j.foodhyd.2019.105428
- Mohamed, S. A. A., El-Sakhawy, M., & El-Sakhawy, M. A.-M. (2020). Polysaccharides, protein and lipid -based natural edible films in food packaging: A Review. *Carbohydrate Polymers*, 238, 116178. <https://doi.org/10.1016/j.carbpol.2020.116178>
- Ningrum, A., Widyastuti Perdani, A., Supriyadi, Siti Halimatul Munawaroh, H., Aisyah, S., & Susanto, E. (2021). Characterization of tuna skin gelatin edible films with various plasticizers-essential oils and their effect on beef appearance. *Journal of Food Processing and Preservation*, 45(9). <https://doi.org/10.1111/jfpp.15701>
- Niu, L., Zhou, X., Yuan, C., Bai, Y., Lai, K., Yang, F., & Huang, Y. (2013). Characterization of tilapia (*Oreochromis niloticus*) skin gelatin extracted with alkaline and different acid pretreatments. *Food Hydrocolloids*, 33(2), 336–341. <https://doi.org/10.1016/j.foodhyd.2013.04.014>
- Parameswaranpillai, J., Thomas, S., & Grohens, Y. (2014). Polymer blends: State of the art, new challenges, and opportunities. *Characterization of Polymer Blends*, 1–6. <https://doi.org/10.1002/9783527645602.ch01>
- Perdana, M. I., Ruamcharoen, J., Panphon, S., & Leelakriangsak, M. (2021). Antimicrobial activity and physical properties of starch/chitosan film incorporated with lemongrass Essential Oil and its application. *LWT*, 141, 110934. <https://doi.org/10.1016/j.lwt.2021.110934>
- Porta, R., Di Pierro, P., Sabbah, M., Regalado-Gonzales, C., Mariniello, L., Kadivar, M., & Arabestani, A. (2016). Blend films of pectin and bitter vetch (*vicia ervilia*) proteins: Properties and effect of transglutaminase. *Innovative Food Science & Emerging Technologies*, 36, 245-251. doi:10.1016/j.ifset.2016.07.001
- Riquelme, N., Herrera, M. L., & Matiacevich, S. (2017). Active films based on alginate containing lemongrass essential oil encapsulated: Effect of process and storage conditions. *Food and Bioproducts Processing*, 104, 94–103. <https://doi.org/10.1016/j.fbp.2017.05.005>
- Rodrigues, M. Á., Bertolo, M. R., Marangon, C. A., Martins, V. da, & Plepis, A. M. (2020). Chitosan and gelatin materials incorporated with phenolic extracts of grape seed and Jabuticaba Peel: Rheological, physicochemical, antioxidant, antimicrobial and barrier properties. *International Journal of Biological Macromolecules*, 160, 769–779. <https://doi.org/10.1016/j.ijbiomac.2020.05.240>
- Sacchetti, G., Maietti, S., Muzzoli, M., Scaglianti, M., Manfredini, S., Radice, M., & Bruni, R. (2005). Comparative evaluation of 11 essential oils of different origin as functional antioxidants, Antiradicals and antimicrobials in foods.

- Food Chemistry*, 91(4), 621–632.
<https://doi.org/10.1016/j.foodchem.2004.06.031>
- Saikia, M., & Badwaik, L. S. (2018). Characterization and antimicrobial property of casein, gelatin and pectin based active composite films. *Journal of Packaging Technology and Research*, 2(3), 233-242. doi:10.1007/s41783-018-0044-3
- Shafie, M. H., Yusof, R., Samsudin, D., & Gan, C. (2020). Avertrhoa bilimbi pectin-based edible films: Effects of the linearity and branching of the pectin on the physicochemical, mechanical, and barrier properties of the films. *International Journal of Biological Macromolecules*, 163, 1276-1282. doi:10.1016/j.ijbiomac.2020.07.109
- Shahrampour, D., Khomeiri, M., Razavi, S. M. A., & Kashiri, M. (2020). Development and characterization of alginate/pectin edible films containing *Lactobacillus plantarum* KMC 45. *LWT-Food Science And Technology*, 118, 108758. <https://doi.org/10.1016/j.lwt.2019.108758>
- Siripatrawan, U., & Noipha, S. (2012). Active film from chitosan incorporating green tea extract for shelf life extension of pork sausages. *Food Hydrocolloids*, 27(1), 102–108.
<https://doi.org/10.1016/j.foodhyd.2011.08.011>
- Sobral, P.J.A., Menegalli, F.C., Hubinger, M.D. & Roques, M.A. 2001. Mechanical, water vapor barrier and thermal properties of gelatin based edible @ lms. 15:423–432.
- Soeparno. 1991. Ilmu Otot dan Daging. Dosen Fakultas Peternakan, Fakultas Pasca Sarjana Universitas Gadjah Mada, Yogyakarta.
- Sood, A., & Saini, C. (2022). Red pomelo peel pectin based edible composite films: Effect of pectin incorporation on mechanical, structural, morphological and thermal properties of composite films. *Food Hydrocolloids*, 123, 107135. doi:10.1016/j.foodhyd.2021.107135
- Suderman, N., Isa, M. I. N., & Sarbon, N. M. (2018). The effect of plasticizers on the functional properties of biodegradable gelatin-based film: A Review. *Food Bioscience*, 24, 111–119. <https://doi.org/10.1016/j.fbio.2018.06.006>
- Sun, X., Guo, X., Ji, M., Wu, J., Zhu, W., Wang, J., Cheng, C., Chen, L., Zhang, Q., 2019. Preservative effects of fish gelatin coating enriched with CUR/βCD emulsion on grass carp (*Ctenopharyngodon idellus*) fillets during storage at 4 °C. *Food Chem.* 272, 643–652.
<https://doi.org/10.1016/j.foodchem.2018.08.040>.
- Tkaczewska, J., Morawska, M., Kulawik, P., & Zajac, M. (2018). Characterization of carp (*cyprinus carpio*) skin gelatin extracted using different pretreatments method. *Food Hydrocolloids*, 81, 169-179. doi:10.1016/j.foodhyd.2018.02.048
- Tongnuanchan, P., Benjakul, S., & Prodpran, T. (2012). Properties and antioxidant activity of fish skin gelatin film incorporated with citrus essential oils. *Food*

- Chemistry*, 134(3), 1571–1579.
<https://doi.org/10.1016/j.foodchem.2012.03.094>
- Trajkovska Petkoska, A., Daniloski, D., D'Cunha, N. M., Naumovski, N., & Broach, A. T. (2021). Edible packaging: Sustainable solutions and novel trends in Food Packaging. *Food Research International*, 140, 109981. <https://doi.org/10.1016/j.foodres.2020.109981>
- u Nisa, I., Ashwar, B. A., Shah, A., Gani, A., Gani, A., & Masoodi, F. A. (2015). Development of potato starch based active packaging films loaded with antioxidants and its effect on shelf life of Beef. *Journal of Food Science and Technology*, 52(11), 7245–7253. <https://doi.org/10.1007/s13197-015-1859-3>
- Umaraw, P., Munekata, P. E. S., Verma, A. K., Barba, F. J., Singh, V. P., Kumar, P., & Lorenzo, J. M. (2020). Edible films/coating with tailored properties for active packaging of meat, fish and derived products. *Trends in Food Science & Technology*, 98, 10–24. <https://doi.org/10.1016/j.tifs.2020.01.032>
- Wala, J., Ransaleleh, T., Wahyuni, I., & Rotinsulu, M. (2016). Kadar air, ph dan total MIKROBA Daging Ayam Yang ditambahkan Kunyit Putih (Curcuma Mangga Val.). *ZOOTEC*, 36(2), 405. doi:10.35792/zot.36.2.2016.12567
- Wang, H., Ding, F., Ma, L., & Zhang, Y. (2021). Edible films from chitosan-gelatin: Physical properties and food packaging application. *Food Bioscience*, 40, 100871. doi:10.1016/j.fbio.2020.100871
- Wang, Y., Zhang, R., Qin, W., Dai, J., Zhang, Q., Lee, K., & Liu, Y. (2020). Physicochemical properties of gelatin films containing tea polyphenol-loaded chitosan nanoparticles generated by electrospray. *Materials & Design*, 185, 108277. doi:10.1016/j.matdes.2019.108277
- Xiong, Y., Chen, M., Warner, R. D., & Fang, Z. (2020). Incorporating nisin and grape seed extract in chitosan-gelatine edible coating and its effect on cold storage of fresh pork. *Food Control*, 110, 107018. doi:10.1016/j.foodcont.2019.107018
- Xu, J., Wei, R., Jia, Z., & Song, R. (2020). Characteristics and bioactive functions of chitosan/gelatin-based film incorporated with ε-polylysine and astaxanthin extracts derived from by-products of shrimp (litopenaeus vannamei). *Food Hydrocolloids*, 100, 105436. <https://doi.org/10.1016/j.foodhyd.2019.105436>
- Ye, X., Liu, R., Qi, X., Wang, X., Wang, Y., Chen, Q., & Gao, X. (2022). Preparation of bioactive gelatin film using semi-refined pectin reclaimed from blueberry juice pomace: Creating an oxidation and light barrier for food packaging. *Food Hydrocolloids*, 129, 107673. doi:10.1016/j.foodhyd.2022.107673
- Yeddes, W., Djebali, K., Aidi Wannes, W., Horchani-Naifer, K., Hammami, M., Younes, I., & Saidani Tounsi, M. (2020). Gelatin-chitosan-pectin films incorporated with Rosemary Essential Oil: Optimized formulation using mixture design and response surface methodology. *International Journal of Biological Macromolecules*, 154, 92–103. doi:10.1016/j.ijbiomac.2020.03.092

- Yıldırım-Yalçın, M., Sadıkoğlu, H., & Şeker, M. (2021). Characterization of edible film based on grape juice and cross-linked maize starch and its effects on the storage quality of Chicken Breast fillets. *LWT*, 142, 111012. doi:10.1016/j.lwt.2021.111012
- Yousuf, Basharat., Abhaya, Kumar Srivastava. 2017. *Flaxseed gum in combination with lemongrass essential oil as an effective edible coating for ready-to-eat pomegranate arils*. Journal of Biological Macromolecules. 104(2017):1030-1038
- Zhang, H., Liang, Y., Li, X., & Kang, H. (2020). Effect of chitosan-gelatin coating containing nano-encapsulated tarragon essential oil on the preservation of pork slices. *Meat Science*, 166, 108137. doi:10.1016/j.meatsci.2020.108137
- Zhang, P., Zhao, Y., & Shi, Q. (2016). Characterization of a novel edible film based on Gum Ghatti: Effect of plasticizer type and concentration. *Carbohydrate Polymers*, 153, 345-355. doi:10.1016/j.carbpol.2016.07.082