

DAFTAR PUSTAKA

- Abdelnasir, S., Anwar, A., Kawish, M., Anwar, A., Shah, M. R., Siddiqui, R., & Khan, N. A. (2020). Metronidazole conjugated magnetic nanoparticles loaded with amphotericin B exhibited potent effects against pathogenic *Acanthamoeba castellanii* belonging to the T4 genotype. *AMB Express*, *10*(1). <https://doi.org/10.1186/s13568-020-01061-z>
- Adhim, M. S. (2018). *Sintesis Nanopartikel Fe₃O₄ (Magnetit) dari Batu Besi Menggunakan Metode Kopersipitasi dengan Variasi PH. 4*, 1–59.
- Aisida, S. O., Ugwu, K., Akpa, P. A., Nwanya, A. C., Nwankwo, U., Bashir, A. K. H., Madiba, I. G., Ahmed, I., & Ezema, F. I. (2021). Synthesis and characterization of iron oxide nanoparticles capped with *Moringa Oleifera* : The mechanisms of formation effects on the optical , structural , magnetic and morphological ... *Materials Today: Proceedings Synthesis and characterization of iron. Materials Today: Proceedings*, *36*(February), 214–218. <https://doi.org/10.1016/j.matpr.2020.03.167>
- Al Mashud, D. M. A., Moinuzzaman, M., Hossain, M. S., Ahmed, S., Ahsan, G., Reza, A., Ratul, R. B. A., Uddin, M. H., Momin, M. A., & Jamal, M. A. H. M. (2022). Green Synthesis of Silver Nanoparticles Using *Cinnamomum Tamala* (Tejpata) Leaf and Their Potential Applications to Control Multidrug Resistance *Pseudomonas Aeruginosa* Isolated from Hospital's Drainage Water. *SSRN Electronic Journal*, *8*(July), e09920. <https://doi.org/10.2139/ssrn.4032353>
- Altaf, S., Zafar, R., Qamar, W., Ahmad, S., Yaqoob, K., Syed, A., Jahangir, A., Bilal, M., & Arshad, M. (2021). Ecotoxicology and Environmental Safety Removal of levofloxacin from aqueous solution by green synthesized magnetite (Fe₃ O₄) nanoparticles using *Moringa olifera* : Kinetics and reaction mechanism analysis. *Ecotoxicology and Environmental Safety*, *226*, 112826. <https://doi.org/10.1016/j.ecoenv.2021.112826>
- Altaf, S., Zafar, R., Zaman, W. Q., Ahmad, S., Yaqoob, K., Syed, A., Khan, A. J., Bilal, M., & Arshad, M. (2021). Removal of levofloxacin from aqueous solution by green synthesized magnetite (Fe₃O₄) nanoparticles using *Moringa olifera*: Kinetics and reaction mechanism analysis. *Ecotoxicology and Environmental Safety*, *226*, 112826. <https://doi.org/10.1016/j.ecoenv.2021.112826>
- Alzahrani, E. (2020). Colorimetric Detection Based on Localized Surface Plasmon Resonance Optical Characteristics for Sensing of Mercury Using Green-Synthesized Silver Nanoparticles. *Journal of Analytical Methods in Chemistry*, *2020*. <https://doi.org/10.1155/2020/6026312>



- Bahadur, A., Saeed, A., Shoaib, M., Iqbal, S., Bashir, M. I., Waqas, M., Hussain, M. N., & Abbas, N. (2017). Eco-friendly synthesis of magnetite (Fe₃O₄) nanoparticles with tunable size: Dielectric, magnetic, thermal and optical studies. *Materials Chemistry and Physics*, 198, 229–235. <https://doi.org/10.1016/j.matchemphys.2017.05.061>
- Bahadur, A., Saeed, A., Shoaib, M., Iqbal, S., Imran, M., Waqas, M., & Nasir, M. (2017). Eco-friendly synthesis of magnetite (Fe₃O₄) nanoparticles with tunable size : Dielectric , magnetic , thermal and optical studies. *Materials Chemistry and Physics*, 198, 229–235. <https://doi.org/10.1016/j.matchemphys.2017.05.061>
- Ben Ali, M., El Maalam, K., El Moussaoui, H., Mounkachi, O., Hamedoun, M., Masrour, R., Hlil, E. K., & Benyoussef, A. (2016). Effect of zinc concentration on the structural and magnetic properties of mixed Co-Zn ferrites nanoparticles synthesized by sol/gel method. *Journal of Magnetism and Magnetic Materials*, 398, 20–25. <https://doi.org/10.1016/j.jmmm.2015.08.097>
- Bogireddy, N. K. R., Pal, U., Gomez, L. M., & Agarwal, V. (2018). Size controlled green synthesis of gold nanoparticles using Coffea arabica seed extract and their catalytic performance in 4-nitrophenol reduction. *RSC Advances*, 8(44), 24819–24826. <https://doi.org/10.1039/c8ra04332a>
- Boudouh, D., Hamana, D., Metselaar, H. S. C., Achour, S., Chetibi, L., & Akhiani, A. R. (2021). Low-temperature green route synthesis of Fe₃O₄-C nanocomposite using Olive Leaves Extract. *Materials Science and Engineering B: Solid-State Materials for Advanced Technology*, 271(June), 115276. <https://doi.org/10.1016/j.mseb.2021.115276>
- Cullity. (2009). *Intoduction to Magnetic Materials*.
- Dar, M. A., Mujasam, K., Verma, V., Siddiqui, W. A., & Kotnala, R. K. (2010). Synthesis and characterization of nano-sized pure and Al-doped lithium ferrite having high value of dielectric constant. *Journal of Alloys and Compounds*, 493(1–2), 553–560. <https://doi.org/10.1016/j.jallcom.2009.12.154>
- Das, P. E., Abu-Yousef, I. A., Majdalawieh, A. F., Narasimhan, S., & Poltronieri, P. (2020). Green Synthesis of Encapsulated Copper Nanoparticles Using a Hydroalcoholic Extract of Moringa oleifera Leaves and Assessment of Their Antioxidant and Antimicrobial Activities. *Molecules*, 25(3). <https://doi.org/10.3390/molecules25030555>
- Das, R. K., Gogoi, N., Babu, P. J., Sharma, P., Mahanta, C., & Bora, U. (2012). The Synthesis of Gold Nanoparticles Using <i>Amaranthus spinosus</i> Leaf Extract and Study of Their Optical Properties. *Advances in Materials Physics and Chemistry*, 02(04), 275–281. <https://doi.org/10.4236/ampc.2012.24040>
- Demirezen, D. A., & Yilmaz, D. D. (2018). GREEN SYNTHESIS AND CHARACTERIZATION OF IRON GREEN SYNTHESIS AND



NANOPARTICLES USING Ficus. *Internal*, April, 25–29.

- Gopalakrishnan, L., Doriya, K., & Kumar, D. S. (2016). Moringa oleifera: A review on nutritive importance and its medicinal application. *Food Science and Human Wellness*, 5(2), 49–56. <https://doi.org/10.1016/j.fshw.2016.04.001>
- Govardhan Singh, R. S., Negi, P. S., & Radha, C. (2013). Phenolic composition, antioxidant and antimicrobial activities of free and bound phenolic extracts of Moringa oleifera seed flour. *Journal of Functional Foods*, 5(4), 1883–1891. <https://doi.org/10.1016/j.jff.2013.09.009>
- Guillén-Román, C. J., Guevara-González, R. G., Rocha-Guzmán, N. E., Mercado-Luna, A., & Pérez-Pérez, M. C. I. (2018). Effect of nitrogen privation on the phenolics contents, antioxidant and antibacterial activities in Moringa oleifera leaves. *Industrial Crops and Products*, 114(March 2017), 45–51. <https://doi.org/10.1016/j.indcrop.2018.01.048>
- Guo, D., Chen, X., Fang, Z., He, Y., Zheng, C., Yang, Z., Yang, K., Chen, Y., & Huang, S. (2015). Hydrangea-like multi-scale carbon hollow submicron spheres with hierarchical pores for high performance supercapacitor electrodes. *Electrochimica Acta*, 176, 207–214. <https://doi.org/10.1016/j.electacta.2015.07.032>
- Harshiny, M., Iswarya, C. N., & Matheswaran, M. (2015). Biogenic synthesis of iron nanoparticles using Amaranthus dubius leaf extract as a reducing agent. *Powder Technology*, 286, 744–749. <https://doi.org/10.1016/j.powtec.2015.09.021>
- Haw, C. Y., Chia, C. H., Zakaria, S., Mohamed, F., Radiman, S., Teh, C. H., Khiew, P. S., Chiu, W. S., & Huang, N. M. (2011). Morphological studies of randomized dispersion magnetite nanoclusters coated with silica. *Ceramics International*, 37(2), 451–464. <https://doi.org/10.1016/j.ceramint.2010.09.010>
- Inkson, B. J. (2016). Scanning Electron Microscopy (SEM) and Transmission Electron Microscopy (TEM) for Materials Characterization. In *Materials Characterization Using Nondestructive Evaluation (NDE) Methods*. Elsevier Ltd. <https://doi.org/10.1016/B978-0-08-100040-3.00002-X>
- Iravani, S. (2011). Green synthesis of metal nanoparticles using plants. *Green Chemistry*, 13(10), 2638–2650. <https://doi.org/10.1039/c1gc15386b>
- Iravani, S. (2016). *Green Chemistry Green synthesis of metal nanoparticles using plants*. January. <https://doi.org/10.1039/C1GC15386B>
- Jain, S., & Mehata, M. S. (2017). Medicinal Plant Leaf Extract and Pure Flavonoid Mediated Green Synthesis of Silver Nanoparticles and their Enhanced Antibacterial Property. *Scientific Reports*, 7(1), 1–13. <https://doi.org/10.1038/s41598-017-15724-8>
- Jazirehpour, M., & Seyyed Ebrahimi, S. A. (2015). Effect of aspect ratio on dielectric, magnetic, percolative and microwave absorption properties of



- magnetite nanoparticles. *Journal of Alloys and Compounds*, 638, 188–196. <https://doi.org/10.1016/j.jallcom.2015.03.021>
- Jiménez-Aguilar, D. M., & Grusak, M. A. (2017). Minerals, vitamin C, phenolics, flavonoids and antioxidant activity of Amaranthus leafy vegetables. *Journal of Food Composition and Analysis*, 58, 33–39. <https://doi.org/10.1016/j.jfca.2017.01.005>
- Kao, K. C. (2004). *DIELECTRIC PHENOMENA IN SOLIDS* (B. Library & 2003070901 (eds.)). Elsevier Academic Press.
- Karade, V. C., Parit, S. B., Dawkar, V. V., Devan, R. S., Choudhary, R. J., Kedge, V. V., Pawar, N. V., Kim, J. H., & Chougale, A. D. (2019). A green approach for the synthesis of α -Fe₂O₃ nanoparticles from Gardenia resinifera plant and it's In vitro hyperthermia application. *Heliyon*, 5(7), e02044. <https://doi.org/10.1016/j.heliyon.2019.e02044>
- Kasap, S. O. (Safa O. . (2018). *Electronic Materials & Devices Engage us :Fourth edition*. | New York, NY : McGraw-Hill, a business unit of The McGraw-Hill Companies, Inc., [2018] | Includes bibliographical references and index.
- Katata-seru, L., Moremedi, T., Aremu, O. S., & Bahadur, I. (2018). Green synthesis of iron nanoparticles using Moringa oleifera extracts and their applications : Removal of nitrate from water and antibacterial activity against Escherichia coli. *Journal of Molecular Liquids*, 256, 296–304. <https://doi.org/10.1016/j.molliq.2017.11.093>
- Kgatitsoe, M. M., Ncube, S., Tutu, H., Nyambe, I. A., & Chimuka, L. (2019). Synthesis and characterization of a magnetic nanosorbent modified with Moringa oleifera leaf extracts for removal of nitroaromatic explosive compounds in water samples. *Journal of Environmental Chemical Engineering*, 7(3), 103128. <https://doi.org/10.1016/j.jece.2019.103128>
- Kongdang, P., Dukaew, N., Pruksakorn, D., & Koonrungsesomboon, N. (2021). Biochemistry of Amaranthus polyphenols and their potential benefits on gut ecosystem: A comprehensive review of the literature. *Journal of Ethnopharmacology*, 281(May), 114547. <https://doi.org/10.1016/j.jep.2021.114547>
- Kozo, I. (1971). *Dielectric Properties of Fine Particles of Fe₃O₄ and Some Ferrites*. 1520.
- Kumar, A., Chisti, Y., & Chand, U. (2013). Synthesis of metallic nanoparticles using plant extracts. *Biotechnology Advances*, 31(2), 346–356. <https://doi.org/10.1016/j.biotechadv.2013.01.003>
- Kumar, B., Smita, K., Cumbal, L., Debut, A., Galeas, S., & Guerrero, V. H. (2016). Phytosynthesis and photocatalytic activity of magnetite (Fe₃O₄) nanoparticles using the Andean blackberry leaf. *Materials Chemistry and Physics*, 179, 310–315. <https://doi.org/10.1016/j.matchemphys.2016.05.045>



- Kurnia, Heriansyah, & Suharyadi, E. (2017). Study on the Influence of Crystal Structure and Grain Size on Dielectric Properties of Manganese Ferrite (MnFe₂O₄) Nanoparticles. *IOP Conference Series: Materials Science and Engineering*, 202(1). <https://doi.org/10.1088/1757-899X/202/1/012046>
- Lakshmanan, R. (2013). Application of Magnetic nanoparticles and reactive filter materials for wastewater treatment, Doctoral thesis. In *Universitets service Us-Ab* (Issue December).
- Latha, N., & Gowri, M. (2014). Bio Synthesis and Characterisation of Fe₃O₄ Nanoparticles Using Caricaya Papaya Leaves Extract. *International Journal of Science and Research*, 3(11), 1551–1556.
- Lewis, W. (2009). Ultraviolet Spectroscopy. In *Paint Testing Manual* (pp. 545-545–2). <https://doi.org/10.1520/stp37187s>
- Liu, Y., Song, D., Wu, C., & Leng, J. (2014). Composites : Part B EMI shielding performance of nanocomposites with MWCNTs , nanosized Fe₃O₄ and Fe. *COMPOSITES PART B*, 63, 34–40. <https://doi.org/10.1016/j.compositesb.2014.03.014>
- Lu, A., Salabas, E. L., & Schüth, F. (2007). *Magnetic Nanoparticles : Synthesis , Protection , Functionalization , and Application Angewandte*. 1222–1244. <https://doi.org/10.1002/anie.200602866>
- Mabarroh, N. (2021). Magnetoresistance study of green-synthesized Fe₃O₄ nanoparticles and its potential as labels on GMR biosensor. *Ugm*, 1–127.
- Mabarroh, N., Alfansuri, T., Aji, N., & Imani, N. (2022). Journal of Magnetism and Magnetic Materials Detection of green-synthesized magnetite nanoparticles using spin-valve GMR-based sensor and their potential as magnetic labels. *Journal of Magnetism and Magnetic Materials*, 560(July), 169645. <https://doi.org/10.1016/j.jmmm.2022.169645>
- Mabrouk, M., Abd El-Wahab, R. M., Abo-Elfadl, M. T., Beherei, H. H., Selim, M. M., Ibrahim, A. M., & Das, D. B. (2022). Magnetic nanosystems substituted with zinc for enhanced antibacterial, drug delivery and cell viability behaviours. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 650(April), 129629. <https://doi.org/10.1016/j.colsurfa.2022.129629>
- Majid, N. (2012). *IMPEDANCE SPECTROSCOPIC SYSTEM DESIGN FOR DETERMINING THE COMPLEX DIELECTRIC CONSTANT OF MATERIALS AT FREQUENCY RANGE 5 – 120 kHz*. 9, 14. <https://dSPACE.UPS.EDU.EC/bitstream/123456789/5224/1/UPS-QT03885.pdf>
- Mata, Y. N., Torres, E., Blázquez, M. L., Ballester, A., González, F., & Muñoz, J. A. (2009). Gold(III) biosorption and bioreduction with the brown alga *Fucus vesiculosus*. *Journal of Hazardous Materials*, 166(2–3), 612–618. <https://doi.org/10.1016/j.jhazmat.2008.11.064>
- Mateus, G. A. P., Paludo, M. P., Dos Santos, T. R. T., Silva, M. F., Nishi, L.,



- Fagundes-Klen, M. R., Gomes, R. G., & Bergamasco, R. (2018). Obtaining drinking water using a magnetic coagulant composed of magnetite nanoparticles functionalized with Moringa oleifera seed extract. *Journal of Environmental Chemical Engineering*, 6(4), 4084–4092. <https://doi.org/10.1016/j.jece.2018.05.050>
- Matinise, N., Fuku, X. G., Kaviyarasu, K., Mayedwa, N., & Maaza, M. (2017). ZnO nanoparticles via Moringa oleifera green synthesis: Physical properties & mechanism of formation. *Applied Surface Science*, 406, 339–347. <https://doi.org/10.1016/j.apsusc.2017.01.219>
- Moskowitz, B. M. (n.d.). *Hitchhiker's Guide to Magnetism*.
- Mustawarman, H., & Suharyadi, E. (2015). Kajian Sifat Dielektrik pada Lempeng Nanopartikel Magnetit (Fe₃O₄) yang dienkapsulasi dengan Polyvinyl Alcohol (PVA) (Halaman 34 s.d. 37). *Jurnal Fisika Indonesia*, 19(55), 34–37. <https://doi.org/10.22146/jfi.24370>
- Muthukumar, H., Shanmugam, M. K., & Gummadi, S. N. (2020a). Caffeine degradation in synthetic coffee wastewater using silverferrite nanoparticles fabricated via green route using Amaranthus blitum leaf aqueous extract. *Journal of Water Process Engineering*, 36(May), 101382. <https://doi.org/10.1016/j.jwpe.2020.101382>
- Muthukumar, H., Shanmugam, M. K., & Gummadi, S. N. (2020b). Caffeine degradation in synthetic coffee wastewater using silverferrite nanoparticles fabricated via green route using Amaranthus blitum leaf aqueous extract. *Journal of Water Process Engineering*, 36(March), 101382. <https://doi.org/10.1016/j.jwpe.2020.101382>
- Muzafar, W., Kanwal, T., Rehman, K., Perveen, S., Jabri, T., Qamar, F., Faizi, S., & Shah, M. R. (2022). Green synthesis of iron oxide nanoparticles using Melia azedarach flowers extract and evaluation of their antimicrobial and antioxidant activities. *Journal of Molecular Structure*, 133824. <https://doi.org/10.1016/j.molstruc.2022.133824>
- Nagarajan, S., & Arumugam Kuppasamy, K. (2013). Extracellular synthesis of zinc oxide nanoparticle using seaweeds of gulf of Mannar, India. *Journal of Nanobiotechnology*, 11(1), 1–11. <https://doi.org/10.1186/1477-3155-11-39>
- Ngom, I., Ngom, B. D., Sackey, J., & Khamlich, S. (2019). Biosynthesis of zinc oxide nanoparticles using extracts of Moringa Oleifera: Structural & optical properties. *Materials Today: Proceedings*, 36(xxxx), 526–533. <https://doi.org/10.1016/j.matpr.2020.05.323>
- Nouman, W., Anwar, F., Gull, T., Newton, A., Rosa, E., & Domínguez-Perles, R. (2016). Profiling of polyphenolics, nutrients and antioxidant potential of germplasm's leaves from seven cultivars of Moringa oleifera Lam. *Industrial Crops and Products*, 83, 166–176. <https://doi.org/10.1016/j.indcrop.2015.12.032>



- Omidvari, A., Manteghi, F., Sohrabi, B., & Afra, Y. (2014). *A Herbal Extract for the Synthesis of Magnetite Nanoparticles*. b032. <https://doi.org/10.3390/ecsoc-18-b032>
- Piro, N. S., Hamad, S. M., Mohammed, A. S., & Barzinjy, A. A. (2022). Green Synthesis Magnetite (Fe₃O₄) Nanoparticles from *Rhus Coriaria* extract: A Characteristic Comparison with a Conventional Chemical Method. *IEEE Transactions on Nanobioscience*, 1–26. <https://doi.org/10.1109/TNB.2022.3187344>
- Polte, J. (2015). Fundamental growth principles of colloidal metal nanoparticles - a new perspective. *CrystEngComm*, 17(36), 6809–6830. <https://doi.org/10.1039/c5ce01014d>
- Powar, R. R., Phadtare, V. D., Parale, V. G., Park, H. H., Pathak, S., Kamble, P. R., Piste, P. B., & Zambare, D. N. (2018). Structural, morphological, and magnetic properties of Zn_xCo_{1-x}Fe₂O₄ (0 ≤ x ≤ 1) prepared using a chemical co-precipitation method. *Ceramics International*, 44(17), 20782–20789. <https://doi.org/10.1016/j.ceramint.2018.08.079>
- Prasad, C., Sreenivasulu, K., Gangadhara, S., & Venkateswarlu, P. (2017). Bio inspired green synthesis of Ni/Fe₃O₄ magnetic nanoparticles using *Moringa oleifera* leaves extract: A magnetically recoverable catalyst for organic dye degradation in aqueous solution. *Journal of Alloys and Compounds*, 700, 252–258. <https://doi.org/10.1016/j.jallcom.2016.12.363>
- Pulipati, S. (2014). of Phytom Phyt tochemic al and Ph harmacol ogical po otential of f Amaran nthus virid. *International Journal of Phytomedicine*, 6(January 2014), 322–326.
- Radoń, A., Drygała, A., Hawełek, Ł., & Łukowiec, D. (2017). Structure and optical properties of Fe₃O₄ nanoparticles synthesized by co-precipitation method with different organic modifiers. *Materials Characterization*, 131(June), 148–156. <https://doi.org/10.1016/j.matchar.2017.06.034>
- Rajabi, N., Masrournia, M., & Abedi, M. (2020). Measuring and Pre-concentration of Lanthanum Using Fe₃O₄@Chitosan Nanocomposite with Solid-phase Microextraction for ICP-OES Determination. *Arabian Journal for Science and Engineering*, 45(1), 121–129. <https://doi.org/10.1007/s13369-019-04237-3>
- Rajeshwari, A., Kartharinal Punithavthy, I., Johnson Jeyakumar, S., Lenin, N., & Vigneshwaran, B. (2020). Dependence of lanthanum ions on structural, magnetic and electrical of manganese based spinel nanoferrites. *Ceramics International*, 46(5), 6860–6870. <https://doi.org/10.1016/j.ceramint.2019.11.180>
- Ramabulana, T., Mavunda, R. D., Steenkamp, P. A., Piater, L. A., Dubery, I. A., & Madala, N. E. (2016). Perturbation of pharmacologically relevant polyphenolic compounds in *Moringa oleifera* against photo-oxidative damages imposed by gamma radiation. *Journal of Photochemistry and*



- Photobiology* B: *Biology*, 156, 79–86.
<https://doi.org/10.1016/j.jphotobiol.2016.01.013>
- Ramesh, A. V., Rama Devi, D., Mohan Botsa, S., & Basavaiah, K. (2018). Facile green synthesis of Fe₃O₄ nanoparticles using aqueous leaf extract of *Zanthoxylum armatum* DC. for efficient adsorption of methylene blue. *Journal of Asian Ceramic Societies*, 6(2), 145–155.
<https://doi.org/10.1080/21870764.2018.1459335>
- Reddy, P. L., Deshmukh, K., Kovářik, T., Reiger, D., Nambiraj, N. A., Lakshmi pathy, R., & Khadheer Pasha, S. K. (2020). Enhanced dielectric properties of green synthesized Nickel Sulphide (NiS) nanoparticles integrated polyvinylalcohol nanocomposites. *Materials Research Express*, 7(6).
<https://doi.org/10.1088/2053-1591/ab955f>
- Rehaman, S., El-sheikh, M. A., Alfarhan, A. H., & Ushani, U. (2021). Saudi Journal of Biological Sciences Spectral studies of *Amaranthus tristis* Linn . in Bioremediated Silk dyeing effluent with mixed biofertilizer inoculants. *Saudi Journal of Biological Sciences*, 28(2), 1203–1212.
<https://doi.org/10.1016/j.sjbs.2020.11.057>
- Reyad-ul-Ferdous, M. (2015). Present Biological Status of Potential Medicinal Plant of *Amaranthus viridis*: A Comprehensive Review. *American Journal of Clinical and Experimental Medicine*, 3(5), 12.
<https://doi.org/10.11648/j.ajcem.s.2015030501.13>
- Riyanto, A., & Suharyadi, D. E. (2012). *SINTESIS NANOPARTIKEL Fe₃O₄ (MAGNETIT) DAN POTENSINYA SEBAGAI MATERIAL AKTIF PADA PERMUKAAN SENSING BIOSENSOR BERBASIS SURFACE PLASMON RESONANCE (SPR)*.
- Rm, M., Nd, C., & Pn, V. (2017). *Synthesis and Dielectric properties of nanocrystalline Gd₃ + substituted Nickel-Cadmium ferrites*. 63628, 8–14.
- Rochelle M. Cornell, U. S. (2006). *The Iron Oxides: Structure, Properties, Reactions, Occurrences and Uses, 2nd, Completely Revised and Extended Edition*. 703.
- Roth, H. C., Schwaminger, S. P., Schindler, M., Wagner, F. E., & Berensmeier, S. (2015). Influencing factors in the CO-precipitation process of superparamagnetic iron oxide nano particles: A model based study. *Journal of Magnetism and Magnetic Materials*, 377, 81–89.
<https://doi.org/10.1016/j.jmmm.2014.10.074>
- Saputra, A., Arfi, F., & Yulian, M. (2020). LITERATURE REVIEW: ANALISIS FITOKIMIA DAN MANFAAT EKSTRAK DAUN KELOR (*Moringa oleifera*). *Amina*, 2(3), 114–119. <https://journal.ar-raniry.ac.id/index.php/amina/article/view/1220>
- Senapati, U. S., & Athparia, R. (2022). Green synthesis of ZnS nanoparticles using



- allium sativum L. extract and study of their structural, optical and electrical properties. *Chalcogenide Letters*, 19(3), 203–216. <https://doi.org/10.15251/cl.2022.193.203>
- Singh, J., Dutta, T., Kim, K. H., Rawat, M., Samddar, P., & Kumar, P. (2018). “Green” synthesis of metals and their oxide nanoparticles: Applications for environmental remediation. *Journal of Nanobiotechnology*, 16(1), 1–25. <https://doi.org/10.1186/s12951-018-0408-4>
- Sirdeshmukh, L., Krishna Kumar, K., Bal Laxman, S., Rama Krishna, A., & Sathaiah, G. (1998). Dielectric properties and electrical conduction in yttrium iron garnet (YIG). *Bulletin of Materials Science*, 21(3), 219–226. <https://doi.org/10.1007/BF02744973>
- Suharyadi, E. (2015). (Fe 3 O 4) YANG DIENKAPSULASI POLIMER POLYETHYLENE GLYCOL (PEG-4000). 16(3), 50–55.
- Sukweenadhi, J., Setiawan, K. I., Avanti, C., Kartini, K., Rupa, E. J., & Yang, D. C. (2021). Scale-up of green synthesis and characterization of silver nanoparticles using ethanol extract of *Plantago major* L. leaf and its antibacterial potential. *South African Journal of Chemical Engineering*, 38(April), 1–8. <https://doi.org/10.1016/j.sajce.2021.06.008>
- Sulaiman, G. M., Tawfeeq, A. T., & Naji, A. S. (2018). Biosynthesis, characterization of magnetic iron oxide nanoparticles and evaluations of the cytotoxicity and DNA damage of human breast carcinoma cell lines. *Artificial Cells, Nanomedicine and Biotechnology*, 46(6), 1215–1229. <https://doi.org/10.1080/21691401.2017.1366335>
- Sulistiyo, D. H. (2017). Dampak Ukuran Butir Nanopartikel Copper Ferrite (CuFe₂O₄) Terhadap Sifat Dielektrik. *Jurnal Mekanikal*, 8(2), 777–783.
- Taha, T. A., Elrabaie, S., & Attia, M. T. (2018). Green synthesis, structural, magnetic, and dielectric characterization of NiZnFe₂O₄/C nanocomposite. *Journal of Materials Science: Materials in Electronics*, 29(21), 18493–18501. <https://doi.org/10.1007/s10854-018-9965-4>
- Tatarchuk, T., Bououdina, M., Macyk, W., Shyichuk, O., Paliychuk, N., Yaremiy, I., Al-Najar, B., & Pacia, M. (2017). Structural, Optical, and Magnetic Properties of Zn-Doped CoFe₂O₄ Nanoparticles. *Nanoscale Research Letters*, 12(1). <https://doi.org/10.1186/s11671-017-1899-x>
- Tiloke, C., Anand, K., Gengan, R. M., & Chuturgoon, A. A. (2018). *Moringa oleifera* and their phytonanoparticles: Potential antiproliferative agents against cancer. *Biomedicine and Pharmacotherapy*, 108(April), 457–466. <https://doi.org/10.1016/j.biopha.2018.09.060>
- Trouillas, P., Marsal, P., Siri, D., Lazzaroni, R., & Duroux, J. L. (2006). A DFT study of the reactivity of OH groups in quercetin and taxifolin antioxidants: The specificity of the 3-OH site. *Food Chemistry*, 97(4), 679–688.



<https://doi.org/10.1016/j.foodchem.2005.05.042>

- Tubelaka, R. (2022). *GREEN SYNTHESIS OF CORE-SHELL Fe₃O₄@TiO₂ PHOTOCATALYST NANOPARTICLES USING EXTRACT OF MORINGA OLEIFERA AND ITS CHARACTERIZATION. 1(1)*, 1–135.
- Turcu, R., Socoliuc, V., & V, L. (2015). *Biochemical and Biophysical Research Communications Magnetic iron oxide nanoparticles : Recent trends in design and synthesis of magnetoresponsive nanosystems*.
- Tyagi, P. K., Gupta, S., Tyagi, S., Kumar, M., Pandiselvam, R., Daştan, S. D., Sharifi-Rad, J., Gola, D., & Arya, A. (2021). Green Synthesis of Iron Nanoparticles from Spinach Leaf and Banana Peel Aqueous Extracts and Evaluation of Antibacterial Potential. *Journal of Nanomaterials*, 2021, 1–11. <https://doi.org/10.1155/2021/4871453>
- Vadim F. Lvovich. (1976). Impedance Spectroscopy. In *A John Wilwy & Sons, Inc., Hoboken, New Jersey: Vol. chapter 1*.
- Vasquez, R. D., Apostol, J. G., de Leon, J. D., Mariano, J. D., Mirhan, C. M. C., Pangan, S. S., Reyes, A. G. M., & Zamora, E. T. (2016). Polysaccharide-mediated green synthesis of silver nanoparticles from *Sargassum siliquosum* J.G. Agardh: Assessment of toxicity and hepatoprotective activity. *OpenNano*, 1, 16–24. <https://doi.org/10.1016/j.onano.2016.03.001>
- Virkutyte, J., & Varma, R. S. (2011). Green synthesis of metal nanoparticles: Biodegradable polymers and enzymes in stabilization and surface functionalization. *Chemical Science*, 2(5), 837–846. <https://doi.org/10.1039/c0sc00338g>
- Virkutyte, J., & Varma, R. S. (2014). Greener and sustainable remediation using iron nanomaterials. *ACS Symposium Series*, 1184, 1–21. <https://doi.org/10.1021/bk-2014-1184.ch001>
- Wang, T., Lin, J., Chen, Z., Megharaj, M., & Naidu, R. (2014). Green synthesized iron nanoparticles by green tea and eucalyptus leaves extracts used for removal of nitrate in aqueous solution. *Journal of Cleaner Production*, 83, 413–419. <https://doi.org/10.1016/j.jclepro.2014.07.006>
- Wibowo, N. A., Juharni, J., Sabarman, H., & Suharyadi, E. (2021). A Spin-Valve GMR Based Sensor with Magnetite@silver Core-Shell Nanoparticles as a Tag for Bovine Serum Albumin Detection. *ECS Journal of Solid State Science and Technology*, 10(10), 107002. <https://doi.org/10.1149/2162-8777/ac2d4e>
- Yew, Y. P., Shamel, K., Miyake, M., Bahiyah, N., Ahmad, B., Eva, S., Mohamad, B., Naiki, T., & Lee, K. X. (2018). Green Biosynthesis of Superparamagnetic Magnetite Fe₃O₄ Nanoparticles and Biomedical Applications in Targeted Anticancer Drug Delivery System: A review. *Arabian Journal of Chemistry*. <https://doi.org/10.1016/j.arabjc.2018.04.013>