



## DAFTAR PUSTAKA

- Adi, S. (2013). Karakterisasi Bencana Banjir Bandang di Indonesia. *Jurnal Sains dan Teknologi Indonesia*, 15(1), 42–51.
- Allen, S. K., Ballesteros-Canovas, J., Randhawa, S. S., Singha, A. K., Huggel, C., & Stoffel, M. (2018). Translating the Concept of Climate Risk into an Assessment Framework to Inform Adaptation Planning: Insights from a Pilot Study of Flood Risk in Himachal Pradesh, Northern India. *Environmental Science and Policy*, 87, 1–10. doi:10.1016/j.envsci.2018.05.013
- Allnutt, C. E., Gericke, O. J., & Pietersen, J. P. J. (2020). Estimation of Time Parameter Proportionality Ratios in Large Catchments: Case Study of the Modder-Riet River Catchment, South Africa. *Journal of Flood Risk Management*, 13(3), 1–17. doi:10.1111/jfr3.12628
- Azmeri, Yulianur, A., & Listia, V. (2015). Analisis Perilaku Banjir Bandang Akibat Keruntuhan Bendungan Alam pada Daerah Aliran Sungai Krueng Teungku Provinsi Aceh. *Jurnal Teknik Sipil*, 22(3), 209–218.
- Ball, J., Babister, M., Nathan, R., Weeks, W., Weinmann, E., Retallick, M., & Testoni, I. (Eds.). (2019). *Australian Rainfall and Runoff: A Guide to Flood Estimation*. Barton: Commonwealth of Australia (Geoscience Australia).
- Beilicci, E. B., & Beilicci, R. (2021). Influence of Rainfall Characteristics on Runoff in a Small Watershed. *Conference Proceedings: Air and Water - Components of the Environment*, (pp. 141–148). doi:10.24193/AWC2021\_13
- BIG. (2018). *Digital Elevation Model Nasional (DEMNAS)*. Badan Informasi Geospasial. Diakses pada tanggal 7 Juni 2021 dari tanahair.indonesia.go.id/demnas/#/demnas
- BMKG. (2018). *Buletin Informasi Iklim Provinsi Jawa Barat* (Februari ed.). Bogor: Badan Meteorologi Klimatologi dan Geofisika.
- BNPB. (2016). *Risiko Bencana Indonesia (RBI)*. Jakarta: Badan Nasional Penanggulangan Bencana.
- Cox, R. J., Shand, T. D., & Blacka, M. J. (2010). *Australian Rainfall and Runoff Revision Project 10: Appropriate Safety Criteria for People*. Barton: Institution of Engineers Australia.
- ESRI. (2020). *World Ocean Base Map*. ESRI. Diakses pada tanggal 7 November 2022 dari arcgis.com/home/item.html?id=1e126e7520f9466c9ca28b8f28b5e500%2F
- ESRI. (2021). *World Topographic Map*. ESRI. Diakses pada tanggal 7 November 2022 dari arcgis.com/home/item.html?id=30e5fe3149c34df1ba922e6f5bbf808f
- Fang, X., Cleveland, T., Garcia, C. A., Thompson, D., & Malla, R. (2005). *Literature Review on Timing Parameters for Hydrographs*. Texas: Lamar University.
- Fang, X., Thompson, D. B., Cleveland, T. G., Pradhan, P., & Malla, R. (2008). Time of Concentration Estimated Using Watershed Parameters Determined by Automated and Manual Methods. *Journal of Irrigation and Drainage Engineering*, 134(2), 202–211. doi:10.1061/(ASCE)0733-9437(2008)134:2(202)
- FAO. (2007). *The Digital Soil Map of the World (DSMW)*. The Food and Agriculture Organization - UNESCO. Diakses pada tanggal 22 Februari 2022 dari data.apps.fao.org/map/catalog/srv/eng/catalog.search#/metadata/446ed430-8383-11db-b9b2-000d939bc5d8



- FISRWG. (2001). *Stream Corridor Restoration: Principles, Processes, and Practices* (Revised ed.). Washington: The Federal Interagency Stream Restoration Working Group - USDA.
- Gericke, O. J., & Smithers, J. C. (2014). Review of Methods Used to Estimate Catchment Response Time for the Purpose of Peak Discharge Estimation. *Hydrological Sciences Journal*, 59(11), 1935–1971. doi:10.1080/02626667.2013.866712
- Google. (2019). *Citra Satelit Google Earth*. Google. Diakses pada tanggal 9 September 2020 dari [earth.google.com/web](http://earth.google.com/web)
- Google. (2020). *Citra Satelit Google Earth*. Google. Diakses pada tanggal 10 November 2022 dari [earth.google.com/web](http://earth.google.com/web)
- Gousenbourger, P. Y., Massart, E., & Absil, P. A. (2019). Data Fitting on Manifolds with Composite Bézier-Like Curves and Blended Cubic Splines. *Journal of Mathematical Imaging and Vision*, 61, 645–671. doi:10.1007/s10851-018-0865-2
- Hidayatulloh, I. S. (2017). *Pemodelan Bencana banjir di Dusun Nasiri, Kecamatan Huamual, Kabupaten Seram Bagian Barat*. Tesis, Program Studi Magister, Departemen Teknik Sipil dan Lingkungan, Fakultas Teknik, Universitas Gadjah Mada.
- Hofmann, J., & Schüttrumpf, H. (2019). Risk-Based Early Warning System for Pluvial Flash Floods: Approaches and Foundations. *Geosciences (Switzerland)*, 9(3), 1–22. doi:10.3390/geosciences9030127
- Hovey, C. B. (2022). *Formulation and Python Implementation of Bézier and B-Spline Geometry*. Sandia National Laboratories, Sandia Injury Biomechanics Laboratory. New Mexico: National Technology and Engineering Solutions of Sandia. Diakses pada tanggal 4 November 2022 dari [hovey.github.io/docs/Hovey\\_2022\\_Bezier\\_B-Spline\\_SAND2022-7702\\_C.pdf](https://hovey.github.io/docs/Hovey_2022_Bezier_B-Spline_SAND2022-7702_C.pdf)
- Huff, F. A. (1990). *Time Distributions of Heavy Rainstorms in Illinois*. Champaign: Illinois State Water Survey.
- Istiarto. (2018). *Simulasi Aliran 1-Dimensi dengan Bantuan HEC-RAS*. Yogyakarta: Universitas Gadjah Mada.
- JICA, & YPM. (2011). *Laporan Kegiatan: Sistem Peringatan Dini dan Simulasi Evakuasi*. Jember: Yayasan Pengabdi Masyarakat.
- Kementerian Kehutanan. (2013). *Peraturan Direktur Jenderal Bina Pengelolaan Daerah Aliran Sungai dan Perhutanan Sosial, Tentang Pedoman Identifikasi Karakteristik Daerah Aliran Sungai*. Jakarta: Kementerian Kehutanan.
- KLHK. (2009). *Kondisi Tata Guna Lahan*. Kementerian Lingkungan Hidup dan Kehutanan.
- KLHK. (2011). *Kondisi Tata Guna Lahan*. Kementerian Lingkungan Hidup dan Kehutanan.
- KLHK. (2019). *Kondisi Tata Guna Lahan*. Kementerian Lingkungan Hidup dan Kehutanan.
- Legono, D., & Rahardjo, A. P. (2020). *A Recent Decade of Indonesian Flash Flood Disaster: Potential and Risk Reductions*. Flash Flood Program 2 (FFP2): Seminar on Flash Flood Diversity and Challenges. Beijing, China. Diakses pada tanggal 8 November 2022 dari [qgshzh.com/show/ffp/2/27/594a04ea-ff69-42a4-9109-38b99a907397?newstype=2](http://qgshzh.com/show/ffp/2/27/594a04ea-ff69-42a4-9109-38b99a907397?newstype=2)



- Li, Z., Zhang, H., Singh, V. P., Yu, R., & Zhang, S. (2019). A Simple Early Warning System for Flash Floods in an Ungauged Catchment and Application in the Loess Plateau, China. *Water (Switzerland)*, 11(3), 1–21. doi:10.3390/w11030426
- MLIT. (2004). *Guidelines for Construction Technology Transfer, Development of Warning and Evacuation System Against Sediment Disasters in Developing Countries*. Japan: Ministry of Land, Infrastructure and Transport, Infrastructure Development Institute.
- Mushthofa, A. (2015). *Simulasi Banjir Bandang untuk Sistem Peringatan Dini dan Peta Bahaya (Studi Kasus Bencana Banjir Bandang di Dusun Nasiri, Kecamatan Huamual, Kabupaten Seram Bagian Barat Tahun 2012)*. Tesis, Program Studi Magister, Departemen Teknik Sipil dan Lingkungan, Fakultas Teknik, Universitas Gadjah Mada.
- Nagy, E. D., Torma, P., & Bene, K. (2016). Comparing Methods for Computing the Time of Concentration in a Medium-Sized Hungarian Catchment. *Slovak Journal of Civil Engineering*, 24(4), 8–14. doi:10.1515/sjce-2016-0017
- NASA. (2020). *The Global Precipitation Measurement (GPM)*. The National Aeronautics and Space Administration. Diakses pada tanggal 9 Maret 2022 dari [giovanni.gsfc.nasa.gov](http://giovanni.gsfc.nasa.gov)
- Pan, C., Wang, X., Liu, L., Huang, H., & Wang, D. (2017). Improvement to the Huff Curve for Design Storms and Urban Flooding Simulations in Guangzhou, China. *Water (Switzerland)*, 9(6), 1–18. doi:10.3390/w9060411
- Pratiwi, D. W., Sujono, J., & Rahardjo, A. P. (2017). Evaluasi Data Hujan Satelit untuk Prediksi Data Hujan Pengamatan Menggunakan Cross Correlation. *Seminar Nasional Sains dan Teknologi*. Universitas Muhammadiyah Jakarta.
- Pratomo, R. A., Jetten, V., & Alkema, D. (2016). Rural Flash-Flood Behavior in Gouyave Watershed, Grenada, Caribbean Island. *Geoplanning: Journal of Geomatics and Planning*, 3(2), 161–170. doi:10.14710/geoplanning.3.2.161-170
- Primahessa, A. (2017). *Analisis Karakteristik Hujan Penyebab Banjir pada Sistem Peringatan Dini di Sungai dengan Kemiringan Curam (Studi Kasus di Dusun Nasiri, Kecamatan Huamual, Kabupaten Seram Bagian Barat)*. Tesis, Program Studi Magister, Departemen Teknik Sipil dan Lingkungan, Fakultas Teknik, Universitas Gadjah Mada.
- Primahessa, A., Rahardjo, A. P., & Sujono, J. (2017). Analisis Hujan Penyebab Banjir pada Sungai Curam di Dusun Nasiri, Kabupaten Seram Bagian Barat. *Pertemuan Ilmiah Tahunan XXXIV HATHI, Papua*, (pp. 322–331).
- Sathya, K., Rahardjo, A. P., & Jayadi, R. (2021). Flash Flood Disaster Reconstruction for Estimating the Available Warning Time, the Case in Sempor River on 21<sup>st</sup> of February 2020, Mt. Merapi Slope, Yogyakarta Special Region. *IOP Conference Series: Earth and Environmental Science*, 930(1). doi:10.1088/1755-1315/930/1/012080
- Say, V., Legono, D., Rahardjo, A. P., & Yuniawan, R. A. (2021). Flash Flood Characteristics of Ciberang River, Its Impact and Mitigation. *IOP Conference Series: Earth and Environmental Science*, 930(1). doi:10.1088/1755-1315/930/1/012085
- Sene, K. (2013). *Flash Floods: Forecasting and Warning*. Dordrecht: Springer. doi:10.1007/978-94-007-5164-4



- Styawan, A. P. (2017). *Studi Kejadian dan Potensi Banjir Bandang oleh Keruntuhan DAM Alam di Nasiri*. Tesis, Program Studi Magister, Departemen Teknik Sipil dan Lingkungan, Fakultas Teknik, Universitas Gadjah Mada.
- Sujono, J. (2014). *Petunjuk Singkat Aplikasi HEC-HMS*. Yogyakarta: Universitas Gadjah Mada.
- Sultan, D., Tsunekawa, A., Tsubo, M., Haregeweyn, N., Adgo, E., Meshesha, D. T., . . . Setargie, T. A. (2022). Evaluation of Lag Time and Time of Concentration Estimation Methods in Small Tropical Watersheds in Ethiopia. *Journal of Hydrology: Regional Studies*, 40, 1–14. doi:10.1016/j.ejrh.2022.101025
- Triatmodjo, B. (2019). *Hidrologi Terapan*. Yogyakarta: Beta Offset.
- Tu, H., Wang, X., Zhang, W., Peng, H., Ke, Q., & Chen, X. (2020). Flash Flood Early Warning Coupled with Hydrological Simulation and the Rising Rate of the Flood Stage in a Mountainous Small Watershed in Sichuan Province, China. *Water*, 12(1), 1–17. doi:10.3390/w12010255
- UGM. (2017). *Alat Pemantauan Hujan (ARR) dan Muka Air (AWLR) untuk Peringatan Dini Banjir*. Universitas Gadjah Mada. Diakses pada tanggal 25 Mei 2022 dari [drm.dctechnic.com](http://drm.dctechnic.com)
- USACE. (2000). *Hydrologic Modeling System HEC-HMS, Technical Reference Manual*. California: Hydrologic Engineering Center.
- USACE. (2008). *Hydrologic Modeling System HEC-HMS, Applications Guide*. California: Hydrologic Engineering Center.
- Wahyuni, S., Hambali, R., & Fahriani, F. (2020). Evaluasi Ketelitian Data Curah Hujan Satelit GPM Terhadap Data Curah Hujan Permukaan. *Pertemuan Ilmiah Tahunan HATHI ke-37, Palembang*, (pp. 1083–1094).
- Yao, Q., Xie, J., Guo, L., Zhang, X., & Liu, R. (2016). Analysis and Evaluation of Flash Flood Disasters : A Case of Lingbao County of Henan Province in China. *Procedia Engineering*, 154, 835–843. doi:10.1016/j.proeng.2016.07.444
- Yulinsa, N. (2015). Snake Line Analysis for Lahar Flow Warning System (Case Study in Putih River, Mount Merapi). *Journal of the Civil Engineering Forum*, 1(1), 37–42. doi:10.22146/jcef.22729
- Zain, A., Legono, D., Rahardjo, A. P., & Jayadi, R. (2021). Review on Co-factors Triggering Flash Flood Occurrences in Indonesian Small Catchments. *IOP Conference Series: Earth and Environmental Science*, 930(1). doi:10.1088/1755-1315/930/1/012087