



## DAFTAR PUSTAKA

- Ahangar, P., Cooke, M.E., Weber, M.H., dan Rosenzweig, D.H., 2019, Current biomedical applications of 3D printing and additive manufacturing, *Applied Sciences (Switzerland)*. MDPI AG.
- Akbaş, O. E., Hira, O., Hervan, S.Z., Samankan, S., dan Altinkaynak, A., 2020, Dimensional accuracy of FDM-printed polymer parts, *Rapid Prototyping Journal*, 26(2), pp. 288–298
- Ansari, A. A. dan Kamil, M., 2021, Effect of print speed and extrusion temperature on properties of 3D printed PLA using fused deposition modeling process, *Materials Today: Proceedings*. Elsevier Ltd, pp. 5462–5468.
- Arifvianto, B., Wirawan, Y.B., Salim, U.A., Suyitno, S., dan Mahardika, M., 2021, Effects of extruder temperatures and raster orientations on mechanical properties of the FFF-processed polylactic-acid (PLA) material, *Rapid Prototyping Journal*, 27(10), pp. 1761–1775.
- Bahr, F., dan Westkamper, E., 2018, Correlations between influencing parameters and quality properties of component produced by fused deposition modelling, *Procedia CIRP*. Elsevier B.V., pp. 1214-1219.
- Barrios, J. M. dan Romero, P. E., 2019, Improvement of surface roughness and hydrophobicity in PETG parts manufactured via fused deposition modeling (FDM): An application in 3D printed self-cleaning parts, *Materials*, 12(15).
- Bartolai, J., Simpson, T. W. dan Xie, R., 2018, Predicting strength of additively manufactured thermoplastic polymer parts produced using material extrusion, *Rapid Prototyping Journal*, 24(2), pp. 321–332.
- Buj-Corral, I., Bagheri, A., Domínguez-Fernández, A., dan Casado-López, R., 2019, Influence of infill and nozzle diameter on porosity of FDM printed parts with rectilinear grid pattern, *Procedia Manufacturing*. Elsevier B.V., pp. 288–295.
- Cano-Vicent, A. Tambuwala, M.M., Hassan, Sk.S., Barh, D., Aljabali, A.A.A., Birkett, M., Arjunan, A., dan Serrano-Aroca, A., 2021, Fused deposition modelling: Current status, methodology, applications and future prospects, *Additive Manufacturing*. Elsevier B.V.
- Cantı, E. dan Aydin, M., 2018, Effects of micro particle reinforcement on mechanical properties of 3D printed parts, *Rapid Prototyping Journal*, 24(1), pp. 171–176.
- Chacón, J. M., Caminero, M.A., Garc'ia-Plaza, E., dan N'uñez, P.J., 2017, Additive manufacturing of PLA structures using fused deposition modelling: Effect of process parameters on mechanical properties and their optimal



selection, *Materials and Design*, 124, pp. 143–157.

Cheng, L., Zhang, P., Biyikli, E., dan Bai, J., 2017, Efficient design optimization of variable-density cellular structures for additive manufacturing: Theory and experimental validation, *Rapid Prototyping Journal*, 23(4), pp. 660–677.

Dey, A. dan Yodo, N., 2019, A systematic survey of FDM process parameter optimization and their influence on part characteristics, *Journal of Manufacturing and Materials Processing*. MDPI Multidisciplinary Digital Publishing Institute.

Ding, S., Zou, B., Wang, P., dan Ding, H., 2019, Effects of nozzle temperature and building orientation on mechanical properties and microstructure of PEEK and PEI printed by 3D-FDM, *Polymer Testing*, 78.

Frketic, J., Dickens, T., dan Ramakrishnan, S., 2017, Automated manufacturing and processing of fiber-reinforced polymer (FRP) composites: An additive review of contemporary and modern techniques for advanced materials manufacturing, *Additive Manufacturing*. Elsevier B.V., pp. 69–86.

Gopi Mohan, R., Santhos, K., Iyer, R.V., John, L.K., dan Ramu, M., 2021, Comparative analysis of mechanical properties of FDM printed parts based on raster angles, *Materials Today: Proceedings*. Elsevier Ltd, pp. 4730–4734.

Groover, M. P., 2010, *fundamentals\_of\_modern\_manufacturing*, 4th, USA

Hanon, M. M., Zsidai, L., dan Ma, Q., 2021, Accuracy investigation of 3D printed PLA with various process parameters and different colors, *Materials Today: Proceedings*. Elsevier Ltd, pp. 3089–3096.

Ivey, M., Melenka, G.W., Carey, J.P., dan Ayrancı, C., 2017, Characterizing short-fiber-reinforced composites produced using additive manufacturing, *Advanced Manufacturing: Polymer and Composites Science*, 3(3), pp. 81–91.

Jaisingh Sheoran, A., dan Kumar, H., 2020, Fused Deposition modeling process parameters optimization and effect on mechanical properties and part quality: Review and reflection on present research, *Materials Today: Proceedings*. Elsevier Ltd, pp. 1659–1672.

Jami, H., Masood, S. H., dan Song, W. Q., 2013, Dynamic response of FDM made ABS parts in different part orientations, *Advanced Materials Research*, pp. 291–294.

Jin, Y.. Li, H., He, Y., dan Fu, J., 2015, Quantitative analysis of surface profile in fused deposition modelling, *Additive Manufacturing*, 8, pp. 142–148.

Kalpakjian, S., 1995, *Manufacturing Engineering and Technology*. 3rd edn. Addison-Wesley Publishing Co., Inc.

Keleş, Ö., Blevins, C. W., dan Bowman, K. J., 2017, Effect of build orientation on the mechanical reliability of 3D printed ABS, *Rapid Prototyping Journal*, 23(2), pp. 320–328.



Kusuma, D. B. *et al.* (2022) ‘Metode Pencegahan Warping dan Cacat Kualitas Permukaan Produk Fused Deposition Modelling (FDM)’, *Conference SENATIK STT Adisutjipto Yogyakarta*, 7, pp. 47–56.

Mahardika, M., dan Sudiarso, A., 2018, *Advances Machining Processes (Non-Conventional)*. 2nd edn. Yogyakarta: Gadjah Mada University Press.

Mahardika, M., Tsujimoto, T., dan Mitsui, K., 2008, A new approach on the determination of ease of machining by EDM processes, *International Journal of Machine Tools and Manufacture*, 48(7–8), pp. 746–760.

Masood, S. H., dan Song, W. Q., 2004, Development of new metal/polymer materials for rapid tooling using Fused deposition modelling, *Materials and Design*, 25(7), pp. 587–594.

McGeough, J., 1988, *Advanced Methods of Machining*. London: Chapman and Hall

Mohamed, O. A., Masood, S. H., dan Bhowmik, J. L., 2015, Optimization of fused deposition modeling process parameters: a review of current research and future prospects, *Advances in Manufacturing*, 3(1), pp. 42–53.

Ning, F., Cong, W., Qiu, J., Wei, J., dan Wang, S., 2015, Additive manufacturing of carbon fiber reinforced thermoplastic composites using fused deposition modeling, *Composites Part B: Engineering*, 80, pp. 369–378.

Nsengimana, J., Van der Walt, J., Pei, E., dan Miah, M., 2019, Effect of post-processing on the dimensional accuracy of small plastic additive manufactured parts, *Rapid Prototyping Journal*, 25(1), pp. 1–12.

Papon, E. A., dan Haque, A., 2018, Tensile properties, void contents, dispersion and fracture behaviour of 3D printed carbon nanofiber reinforced composites, *Journal of Reinforced Plastics and Composites*, 37(6), pp. 381–395.

Papon, E. A., Haque, A., dan Spear, S. K., 2019, Effects of fiber surface treatment and nozzle geometry in structural properties of additively manufactured two-phase composites, in *AIAA Scitech 2019 Forum*. American Institute of Aeronautics and Astronautics Inc, AIAA.

Papon, M. E. A., Haque, A., dan Sharif, M. A. R., 2017, Effect of nozzle geometry on Melt flow simulation and structural property of thermoplastic nanocomposites in Fused deposition modeling, in *32nd Technical Conference of the American Society for Composites 2017*. DEStech Publications Inc., pp. 2167–2182.

Rasal, R. M., Janorkar, A. V., dan Hirt, D. E., 2010, Poly(lactic acid) modifications, *Progress in Polymer Science (Oxford)*, pp. 338–356.

Rayegani, F., dan Onwubolu, G. C., 2014, Fused deposition modelling (fdm) process parameter prediction and optimization using group method for data handling (gmdh) and differential evolution (de), *International Journal of Advanced Manufacturing Technology*, 73(1–4), pp. 509–519.



Shrinivas Mahale, R., Shamanth, V., Hemanth, K., Nithin, S.K., Sharath, P.C.,  
Shashanka, R., Patil, A., dan Shetty, D., 2021, Processes and applications of  
metal additive manufacturing, *Materials Today: Proceedings*.

Singamneni, S., Behera, M.P., Truong, D., Guen, M.J.L., Macrae, E., dan Pickering,  
K., 2021, Direct extrusion 3D printing for a softer PLA-based bio-polymer  
composite in pellet form, *Journal of Materials Research and Technology*, 15,  
pp. 936–949.

Singh, J., Kumar Goyal, K., dan Kumar, R., 2022, Effect of filling percentage and  
raster style on tensile behavior of FDM produced PLA parts at different build  
orientation, *Materials Today: Proceedings*.

Solomon, I. J., Sevvel, P., dan Gunasekaran, J., 2020, A review on the various  
processing parameters in FDM, in *Materials Today: Proceedings*. Elsevier  
Ltd, pp. 509–514.

Sood, A. K., Ohdar, R. K., dan Mahapatra, S. S., 2010, Parametric appraisal of  
mechanical property of fused deposition modelling processed parts, *Materials  
and Design*, 31(1), pp. 287–295.

Uddin, M. S., Sidek, M.F.R., Faizal, M.A., Ghomashchi, R., dan Pramanik, A.,  
2017, Evaluating Mechanical Properties and Failure Mechanisms of Fused  
Deposition Modeling Acrylonitrile Butadiene Styrene Parts, 139(August), pp.  
1–12.

Vălean, C., Marsavina, L., Mărghitaş, M., Linul, E., Razavi, J., dan Berto, F., 2020,  
Effect of manufacturing parameters on tensile properties of FDM printed  
specimens, *Procedia Structural Integrity*. Elsevier B.V., pp. 313–320.