

DAFTAR PUSTAKA

- ANSYS, 2013, ANSYS Fluent User's Guide, ANSYS, Inc., Canonsburg
- ANSYS, 2015, ANSYS Fluent User's Guide, ANSYS, Inc., Canonsburg
- Badiola, M., Mendiola, D., & Bostock, J. (2012). Recirculating Aquaculture Systems (RAS) analysis: Main issues on management and future challenges. *Aquacultural Engineering*, 51, 26–35.
<https://doi.org/10.1016/j.aquaeng.2012.07.004>
- Blancheton, J. P., Attramadal, K. J. K., Michaud, L., d'Orbcastel, E. R., & Vadstein, O. (2013). Insight into bacterial population in aquaculture systems and its implication. In *Aquacultural Engineering* (Vol. 53, pp. 30–39).
<https://doi.org/10.1016/j.aquaeng.2012.11.009>
- Bregnballe, Jacob. (2015). *A guide to recirculation aquaculture. FAO and EURO FISH*. <https://doi.org/10.4060/cc2390en>
- Cengel, Y. A. (2004). *Cimbala, Fluid mechanics: Fundamentals and applications, (Chap. 8)*. McGraw-Hill Education, New York, USA.
- Ebeling, J. M., & Timmons, M. B. (2010). *Recirculating aquaculture*. Cayuga Aqua Ventures Ithaca, NY.
- FAO. (2020). The State of World Fisheries and Aquaculture 2020. Sustainability in action. Rome. <https://doi.org/10.4060/ca9229en>.
- Gorle, J. M. R., Terjesen, B. F., & Summerfelt, S. T. (2018). Hydrodynamics of octagonal culture tanks with Cornell-type dual-drain system. *Computers and Electronics in Agriculture*, 151(June), 354–364.
<https://doi.org/10.1016/j.compag.2018.06.012>
- Gorle, J. M. R., Terjesen, B. F., & Summerfelt, S. T. (2019). Hydrodynamics of Atlantic salmon culture tank: Effect of inlet nozzle angle on the velocity field. *Computers and Electronics in Agriculture*, 158(May 2018), 79–91.
<https://doi.org/10.1016/j.compag.2019.01.046>
- Jacinda, Kinasih., Yustiati, A., & Yuli Andriani, dan. (2021). *Aplikasi Teknologi Resirculating Aquaculture System (RAS) di Indonesia; A Review*

(Resirculating Aquaculture System (RAS) Technology Applications in Indonesia: A Review) (Vol. 11, Issue 1).

- Jeong, W., & Seong, J. (2014). Comparison of effects on technical variances of computational fluid dynamics (CFD) software based on finite element and finite volume methods. *International Journal of Mechanical Sciences*, 78, 19–26. <https://doi.org/10.1016/j.ijmecsci.2013.10.017>
- Lee, J. (2015). Practical applications of low-pressure hydrocyclone (LPH) for feed waste and fecal solid removal in a recirculating aquaculture system. *Aquacultural Engineering*, 69, 37–42. <https://doi.org/10.1016/j.aquaeng.2015.08.003>.
- Lekang. (2007). Aquaculture engineering. In *Aquaculture Research* (Vol. 38, Issue 16). <https://doi.org/10.1111/j.1365-2109.2007.01844.x>
- Nielsen, R., Ankamah-Yeboah, I., & Llorente, I. (2021). Technical efficiency and environmental impact of seabream and seabass farms. *Aquaculture Economics & Management*, 25(1), 106–125.
- Oca, J., & Masalo, I. (2013). Flow pattern in aquaculture circular tanks: Influence of flow rate, water depth, and water inlet & outlet features. *Aquacultural Engineering*, 52, 65–72. <https://doi.org/10.1016/j.aquaeng.2012.09.002>
- Papáček, Š., Petera, K., Císař, P., Stejskal, V., & Saberioon, M. (2020). Experimental & computational fluid dynamics study of the suitability of different solid feed pellets for aquaculture systems. *Applied Sciences (Switzerland)*, 10(19), 1–15. <https://doi.org/10.3390/app10196954>
- Plew, D. R., Klebert, P., Rosten, T. W., Aspaas, S., & Birkevold, J. (2015). Changes to flow and turbulence caused by different concentrations of fish in a circular tank. *Journal of Hydraulic Research*, 53(3), 364–383.
- Pratama, Oki. (2020). Direktorat Jenderal Pengelolaan Ruang Laut. Diakses tanggal 12 Oktober 2022. <https://kkp.go.id/djprl/artikel/21045-konservasi-perairan-sebagai-upaya-menjaga-potensi-kelautan-dan-perikanan-indonesia>.
- Putra, R. A., Shiddiqie, H. L. A., Ahmad, H. N., & Nugroho, A. N. A. (2022). CFD Simulation on the Flow Inside a Fish Culture Tank. *Jurnal Inotera*, 7(1), 19–25. <https://doi.org/10.31572/inotera.vol7.iss1.2022.id167>

- Sin, M. G., An, C. H., Cha, S. J., Kim, M. J., & Kim, H. N. (2021). A method for minimizing the zone of low water flow velocity in a bottom center drain circular aquaculture tank. *Journal of the World Aquaculture Society*, 52(6), 1221–1233. <https://doi.org/10.1111/jwas.12792>.
- Subdirektorat Statistik Demografi. (2015). Proyeksi Penduduk Indonesia 2015–2045. Jakarta: BPS RI/BPS-Statistics Indonesia.
- Suherman, Agus. (2020)., Kementrian Kelautan dan Perikanan Republik Indonesia. Diakses tanggal 9 Oktober 2022. <https://kkp.go.id/artikel/16451-2020-kkp-targetkan-konsumsi-ikan-56-39-kg>.
- Summerfelt, S. T., Mathisen, F., Holan, A. B., & Terjesen, B. F. (2016). Survey of large circular and octagonal tanks operated at Norwegian commercial smolt and post-smolt sites. *Aquacultural Engineering*, 74, 105–110.
- Veerapen, J. P. (2004). *Solids removal in recirculating aquaculture: The swirl separator and double-drain fish tank*.
- Veerapen, J. P., Lowry, B. J., & Couturier, M. F. (2005). Design methodology for the swirl separator. *Aquacultural Engineering*, 33(1), 21–45. <https://doi.org/10.1016/j.aquaeng.2004.11.001>
- Waite, R., Beveridge, M., Brummett, R., Castine, S., Chaiyawannakarn, N., Kaushik, S., Mungkung, R., Nawapakpilai, S., & Phillips, M. (2014). *Installment 5 of “Creating a Sustainable Food Future” IMPROVING PRODUCTIVITY AND ENVIRONMENTAL PERFORMANCE OF AQUACULTURE*. <http://www.worldresourcesreport.org>.
- Xue, B., Zhao, Y., Bi, C., Cheng, Y., Ren, X., & Liu, Y. (2022). Investigation of flow field and pollutant particle distribution in the aquaculture tank for fish farming based on computational fluid dynamics. *Computers and Electronics in Agriculture*, 200. <https://doi.org/10.1016/j.compag.2022.107243>
- Zhang, J., Jia, G., Wang, M., Cao, S., & Mkumbuzi, S. G. (2022). Hydrodynamics of recirculating aquaculture tanks with different spatial utilization. *Aquacultural Engineering*, 96(July 2021). <https://doi.org/10.1016/j.aquaeng.2021.102217>