

REFERENCES

- Acda, M. N., 2010, *Sustainable Agriculture: Technology, Planning and Management*, Nova Science Publishers, New York, 353–366.
- Akinremi, C. A., Omosun, N. N., Adewuyi, S., Azeez, J. O., and Olanrewaju, S. N., 2016, Preparation and Characterization of Chitosan-Humic Acid-Zerovalent Iron Nanocomposite for Nitrate Reduction in Water, *J. Appl. Chem.*, 2016(1895854), 1–8.
- Akpor, O. B., Odesola, D. E., Thomas, R. E., and Oluba, O. M., 2019, Chicken Feather Hydrolysate as Alternative Peptone Source for Microbial Cultivation, *F1000Research*, 7(1918), 1-25.
- Al-faiyz, Y. S. S., 2013, CPMAS ¹³C NMR Characterization of Humic Acids from Composted Agricultural Saudi Waste, *Arab. J. Chem.*, 1-15.
- Alashwal, B. Y., Gupta, A., and Husain, M. S. B., 2019, Characterization of Dehydrated Keratin Protein Extracted from Chicken Feather, *IOP Conf. Ser.: Mater. Sci. Eng.*, 702(1). 1-7.
- Arican, F., Uzuner-Demir, A., Sancakli, A., and Ismar, E., 2021, Synthesis and Characterization of Superabsorbent Hydrogels from Waste Bovine Hair via Keratin Hydrolysate Graft with Acrylic Acid (AA) and Acrylamide (AAm), *Chem. Pap.*, 75(12), 6601–6610.
- Ayutthaya, S. I. N., Tanpichai, S., and Wootthikanokkhan, J., 2015, Keratin Extracted from Chicken Feather Waste: Extraction, Preparation, and Structural Characterization of the Keratin and Keratin/Biopolymer Films and Electrospuns, *J. Polym. Environ.*, 23(4), 506–516.
- Chakim, M. G., Mindari, W., Siswanto, and Sasongko, P. E., 2020, Humic Acid Characterization in Soil from Various Land Uses in Tukur District, Pasuruan Regency of East Java, *JDMLM*, 7(4), 2279-2286.
- Cheng, H., Xing, D., Lin, S., Deng, Z., Wang, X., Ning, W., Hill, P. W., Chadwick, D. R., and Jones, D. L., 2022, Iron-Modified Biochar Strengthens Simazine Adsorption and Decreases Simazine Decomposition in the Soil, *Front. Microbiol.*, 13(901658), 1–10.
- Contreras-Montoya, R., Bonhome-Espinosa, A. B., Orte, A., Miguel, D., Delgado-López, J. M., Duran, J. D. G., Cuerva, J. M., Lopez-Lopez, M. T., and De Cienfuegos, L. Á., 2018, Iron Nanoparticles-Based Supramolecular Hydrogels to Originate Anisotropic Hybrid Materials with Enhanced Mechanical Strength, *Mater. Chem. Front.*, 2(4), 686–699.
- Cursaru, L. M., Piticescu, R. M., Dragut, D. V., Tudor, I. A., Kuncser, V., Iacob, N., and Stoiciu, F., 2020, The Influence of Synthesis Parameters on Structural

and Magnetic Properties of Iron Oxide Nanomaterials, *Nanomater.*, 10(1), 1-22.

Demitri, C., Scalera, F., Madaghiele, M., Sannino, A., and Maffezzoli, A., 2013, Potential of Cellulose-Based Superabsorbent Hydrogels as Water Reservoir in Agriculture, *Int. J. Polym. Sci.*, 2013(435073), 1-6.

Durpekova, S., Di Martino, A., Dusankova, M., Drohsler, P., and Sedlarik, V., 2021, Biopolymer Hydrogel Based on Acid Whey and Cellulose Derivatives for Enhancement Water Retention Capacity of Soil and Slow Release of Fertilizers, *Polymers*, 13(19), 1-18.

Earles, R., 2014, *Handbook of Sustainable Development: Second Edition*, NCAT, Montana, 517–531.

Fan, S. S., Chang, F. H., Hsueh, H. T., and Ko, T. H., 2016, Measurement of Total Free Iron in Soils by H₂S Chemisorption and Comparison with the Citrate Bicarbonate Dithionite Method, *J. Anal. Methods Chem.*, 2016(7213542), 1-7.

Farahmandjou, M., and Soflaee, F., 2015, Synthesis and Characterization of α -Fe₂O₃ Nanoparticles by Simple Co-Precipitation Method, *Phys. Chem.*, 3(3), 191–196.

Gawlik, A., Gołębiewska, D., Kulpa, D., Bejger, R., Matuszak-Slamani, R., Sienkiewicz, M., and Włodarczyk, M., 2016, The Impact of Humic Acid Fractions on Swelling and Germination of ‘Progres’ and ‘Nawiko’ Soybean Seeds Under Salt and Water Deficit Stresses. *Acta Agrobot.*, 69(3), 1–10.

Gurlhosur, S. H., and Sreekanth, B., 2018, Synthesis, Characterization of Iron Oxide (α -Fe₂O₃) Nanoparticles and Its Application in Photocatalytic Reduction of Chromium (VI). *Rasayan J. Chem.*, 11(4), 1678–1685.

Hayes, M. H. B., Swift, a R. S., A, C. M. B., and C, A. J. S., 2010, *19th World Congress of Soil Science, Soil Solutions for a Changing World*, International Union of Soil Sciences, Brisbane, 198–201.

Hansen, P. E., Vakili, M., Kamounah, F. S., and Spanget-Larsen. J., 2021, NH Stretching Frequencies of Intramolecularly Hydrogen-Bonded Systems: An Experimental and Theoretical Study, *Molecules*, 26(7651), 1-19.

Huang, X., Zhu-Barker, X., Horwath, W. R., Faeflen, S. J., Luo, H., Xin, X., and Jiang, X., 2016, Effect of Iron Oxide on Nitrification in Two Agricultural Soils with Different pH, *Biogeosciences*, 13(19), 5609–5617.

Islam, M. A., Paul, J., Akter, J., Islam, M. A., and Limon, S. H., 2021, Conversion of Chicken Feather Waste via Hydrothermal Carbonization: Process Optimization and the Effect of Hydrochar on Seed Germination of *Acacia auriculiformis*, *J. Mater. Cycles Waste Manag.*, 23(3), 1177–1188.

- Jaja, E. T., and Barber, L. I., 2017, Organic and Inorganic Fertilizers in Food Production System in Nigeria, *J. Bio. Agric. Health*, 7(18), 51–55.
- Jarukas, L., Ivanauskas, L., Kasparaviciene, G., Baranauskaite, J., Marksa, M., and Bernatoniene, J., 2021, Determination of Organic Compounds, Fulvic Acid, Humic Acid, and Humin in Peat and Sapropel Alkaline Extracts, *Molecules*, 26(10), 1–10.
- Joya, M. R., Barón-Jaimez, J., and Barba-Ortega, J., 2013, Preparation and Characterization of Fe₂O₃ Nanoparticles, *J. Phys. Conf. Ser.*, 466(1), 1-4.
- Klučáková, M., 2022, The Effect of Supramolecular Humic Acids on the Diffusivity of Metal Ions in Agarose Hydrogel, *Molecules*, 27(3), 1-10.
- Kousar, S., Ahmed, F., Pervaiz, A., and Bojnec, Š., 2021, Food Insecurity, Population Growth, Urbanization and Water Availability: The Role of Government Stability, *Sustainability*, 13(22), 1-19.
- Kshetri, P., Roy, S. S., Sharma, S. K., Singh, T. S., Ansari, M. A., Prakash, N., and Ngachan, S. V., 2019, Transforming Chicken Feather Waste into Feather Protein Hydrolysate Using a Newly Isolated Multifaceted Keratinolytic Bacterium *Chryseobacterium sediminis* RCM-SSR-7, *Waste Biomass Valorization*, 10(1), 1–11.
- Kuncaka, A., Arvianto, R. I., Latifa, A. S. R. B., Rambe, M. R., Suratman, A., and Triono, S., 2021, Analysis and Characterization of Solid and Liquid Organic Fertilizer from Hydrothermal Carbonization (HTC) of Chicken Feather and Blood Waste, *Indones. J. Chem.*, 21(3), 651–658.
- Lassoued, A., Dkhil, B., Gadri, A., and Ammar, S., 2017, Control of The Shape and Size of Iron Oxide (α -Fe₂O₃) Nanoparticles Synthesized Through the Chemical Precipitation Method, *Results Phys.*, 7, 3007–3015.
- Le Mouél, C., and Forslund, A., 2017, How Can We Feed the World in 2050? A Review of the Responses from Global Scenario Studies, *ERAE*, 44(4), 541–591.
- Li, X., Li, Q., Xu, X., Su, Y., Yue, Q., and Gao, B., 2016, Characterization, Swelling and Slow-Release Properties of a New Controlled Release Fertilizer Based on Wheat Straw Cellulose Hydrogel, *J. Taiwan Inst. Chem. Eng.*, 60, 564–572.
- Miniaci, M. C., Irace, C., Capuozzo, A., Piccolo, M., Di Pascale, A., Russo, A., Lippiello, P., Lepre, F., Russo, G., and Santamaria, R., 2016, Cysteine Prevents the Reduction in Keratin Synthesis Induced by Iron Deficiency in Human Keratinocytes, *J. Cell. Biochem.*, 117(2), 402–412.

- Mittal, R., and Mittal, C. G., 2013, Impact of Population Explosion on Environment, *The Nat. J.*, 1(1), 1–5.
- Nielsen, S. D., Le, T. T., Knudsen, L. J., Rauh, V., Poulsen, N. A., and Larsen, L. B., 2020, Development and Application of a Multiple Reaction Monitoring Mass Spectrometry Method for Absolute Quantification of Lysinoalanine and Lanthionine in Dairy Products, *Int. Dairy J.*, 105, 1-8.
- Nudiawati, A., Nakhshinieva, B., Zaini, I. N., Saidov, N., Takahashi, F., Yoshikawa, K., 2017, Characterization of Potential Liquid Fertilizer Obtained by Hydrothermal Treatment of Chicken Feathers, *Environ. Prog. Sustain.*, 33(3), 1-8.
- Pelizzaro, V., Pensato, A., Carcano, A., and Costedoat, M., 2019, *Determination of Macro and Micronutrients in Fertilizers using MP-AES*, Agilent Technologies, California, 1-4.
- Peng, Z., Mao, X., Zhang, J., Du, G., and Chen, J., 2020, Biotransformation of Keratin Waste to Amino Acids and Active Peptides Based on Cell-Free Catalysis, *Biotechnol. Biofuels*, 13(1), 1–12.
- Reddy, S. B., Nagaraja, M. S., Kadalli, G. G., and Champa, B. V., 2018, Fourier Transform Infrared (FTIR) Spectroscopy of Soil Humic and Fulvic Acids Extracted from Paddy Land Use System, *IJCMAS*, 7(5), 834–837.
- Said, M. I., 2020, Potential Development of Poultry Feather Waste Resources as Raw Material in Industry: A Review, *IOP Conf. Ser.s: Earth Environ. Sci.*, 492(1).
- Santawaja, P., Kudo, S., Tahara, A., Asano, S., and Hayashi, J., 2021, Dissolution of Iron Oxides Highly Loaded in Oxalic Acid Aqueous Solution for a Potential Application in Iron-Making, *ISIJ Int.*, 62(12), 1–10.
- Schmidt, W., Thomine, S., and Buckhout, T. J., 2020, Editorial: Iron Nutrition and Interactions in Plants, *Front. Plant Sci.*, 10(1670), 1-6.
- Schöttner, L., Ovcharenko, R., Nefedov, A., Voloshina, E., Wang, Y., Sauer, J., and Wöll, C., 2019, Interaction of Water Molecules with the α -Fe₂O₃(0001) Surface: A Combined Experimental and Computational Study, *J. Phys. Chem. C*, 123(13), 8324–8335.
- Shankamma, K., Yallappa, S., Shivanna, M. B., and Manjanna, J., 2016, Fe₂O₃ Magnetic Nanoparticles to Enhance *S. lycopersicum* (Tomato) Plant Growth and Their Biomineralization, *Appl. Nanosci.*, 6(7), 983–990.
- Sharma, S., and Gupta, A., 2016, Sustainable Management of Keratin Waste Biomass: Applications and Future Perspectives, *Braz. Arch. Biol. Technol.*, 59(59), 1–14.

- Staroń, P., Kowalski, Z., Staroń, A., and Banach, M., 2017, Thermal Conversion of Granules from Feathers, Meat and Bone Meal and Poultry Litter to Ash with Fertilizing Properties, *Agric. Food Sci.*, 26(3), 173–180.
- Tan, K. H., 2011, *Principles of Soil Chemistry*, CRC Press, Florida, 392.
- Taskin, M., and Kurbanoglu, E. B., 2011, Evaluation of Waste Chicken Feathers as Peptone Source for Bacterial Growth, *J. Appl. Microbiol.*, 111(4), 826–834.
- UN, 2019, *World Population Projected to Reach 9.8 Billion in 2050, and 11.2 Billion in 2100*. UN Department of Economic and Social Affairs, New York, 8–12.
- van Dijk, M., Morley, T., Rau, M. L., and Saghai, Y., 2021, A Meta-Analysis of Projected Global Food Demand and Population at Risk of Hunger for the Period 2010–2050, *Nat. Food*, 2(7), 494–501.
- Wang, L., Ok, Y. S., Tsang, D. C. W., Alessi, D. S., Rinklebe, J., Mašek, O., Bolan, N. S., and Hou, D., 2022, Biochar Composites: Emerging Trends, Field Successes and Sustainability Implications, *Soil Use Manag.*, 38(1), 14–38.
- Wang, Y. X., and Cao, X. J., 2012, Extracting Keratin from Chicken Feathers by Using a Hydrophobic Ionic Liquid, *Process Biochem.*, 47(5), 896–899.
- Welu, K. T., Beyan, S. M., Balakrishnan, S., and Admassu, H., 2020, Chicken Feathers Based Keratin Extraction Process Data Analysis using Response Surface-Box-Behnken Design Method and Characterization of Keratin Product, *Curr. Appl. Sci. Technol.*, 20(2), 163–177.
- Zhang, K., Feng, W., and Jin, C., 2020, Protocol Efficiently Measuring the Swelling Rate of Hydrogels, *MethodsX*, 7, 1-10.
- Zhang, X. W., Kong, L. W., Cui, X. L., and Yin, S., 2016, Occurrence Characteristics of Free Iron Oxides in Soil Microstructure: Evidence from XRD, SEM and EDS, *Bull. Eng. Geol. Environ.*, 75(4), 1493–1503.
- Zou, L., Addonizio, C. J., Su, B., Sis, M. J., Braegelman, A. S., Liu, D., and Webber, M. J., 2020, Supramolecular Hydrogels via Light-Responsive Homoternary Cross-Links, *Biomacromolecules*, 22(1), 171–182.