

BAB VI

DAFTAR PUSTAKA

- Aeny, A. (2014). *Evaluasi Kualitas Lingkungan Permukiman berdasarkan Kriteria Eco-settlements di Kawasan Permukiman Kumuh, Kelurahan Temanggung I, Kecamatan Temanggung, Kabupaten Temanggung*. Fakultas Geografi Universitas Gadjah Mada. <http://etd.repository.ugm.ac.id/penelitian/detail/76458>
- Arikunto, S. (2013). *Prosedur Penelitian Suatu Pendekatan Praktik*. Rineka Cipta. <http://hellis.litbang.kemkes.go.id:8080/handle/123456789/62880>
- Arismunandar, W., & Saito, H. (1986). *Penyegaran Udara*. Pradnya Paramita.
- Badan Pusat Statistik. (2022). *Jumlah Rumah Sakit Indonesia 2021-2022*. <https://dataindonesia.id/ragam/detail/indonesia-miliki-3112-rumah-sakit-pada-2021>
- Blocken, B., Janssen, W. D., & van Hooff, T. (2012). CFD simulation for pedestrian wind comfort and wind safety in urban areas: General decision framework and case study for the Eindhoven University campus. *Environmental Modelling and Software*, 30, 15–34. <https://doi.org/10.1016/j.envsoft.2011.11.009>
- Cedar Lake Ventures. Inc. (2021). *Iklim dan Cuaca Rata-Rata Sepanjang Tahun di Salatiga*. Weather Spark. <https://id.weatherspark.com/y/121508/Cuaca-Rata-rata-pada-bulan-in-Salatiga-Indonesia-Sepanjang-Tahun>
- Direktorat Jenderal Bina Upaya Kesehatan. (2013). *Pedoman Penyelenggaraan Pelayanan Rumah Sakit*. Departemen Kesehatan Republik Indonesia.
- Direktorat Jenderal Pelayanan Kesehatan. (2019). *LAPORAN TAHUNAN SEMESTER II 2019 Rumah Sakit Paru dr. Ario Wirawan*. Kementerian Kesehatan Republik Indonesia.
- Direktorat Jenderal Pelayanan Kesehatan, & Kementerian Kesehatan Republik Indonesia. (2021). *Perencanaan Kinerja Tahunan RS Paru dr Ario Wirawan Salatiga Tahun 2021*. Kementerian Kesehatan Republik Indonesia.
- Du, Y., Mak, C. M., Kwok, K., Tse, K. T., Lee, T. cheung, Ai, Z., Liu, J., & Niu, J. (2017). New criteria for assessing low wind environment at pedestrian level in Hong Kong. *Building and Environment*, 123, 23–36. <https://doi.org/10.1016/j.buildenv.2017.06.036>
- Energy Plus Weather. (2022). *Weather Data Source*. Climate Onebuilding Organization. https://climate.onebuilding.org/WMO_Region_5_Southwest_Pacific/IDN_Indonesia/JW_Jawa/IDN_JW_Semarang-Achmad.Yani.Intl.AP.968390_TMYx.zip
- Errell, E., Pearlmutter, D., & Williamson, T. (2011). Urban Microclimate: Designing the Spaces Between Buildings. In *Earthscan* (Vol. 1, Issue 2).
- Fan, M., Chau, C. K., Chan, E. H. W., & Jia, J. (2017). A decision support tool for evaluating the air quality and wind comfort induced by different opening configurations for buildings in canyons. *Science of the Total Environment*, 574, 569–582. <https://doi.org/10.1016/j.scitotenv.2016.09.083>
- Franke, J., Hellsten, A., Schlünzen, H., & Carissimo, B. (2007). Best practice guideline for the CFD simulation of flows in the urban environment. In *COST action* (Vol. 44, Issue May).
- Gandemer, J. (1978). *Discomfort Due to Wind Near Buildings*. U.S. Departement of Commerce.



- Geraldine, V. A., & Syafii, N. I. (2021). *Laporan Tugas Akhir Studio 2 : Exploring The Influence Of Building Mass Configuration On Urban Airflow*. Universitas Gadjah Mada.
- Givoni, B. (1998). *Climate considerations in building and urban design*. John Wiley & Sons, Inc.
- Handayani, D. K. (2011). *Pengaruh Tata Letak Massa dan Kepadatan bangunan Terhadap Penghawaan Alami pada Permukiman Nelayan*. Institut Teknologi Sepuluh Nopember.
- Hong Kong Building Department. (2011). Practice Note for Authorized Persons, Registered Structural Engineers and Registered Geotechnical Engineers no. APP-152. *Pnap App-152*. Corollary to paragraph 1.4, rules for urban design should be different from those for building design because of the different scales at which rules are to be applied. On top of that, while it is true that a certain city form can be contributed by the de
- Hu, K., Cheng, S., & Qian, Y. (2018). CFD simulation analysis of building density on residential wind environment. *Journal of Engineering Science and Technology Review*, 11(1), 35–43. <https://doi.org/10.25103/jestr.111.05>
- Iek, Y., Sangkertadi, & Moniaga, I. L. (2014). Kepadatan Bangunan Dan Karakteristik Iklim Mikro Kecamatan Wenang Kota Manado. *Sabua*, 6(3), 286–292.
- Illiyin, D. F. (2018). *Perancangan Kawasan Cagar Budaya Berdasarkan Climate-Sensitive Urban Design (Studi Kasus: Kawasan Rajawali Surabaya)* [Institut Teknologi Bandung]. <https://digilib.itb.ac.id/index.php/gdl/view/26693>
- Iqbal, Q. M. Z., & Chan, A. L. . (2016). Pedestrian level wind environment assessment around group of high-rise cross-shaped buildings: Effect of building shape, separation and orientation. *Building and Environment*, 101, 45–63. <https://doi.org/10.1016/j.buildenv.2016.02.015>
- Janssen, W. D., Blocken, B., & van Hooff, T. (2013). Pedestrian wind comfort around buildings: Comparison of wind comfort criteria based on whole-flow field data for a complex case study. *Building and Environment*, 59, 547–562. <https://doi.org/10.1016/j.buildenv.2012.10.012>
- Jiang, Y., Wu, C., & Teng, M. (2020). Impact of residential building layouts on microclimate in a high temperature and high humidity region. *Sustainability (Switzerland)*, 12(3). <https://doi.org/10.3390/su12031046>
- Kantun, S. (2017). Penelitian Evaluatif Sebagai Satu Model Penelitian Dalam Bidang Pendidikan. *Majalah Ilmiah Dinamika*, 37(1), 15.
- Karyono, T. H. (2013). Kenyamanan Termal dalam Arsitektur Tropis. In *Arsitektur dan Kota Tropis Dunia Ketiga: Suatu Bahasan tentang Indonesia*. Rajawali Pers. https://www.researchgate.net/publication/305189048_KENYAMANAN_TERMAL_DALAM_ARSITEKTUR_TROPIS
- Kubota, T., Miura, M., Tominaga, Y., & Mochida, A. (2008). Wind tunnel tests on the relationship between building density and pedestrian-level wind velocity: Development of guidelines for realizing acceptable wind environment in residential neighborhoods. *Building and Environment*, 43(10), 1699–1708. <https://doi.org/10.1016/j.buildenv.2007.10.015>
- Lechner, N. (2014). *Heating, Cooling, Lighting: Sustainable Design Methods for Architects*. John Wiley & Sons, Inc.



- Lim, J., & Ooka, R. (2021). A cfd-based optimization of building configuration for urban ventilation potential. *Energies*, 14(5). <https://doi.org/10.3390/en14051447>
- Lippsmeier, G. (1997). *Bangunan Tropis*. Erlangga.
- Marcella, G., & Nugroho, N. Y. (2019). Influence of Mass ‘U’ Form in Line Up Formation Towards Air Movement on Supporting Thermal Comfort in Outside Space of Apartment Landmark Residence, Bandung. *Riset Arsitektur (RISA)*, 3(04), 398–413. <https://doi.org/10.26593/risa.v3i04.3522.398-413>
- Mittal, H., Sharma, A., & Gairola, A. (2018). A review on the study of urban wind at the pedestrian level around buildings. *Journal of Building Engineering*, 18(March), 154–163. <https://doi.org/10.1016/j.jobbe.2018.03.006>
- Ng, E. (2009). *Designing High-Density Cities* (E. Ng (ed.)). Routledge. <https://doi.org/10.4324/9781849774444>
- Opsomer, A. (2020). *EXPLORING THE EFFECTS OF VOID DECKS ON URBAN VENTILATION IN SINGAPORE A Computational Design & Simulation Approach for* (master the). Delft University of Technology. <https://repository.tudelft.nl/islandora/object/uuid%3A97304da6-8938-48eb-8117-ca53321b1e34>
- Othman, N. E., Zaki, A. S., Razak, A. A., & Ahmad, N. H. (2016). Field Study for Pedestrian Wind Comfort Criteria on the. *Journal of Built Environment, Technology and Engineering*, 1(September), 138–145.
- Porras-Amores, C., Mazarrón, F. R., Cañas, I., & Villoría Sáez, P. (2019). Natural ventilation analysis in an underground construction: CFD simulation and experimental validation. *Tunnelling and Underground Space Technology*, 90(August), 162–173. <https://doi.org/10.1016/j.tust.2019.04.023>
- Pranoto, A. B. (2007). *Hubungan Kepadatan Permukiman dengan Ketersediaan Infrastruktur*. Pascasarjana Magister Teknik Sipil Universitas Diponegoro. <http://eprints.undip.ac.id/16354/>
- Ririhena, M. A., & Syafii, N. I. (2021). Analyzing the Application of Void Decks on High-rise Affordable Housing in Jakarta, Indonesia, to Achieve Optimal Urban Ventilation. *ASEAN Journal on Science and Technology for Development*, 38(3), 117–124. <https://doi.org/10.29037/ajstd.704>
- Sakiyama, N. R. M., Frick, J., Bejat, T., & Garrecht, H. (2021). Using CFD to Evaluate Natural Ventilation through a 3D Parametric Modeling Approach. *Energies*, 14, 2197. <https://doi.org/doi.org/10.3390/en14082197>
- Sangkertadi. (2006). *The Role of Wind Velocity on Increasing Human Thermal Comfort in Kemampuan dalam hal*. I(2).
- Santosa, A. (2007). Penghawaan pada Interior Rumah Sakit: Studi Kasus Ruang Rawat Inap Utama Gedung Lukas, Rumah Sakit Panti Rapih, YOGYAKARTA. *Dimensi Interior: Jurnal Desain Interior Universitas Kristen Petra*, 5(2), 97–99. <https://doi.org/doi.org/10.9744/interior.5.2.pp.%2090-97>
- Satwiko, P. (2008). *Fisika Bangunan*. Penerbit ANDI.
- Sukmadinata, N. S. (2009). *Metode Penelitian Pendidikan*. Universitas Pendidikan Indonesia.



Universitas Gadjah Mada. (2021). *Executive Summary RS Paru dr Ario Wirawan Salatiga*.

- van Druenen, T., van Hooff, T., Montazeri, H., & Blocken, B. (2019). CFD evaluation of building geometry modifications to reduce pedestrian-level wind speed. *Building and Environment*, 163(July), 106293. <https://doi.org/10.1016/j.buildenv.2019.106293>
- Widyannita, E. N., Hariyadi, A., & Syafii, N. I. (2021). *Impact of Urban Density on the Outdoor Thermal Comfort Case Study: Yogyakarta Tugu Station Area, TOD Based Planning*. 764(1). <https://iopscience.iop.org/article/10.1088/1755-1315/764/1/012017>
- Widyastuti, D. T. (2017). *Konsep Pengembangan Kawasan Stasiun Kereta Api: Model Rail-transit Oriented Development di Indonesia*. Universitas Gadjah Mada. <http://etd.repository.ugm.ac.id/penelitian/detail/109814>
- Wingjosoebroto, S. (2003). *Ergonomi, Studi Gerak Dan Waktu*. Guna Widya.
- Wong, N. H., Jusuf, S. K., Syafii, N. I., Chen, Y., Hajadi, N., Sathyanarayanan, H., & Manickavasagam, Y. V. (2011). Evaluation of the impact of the surrounding urban morphology on building energy consumption. *Solar Energy*, 85(1), 57–71. <https://doi.org/https://doi.org/10.1016/j.solener.2010.11.002>
- World Health Organization. (2021). *Coronavirus Disease (COVID-19): Ventilation and Air Conditioning*. World Health Organization News Room. <https://www.who.int/news-room/questions-and-answers/item/coronavirus-disease-covid-19-ventilation-and-air-conditioning>
- Yuan, C., & Ng, E. (2012). Building porosity for better urban ventilation in high-density cities – A computational parametric study. *Building and Environment*, 50, 176–189. <https://doi.org/10.1016/j.buildenv.2011.10.023>
- Zhang, K., Wang, R., Shen, C., & Da, L. (2010). Temporal and spatial characteristics of the urban heat island during rapid urbanization in Shanghai, China. *Environmental Monitoring and Assessment*, 169(1–4), 101–112. <https://doi.org/10.1007/s10661-009-1154-8>
- Zulkaidi, D. (2016). Teknik Zonasi dalam Menangani Persoalan Densitas dan Intensitas Pemanfaatan Ruang. *Seminar Pengembangan Keprofesian Berkelanjutan (CPD) Ahli Perencanaan Wilayah Kota*.