

DAFTAR PUSTAKA

- Al-Maqbali, M.A. (2014a). Nursing intervention in discharge planning for elderly patients with hip fractures. *Int. J. Orthop. Trauma Nurs.* 18 : 68–80.
- Al-Maqbali, M.A. (2014b). Nursing intervention in discharge planning for elderly patients with hip fractures. *Int. J. Orthop. Trauma Nurs.* 18 : 68–80.
- Allen, J., Hutchinson, A.M., Brown, R., & Livingston, P.M. (2018). User experience and care for older people transitioning from hospital to home: Patients' and carers' perspectives. *Heal. Expect.* 21 : 518–527.
- Alligood, M.R., & Tomey, A.M. (2006). *Nursing theory : utilization & application*, 3 Ed. ed. St Louis, Missouri : Mosby Elsevier.
- Amarilla-Donoso, F.J., López-Espuela, F., Roncero-Martín, R., Leal-Hernandez, O., Puerto-Parejo, L.M., Aliaga-Vera, I., *et al.* (2020). Quality of life in elderly people after a hip fracture: A prospective study. *Health Qual. Life Outcomes* 18 : 1–10.
- Amarilla-Donoso, J., Gómez-Luque, A., Huerta-González, S., Panea-Pizarro, I., Güesta-Guerra, E., & López-Espuela, F. (2020). Impact of surgically operated hip fracture on the quality of life, functional status and mood of the elderly. *Enferm. Clin.* 30 : 244–252.
- Anderson, M., & Helms, L. (1993). An assessment of discharge planning models: communications in referral for home care. *Orthop. Nurs.* July/Augus.
- Archibald, G. (2003). Patients' experiences of hip fracture. *J. Adv. Nurs.* 44 : 385–392.
- Ariza-Vega, P., Ortiz-Piña, M., Kristensen, M.T., Castellote-Caballero, Y., & Jiménez-Moleón, J.J. (2019). High perceived caregiver burden for relatives of patients following hip fracture surgery. *Disabil. Rehabil.* 41 : 311–318.
- Asif, M., Cadel, L., Kuluski, K., Everall, A.C., & Guilcher, S.J.T. (2019). Patient and caregiver experiences on care transitions for adults with a hip fracture: a scoping review. *Disabil. Rehabil.* 0 : 1–10.
- Azwar, S. (2018). *Penyusunan Skala Psikologi*, Edisi 2. ed.
- Beaupre, L.A., Binder, E.F., Cameron, I.D., Jones, C.A., Orwig, D., Sherrington, C., *et al.* (2013). Maximising functional recovery following hip fracture in frail seniors. *Best Pract. Res. Clin. Rheumatol.* 27 : 771–788.
- Berggren, M., Stenvall, M., Englund, U., Olofsson, B., & Gustafson, Y. (2016). Co-morbidities, complications and causes of death among people with femoral neck fracture - a three-year follow-up study. *BMC Geriatr.* 16 : 120.
- Black, J.M., & Hawks, J.H. (2005). *Medical Surgical Nursing, Clinical Management for Positive Outcomes*, 7th edition. St Louis, Missouri : Elsevier Saunders.
- Bohl, D.D., Sershon, R.A., Saltzman, B.M., Darrith, B., & Della Valle, C.J. (2018). Incidence, Risk Factors, and Clinical Implications of Pneumonia After Surgery for Geriatric Hip Fracture. *J. Arthroplasty* 33 : 1552-1556.e1.
- Bouwstra, H., Smit, E.B., Wattel, E.M., van der Wouden, J.C., Hertogh, C.M.P.M., Terluin, B., *et al.* (2019). Measurement Properties of the Barthel Index in Geriatric Rehabilitation. *J. Am. Med. Dir. Assoc.* 20 : 420-425.e1.
- BPS (2017). *Statistik Penduduk Lanjut Usia 2017*.
- Brent, L., & Coffey, A. (2013). Patient's perception of their readiness for discharge following hip fracture surgery. *Int. J. Orthop. Trauma Nurs.* 17 : 190–198.
- Brown, D., Edwards, H., Seaton, L., & Buckley, T. (2015). *Lewis's Medical Surgical Nursing Assessment and Management of Clinical Problems*, Fourth Edi. ed. Australia : Elsevier.

- Bruun-Olsen, V., Bergland, A., & Heiberg, K.E. (2018). "I struggle to count my blessings": Recovery after hip fracture from the patients' perspective. *BMC Geriatr.* 18 : 1–9.
- Carpintero, P. (2014). Complications of hip fractures: A review. *World J. Orthop.* 5 : 402.
- Champaneria, R., Dretzke, J., & Yeung, J. (2018). Effect of regional versus general anaesthesia on postoperative delirium in elderly patients undergoing surgery for hip fracture: A systematic review. *BMJ Open* 8.
- Changsuphan, S., Kongvattananon, P., & Somprasert, C. (2018). Patient readiness for discharge after total hip replacement: An integrative review. *J. Heal. Res.* 32 : 164–171.
- Chesser, T., Chauhan, G., & Kelly, M. (2016). Management of hip fractures in the elderly. *Surg. (United Kingdom)* 34 : 440–443.
- Cooper, G. (2006). *Essential Physical Medicine and Rehabilitation, Essential Physical Medicine and Rehabilitation*. Totowa, NJ : Humana Press.
- Creswell, J.W., & Plano Clark, V.L. (2011). *Designing and conducting mixed methods research*, 2nd editio. ed. California : SAGE PUBLICATIONS, INC.
- Dandy, D.J., & Edwards, D.J. (2009). *Essential Orthopaedics and Trauma*, Fifth Edit. ed. Churchill Livingstone Elsevier.
- DeWit, S.C., Stromberg, H.K., & Dallred, C.V. (2017). *Medical-Surgical Nursing Concepts and Practice*, Third edit. ed. St Louis, Missouri : Elsevier.
- Dhanwal, D.K., Dennison, E.M., Harvey, N.C., & Cooper, C. (2011). Epidemiology of hip fracture: Worldwide geographic variation. *Indian J. Orthop.* 45 : 15–22.
- Ding, Z., Li, J., Xu, B., Cao, J., Li, H., & Zhou, Z. (2022). Preoperative High Sleep Quality Predicts Further Decrease in Length of Stay after Total Joint Arthroplasty under Enhanced Recovery Short-stay Program : Experience in 604 Patients from a Single Team 1–9.
- Dwyer, J.G., Reynoso, J.F., Seevers, G.A., Schmid, K.K., Muralidhar, P., Konigsberg, B., *et al.* (2014). Assessing Preoperative Frailty Utilizing Validated Geriatric Mortality Calculators and Their Association With Postoperative Hip Fracture Mortality Risk. *Geriatr. Orthop. Surg. Rehabil.* 5 : 109–115.
- Dy, C., Dossous, P., trauma, Q.T.-... of orthopaedic, & 2012, undefined (n.d.). The medical orthopaedic trauma service: an innovative multidisciplinary team model that decreases in-hospital complications in patients with hip fractures. *journals.lww.com*.
- Ek, S., Al-ani, H., Greve, K., Modig, K., & Hedström, M. (2022). Internal fixation or hip replacement for undisplaced femoral neck fractures ? Pre-fracture health differences reflect survival and functional outcome 643–651.
- Fallis, A.. (2018). Recommendation for Discharge Planning in Community Health. *J. Chem. Inf. Model.* 53 : 1689–1699.
- Farrel, M., & Dempsey, J. (Eds.) (2011). *Smeltzer & Bare's Textbook of Medical-Surgical Nursing*, 2nd Austr. ed. Lippincott Williams & Wilkins.
- Flikweert, E.R., Wendt, K.W., Diercks, R.L., Izaks, G.J., Landsheer, D., Stevens, M., *et al.* (2018). Complications after hip fracture surgery: are they preventable? *Eur. J. Trauma Emerg. Surg.* 44 : 573–580.
- Folse, V.N. (2013). *Self-Care, Nursing Theory, and Evidence-Based Practice*, by S. G. Taylor and K. Renpenning. (New York: Springer, 2011). *Nurs. Sci. Q.* 26 : 290–291.
- Foust, J.B., Vuckovic, N., & Henriquez, E. (2012). Hospital to home health care transition: Patient, caregiver, and clinician perspectives. *West. J. Nurs. Res.* 34 : 194–212.
- Frenkel Rutenberg, T., Daglan, E., Heller, S., & Velkes, S. (2017). A comparison of treatment setting for elderly patients with hip fracture, is the geriatric ward superior to conventional

- orthopedic hospitalization? *Injury* 48 : 1584–1588.
- Frihagen, F., Nordsletten, L., & Madsen, J.E. (2007). Hemiarthroplasty or internal fixation for intracapsular displaced femoral neck fractures: randomised controlled trial. *BMJ Br. Med. J.* 335 : 1251.
- Gadbois, E.A., Tyler, D.A., Shield, R., McHugh, J., Winblad, U., Teno, J.M., *et al.* (2019). Lost in Transition: a Qualitative Study of Patients Discharged from Hospital to Skilled Nursing Facility. *J. Gen. Intern. Med.* 34 : 102–109.
- Galvin, E.C., Wills, T., & Coffey, A. (2017). Readiness for hospital discharge: A concept analysis. *J. Adv. Nurs.* 73 : 2547–2557.
- Gold, D.A. (2012). An examination of instrumental activities of daily living assessment in older adults and mild cognitive impairment. *J. Clin. Exp. Neuropsychol.* 34 : 11–34.
- Gromov, K., Jørgensen, C.C., Petersen, P.B., Kjærsgaard, P., Revald, P., Troelsen, A., *et al.* (2019). Complications and readmissions following outpatient total hip and knee arthroplasty : a prospective 2-center study with matched controls 90 : 281–285.
- Gupta, A. (2014). The effectiveness of geriatrician-led comprehensive hip fracture collaborative care in a new acute hip unit based in a general hospital setting in the UK. *J. R. Coll. Physicians Edinb.* 44 : 20–26.
- Gupta, A., & Havelock, W. (2014). A new future for hip fracture care--orthogeriatrician lead in an “Acute” Hip Unit. *Clin. Med.* 14 : 591–596.
- Hansson, Susanne, Rolfson, O., Akesson, K., Nemes, S., Leonardsson, O., & Rogmark, C. (2015). Complications and patient-reported outcome after hip fracture. A consecutive annual cohort study of 664 patients. *Injury* 46 : 2206–2211.
- Hansson, S, Rolfson, O., Åkesson, K., Nemes, S., Leonardsson, O., & Rogmark, C. (2015). Complications and patient-reported outcome after hip fracture. A consecutive annual cohort study of 664 patients. *Injury* 46 : 2206–2211.
- Healee, D.J., McCallin, A., & Jones, M. (2011). Older adult’s recovery from hip fracture: A literature review. *Int. J. Orthop. Trauma Nurs.* 15 : 18–28.
- Henderson, C.Y., Shanahan, E., Butler, A., Lenahan, B., O’Connor, M., Lyons, D., *et al.* (2017). Dedicated orthogeriatric service reduces hip fracture mortality. *Ir. J. Med. Sci.* 186 : 179–184.
- Hertz, K., Santy-Tomlinson Editors, J., Santy-Tomlinson, J., & Falaschi, P. (2018). Fragility Fracture Nursing Holistic Care and Management of the Orthogeriatric Patient Perspectives in Nursing Management and Care for Older Adults Series Editors.
- Hicking-Woodison, L. (2017). Planning Health Promotion Programs, Nursing Management.
- Hinkle, J.L., & Cheever, K.H. (2014). Brunner & Suddarth’s Textbook of Medical-Surgical Nursing, 13th ed. Philadelphia : Lippincott Williams & Wilkins.
- Ignatavicius, D.D., & Workman, M.L. (2016). Medical Surgical Nursing, Patients-Centered Collaborative Care, Eighth edi. ed. St Louis, Missouri : Elsevier.
- Ireland, A.W., Kelly, P.J., & Cumming, R.G. (2016). Associations between hospital-based rehabilitation for hip fracture and two-year outcomes for mortality and independent living: An australian database study of 1,724 elderly community-dwelling patients. *J. Rehabil. Med.* 48 : 625–631.
- Istianah, U., Nurjannah, I., & Magetsari, R. (2021). Post-discharge complications in postoperative patients with hip fracture. *J. Clin. Orthop. Trauma* 14 : 8–13.
- J., S.-G., S., S.-E., L., F., M., M., & Ashe M.C. AO - Sims-Gould, J.O. <http://orcid.org/000-0003-1260-5405> (2017). Patient perspectives on engagement in recovery after hip fracture:

- A qualitative study. *J. Aging Res.* 2017 : 2171865.
- Jameson, S.S., Khan, S.K., Baker, P., James, P., Gray, A., Reed, M.R., *et al.* (2012). A national analysis of complications following hemiarthroplasty for hip fracture in older patients. *QJM* 105 : 455–460.
- Jauregui, J., Buttarro, M., Musso, C., Iserson, K. V., Piccaluga, F., & Monzón, D.G. (2014). Total Hip Arthroplasty for Hip Fractures. *Geriatr. Orthop. Surg. Rehabil.* 5 : 3–8.
- Kammerlander, C., Roth, T., Friedman, S.M., Suhm, N., Luger, T.J., Kammerlander-Knauer, U., *et al.* (2010). Ortho-geriatric service--a literature review comparing different models. *Osteoporos. Int.* 21 : S637-46.
- Kanis, J.A., Odén, A., McCloskey, E. V., Johansson, H., Wahl, D.A., & Cooper, C. (2012). A systematic review of hip fracture incidence and probability of fracture worldwide. *Osteoporos. Int.* 23 : 2239–2256.
- Kimmel, L.A., Holland, A.E., Hart, M.J., Edwards, E.R., Page, R.S., Hau, R., *et al.* (2016). Discharge from the acute hospital: Trauma patients' perceptions of care. *Aust. Heal. Rev.* 40 : 625–632.
- Kos, N., Burger, H., & Vidmar, G. (2011). Mobility and functional outcomes after femoral neck fracture surgery in elderly patients: A comparison between hemiarthroplasty and internal fixation. *Disabil. Rehabil.* 33 : 2264–2271.
- Kristensen, Morten T., & Kehlet, H. (2018). The basic mobility status upon acute hospital discharge is an independent risk factor for mortality up to 5 years after hip fracture surgery: Survival rates of 444 pre-fracture ambulatory patients evaluated with the Cumulated Ambulation Score. *Acta Orthop.* 89 : 47–52.
- Kristensen, Morten T, & Kehlet, H. (2018). The basic mobility status upon acute hospital discharge is an independent risk factor for mortality up to 5 years after hip fracture surgery Survival rates of 444 pre-fracture ambulatory patients evaluated with the Cumulated Ambulation Score 89 : 47–52.
- Landi, F., Calvani, R., Ortolani, E., Salini, S., Martone, A.M., Santoro, L., *et al.* (2017). The association between sarcopenia and functional outcomes among older patients with hip fracture undergoing in-hospital rehabilitation. *Osteoporos. Int. A J. Establ. As Result Coop. Between Eur. Found. Osteoporos. Natl. Osteoporos. Found. USA* 28 : 1569–1576.
- Laugaland, K., Aase, K., & Waring, J. (2014). Hospital discharge of the elderly-an observational case study of functions, variability and performance-shaping factors. *BMC Health Serv. Res.* 14 : 1–16.
- Lawler, K., Taylor, N.F., & Shields, N. (2015). Involving family members in physiotherapy for older people transitioning from hospital to the community: A qualitative analysis. *Disabil. Rehabil.* 37 : 2061–2069.
- Lin, C., Cheng, S., Shih, S., Chu, C., & Tjung, J. (2012). Discharge Planning q 6 : 237–240.
- Lin, P.C., Wang, C.H., Chen, C.S., Liao, L.P., Kao, S.F., & Wu, H.F. (2009). To evaluate the effectiveness of a discharge-planning programme for hip fracture patients. *J. Clin. Nurs.* 18 : 1632–1639.
- Lin, S.C., Cheng, S.J., Shih, S.C., Chang, W.L., Chu, C.H., & Tjung, J.J. (2013). The past, present, and future of discharge planning in Taiwan. *Int. J. Gerontol.* 7 : 65–69.
- Melander, O., Sutton, R., Härtstedt, M., Rogmark, C., & Fedorowski, A. (2014). Impact of comorbidity on 6-month hospital readmission and mortality after hip fracture surgery. *Injury* 46 : 713–718.
- Meleis, I.A., Linda, M., Messias, H., & Deanne, K. (2000). Journals Books My Workspace

External Links Experiencing Transitions : An Emerging Middle-Range Theory.

- Mitrovica, Kosovska, Mitrovica, Kosovska, Mitrovica, Kosovska, Mitrovica, Kosovka, Serbia, K., & Mitrovica, Kosovska (2017). Original Article / Оригинални рад Influence of comorbidity on postoperative course and mortality in patients with hip fracture Утицај коморбидитета на постоперативни ток и морталитет код пацијената са преломима кука Influence of comorbidity on postoperati 1–19.
- Mohit, B., & Swiontkowski, M. (2017). Management of Acute Hip Fracture. *N. Engl. J. Med.* 377 : 2053–2062.
- Muhm, M., Arend, G., Ruffing, T., & Winkler, H. (2013). Mortality and quality of life after proximal femur fracture--effect of time until surgery and reasons for delay. *Eur. J. Trauma Emerg. Surg.* 39 : 267–275.
- Nielsen, K.A., Jensen, N.C., Jensen, C.M., Thomsen, M., Pedersen, L., Johnsen, S.P., *et al.* (2009). Quality of care and 30 day mortality among patients with hip fractures: a nationwide cohort study. *BMC Health Serv. Res.* 9 : 186.
- Nikkel, L.E., Kates, S.L., Schreck, M., Maceroli, M., Mahmood, B., & Elfar, J.C. (2015). Length of hospital stay after hip fracture and risk of early mortality after discharge in New York state: retrospective cohort study. *BMJ Br. Med. J.* 351.
- Nordmark, S., Zingmark, K., & Lindberg, I. (2016). Process evaluation of discharge planning implementation in healthcare using normalization process theory. *BMC Med. Inform. Decis. Mak.* 16 : 48.
- Nordströ, P., Gustafson, Y., Michaëlsson, K., & Nordström, A. (2015). Length of hospital stay after hip fracture and short term risk of death after discharge: A total cohort study in Sweden. *BMJ* 350 : 1–11.
- Nuotio, M., Tuominen, P., & Luukkaala, T. (2016). Association of nutritional status as measured by the Mini-Nutritional Assessment Short Form with changes in mobility, institutionalization and death after hip fracture. *Eur. J. Clin. Nutr.* 70 : 393–398.
- Nurhayati, N., Praneed, S., & Ratjai, V. (2019). The Quality of Discharge Teaching Perceived by Surgical Nurses Working in Public Hospitals of Indonesia. *Int. J. Caring Sci.* 12 : 100–106.
- Nurhayati, & Songwathana, P. (2019). Surgical Patients Experiences of Readiness of Hospital Discharge and Perceived Quality of Discharge Teaching in Acute Care Hospital 0–2.
- O'Brien, B.C., Harris, I.B., Beckman, T.J., Reed, D.A., & Cook, D.A. (2014). Standards for reporting qualitative research: A synthesis of recommendations. *Acad. Med.* 89 : 1245–1251.
- Paterson, J.M., Kreder, H.J., Pincus, D., Henry, P.D.G., Ravi, B., Wasserstein, D., *et al.* (2017). Association of Overlapping Surgery With Increased Risk for Complications Following Hip Surgery. *JAMA Intern. Med.* 178 : 75.
- Pedersen, Susanne J, Borgbjerg, F.M., Schousboe, B., Pedersen, B.D., Jorgensen, H.L., Duus, B.R., *et al.* (2008). A comprehensive hip fracture program reduces complication rates and mortality. *J. Am. Geriatr. Soc.* 56 : 1831–1838.
- Pedersen, Susanne J., Borgbjerg, F.M., Schousboe, B., Pedersen, B.D., Jørgensen, H.L., Duus, B.R., *et al.* (2008). A comprehensive hip fracture program reduces complication rates and mortality. *J. Am. Geriatr. Soc.* 56 : 1831–1838.
- Rahmawati, I.N., & Maria, R. (2019). Discharge Teaching to Improve Discharge Readiness for Patients Post Hip Surgery. *Int. J. Nurs. Heal. Serv.* 2 : 40–47.
- Ranhoff, A.H., Saltvedt, I., Frihagen, F., Raeder, J., Maini, S., & Sletvold, O. (2019). Interdisciplinary care of hip fractures: Orthogeriatric models, alternative models, interdisciplinary teamwork. *Best Pract. Res. Clin. Rheumatol.*

- Rasmussen, B., Nielsen, C.V., & Uhrenfeldt, L. (2018). Being active after hip fracture; older people's lived experiences of facilitators and barriers. *Int. J. Qual. Stud. Health Well-being* 13.
- Reijneveld, S.A., Spijker, J., & Dijkshoorn, H. (2007). Katz' ADL index assessed functional performance of Turkish, Moroccan, and Dutch elderly. *J. Clin. Epidemiol.* 60 : 382–388.
- Roche, J.J.W., Wenn, R.T., Sahota, O., & Moran, C.G. (2005). Effect of comorbidities and postoperative complications on mortality after hip fracture in elderly people: prospective observational cohort study. *BMJ Br. Med. J.* 331 : 1374.
- Ruths, S., Baste, V., Bakken, M.S., Engesæter, L.B., Lie, S.A., & Haugland, S. (2017). Municipal resources and patient outcomes through the first year after a hip fracture. *BMC Health Serv. Res.* 17 : 144.
- Schumacher, K.L., & Meleis, A. Ibrahim (1994). Transitions: A Central Concept in Nursing. *Image J. Nurs. Scholarsh.* 26 : 119–127.
- Segevall, C., Randström, K.B., & Söderberg, S. (2018). A Spider in a Broken Web: Nurses' Views on Discharge Planning for Older Patients after Hip Fracture Surgery Who Live in their Own Homes in Rural Areas. *Open J. Nurs.* 08 : 405–418.
- Shapiro, A.L. (2018). Yearning for sleep while enduring distress: From concept building to research proposal development, Middle Range Theory for Nursing, Fourth Edition.
- Shepperd, S., Lannin, N.A., Clemson, L.M., McCluskey, A., Cameron, I.D., & Barras, S.L. (2013). Discharge planning from hospital to home. *Cochrane database Syst. Rev.* CD000313.
- Shyu, Y.L., Wu, C., Cheng, H., & Chen, M. (2010). An interdisciplinary intervention for older Taiwanese patients after surgery for hip fracture improves health-related quality of life 1–10.
- Sikand, M., Wenn, R., & Moran, C.G. (2004). Mortality following surgery for undisplaced intracapsular hip fractures. *Injury* 35 : 1015–1019.
- Simunovic, N., Devereaux, P.J., Sprague, S., Guyatt, G.H., Schemitsch, E., Debeer, J., *et al.* (2010). Effect of early surgery after hip fracture on mortality and complications: systematic review and meta-analysis. *C. Can. Med. Assoc. J. = J. L'association Medicale Can.* 182 : 1609–1616.
- Smeltzer, S.C., Bare, B.G., Hinkle, J.L., & Cheever, K.H. (2010). Brunner & Suddarth's Textbook of Medical-Surgical Nursing, 12th ed. Philadelphia : .
- Smith, M. & Parker, M. (2015). Choosing, Evaluating, and Implementing Nursing Theories for Practice, Nursing Theories and Nursing Practice 4th Ed.
- Smith, T.O., Pearson, M., Pfeiffer, K., Crotty, M., & Lamb, S.E. (2019). Caregiver Interventions for Adults Discharged from the Hospital: Systematic Review and Meta-Analysis. *J. Am. Geriatr. Soc.* 1–10.
- Solomon, L., Warwick, D., & Nayagam, S. (2014). Apley and Solomon ' s.
- Specht, K., Agerskov, H., Kjaersgaard-Andersen, P., Jester, R., & Pedersen, B.D. (2018). Patients' experiences during the first 12 weeks after discharge in fast-track hip and knee arthroplasty - a qualitative study. *Int. J. Orthop. trauma Nurs.* 31 : 13–19.
- Stirton, J.B., Maier, J.C., & Nandi, S. (2019). Total hip arthroplasty for the management of hip fracture: A review of the literature. *J. Orthop.* 16 : 141–144.
- Su, B., Newson, R., Soljak, H., & Soljak, M. (2018). Associations between post-operative rehabilitation of hip fracture and outcomes: national database analysis (90 characters). *BMC Musculoskelet. Disord.* 19.
- Suhm, N., Kaelin, R., Studer, P., Wang, Q., Kressig, R.W., Rikli, D., *et al.* (2014). Orthogeriatric care pathway: a prospective survey of impact on length of stay, mortality and

- institutionalisation. *Arch. Orthop. Trauma Surg.* 134 : 1261–1269.
- Tam, T.-L., Tsang, K.-K., & Lee, K.-B. (2020). Development of Prognostic Model to Predict the Post-operative Mobility of Patient with Fragility Hip Fracture in a Retrospective Cohort. *Int. J. Orthop. Trauma Nurs.* 100770.
- Taylor, N.F., Harding, K.E., Dowling, J., & Harrison, G. (2010). Discharge planning for patients receiving rehabilitation after hip fracture: a qualitative analysis of physiotherapists' perceptions. *Disabil. Rehabil.* 32 : 492–499.
- Unnanuntana, A., Jarusriwanna, A., & Nepal, S. (2018). Validity and responsiveness of Barthel index for measuring functional recovery after hemiarthroplasty for femoral neck fracture. *Arch. Orthop. Trauma Surg.* 138 : 1671–1677.
- Uriz-Otano, F., Pla-Vidal, J., Tiberio-López, G., & Malafarina, V. (2016). Factors associated to institutionalization and mortality over three years, in elderly people with a hip fracture—An observational study. *Maturitas* 89 : 9–15.
- Vearing, R., Casey, S., Zaremba, C., Bowden, S., Ferguson, A., Goodisson, C., *et al.* (2019). Evaluation of the impact of a post-hospital discharge Transitional Aged Care Service on frailty, malnutrition and functional ability 472–479.
- Wang, C.Y., Graham, J.E., Karmarkar, A.M., Reistetter, T.A., Protas, E.J., & Ottenbacher, K.J. (2014). FIM motor scores for classifying community discharge after inpatient rehabilitation for hip fracture. *PM R* 6 : 493–497.
- Wang, X., Zhao, B.J., & Su, Y. (2017). Can we predict postoperative complications in elderly Chinese patients with hip fractures using the surgical risk calculator? *Clin. Interv. Aging* 12 : 1515–1520.
- Wang, Y., Wang, M., Chen, H., Li, G., Li, W., Luo, J., *et al.* (2018). Early Out-of-Bed Functional Exercise Benefits Elderly Patients Following Hip Fracture: A Retrospective Cohort Study. *Tohoku J. Exp. Med.* 246 : 205–212.
- Wassef, M., Trépanier, M.-O., Mayrand, J., Martine Habra, M., & Beauchamp, S. (2018). Effectiveness of discharge planning and transitional care interventions in reducing hospital readmissions for the elderly, HTA Report.
- Weiss, M.E., Bobay, K.L., Bahr, S.J., Costa, L., Hughes, R.G., & Holland, D.E. (2015). A model for hospital discharge preparation: From case management to care transition. *J. Nurs. Adm.* 45 : 606–614.
- Weiss, M.E., Costa, L.L., Yakusheva, O., & Bobay, K.L. (2014). Validation of patient and nurse short forms of the readiness for hospital discharge scale and their relationship to return to the hospital. *Health Serv. Res.* 49 : 304–317.
- Weiss, M.E., & Piacentine, L.B. (2006). Psychometric properties of the readiness for hospital discharge scale. *J. Nurs. Meas.* 14 : 163–180.
- Weiss, M.E., Piacentine, L.B., Lokken, L., Ancona, J., Archer, J., Gresser, S., *et al.* (2007). Perceived readiness for hospital discharge in adult medical-surgical patients. *Clin. Nurse Spec.* 21 : 31–42.
- YUEN, W.S., LO, H.C., WONG, W.N., & NGAI, F.W. (2022). The effectiveness of psychoeducation interventions on prenatal attachment: A systematic review. *Midwifery* 104 : 103184.