

DAFTAR PUSTAKA

- Adhitya, A.S., Hasan, H., Sitepu, A., dan Mukhtar, Z. 2018. Resolution of ST-Segment Depression in Reciprocal Leads as Predictor Mayor Adverse Cardiac Event for ST-Segment Elevation Myocardial Infarction with Fibrinolytic Therapy. *Indonesian J Cardiol*; 39 : 68-78
- Adhitya, A.S., Hasan, H., Hasan, R., Siregar, A.A., Mukhtar, Z., dan Nasution, A.N. 2019. Comparison of TIMI Flow in STEMI Patients With and Without Resolution on Reciprocal ST Segment Depression Obtaining Fibrinolytic Alteplase Therapy. *Acta Cardiologia Indonesiana* (Vol.5 No.2): 129-135
- Ahmad, Y., Howard, J.P., Arnold, A., Prasad, M., Seligman, H., et al. 2020. Complete Revascularization by Percutaneous Coronary Intervention for Patients With ST-Segment-Elevation Myocardial Infarction and Multivessel Coronary Artery Disease: An Updated Meta-Analysis of Randomized Trials. *Journal of the American Heart Association*. 2020;9:e015263
- Andrade, P.B., Rinaldi, F.S., Bergonso, M.H., Tebet, M.A., Nogueira, E.F., et al. 2013. ST-Segment Resolution after Primary Percutaneous Coronary Intervention: Characteristics, Predictors of Failure, and Impact on Mortality. *Revista Brasileira de Cardiologia Invasiva*, 21(3), pp.227–233.
- Antman, E.M., Anbe, D.T., Armstrong, P.W., Bates, E.R., Green, L.A., et al. 2004. *ACC/AHA guidelines for the management of patients with ST-elevation myocardial infarction - Executive summary: A report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines*
- Arsana, P. M., Rosandi, R., Manaf, A., Budhiarta, A., Permana, H., et al. 2019. *Panduan Pengelolaan Dislipidemia* (third). PB. PERKENI.
- Arso, I.A., Setianto, B.Y., Taufiq, N., Hartopo, A.B. 2014. In-hospital Major Cardiovascular Events between STEMI Receiving Thrombolysis Therapy and Primary PCI. *Acta Medica Indonesiana-The Indonesian Journal of Internal Medicine* Vol 46 (No.2), pp.124-130
- Badan Penelitian dan Pengembangan Kesehatan. 2013. Riset Kesehatan Dasar, Jakarta.
- Bailey, K.R., Armstrong, P.W., Zheng, Y., Brass, N., Tyrrell, B.D., et al. 2019. Pharmacoinvasive Strategy Versus Primary Percutaneous Coronary Intervention in ST-Elevation Myocardial Infarction in Clinical Practice: Insights From the Vital Heart Response Registry. *American heart journal*, (October), pp.1–12.
- Bohm, F., Mogensen, B., Ostlund, O., Engstrom, T., Fossum, E., et al. 2021. The Full Revasc (Ffr-guidance for complete non-culprit REVASCularization) Registry-based randomized clinical trial. *Am Heart J*; 241: 92-100
- Bulluck, H., Yellon, D.M., and Hausenloy, D.J. 2016. Reducing myocardial infarct size : challenges and future opportunities. *Heart*, 102, pp.341-348.
- Dahlan, S. (2019). *Besar Sampel dalam Penelitian Kedokteran dan Kesehatan* (5th ed.). Epidemiologi Indonesia.
- De Luca, G., Parodi, G., Sciagra, R., Venditti, F., Bellandi, B., et al. 2014. Preprocedural TIMI flow and infarct size in STEMI undergoing primary angioplasty. *J Thromb Thrombolysis* 38 :81-86

- Desmet, W. J., Mesotten, L. V., Maes, A. F., Heidbüchel, H. P., Mortelmans, L. A., & Van De Werf, F. J. 2004. Relation between different methods for analysing ST segment deviation and infarct size as assessed by positron emission tomography. *Heart*, 90(8), 887–892.
- Dizon, J.M., Brener, S.J., Maehara, A., Witzenbichler, B., Biviano, A., *et al.* 2014. Relationship between ST-segment resolution and anterior infarct size after primary percutaneous coronary intervention: Analysis from the INFUSE-AMI trial. *European Heart Journal: Acute Cardiovascular Care*, 3(1), pp.78–83.
- Doherty, D.J., Sykes, R., Mangion, K., and Berry, C. 2021. Predictors of Microvascular Reperfusion After Myocardial Infarction. *Current Cardiology Reports* 23:21
- Du Y.T., Pasupathy S., Air T., Neil C., and Beltrame J.F. 2019. Validation of contemporary electrocardiographic indices of area at risk and infarct size in acute ST elevation myocardial infarction (STEMI). *Int. J. Cardiol.*
- Duncker, D.J. and Junior, J.M.C. 2019. Coronary Blood Flow And Myocardial Ischemia. In D. P. Zipes, P. Libby, R. O. Bonow, D. L. Mann, G. F. Tomaselli, & E. Braunwald, eds. *Braunwald's Heart Disease: A Textbook of Cardiovascular Medicine*. Philadelphia: Elsevier, p. 1322.
- Farkouh, M.E., Reiffel, J., Dressler, O., Nikolsky, E., Parise, H., *et al.* 2013. Relationship between ST-segment recovery and clinical outcomes after primary percutaneous coronary intervention: The HORIZONS-AMI ECG substudy report. *Circulation: Cardiovascular Interventions*, 6(3), pp.216–223.
- Fischer, D. B., & Lilly, L. S. 2016. The Electrocardiogram. In L. S. Lilly (Ed.), *Pathophysiology of Heart Disease: a collaborative project of medical students and faculty* (6th ed., hal. 97–101). Wolter Kluwer.
- Foerster, J. M., Vera, Z., Janzen, D. A., Foerster, S. J., & Mason, D. T. 1977. Evaluation of precordial orthogonal vectorcardiographic lead ST segment magnitude in the assessment of myocardial ischemic injury. *Circulation*, 55(5), 728–732.
- French, J. K., Andrews, J., Manda, S. O. M., Stewart, R. A. H., McTigue, J. J. C., & White, H. D. 2002. Early ST-segment recovery, infarct artery blood flow, and long-term outcome after acute myocardial infarction. *American heart journal*, 143(2), 265–271.
- Fukutomi, M., Takahashi, M., Toriumi, S., Ogoyama, Y., Oba, Y., *et al.* 2019. Evaluation of stent length on the outcome of ST-segment elevation myocaardial infarction receiving primary percutaneous coronary intervention. *Coronary Artery Disease*; 30:196-203
- Garcia, T. B. 2015. *12-Lead ECG: The Art of Interpretation* (Second). Jones & Bartlett Learning.
- Gershlick, A.H., Khan, J.N., Kelly, D.J., Greenwood, J.P., Sasikaran, T., *et al.* 2015. Randomized Trial of Complete Versus Lesion-Only Revascularization in Patients Undergoing Primary Percutaneous Coronary Intervention for STEMI and Multivessel Disease. The CvLPRIT Trial. *Journal of The American College of Cardiology* Vol.65, No.10; 963-972
- Ghaffari, S., Kolahdouzan, K., Rahimi, M., and Tajlil, A. 2020. Predictors of ST Depression Resolution in STEMI Patients Undergoing Primary PCI and Its

- Clinical Significance. *International Journal of General Medicine*;13 271–279
- Hathaway, W. R., Peterson, E. D., Wagner, G. S., Granger, C. B., Zabel, K. M., *et al.* 1998. Prognostic significance of the initial electrocardiogram in patients with acute myocardial infarction. *Journal of the American Medical Association*, 279(5), 387–391.
- Hidayati, F., Huda, R., Bagaswoto, H.P., Setianto, B.Y. and Taufiq, N. 2018. Patient's Profile Accross Our Intensive Cardiac Care Unit : A Single Center Study at Sardjito Hospital. *Acta Cardiologia Indonesiana*, 4(1).
- Husser, O., Bodi, V., Sanchis, J., Nunez, J., and Mainar, L. 2010. The Sum of ST-Segment Elevation Is the Best Predictor of Microvascular Obstruction in Patients Treated Successfully by Primary Percutaneous Coronary Intervention. Cardiovascular Magnetic Resonance Study. *Rev Esp Cardiol* ;63(10):1145-54.
- Ibanez, B., James, S., Agewall, S., Antunes, M.J., Bucciarelli-Ducci, C., *et al.* 2017. ESC Guidelines for the management of acute myocardial infarction in patients presenting with ST-segment elevation. *European Heart Journal*, 39, pp.119–177.
- Jenca, D., Melenovsky, V., Stehlik, J., Stanek, V., Kettner, J., *et al.* 2021. Heart failure after myocardial infarction : incidence and predictors. *ESC Heart Failure*; 8: 222-237
- Juzar, D. A., Danny, S. S., Irmalita, Tobing, D. P., Firdaus, I., Widyanoro, B., Rossimarina, V., Rejeki, V. G., Setianto, B. Y., Haryono, N., Artha, I. M. J. R., Yusuf, M., Aspar, A. F. M. A., & Pramudyo, M. 2018. *Pedoman Tata Laksana Sindrom Koroner Akut* 4 ed. Perhimpunan Dokter Spesialis Kardiovaskular Indonesia.
- Kelbaek, H., Engstrom, T., Ahtarovski, K.A., Lonborg, J., Vejlstrup, N., *et al.* 2013. Deferred stent implantation in patients with ST-segment elevation myocardial infarction: a pilot study. *EuroIntervention* ;6: 1126-1133
- Khan, J.N., Nazir, S.A., Greenwood, J.P., Dalby, M., Curzen, N., *et al.* 2016. Infarct size following complete revascularization in patients presenting with STEMI: a comparison of immediate and staged in-hospital non-infarct related artery PCI subgroups in the CvLPRIT study. *Journal of Cardiovascular Magnetic Resonance* 18:85
- Kim, J.S., Lee, H.J., Yu, C.W., Kim, Y.M., Hong, S.J., *et al.* 2016. INNOVATION Study (Impact of Immediate Stent Implantation Versus Deferred Stent Implantation on Infarct Size and Microvascular Perfusion in Patients With ST-Segment-Elevation Myocardial Infarction). *Circ Cardiovasc Interv*;9:e004101
- Kolh, P., Windecker, S., Alfonso, F., Collet, J. P., Cremer, J., *et al.* 2018. ESC/EACTS Guidelines on myocardial revascularization. *European Journal of Cardio-thoracic Surgery*, 46(4), 517–592.
- Konijnenberg, L.S.F., Damman, P., Duncker, D.J., Kloner, R.A., Nijveldt, R., *et al.* 2020. Pathophysiology and diagnosis of coronary microvascular dysfunction in ST-elevation myocardial infarction. *Cardiovascular Research*, 116(4), pp.787–805.
- Kosasih, A., Lukito, A. A., Soenarta, A. A., Tiksnadi, A., Kuncoro, B. A. S., *et al.* 2019. *Konsensus Penatalaksanaan Hipertensi*. Perhimpunan Hipertensi Indonesia.

- Kosmidou, I., Redfors, B., Selker, H.P., Thiele, H., Patel, M.R., *et al.* 2017. Infarct size, left ventricular function, and prognosis in women compared to men after primary percutaneous coronary intervention in ST-segment elevation myocardial infarction: results from an individual patient-level pooled analysis of 10 randomized trials. *European Heart Journal*; 38, 1656–1663
- Lee, D.C., Albert, C.M., Narula, D., Kadish, A.H., Panicker, G.P., *et al.* 2020. Estimating Myocardial Infarction Size With a Simple Electrocardiographic Marker Score. *J Am Heart Assoc* ;9:e014205.
- Lonborg J., Vejlstrup N., Kelbaek H., Holmvang L., Jorgensen E., *et al.* 2013. Final infarct size measured by cardiovascular magnetic resonance in patients with ST elevation myocardial infarction predicts long-term clinical outcome: an observational study. *European Heart Journal – Cardiovascular Imaging* 13,387-395
- McAlindon E, Bucciarelli-Ducci C, Suleiman MS, and Baumbach A. 2014. Infarct size reduction in acute myocardial infarction. *Heart Journal*, pp. 1-6
- McLaughlin, M. G., Stone, G. W., Aymong, E., Gardner, G., Mehran, R., *et al.* 2004. Prognostic utility of comparative methods for assessment of ST-segment resolution after primary angioplasty for acute myocardial infarction: The controlled abciximab and device investigation to lower late angioplasty complications (CADILLAC) trial. *Journal of the American College of Cardiology*, 44(6), 1215–1223.
- Mitchell, R.N. and Connoll, A.J. 2020. The Heart. In V. Kumar, A. K. Abbas, J. C. Aster, & J. R. Turner, eds. *Robbins & Cotran Pathologic Basis Of Disease*. Philadelphia: Elsevier, pp. 528–581.
- Morrow, D.A. 2016. Myocardial Infarction: A Companion to Braunwald’s Heart Disease.
- Niccoli, G., Burzotta, F., Galiuto, L., dan Crea, F.2009. Myocardial No-Reflow in Humans. *JACC Vol.54, No.4*: 281-292
- Nour, M. K. 2017. Significance of reciprocal ST segment depression in ST elevation myocardial infarction. *The Egyptian Journal of Critical Care Medicine*, 5(1), 23–27.
- O’Connor, R. E., Ali, A. S. Al, Brady, W. J., Ghaemmaghmi, C. A., Menon, V., *et al.* 2015. Acute Coronary Syndromes 2015 American Heart Association Guidelines Update for Cardiopulmonary Resuscitation and Emergency Cardiovascular Care. *American heart journal*, 132(18), 483–501.
- O’Gara, P.T., Kushner, F.G., Ascheim, D.D., Casey, D.E., Chung, M.K., *et al.* (2013). ACCF/AHA Guideline for the Management of ST-Elevation Myocardial Infarction : A Report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guideline. *Journal of American College of Cardiology* ;61(4):78-140.
- Park, D.W., Clare, R.M., Schulte P.J., Pieper, K.S., Shaw, L.K., *et al.* 2014. Extent, location, and clinical significance of non-infarctrelated coronary artery disease among patients with ST-elevation myocardial infarction. *JAMA* ;312:2019–27
- Pereiraa, H., Caléa, R., Pintob, F. J., Pereiraa, E., Caldeiraa, D., Melloc, S., Vitorinoa, S., Almeida, M. de S., & Mimosoe, J. (2018). *Cardiologia. Portuguese Journal of Cardiology*, 37(5).

- Poorhosseini, H., Saadat, M., Salarifar, M., Mortazavi, S. H., & Geraiely, B. (2019). Pre-Hospital Delay and Its Contributing Factors in Patients with ST-Elevation Myocardial Infarction; a Cross sectional Study. *Archives of Academic Emergency Medicine*, 7(1),
- Redfors B., Mohebi R., Giustino G., Chen S., Selker H.P., *et al.* 2021. Time Delay, Infarct Size and Microvascular Obstruction After Primary Percutaneous Coronary Intervention for ST-Segment–Elevation Myocardial Infarction. *Circulation: Cardiovascular Interventions* ;14:e009879
- Reindl M., Metzler B., and Reinstadler S.J. 2020. Assessment of area at risk and infarct size in acute STEMI: How much information does the ECG really provide?. *International Journal of Cardiology* 303 :14–15
- Reinstadler, S. J., Baum, A., Rommel, K. P., Eitel, C., Desch, S., *et al.* 2015. ST-segment depression resolution predicts infarct size and reperfusion injury in ST-elevation myocardial infarction. *British medical journal*, 101(22), 1819–1825.
- Rhee, J.W., Sabatine, M.S. and Lilly, L.S. 2011. Acute Coronary Syndromes. In L. S. Lilly, ed. *Patophysiology of Heart Disease*. Philadelphia: Wolter Kluwer, pp. 161–90.
- Sarmiento-Leite R., Krepsky A.M., and Gottschall C.A.M. 2001. Effectiveness of Primary Angioplasty in the Treatment of Acute Myocardial Infarction. Analysis of In-hospital and Late Outcomes in 135 Consecutive Cases. *Arg Bras Cardiol* ;77(3): 213-20.
- Sawhney, J., Wankhade, P. and Sawhney, S. 2020. Pathophysiology of acute coronary syndrome. In K. S. Chandra & A. Swamy, eds. *Acute Coronary Syndromes*. Boca Raton: Taylor & Francis Group, pp. 13–17.
- Schou, A., Grove, U.S.L., Worbech, T.H., Andersen, M.P., Terkelsen, C.J., *et al.* 2011. ECG-based Estimation of Area at Risk in Acute Myocardial Infarction. *Computing in Cardiology*; 38:413-416.
- Schroder, R., Dissman, R., Bruggemann, T., Wegscheider, K., Linderer, T., *et al.* 1994. Extent of Early ST Segment Elevation Resolution: A Simple but Strong Predictor of Outcome in Patients With Acute Myocardial Infarction. *JACC* Vol.24, No.2 : 384-91
- Schroder, R. 2004. Prognostic Impact of Early ST-Segment Resolution in Acute ST-Elevation Myocardial Infarction. *Circulation* ;110:e506-e510.
- Sejersten, M., Valeur, N., Grande, P., Nielsen, T.T., and Clemmensen, P. 2009. Long-Term Prognostic Value of ST-Segment Resolution in Patients Treated With Fibrinolysis or Primary Percutaneous Coronary Intervention. *JACC* Vol.54, No.19: 1763-1769
- Selvester, R. H., Wagner, G. S., and Nancy, B. 1985. The Selvester QRS Scoring System for Estimating Myocardial Infarct Size The Development and Application of the System. *Arch Intern Med*, 145.
- Shah, R., Clare, R.M., Chiswell, K., Jones, S., Kumar, S., *et al.* 2016. Impact of Non-Infarct-Related Artery Disease on Infarct Size and Outcomes (from the CRISP-AMI Trial). *The American Journal of Medicine*
- Soelistijo, S. A., Lindarto, D., Decroli, E., Permana, H., Sucipto, K. W., *et al.* 2019. *Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Dewasa di Indonesia*

- (4th ed.). PB. PERKENI.
- Stone, G.W, Selker, H.P., Thiele, H., Patel, M.R., Udelson, J.E., *et al.* 2016. Relationship Between Infarct Size and Outcomes Following Primary PCI. *JACC* vol 67 no14: 1674-83
- Sukhum, Pradub. 2011. Pharmacoinvasive Therapy for STEMI. The Most Suitable STEMI Reperfusion Therapy for Tranferred Patients in Thailand. *The Bangkok Medical Journal*, pp. 96-102.
- Thygesen, K., Alpert, J. S., Jaffe, A. S., Chaitman, B. R., Bax, J. J., *et al.* 2018. Fourth universal definition of myocardial infarction (2018). *European Heart Journal*, 40(3), 237–269.
- Tiller, C., Reindl, M., Reinstadler, S. J., Holzknacht, M., Klapfer, M., *et al.* 2019. Biomarker assessment for early infarct size estimation in ST0elevation myocardial infarction. *European Journal of Internal Medicine* 64 :57-62
- Tjandrawidjaja, M.C., Fu, Y., Westerhout, C.M., White, H.D., Todaro, T.G., *et al.* 2010. Resolution of ST-segment depression: A new prognostic marker in ST-segment elevation myocardial infarction. *European Heart Journal*, 31(5), pp.573–581.
- Van der Weg, K., Kujit, W.J., Bekkers, S., Tijssen, J.G.P, Green C.L., *et al.* 2018. Reperfusion ventricular arrhythmia bursts identify larger infarct size in spite of optimal epicardial and microvascular reperfusion using cardiac magnetic resonance imaging. *European Heart Journal: Acute Cardiovascular Care*. Vol 7(3) 246-256
- Vartdal T., Brunvand H., Pettersen E., Smith H.J., Lyseggen E., *et al.* 2007. Early Prediction of Infarct Size by Strain Doppler Echocardiography After Coronary Reperfusion. *Journal of the American College of Cardiology* vol.49(16)
- Wellens, H., Gorgels, A., & Doevedans, P. 2002. *The ECG in Acute Myocardial Infarction and Unstable Angina*. Kluwer Academic Publishers.
- World Health Organization. 2011. *Global Atlas on cardiovascular disease prevention and control*, Geneva.
- Yamashita, Y., Shiomi, H., Morimoto, T., Yaku, H., Furukawa, Y., *et al.* 2017. Cardiac and Noncardiac Causes of Long-Term Mortality in ST-Segment-Elevation Acute Myocardial Infarction Patients Who Underwent Primary Percutaneous Coronary Intervention. *Circ Cardiovasc Qual Outcomes*;10
- Yasir, P., Vijayan, P., and Shahar, L. 2017. A Review of Strategies for infarct size reduction during acute myocardial infarction. *Cardiovascular Revascularization Medicine*.
- Yusuf S., Mehta S.R., Chrolavicius S., Afzal R., Pogue J., *et al.* 2006 Effects of fondaparinux on mortality and reinfarction in patients with acute ST-segment elevation myocardial infarction: the OASIS-6 randomized trial. *JAMA*;295:1519–30.
- Zubaid M., Khraishah H., Alahmad B., Rashed W., Ridha M., *et al.* 2020. Efficacy and Safety of Pharmacoinvasive Strategy Compared to Primary Percutaneous Coronary Intervention in the Management of ST-Segment Elevation Myocardial Infarction: A Prospective Country-Wide Registry. *Annals of Global Health* ; 86(1): 13, 1–10.