

DAFTAR PUSTAKA

- Abrams, D., Barbosa, J., Albano, H., Silva, J., Gibbs, P. A., & Teixeira, P. (2011). Characterization of bacPPK34 a bacteriocin produced by *Pediococcus pentosaceus* strain K34 isolated from "Alheira ." *Food Control*, 22(6), 940–946. <https://doi.org/10.1016/j.foodcont.2010.11.029>
- Abriouel, H., Valdivia, E., Martinez-Bueno, M., Maqueda, M., & Gálvez, A. (2003). A simple method for semi-preparative-scale production and recovery of enterocin AS-48 derived from *Enterococcus faecalis* subsp. liquefaciens A-48-32. *Journal of Microbiological Methods*, 55(3), 599–605. [https://doi.org/https://doi.org/10.1016/S0167-7012\(03\)00202-1](https://doi.org/https://doi.org/10.1016/S0167-7012(03)00202-1)
- Ahmad, V., Khan, M. S., Jamal, Q. M. S., Alzohairy, M. A., Al Karaawi, M. A., & Siddiqui, M. U. (2017). Antimicrobial potential of bacteriocins: in therapy, agriculture and food preservation. *International Journal of Antimicrobial Agents*, 49(1), 1–11. <https://doi.org/10.1016/j.ijantimicag.2016.08.016>
- Alakomi, H. L., Skyttä, E., Saarela, M., Mattila-Sandholm, T., Latva-Kala, K., & Helander, I. M. (2000). Lactic acid permeabilizes gram-negative bacteria by disrupting the outer membrane. *Applied and Environmental Microbiology*, 66(5), 2001–2005. <https://doi.org/10.1128/AEM.66.5.2001-2005.2000>
- Ammor, S., Tauveron, G., Dufour, E., & Chevallier, I. (2006). Antibacterial activity of lactic acid bacteria against spoilage and pathogenic bacteria isolated from the same meat small-scale facility: 1—Screening and characterization of the antibacterial compounds. *Food Control*, 17(6), 454–461. <https://doi.org/https://doi.org/10.1016/j.foodcont.2005.02.006>
- Anal, A. K., Perpetuini, G., Petchkongkaew, A., Tan, R., Avallone, S., Tofalo, R., Nguyen, H. Van, Chu-Ky, S., Ho, P. H., Phan, T. T., & Waché, Y. (2020). Food safety risks in traditional fermented food from South-East Asia. *Food Control*, 109(September 2019), 106922. <https://doi.org/10.1016/j.foodcont.2019.106922>
- Arfani, N., Nur, F., Hafsani, & Azrianingsih, R. (2017). Bacteriocin production of *Lactobacillus* sp. from intestines of ducks (*Anas domesticus* L.) incubated at room temperature and antibacterial effectivity against pathogen. *AIP Conference Proceedings*, 1844(1), 30004. <https://doi.org/10.1063/1.4983431>
- Aslam, M., Shahid, M., Rehman, F. U., Naveed, N. H., Batool, A. I., Sharif, S., & Asia, A. (2011). Purification and characterization of bacteriocin isolated from *Streptococcus thermophilus*. *African Journal of Microbiology Research*, 5(18), 2642–2648. <https://doi.org/10.5897/AJMR11.225>
- Barbieri, F., Montanari, C., Gardini, F., & Tabanelli, G. (2019a). Biogenic amine production by lactic acid bacteria: A review. In *Foods* (Vol. 8, Issue 1). MDPI Multidisciplinary Digital Publishing Institute. <https://doi.org/10.3390/foods8010017>

- Bhunias, A., Johnson, M., Kalchayanand, N., & Bhunia, A. K. (1991). Mode of action of pediocin AcH from *Pediococcus acidilactici* H on sensitive bacterial strains A Y AND N. K A L C H A Y A N A N D. In *Journal of Applied Bacteriology* (Vol. 70).
- Bhunias, A. K., Johnson, M. C., & Ray, B. (1987). Direct detection of an antimicrobial peptide of *Pediococcus acidilactici* in sodium dodecyl sulfate-polyacrylamide gel electrophoresis. *Journal of Industrial Microbiology and Biotechnology*, 2(5), 319–322.
- Bhunias, A. K., Johnson, M. C., & Ray, B. (1988). Purification, characterization and antimicrobial spectrum of a bacteriocin produced by *Pediococcus acidilactici*. *Journal of Applied Bacteriology*, 65(4), 261–268.
- Blanchard, A. E., Liao, C., & Lu, T. (2016). An Ecological Understanding of Quorum Sensing-Controlled Bacteriocin Synthesis. *Cellular and Molecular Bioengineering*, 9(3), 443–454. <https://doi.org/10.1007/s12195-016-0447-6>
- Burgess, R. R. (2009). Chapter 20 Protein Precipitation Techniques. In R. R. Burgess & M. P. Deutscher (Eds.), *Methods in Enzymology* (Vol. 463, pp. 331–342). Academic Press. [https://doi.org/10.1016/S0076-6879\(09\)63020-2](https://doi.org/10.1016/S0076-6879(09)63020-2)
- Calo-Mata, P., Arlindo, S., Boehme, K., de Miguel, T., Pascoal, A., & Barros-Velazquez, J. (2008). Current applications and future trends of lactic acid bacteria and their bacteriocins for the biopreservation of aquatic food products. *Food and Bioprocess Technology*, 1(1), 43–63. <https://doi.org/10.1007/s11947-007-0021-2>
- Caro, I., Bécares, G., Fuentes, L., Garcia-Armesto, M. R., Ruá, J., Castro, J. M., Quinto, E. J., & Mateo, J. (2015). Evaluation of three PCR primers based on the 16S rRNA gene for the identification of lactic acid bacteria from dairy origin. *CYTA - Journal of Food*, 13(2), 181–187. <https://doi.org/10.1080/19476337.2014.934297>
- Chaveesuk, R., Smith, J. P., & Simpson, B. K. (1994). Production of Fish Sauce and Acceleration of Sauce Fermentation Using Proteolytic Enzymes. *Journal of Aquatic Food Product Technology*, 2(3), 59–77. https://doi.org/10.1300/J030v02n03_05
- Chikindas, M. L., García-Garcerá, M. J., Driessen, A. J., Ledebøer, A. M., Nissen-Meyer, J., Nes, I. F., Abee, T., Konings, W. N., & Venema, G. (1993). Pediocin PA-1, a bacteriocin from *Pediococcus acidilactici* PAC1.0, forms hydrophilic pores in the cytoplasmic membrane of target cells. *Applied and Environmental Microbiology*, 59(11), 3577–3584. <https://doi.org/10.1128/aem.59.11.3577-3584.1993>
- Clardy, J., Fischbach, M. A., & Walsh, C. T. (2006). New antibiotics from bacterial natural products. *Nature Biotechnology*, 24(12), 1541–1550. <https://doi.org/10.1038/nbt1266>
- Cleveland, J., Montville, T. J., Nes, I. F., & Chikindas, M. L. (2001). Bacteriocins: safe, natural antimicrobials for food preservation. *International Journal of Food Microbiology*, 71(1), 1–20. [https://doi.org/10.1016/S0168-1605\(01\)00560-8](https://doi.org/10.1016/S0168-1605(01)00560-8)

- Duong-Ly, K. C., & Gabelli, S. B. (2014). Salting out of proteins using ammonium sulfate precipitation. In *Methods in Enzymology* (Vol. 541, pp. 85–94). Academic Press Inc. <https://doi.org/10.1016/B978-0-12-420119-4.00007-0>
- Eijsink, V., Axelsson, L., Diep, D., Håvarstein, L., Holo, H., & Nes, I. (2004). Production of class II bacteriocins by lactic acid bacteria; an example of biological warfare and communication. *Antonie van Leeuwenhoek*, 81, 639–654.
- Elegado, F. B., Kim, W. J., & Kwon, D. Y. (1997). Rapid purification, partial characterization, and antimicrobial spectrum of the bacteriocin, Pediocin AcM, from *Pediococcus acidilactici* M. *International Journal of Food Microbiology*, 37(1), 1–11. [https://doi.org/https://doi.org/10.1016/S0168-1605\(97\)00037-8](https://doi.org/https://doi.org/10.1016/S0168-1605(97)00037-8)
- Elshikh, M., Ahmed, S., Funston, S., Dunlop, P., McGaw, M., Marchant, R., & Banat, I. M. (2016). Resazurin-based 96-well plate microdilution method for the determination of minimum inhibitory concentration of biosurfactants. *Biotechnology Letters*, 38(6), 1015–1019. <https://doi.org/10.1007/s10529-016-2079-2>
- Feliatra, F., Muchlisin, Z. A., Teruna, H. Y., Utamy, W. R., Nursyirwani, N., & Dahliaty, A. (2018). Potential of bacteriocins produced by probiotic bacteria isolated from tiger shrimp and prawns as antibacterial to vibrio, pseudomonas, and aeromonas species on fish. *F1000Research*, 7. <https://doi.org/10.12688/F1000RESEARCH.13958.1>
- Felis, G. E., & Dellaglio, F. (2007). Taxonomy of lactobacilli and bifidobacteria. *Current Issues in Intestinal Microbiology*, 8(2), 44.
- Franz, C. M. A. P., Worobo, R. W., Luis, †, Quadri, E. N., Schillinger, ‡ Ulrich, Holzapfel, W. H., Vederas, J. C., & Stiles, M. E. (1999). Atypical Genetic Locus Associated with Constitutive Production of Enterocin B by *Enterococcus faecium* BFE 900. In *Applied and Environmental Microbiology* (Vol. 65, Issue 5). <https://journals.asm.org/journal/aem>
- Gautam, N., & Sharma, N. (2009). Bacteriocin: safest approach to preserve food products. *Indian Journal of Microbiology*, 49(3), 204–211. <https://doi.org/10.1007/s12088-009-0048-3>
- Ghanbari, M., Jami, M., Domig, K. J., & Kneifel, W. (2013). Seafood biopreservation by lactic acid bacteria - A review. *LWT - Food Science and Technology*, 54(2), 315–324. <https://doi.org/10.1016/j.lwt.2013.05.039>
- Goh, H. F., & Philip, K. (2015). Purification and characterization of bacteriocin produced by *weissella confusa* A3 of dairy origin. *PLoS ONE*, 10(10), 1–17. <https://doi.org/10.1371/journal.pone.0140434>
- Hammes, W. P., & Vogel, R. F. (1995). The genus lactobacillus. In *The genera of lactic acid bacteria* (pp. 19–54). Springer.
- Hou, Q., Bai, X., Li, W., Gao, X., Zhang, F., Sun, Z., & Zhang, H. (2018). Design of primers for evaluation of lactic acid bacteria populations in complex biological

- samples. *Frontiers in Microbiology*, 9(AUG).
<https://doi.org/10.3389/fmicb.2018.02045>
- Huang, Y., Luo, Y., Zhai, Z., Zhang, H., Yang, C., Tian, H., Li, Z., Feng, J., Liu, H., & Hao, Y. (2009). Characterization and application of an anti-*Listeria* bacteriocin produced by *Pediococcus pentosaceus* 05-10 isolated from Sichuan Pickle, a traditionally fermented vegetable product from China. *Food Control*, 20(11), 1030–1035.
- Husni, A., & Putra, MGS. M. P. (2014). *Pengendalian Mutu Hasil Perikanan*. Gadjah Mada University Press.
- Ida Muryany, M. Y., Ina Salwany, M. Y., Ghazali, A. R., Hing, H. L., & Nor Fadilah, R. (2017). Identification and characterization of the Lactic Acid Bacteria isolated from Malaysian fermented fish (Pekasam). *International Food Research Journal*, 24(2).
- Irianto, I. H. E. (2012). *Produk Fermentasi Ikan*. Penebar Swadaya Grup.
- Jiang, H., Li, P., & Gu, Q. (2016). Heterologous expression and purification of plantaricin NC8, a two-peptide bacteriocin against *Salmonella* spp. from *Lactobacillus plantarum* ZJ316. *Protein Expression and Purification*, 127, 28–34.
<https://doi.org/https://doi.org/10.1016/j.pep.2016.06.013>
- Joerger, M. C., & Klaenhammer, T. R. (1986). Characterization and purification of helveticin J and evidence for a chromosomally determined bacteriocin produced by *Lactobacillus helveticus* 481. *Journal of Bacteriology*, 167(2), 439–446.
<https://doi.org/10.1128/jb.167.2.439-446.1986>
- Kimura, B., Konagaya, Y., & Fujii, T. (2001). Histamine formation by *Tetragenococcus muriaticus*, a halophilic lactic acid bacterium isolated from fish sauce. *International Journal of Food Microbiology*, 70(1–2), 71–77. [https://doi.org/10.1016/s0168-1605\(01\)00514-1](https://doi.org/10.1016/s0168-1605(01)00514-1)
- Klaenhammer, T. R. (1993). Genetics of bacteriocins produced by lactic acid bacteria. *FEMS Microbiology Reviews*, 12(1–3), 39–85. <https://doi.org/10.1111/j.1574-6976.1993.tb00012.x>
- Kormin, S., Rusul, G., Radu, S., & Ling, F. H. (2001). Bacteriocin-producing lactic Acid bacteria isolated from traditional fermented food. *The Malaysian Journal of Medical Sciences : MJMS*, 8(1), 63–68.
- Korompot, A. R. H., Fatimah, F., & Wuntu, A. D. (2018). Kandungan serat kasar dari bakasang ikan tuna (*Thunnus* sp.) pada berbagai kadar garam, suhu dan waktu fermentasi. *Jurnal Ilmiah Sains*, 18(1), 31.
<https://doi.org/10.35799/jis.18.1.2018.19455>
- Kumar, M., Tiwari, S. K., & Srivastava, S. (2009). Purification and Characterization of Enterocin LR/6, a Bacteriocin from *Enterococcus faecium* LR/6. *Applied Biochemistry and Biotechnology*, 160(1), 40. <https://doi.org/10.1007/s12010-009-8586-z>

- Kusmarwati, A., Arief, F. R., & Haryati, S. (2014). Eksplorasi bakteriosin dari bakteri asam laktat asal Rusip Bangka dan Kalimantan. *Jurnal Pascapanen Dan Bioteknologi Kelautan Dan Perikanan*, 9(1), 29. <https://doi.org/10.15578/jpbkp.v9i1.97>
- Lawalata, H. J., & Rungkat, J. A. (2019). The potential of lactic acid bacteria to improve the quality and number of carnocine during fermentation process of Bakasang as a functional food. *Journal of Physics: Conference Series*, 1317(1). <https://doi.org/10.1088/1742-6596/1317/1/012072>
- Lei, S., Zhao, R., Sun, J., Ran, J., Ruan, X., & Zhu, Y. (2020a). Partial purification and characterization of a broad-spectrum bacteriocin produced by a *Lactobacillus plantarum* zrx03 isolated from infant's feces. *Food Science and Nutrition*, 8(5), 2214–2222. <https://doi.org/10.1002/fsn3.1428>
- Leiva, J. (2017, April 24). *The Effects of Heating H₂O₂ and Stability*. <https://sciencing.com/effects-heating-h2o2-stability-6187449.html>
- Lewus, C. B., & Montville, T. J. (1991). Detection of bacteriocins produced by lactic acid bacteria. *Journal of Microbiological Methods*, 13(2), 145–150. [https://doi.org/https://doi.org/10.1016/0167-7012\(91\)90014-H](https://doi.org/https://doi.org/10.1016/0167-7012(91)90014-H)
- Lim, E. (2016). Inhibitory effect of bacteriocin-producing lactic acid bacteria against histamine-forming bacteria isolated from Myeolchi - jeot. *Fisheries and Aquatic Sciences*, 1–10. <https://doi.org/10.1186/s41240-016-0040-x>
- Lopetcharat, K., Choi, Y. J., Park, J. W., & Daeschel, M. A. (2001). Fish sauce products and manufacturing: A review. *Food Reviews International*, 17(1), 65–88. <https://doi.org/10.1081/FRI-100000515>
- Lü, X., Hu, P., Dang, Y., & Liu, B. (2014). Purification and partial characterization of a novel bacteriocin produced by *Lactobacillus casei* TN-2 isolated from fermented camel milk (Shubat) of Xinjiang Uygur Autonomous region, China. *Food Control*, 43, 276–283. <https://doi.org/10.1016/j.foodcont.2014.03.020>
- Ly, D., Mayrhofer, S., Schmidt, J. M., Zitz, U., & Domig, K. J. (2020). Biogenic amine contents and microbial characteristics of Cambodian fermented foods. *Foods*, 9(2), 1–19. <https://doi.org/10.3390/foods9020198>
- Mahyudin, N. A., Ibadullah, W. Z. W., & Saadin, A. (2015). Effects of protein content in selected fish towards the production of lactic acid bacteria (*Lactobacillus* spp.) during the production of Pekasam. *Current Research in Nutrition and Food Science*, 3(3), 219–223. <https://doi.org/10.12944/CRNFSJ.3.3.05>
- Mardinsyah, A. H. (2022). Isolasi Bakteri Asam Laktat Halofilik dari Pakasam dan Uji Aktivitas Antibakteri Supernatan Bebas Selnya Terhadap Bakteri Pembentuk Histamin. Skripsi. Departemen Perikanan Fakultas Pertanian Universitas Gadjah Mada.
- Marti-Quijal, F. J., Remize, F., Meca, G., Ferrer, E., Ruiz, M.-J., & Barba, F. J. (2020). Fermentation in fish and by-products processing: an overview of current research

- and future prospects. *Current Opinion in Food Science*, 31, 9–16.
<https://doi.org/https://doi.org/10.1016/j.cofs.2019.08.001>
- Maulidayanti, S., Mubarik, N. R., & Suryani. (2019). Characterisation of a bacteriocin produced by *Lactobacillus rhamnosus* IN13 isolated from inasua, a fermented fish product from Central Maluku, Indonesia. *International Food Research Journal*, 26(5), 1557–1563.
- McAuliffe, O., O'Keeffe, T., Hill, C., & Ross, R. P. (2001). Regulation of immunity to the two-component lantibiotic, lactacin 3147, by the transcriptional repressor LtnR. *Molecular Microbiology*, 39(4), 982–993.
- McAuliffe, O., Ross, R. P., & Hill, C. (2001). Lantibiotics: structure, biosynthesis and mode of action. *FEMS Microbiology Reviews*, 25(3), 285–308.
<https://doi.org/10.1111/j.1574-6976.2001.tb00579.x>
- Montville, T. J., & Chen, Y. (1998). Mechanistic action of pediocin and nisin: recent progress and unresolved questions. *Applied Microbiology and Biotechnology*, 50(5), 511–519. <https://doi.org/10.1007/s002530051328>
- Muhammad, M., Putra, P., Yaafi' Al-Hammam, M., Ahsan, G., Kharisma, K., Chandra, B., & Dewi Puspita, I. (2022). Antibacterial potency of cell free supernatant produced by lactic acid bacteria isolated from Indonesian fermented fish products against histamine-producing bacteria. *Indonesian Journal of Fisheries Science and Technology Available*, 18(1), 13. <http://ejournal.undip.ac.id/index.php/saintek>
- Nes, I. F., Yoon, S.-S., & Diep, D. B. (2007). Ribosomally synthesized antimicrobial peptides (bacteriocins) in lactic acid bacteria: a review. *Food Science and Biotechnology*, 16(5), 675–690.
- Ngasotter, S., Waikhom, D., Mukherjee, S., Devi, M. S., & Singh, A. S. (2020). Diversity of Lactic Acid Bacteria (LAB) in Fermented Fish Products: A Review. *International Journal of Current Microbiology and Applied Sciences*, 9(5), 2238–2249.
<https://doi.org/10.20546/ijcmas.2020.905.255>
- O'Brien, J., Wilson, I., Orton, T., & Pognan, F. (2000). Investigation of the Alamar Blue (resazurin) fluorescent dye for the assessment of mammalian cell cytotoxicity. *European Journal of Biochemistry*, 267(17), 5421–5426.
<https://doi.org/10.1046/j.1432-1327.2000.01606.x>
- Onwuakor, C. E., Nwaugo, V. O., Nnadi, C. J., & Emetole, J. M. (2014). Effect of Varied Culture Conditions on Crude Supernatant (Bacteriocin) Production from Four *Lactobacillus* Species Isolated from Locally Fermented Maize (Ogi). *American Journal of Microbiological Research*, 2(5), 125–130. <https://doi.org/10.12691/ajmr-2-5-1>
- PA, J., & Bhoir, V. (2011). Study of Histamine Forming Bacteria in Commercial fish samples of Kalyan city. *Int J Cur Sci Res*, 1, 39–42.

- Paczosa, M. K., & Mecsas, J. (2016). *Klebsiella pneumoniae*: Going on the Offense with a Strong Defense. *Microbiology and Molecular Biology Reviews*, 80(3), 629–661. <https://doi.org/10.1128/mmbr.00078-15>
- Parada, J., Caron, C., Medeiros, A. B., & Socol, C. (2007). Bacteriocins from Lactic Acid Bacteria: Purification, Properties and use as Biopreservatives. *Brazilian Archives of Biology and Technology*, 50, 512–542.
- Peng, S., Song, J., Zeng, W., Wang, H., Zhang, Y., Xin, J., & Suo, H. (2021). A broad-spectrum novel bacteriocin produced by *Lactobacillus plantarum* SHY 21–2 from yak yogurt: Purification, antimicrobial characteristics and antibacterial mechanism. *LWT*, 142, 110955. <https://doi.org/https://doi.org/10.1016/j.lwt.2021.110955>
- Petti, C. A. (2007). Detection and identification of microorganisms by gene amplification and sequencing. In *Clinical Infectious Diseases* (Vol. 44, Issue 8, pp. 1108–1114). <https://doi.org/10.1086/512818>
- Pramono, H. (2012). Skrining dan Identifikasi Molekuler Bakteri Asam Laktat Penghasil Bakteriosin pada Berbagai Produk Fermentasi Ikan. Tesis. Universitas Gadjah Mada.
- Price, R. J., Melvin, E. F., & Bell, J. W. (1991). Postmortem Changes in Chilled Round, Bled and Dressed Albacore. *Journal of Food Science*, 56(2), 318–321. <https://doi.org/10.1111/j.1365-2621.1991.tb05270.x>
- Pringsulaka, O., Thongngam, N., Suwannasai, N., Atthakor, W., Pothivejkul, K., & Rangsiroji, A. (2012). Partial characterisation of bacteriocins produced by lactic acid bacteria isolated from Thai fermented meat and fish products. *Food Control*, 23(2), 547–551. <https://doi.org/10.1016/j.foodcont.2011.08.029>
- Qiao, Z., Chen, J., Zhou, Q., Wang, X., Shan, Y., Yi, Y., Liu, B., Zhou, Y., & Lü, X. (2021). Purification, characterization, and mode of action of a novel bacteriocin BM173 from *Lactobacillus crustorum* MN047 and its effect on biofilm formation of *Escherichia coli* and *Staphylococcus aureus*. *Journal of Dairy Science*, 104(2), 1474–1483. <https://doi.org/https://doi.org/10.3168/jds.2020-18959>
- Rajaram, G., Manivasagan, P., Thilagavathi, B., & Saravanakumar, A. (2010). Purification and characterization of a bacteriocin produced by *Lactobacillus lactis* isolated from marine environment. *Advance Journal of Food Science and Technology*, 2(2), 138–144.
- Rapsang, G. F., & Joshi, S. R. (2015). Molecular and Probiotic Functional Characterization of *Lactobacillus* spp. Associated with Traditionally Fermented Fish, Tungtap of Meghalaya in Northeast India. *Proceedings of the National Academy of Sciences India Section B - Biological Sciences*, 85(4), 923–933. <https://doi.org/10.1007/s40011-013-0234-2>
- Romadhon, S., & Margino, S. (2012). Isolasi dan karakterisasi bakteri asam laktat dari usus udang penghasil bakteriosin sebagai agen antibakteria pada produk-produk hasil perikanan. *Jurnal Saintek Perikanan*, 8(1).

- Saaid, M., Saad, B., Hashim, N., Ali, A., & Saleh, M. (2009). Determination of biogenic amines in selected Malaysian food. *Food Chemistry*, 113, 1356–1362. <https://doi.org/10.1016/j.foodchem.2008.08.070>
- Saelao, S., Maneerat, S., Kaewsuwan, S., Rabesona, H., Choiset, Y., Haertlé, T., & Chobert, J. M. (2017). Inhibition of *Staphylococcus aureus* in vitro by bacteriocinogenic *Lactococcus lactis* KTH0-1S isolated from Thai fermented shrimp (Kung-som) and safety evaluation. *Archives of Microbiology*, 199(4), 551–562. <https://doi.org/10.1007/s00203-016-1324-3>
- Sánchez, Ó. J., Barragán, P. J., & Serna, L. (2019). Review of Lactobacillus in the food industry and their culture media. *Revista Colombiana de Biotecnología*, 21, 63–76.
- Sasanti, A. D., & Fitria, K. (2012). Aktivitas Penghambatan Isolat Bakteri Asam Laktat Ikan Nila Dan Tongkol Terhadap Bakteri Merugikan Produk Perikanan. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 15(2), 94–100. <https://doi.org/10.17844/jphpi.v15i2.6168>
- Satomi, M. (2016). Effect of Histamine-producing Bacteria on Fermented Fishery Products. *Food Science and Technology Research*, 22(1), 1–21. <https://doi.org/10.3136/fstr.22.1>
- Seyedsayamdost, M. R. (2019). Toward a global picture of bacterial secondary metabolism. *Journal of Industrial Microbiology and Biotechnology*, 46(3–4), 301–311. <https://doi.org/10.1007/s10295-019-02136-y>
- Sidhu, P. K., & Nehra, K. (2019). Bacteriocin-nanoconjugates as emerging compounds for enhancing antimicrobial activity of bacteriocins. *Journal of King Saud University - Science*, 31(4), 758–767. <https://doi.org/https://doi.org/10.1016/j.jksus.2017.12.007>
- Sonomoto, K., Fujita, K., Nakayama, J., Nitisinprasert, S., Swetwiwathana, A., Zendo, T., Wajjwalku, W., Pilasombut, K., & Sakpuaram, T. (2006). Purification and amino acid sequence of a bacteriocins produced by *Lactobacillus salivarius* K7 isolated from chicken intestine. *Songklanakarin Journal of Science and Technology*, 28, 121–131.
- Spano, G., Russo, P., Lonvaud-Funel, A., Lucas, P., Alexandre, H., Grandvalet, C., Coton, E., Coton, M., Barnavon, L., Bach, B., Rattray, F., Bunte, A., Magni, C., Ladero, V., Alvarez, M., Fernández, M., Lopez, P., de Palencia, P. F., Corbi, A., ... Lolkema, J. S. (2010a). Biogenic amines in fermented foods. *European Journal of Clinical Nutrition*, 64 Suppl 3, S95-100. <https://doi.org/10.1038/ejcn.2010.218>
- Tan, A., Zhao, Y., Sivashanmugan, K., Squire, K., & Wang, A. X. (2019). Quantitative TLC-SERS detection of histamine in seafood with support vector machine analysis. *Food Control*, 103, 111–118.
- Tomasik, P., & Horton, D. (2012). *Chapter 2 - Enzymatic conversions of starch* (D. B. T.-A. in C. C. and B. Horton, Ed.; Vol. 68, pp. 59–436). Academic Press. <https://doi.org/https://doi.org/10.1016/B978-0-12-396523-3.00001-4>

- Vaughan, E. E., Daly, C., & Fitzgerald, G. F. (1992). Identification and characterization of helveticin V-1829, a bacteriocin produced by *Lactobacillus helveticus* 1829. *The Journal of Applied Bacteriology*, 73(4), 299–308. <https://doi.org/10.1111/j.1365-2672.1992.tb04981.x>
- Větrovský, T., & Baldrian, P. (2013). The Variability of the 16S rRNA Gene in Bacterial Genomes and Its Consequences for Bacterial Community Analyses. *PLoS ONE*, 8(2). <https://doi.org/10.1371/journal.pone.0057923>
- Wang, Y., Qin, Y., Xie, Q., Zhang, Y., Hu, J., & Li, P. (2018). Purification and Characterization of Plantaricin LPL-1, a Novel Class IIa Bacteriocin Produced by *Lactobacillus plantarum* LPL-1 Isolated From Fermented Fish. *Frontiers in Microbiology*, 9(September), 1–12. <https://doi.org/10.3389/fmicb.2018.02276>
- Whitmire, J. M., & Merrell, D. S. (2012). *Successful Culture Techniques for Helicobacter Species: General Culture Techniques for Helicobacter pylori* (pp. 17–27). https://doi.org/10.1007/978-1-62703-005-2_4
- Wingfield, P. T. (2016). Protein precipitation using ammonium sulfate. *Current Protocols in Protein Science*, 2016, A.3F.1-A.3F.9. <https://doi.org/10.1002/0471140864.psa03fs84>
- Wiranata, D. P. (2020). Isolasi dan identifikasi bakteri pembentuk histamin pada ikan tuna mata besar, cakalang, dan tongkol yang didaratkan di pelabuhan perikanan pantai Sadeng, Gunung Kidul. Skripsi. Universitas Gadjah Mada.
- Wirawan, R. E., Swanson, K. M., Kleffmann, T., Jack, R. W., & Tagg, J. R. (2007). Uberolysin: a novel cyclic bacteriocin produced by *Streptococcus uberis*. *Microbiology (Reading, England)*, 153(Pt 5), 1619–1630. <https://doi.org/10.1099/mic.0.2006/005967-0>
- Yang, E., Fan, L., Yan, J., Jiang, Y., Doucette, C., Fillmore, S., & Walker, B. (2018). Influence of culture media, pH and temperature on growth and bacteriocin production of bacteriocinogenic lactic acid bacteria. *AMB Express*, 8(1), 10. <https://doi.org/10.1186/s13568-018-0536-0>
- Yang, R., Johnson, M. C., & Ray, B. (1992). Novel Method To Extract Large Amounts of Bacteriocins from Lactic Acid Bacteria. In *Applied and Environmental Microbiology* (Vol. 58, Issue 10).
- Yap, P. G., Lai, Z. W., & Tan, J. S. (2022). Bacteriocins from lactic acid bacteria: purification strategies and applications in food and medical industries: a review. In *Beni-Suef University Journal of Basic and Applied Sciences* (Vol. 11, Issue 1). Springer Science and Business Media Deutschland GmbH. <https://doi.org/10.1186/s43088-022-00227-x>
- Yi, L., Dang, Y., Wu, J., Zhang, L., Liu, X., Liu, B., Zhou, Y., & Lu, X. (2016). Purification and characterization of a novel bacteriocin produced by *Lactobacillus crustorum* MN047 isolated from koumiss from Xinjiang, China. *Journal of Dairy Science*, 99(9), 7002–7015.

- Yoneyama, F., Ohno, K., Imura, Y., Li, M., Zendo, T., Nakayama, J., Matsuzaki, K., & Sonomoto, K. (2011). Lacticin Q-mediated selective toxicity depending on physicochemical features of membrane components. *Antimicrobial Agents and Chemotherapy*, 55(5), 2446–2450.
- Zacharof, M. P., & Lovitt, R. W. (2012). *Bacteriocins Produced by Lactic Acid Bacteria A Review Article*. 2, 50–56. <https://doi.org/10.1016/j.apcbee.2012.06.010>
- Zhang, J., Yang, Y., Yang, H., Bu, Y., Yi, H., Zhang, L., Han, X., & Ai, L. (2018). Purification and partial characterization of bacteriocin Lac-B23, a novel bacteriocin production by *Lactobacillus plantarum* J23, isolated from Chinese traditional fermented milk. *Frontiers in Microbiology*, 9(OCT). <https://doi.org/10.3389/fmicb.2018.02165>
- Zheng, J., Wittouck, S., Salvetti, E., Franz, C. M. A. P., Harris, H. M. B., Mattarelli, P., O'toole, P. W., Pot, B., Vandamme, P., Walter, J., Watanabe, K., Wuyts, S., Felis, G. E., Gänzle, M. G., & Lebeer, S. (2020). A taxonomic note on the genus *Lactobacillus*: Description of 23 novel genera, emended description of the genus *Lactobacillus* Beijerinck 1901, and union of *Lactobacillaceae* and *Leuconostocaceae*. *International Journal of Systematic and Evolutionary Microbiology*, 70(4), 2782–2858. <https://doi.org/10.1099/ijsem.0.004107>