

DAFTAR PUSTAKA

1. Pulungan AB, Siregar CD, Aditiawati, Soenggoro EP, Triningsih E, Suryawan IWB. Korteks adrenal dan gangguannya. Dalam: Batubara JRL, Tridjaja B, Pulungan AB, penyunting. *Buku ajar endokrinologi anak. Edisi ke-1*. Jakarta: Badan Penerbit Ikatan Dokter Anak Indonesia;2015. h. 251-95.
2. Untario, Connie. Hiperplasia adrenal kongenital di Surabaya: analisis retrospektif praktek endokrin anak 1997-2011. *Sari Pediatri*. 2013; 14: 337-40.
3. Deaton M.A, Glorioso J.E, Mclean D.B. Congenital Adrenal Hyperplasia: Not Really a Zebra. Tripler Medical Center, Honolulu, Hawaii.
4. Widodo A.D, Batubara J.R.L, Irfan E.B, Akib A.A.P, Pardede S.O, Setyanto D.B. Densitas tulang pada hiperplasia adrenal kongenital dengan terapi glukokortikoid. *Sari Pediatri*. 2011;12(5):307-14.
5. Sari N.I.N, Tridjaja B, Kaswandan N, Sjarif D.R, Putra S.T, Gunardi H. Profil pubertas dan pertumbuhan linear pada HAK dalam pengobatan. *Sari Pediatri*. 2015;16:356-64.
6. Technical Report WHO: Congenital adrenal hyperplasia. *Section on endocrinology and committee on genetics Pediatrics*. 2000; 106:1511-8
7. Charmandari E, Weise M, Bornstein SR, Eisenhofer G, Keil MF, Chrousos GP. Children with classic congenital adrenal hyperplasia have elevated serum leptin concentrations and insulin resistance: potential clinical implications. *J Clin Endocrinol Metab*. 2015;87:2114-20.
8. Dauber A, Kellogg M, Majzoub JA. Monitoring of therapy in congenital adrenal hyperplasia. *Clin Chemist*. 2010;56:1245-51.

9. Sciannamblo M, Russo G, Cuccato D, Chiumello G, Mora S. Reduced bone mineral density and increased bone metabolism rate in young adult patients with 21-hydroxylase deficiency. *J Clin Endocrinol Metab.* 2016;91:4453-8.
10. White PC, Speiser PW. Congenital adrenal hyperplasia due to 21-hydroxylase deficiency. *Endocr Rev.* 2018;21:245-91.
11. Speiser PW, Azziz R, Baskin LS, Ghizzoni L, Hensle TW, Merke DP, Meyer-Bahlburg HF. A Summary of the Endocrine Society Clinical Practice Guidelines on Congenital Adrenal Hyperplasia due to Steroid 21-Hydroxylase Deficiency *Int J Pediatr Endocrinol.* 2017:494173
12. Mendes CT, Marini SH, Baptista MT, Guerra-Junior G, De-Mello MP, Paulino MF, Morcillo AM. Normalization of height and excess body fat in children with salt-wasting 21- hydroxylase deficiency. *J Pediatrics.* 2015; 87(3):263–268.
13. Karjin J, Chris MG, Barto JO, Hedi LC, Grinten CW, Thomas BJ. Long-term follow-up of children with classic congenital adrenal hyperplasia: suggestions for age dependent treatment in childhood. *J Pediatrics Endocrinol.* 2019:28417.
14. Ankita MS, Vaman KH, Priyanka GD, Anuradha KD. Long-term Growth in congenital adrenal hyperplasia. *J Indian Pediatrics.* 2018.
15. Karson TF, Debra SP, Vickie PS, Sharon ND, Thomas GO, Thomas BJ, Petter CH. No Relationship between prenatal androgen exposure and autistic: convergent from studies of children with congenital adrenal hyperplasia and of amniotic testosterone concentrations in typically developing children. *J Child Psychology and Psychiatry.* 2018:12602.
16. Frankenburg MD, William KJ. and Dobbs JB. Manual Tes Denver II, edisi ke 2. *Pediatri Sosial/Tumbuh kembang bagian ilmu kesehatan anak Dr. Sardjito.* 2018



UNIVERSITAS
GADJAH MADA

Luaran Anak Dengan Hiperplasia Adrenal Kongenital

WAN VIRZIA ZIZI M, dr. S. Yudha Patria, Ph.D, Sp.A(K).; dr.Dwikisworo Setyowireni, Sp.A(K)

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>