

DAFTAR PUSTAKA

- Abdollahi, M. dan Hosseini, A., 2014, Formaldehyde, *Encyclopedia of Toxicology: Third Edition*, 2, 653–656.
- Acik, G., Cansoy, C.E., dan Kamaci, M., 2019, Effect Of Flow Rate on Wetting And Optical Properties Of Electrospun Poly(Vinyl Acetate) Micro-Fibers, *Colloid Polym Sci*, 297, 77–83.
- Adak, M.F., Lieberzeit, P., Jarujamrus, P., dan Yumusak, N., 2020, Classification Of Alcohols Obtained By QCM Sensors With Different Characteristics Using ABC Based Neural Network, *Int. J. Eng. Sci.*, 23, 463–469.
- Akgonullu, S., Özgür, E., dan Denizli, A., 2022, Quartz Crystal Microbalance-Based Aptasensors for Medical Diagnosis, *Micromachines (Basel)*, 13, .
- Alihemati, Z. dan Navarchian, A.H., 2017, Response Surface Methodology for Investigating the Effects of Hydrolysis Reaction Parameters on Molecular Structure and Performance of Polyvinyl Alcohol as Primary Suspending Agent, *Iran. J. Chem. Chem. Eng.*, 14, 52–66.
- All, F. et, 2009, Microfabricated Formaldehyde Gas Sensors, *Sensors*, 9, 9196–9215.
- Ayad, M.M., Salahuddin, N.A., Minisy, I.M., dan Amer, W.A., 2014, Chitosan/Polyaniline Nanofibers Coating on The Quartz Crystal Microbalance Electrode For Gas Sensing, *Sens Actuators B Chem*, 202, 144–153.
- Basma, N., Cullen, P.L., Clancy, A.J., Shaffer, M.S.P., Skipper, N.T., Headen, T.F., dan Howard, C.A., 2019, The Liquid Structure of The Solvents Dimethylformamide (DMF) and Dimethylacetamide (DMA), *Mol Phys*, 117, 3353–3363.
- Bolton, W., 2021, Chapter 1 - Measurement Systems, Third Edit. Bolton, W. (ed) Newnes, United Kingdom.
- Chaudhary, J., Tailor, G., Verma, D., dan Verma, R., 2020, Synthesis and Characterization of Cobalt Nanocomposite Using Aniline-Formaldehyde Resin, *Composites Communications*, 18, 13–18.
- Feng, Lihui, Feng, Liying, Li, Q., Cui, J., dan Guo, J., 2021, Sensitive Formaldehyde Detection with QCM Sensor Based on PAAm/MWCNTs and PVAm/MWCNTs †, *ACS Omega*, 6, 14004–14014.
- Gupta, V.K., Yola, M.L., Eren, T., dan Atar, N., 2015, Selective QCM Sensor Based on Atrazine Imprinted Polymer: Its Application to Wastewater Sample, *Sens Actuators B Chem*, 218, 215–221.

- Han, M.A., Kim, H.J., Lee, H.C., Park, J.S., dan Lee, H.N., 2019, Effects Of Porosity And Particle Size on The Gas Sensing Properties Of SnO₂ Films, *Appl Surf Sci*, 481, 133–137.
- Huang, R., Yi, P., dan Tang, Y., 2017, Probing The Interactions of Organic Molecules, Nanomaterials, And Microbes with Solid Surfaces Using Quartz Crystal Microbalances Methodology, Advantages, And Limitations, *Environ. Sci.: Process. Impacts*, 19, 793–811
- Jafari, N. dan Zeinali, S., 2020, Highly Rapid and Sensitive Formaldehyde Detection at Room Temperature Using A Zif-8/Mwcnt Nanocomposite, *ACS Omega*, 5, 4395–4402.
- Jia, Y., Yu, H., Cai, J., Li, Z., dan Dong, F., 2017, Explore on The Quantitative Analysis Of Specific Surface Area On Sensitivity Of Polyacrylic Acid-Based QCM Ammonia Sensor, *Sens Actuators B Chem*, 243, 1042–1045.
- Jing, Z., Cao, S., Yu, T., dan Hu, J., 2015, Degradation Characteristics of Aniline with Ozonation and Subsequent Treatment Analysis, *J Chem*, 2015, .
- Jos J. A. G. Kamps, R.J.H.C.J.S., dan T.D.W.C., 2019, How Formaldehyde Reacts with Amino Acids, *Commun Chem*, 12, 1–9.
- Kim, K.H., Jahan, S.A., dan Lee, J.T., 2011, Exposure to Formaldehyde and Its Potential Human Health Hazards, *J Environ Sci Health C Environ Carcinog Ecotoxicol Rev*, 29, 277–299.
- Konagaya, S., Shimizu, K., Terada, M., Yamada, T., Sanada, K., Numata, O., dan Sugino, G., 2014, Effect of Diameter of Cellulosic Nano-Fiber on Conductivity of Poly(Aniline Sulfonic Acid) Composites, *AIP Conf Proc*, 1593, 270–273.
- Li, G., Zheng, J., Ma, X., Sun, Y., Fu, J., dan Wu, G., 2007, Development of QCM Trimethylamine Sensor Based on Water Soluble Polyaniline, *Sensors*, 7, 2378–2388.
- Li, Q., Sritharathikhun, P., dan Motomizu, S., 2007, Development of Novel Reagent for Hantzsch Reaction for The Determination of Formaldehyde by Spectrophotometry And Fluorometry, *Anal Sci*, 23, 413–417.
- Liu, K. dan Zhang, C., 2021, Volatile Organic Compounds Gas Sensor Based on Quartz Crystal Microbalance for Fruit Freshness Detection: A review, *Food Chem*, 334, 127615.
- Meng, L., Bu, W., Li, Y., Qin, Q., Zhou, Z., Hu, C., Chuai, X., Wang, C., Sun, P., dan Lu, G., 2021, Highly Selective Triethylamine Sensing Based on SnO₂/SnO₂

- Nanocomposite Synthesized by One-Step Solvothermal Process and Sintering, *Sens Actuators B Chem*, 342, 130018.
- Prabu, D., Parthiban, R., dan Narendrakumar, G., 2015, Journal of Chemical and Pharmaceutical Research, 2015, 7 (3): 879-884, *J Chem Pharm Res*, 7, 879–884.
- Ramakrishna, S., Fujihara, K., Teo, W.-E., Lim, T.-C., dan Ma, Z., 2005, Front Matter, *An Introduction to Electrospinning and Nanofibers*, i–xi.
- Raub, C.J., Khan, H.R., dan Lendvay, J., 1976, Temperature-Sensitive Properties of Gold and Gold Alloy Electrodeposits, *Gold Bull*, 9, 123–128.
- Rianjanu, A., Aflaha, R., Khamidy, N.I., Djamal, M., Triyana, K., dan Wasisto, H.S., 2021, Room-Temperature Ppb-Level Trimethylamine Gas Sensors Functionalized with Citric Acid-Doped Polyvinyl Acetate Nanofibrous Mats, *Mater Adv*, 2, 3705–3714.
- Rianjanu, A., Hasanah, S.A., Nugroho, D.B., Kusumaatmaja, A., Roto, R., dan Triyana, K., 2019, Polyvinyl Acetate Film-Based Quartz Crystal Microbalance for The Detection of Benzene, Toluene, And Xylene Vapors In Air, *Chemosensors*, 7, .
- Rianjanu, A., Nugroho, D.B., Kusumaatmaja, A., Roto, R., dan Triyana, K., 2019, A Study Of Quartz Crystal Microbalance Modified with Polyvinyl Acetate Nanofiber to Differentiate Short-Chain Alcohol Isomers, *Sens Biosensing Res*, 25, 100294.
- Rianjanu, A., Roto, R., Julian, T., Hidayat, S.N., Kusumaatmaja, A., Suyono, E.A., dan Triyana, K., 2018, Polyacrylonitrile Nanofiber-Based Quartz Crystal Microbalance for Sensitive Detection of Safrole, *Sensors (Switzerland)*, 18, .
- Roto, R., Rianjanu, A., Fatyadi, I.A., Kusumaatmaja, A., dan Triyana, K., 2020, Enhanced Sensitivity and Selectivity of Ammonia Sensing by QCM Modified with Boric Acid-Doped PVAc Nanofiber, *Sens Actuators A Phys*, 304, .
- Roto, R., Rianjanu, A., Rahmawati, A., Fatyadi, I.A., Yulianto, N., Majid, N., Syamsu, I., Wasisto, H.S., dan Triyana, K., 2020, Quartz Crystal Microbalances Functionalized with Citric Acid-Doped Polyvinyl Acetate Nanofibers for Ammonia Sensing, *ACS Appl Nano Mater*, 3, 5687–5697.
- Sebaei, A.S., Gomaa, A.M., El-Zwahry, A.A., dan Emara, E.A., 2018, Determination of Formaldehyde by HPLC with Stable Precolumn Derivatization In Egyptian Dairy Products, *Int J Anal Chem*, 2018, .
- Shao, W., Yue, W., Ren, G., Cui, C., Xiong, J., Wang, L., Lu, T., Bu, W., Liu, F., dan He, J., 2022, Electrospun PS/PAN Nanofiber Membranes Formed from Doped Carbon Nanotubes with a Fluffy and Multi-scale Construction for Air-Filtration Materials, *Fibers and Polym.*, 23, 1197–1205.

- Shi, S., Qiu, W., Miao, P., Li, R., Lin, X., dan Sun, Z., 2021, Three-Component Radical Homo Mannich Reaction, *Nat Commun*, 12, 1–7.
- Shi, Y. dan Zhang, K., 2022, Determination of Aniline in Soil by ASE/GC-MS, *Molecules*, 27, .
- Shrivastava, A. dan Gupta, V., 2011, Methods for The Determination of Limit of Detection and Limit of Quantitation of The Analytical Methods, *Chron. Young Sci.*, 2, 21.
- Souza, A. de, Cunha, I.C.M., Chagas, J.O., Carlos, E.B.P., Santos, L.L., Figueredo, T.R.C. e, Machado, L.A.L., Osório, V.M., Vieira, K.M., dan Lobo, F.A., 2017, Use of Mass Spectrometry for the Determination of Formaldehyde in Samples Potentially Toxic to Humans: A Brief Review, *Mass Spectrometry*.
- Temel, F. dan Tabakci, M., 2016, Calix[4]Arene Coated QCM Sensors for Detection of VOC Emissions: Methylene Chloride Sensing Studies, *Talanta*, 153, 221–227.
- Toja, F., Saviello, D., Nevin, A., Comelli, D., Lazzari, M., Valentini, G., dan Toniolo, L., 2013, The Degradation of Poly(Vinyl Acetate) As A Material for Design Objects: A Multi-Analytical Study Of The Cocoon Lamps. Part 2, *Polym Degrad Stab*, 98, 2215–2223.
- Torad, N.L., 2021, Gas Sensing Properties of Polypyrrole/Poly(N-Vinylpyrrolidone) Nanorods/Nanotubes-Coated Quartz-Crystal Microbalance Sensorle, *Synth Met*, 282, .
- Triyana, K., Rianjanu, A., Nugroho, D.B., As'ari, A.H., Kusumaatmaja, A., Roto, R., Suryana, R., dan Wasisto, H.S., 2019, A Highly Sensitive Safrole Sensor Based on Polyvinyl Acetate (Pvac) Nanofiber-Coated QCM, *Sci Rep*, 9, .
- Triyana, K., Sembiring, A., Rianjanu, A., Hidayat, S.N., Riowirawan, R., Julian, T., Kusumaatmaja, A., Santoso, I., dan Roto, R., 2018, Chitosan-Based Quartz Crystal Microbalance for Alcohol Sensing, *Electronics (Switzerland)*, 7, .
- Veerabhadraiah, A., Ramakrishna, S., Angadi, G., Venkatram, M., Kanivebagilu Ananthapadmanabha, V., Hebbale NarayanaRao, N.M., dan Munishamaiah, K., 2017, Development of Polyvinyl Acetate Thin Films by Electrospinning for Sensor Applications, *Appl. Nanosci.*, 7, 355–363.
- Wang, L., Gao, J., dan Xu, J., 2019, QCM Formaldehyde Sensing Materials: Design and Sensing Mechanism, *Sens Actuators B Chem*, 293, 71–82.
- Wang, X., Cui, F., Lin, J., Ding, B., Yu, J., dan Al-Deyab, S.S., 2012, Functionalized Nanoporous TiO₂ Fibers on Quartz Crystal Microbalance Platform for Formaldehyde Sensor, *Sens Actuators B Chem*, 171–172, 658–665.

- Xu, J., Zhang, Y., Zeng, L., Liu, J., Kinsella, J.M., dan Sheng, R., 2016, A Simple Naphthalene-Based Fluorescent Probe for High Selective Detection of Formaldehyde in Toffees and Hela Cells Via Aza-Cope Reaction, *Talanta*, 160, 645–652.
- Yamuna, J., Siva, T., Kumari, S.S.S., dan Sathiyarayanan, S., 2015, A Smart Poly(Aniline-Formaldehyde) Microcapsule Based Self-Healing Anticorrosive Coating, *RSC Adv*, 6, 79–86.
- Yang, M. dan He, J., 2018, A Copper-Manganese Composite Oxide As QCM Sensing Layers for Detection of Formaldehyde Gas, *RSC Adv*, 8, 22–27.
- Yang, M. dan He, J., 2016, Graphene Oxide As Quartz Crystal Microbalance Sensing Layers for Detection Of Formaldehyde, *Sens Actuators B Chem*, 228, 486–490.
- Ying, Z., Jiang, Y., Qin, H., Zheng, L., dan Du, X., 2010, A Study on Qcm Sensor for Identification of Acetone Vapor, *COMPEL*, 29, 477–483.
- Zhang, H., Guo, Y., dan Meng, F., 2022, Metal Oxide Semiconductor Sensors for Triethylamine Detection: Sensing Performance and Improvements, *Chemosensors*, 10, .
- Zhu, H., Peng, S., dan Jiang, W., 2013, Electrochemical Properties of PANI As Single Electrode of Electrochemical Capacitors in Acid Electrolytes, *Sci. World J.*, 2013, .