

DAFTAR PUSTAKA

- Abualreish, M.J. and Noubigh, A., 2020, Experimental measurement and correlation of two α -amino acids solubility in aqueous salts solutions from 298.15 to 323.15 K, *Korean Chem. Eng. Res.*, 58, 98–105.
- Acemioglu, B. and Alma, M.H., 2001, Equilibrium studies on adsorption of Cu(II) from aqueous solution onto cellulose, *J. Colloid Interface Sci.*, 243, 81–84.
- Afrin, S., Shuvo, H.R., Sultana, B., Islam, F., Rus'd, A.A., Begum, S., and Hossain, M.N., 2021, The degradation of textile industry dyes using the effective bacterial consortium, *Heliyon*, 7, e08102.
- Alam, M.N. and Christopher, L.P., 2018a, Natural Cellulose-Chitosan Cross-Linked Superabsorbent Hydrogels with Superior Swelling Properties, *ACS Sustain Chem. Eng.*, 6, 8736–8742.
- Alam, M.N. and Christopher, L.P., 2018b, Natural Cellulose-Chitosan Cross-Linked Superabsorbent Hydrogels with Superior Swelling Properties, *ACS Sustain Chem. Eng.*, 6, 8736–8742.
- Ali, F., Ali, N., Bibi, I., Said, A., Nawaz, S., Ali, Z., Salman, S.M., Iqbal, H.M.N., and Bilal, M., 2020, Adsorption isotherm, kinetics and thermodynamic of acid blue and basic blue dyes onto activated charcoal, *Case Stud. Chem. Environ. Eng.*, 2, 100040.
- Angele, M.K., Smail, N., Kno, M.W., Ayala, A., Cioffi, W.G., Chaudry, I.H., and Knöferl, M.W., 1999, L-Arginine restores splenocyte functions after trauma and hemorrhage potentially by improving splenic blood flow, *Am. J. Physiol. Cell. Physiol.*, 276, 45-51.
- Bello, O.S., Alabi, E.O., Adegoke, K.A., Adegboyega, S.A., Inyinbor, A.A., and Dada, A.O., 2020, Rhodamine B dye sequestration using Gmelina aborea leaf powder, *Heliyon*, 6, e02872.
- Bouaziz, F., Koubaa, M., Kallel, F., Ghorbel, R.E., and Chaabouni, S.E., 2017, Adsorptive removal of malachite green from aqueous solutions by almond gum: Kinetic study and equilibrium isotherms, *Int. J. Biol. Macromol.*, 105, 56–65.
- Carmona-Garcia, R., Sanchez-Rivera, M.M., Méndez-Montealvo, G., Garza-Montoya, B., and Bello-Pérez, L.A., 2009, Effect of the cross-linked reagent type on some morphological, physicochemical and functional characteristics of banana starch (*Musa paradisiaca*), *Carbohydr. Polym.*, 76, 117–122.

- Chen, R., Zhang, Y., Shen, L., Wang, X., Chen, J., Ma, A., and Jiang, W., 2015, Lead(II) and methylene blue removal using a fully biodegradable hydrogel based on starch immobilized humic acid, *Chem. Eng. J.*, 268, 348–355.
- Cheng, Z.L., Li, Y. xiang, and Liu, Z., 2018, Study on adsorption of rhodamine B onto Beta zeolites by tuning SiO₂/Al₂O₃ ratio, *Ecotoxicol Environ. Saf.*, 148, 585–592.
- Chu, Y., Khan, M.A., Wang, F., Xia, M., Lei, W., and Zhu, S., 2019, Kinetics and equilibrium isotherms of adsorption of Pb(II) and Cu(II) onto raw and arginine-modified montmorillonite, *Adv. Powder Technol.*, 30, 1067–1078.
- Cundari, L., Sari, K.F., and Anggraini, L., 2018, Batch Study, Kinetic and Equilibrium Isotherms Studies of Dye Adsorption of Jumputan Wastewater onto Betel Nuts Adsorbent, *J. Phys. Conf. Ser.*, Institute of Physics Publishing.
- Dawood, S., Sen, T.K., and Phan, C., 2014, Synthesis and characterisation of novel-activated carbon from waste biomass pinecone and its application in the removal of congo red dye from aqueous solution by adsorption, *Water, Air, Soil, Pollut.*, 225, 1818.
- Demirbas, A., 2008a, Heavy metal adsorption onto agro-based waste materials: A review, *J. Hazard. Mater.*, 157, 220–229.
- Demirbas, A., 2008b, Heavy metal adsorption onto agro-based waste materials: A review, *J. Hazard. Mater.*, 157, 220–229.
- Dixit, T.K., Sharma, S., and Sinha, A.S.K., 2020, Development of heterojunction in N-rGO supported bismuth ferrite photocatalyst for degradation of Rhodamine B, *Inorg. Chem. Commun.*, 117, 107945.
- Dridi-Dhaouadi, S., Douissa-Lazreg, N. ben, and M'Henni, M.F., 2011, Removal of lead and Yellow 44 acid dye in single and binary component systems by raw *Posidonia oceanica* and the cellulose extracted from the raw biomass, *Environ. Technol.*, 32, 325–340.
- Fan, G., Wang, M., Liao, C., Fang, T., Li, J., and Zhou, R., 2013, Isolation of cellulose from rice straw and its conversion into cellulose acetate catalyzed by phosphotungstic acid, *Carbohydr. Polym.*, 94, 71–76.
- Fan, X., Deng, L., Li, K., Lu, H., Wang, R., and Li, W., 2021, Adsorption of malachite green in aqueous solution using sugarcane bagasse-barium carbonate composite, *Colloids Interface Sci. Commun.*, 44, 100485.
- Foo, K.Y. and Hameed, B.H., 2010, Insights into the modeling of adsorption isotherm systems, *Chem. Eng. J.*, 156, 2–10.

- Gabriel, L. and Heinze, T., 2018, Diversity of polysaccharide structures designed by aqueous Ugi-multi-compound reaction, *Cell.*, 25, 2849–2859.
- Gong, J., Li, J., Xu, J., Xiang, Z., and Mo, L., 2017, Research on cellulose nanocrystals produced from cellulose sources with various polymorphs, *RSC Adv.*, 7, 33486–33493.
- Gong, R., Jin, Y., Chen, F., Chen, J., and Liu, Z., 2006, Enhanced malachite green removal from aqueous solution by citric acid modified rice straw, *J. Hazard. Mater.*, 137, 865–870.
- Guo, S., Zhu, X., Yang, C., Zhang, J., Zhang, F., and Li, X., 2019, Synthesis and characterization of L-arginine/Fe₃O₄ adsorbent for the removal of methyl orange from aqueous solutions, *Ionics (Kiel)*, 25, 1323–1330.
- Gupta, V.K. and Suhas, 2009, Application of low-cost adsorbents for dye removal - A review, *J. Environ. Manage.*, 90, 2313–2342.
- Hennink, W.E. and van Nostrum, C.F., 2012, Novel crosslinking methods to design hydrogels, *Adv. Drug. Deliv. Rev.*, 64, 223–236.
- Horie, K., Barón, M., Fox, R.B., He, J., Hess, M., Kahovec, J., Kitayama, T., Kubisa, P., Maréchal, E., Mormann, W., Stepto, R.F.T., Tabak, D., Vohlídal, J., Wilks, E.S., and Work, W.J., 2004, International union of pure and applied chemistry macromolecular terminology, *Pure. Appl. Chem.*, 76, 889–906.
- Inyinbor, A.A., Adekola, F.A., and Olatunji, G.A., 2016, Liquid phase adsorption of Rhodamine B dye onto acid-treated *Raphia hookeri* fruit epicarp: Isotherms, kinetics and thermodynamics studies, *S. Afr. J. Chem.*, 69, 218–226.
- Irawati H, Aprilita NH, Sugiharto E (2018) Adsorpsi zat warna kristal violet menggunakan limbah kulit singkong (*Manihot esculenta*). *Bimipa*, 25, 17–31.
- Iriarte-Velasco, U., Chimeno-Alanís, N., González-Marcos, M.P., and Álvarez-Uriarte, J.I., 2011, Relationship between thermodynamic data and adsorption/desorption performance of acid and basic dyes onto activated carbons, *J. Chem. Eng. Data*, 56, 2100–2109.
- Jawad, A.H., Razuan, R., Appaturi, J.N., and Wilson, L.D., 2019, Adsorption and mechanism study for methylene blue dye removal with carbonized watermelon (*Citrullus lanatus*) rind prepared via one-step liquid phase H₂SO₄ activation, *Surf. Interfaces*, 16, 76–84.
- Jenis Adsorben dan Konsentrasi Uranium Terhadap Pemungutan Uranium Dari Larutan Uranil Nitrat Ratih Langenati, P., Mordiono, R.M., Mustika, D., Wasito, B., 2012, Pengaruh jenis adsorben dan konsentrasi uranium terhadap pemungutan uranium dari larutan uranil, *J. Tek. Bhn. Nukl.*, 8, 67-122.

- Jiang, H., Yang, Y., Lin, Z., Zhao, B., Wang, J., Xie, J., and Zhang, A., 2020, Preparation of a novel bio-adsorbent of sodium alginate grafted polyacrylamide/graphene oxide hydrogel for the adsorption of heavy metal ion, *Sci. Total Environ.*, 744, 140653.
- Jiang, Z., Ho, S.H., Wang, X., Li, Y., and Wang, C., 2021, Application of biodegradable cellulose-based biomass materials in wastewater treatment, *Environ. Pollut.*, 290, 118087.
- Jiang, Z. and Hu, D., 2019, Molecular mechanism of anionic dyes adsorption on cationized rice husk cellulose from agricultural wastes, *J. Mol. Liq.*, 276, 105–114.
- Jin, Y., Zhang, B., Chen, G., Chen, H., and Tang, S., 2022, Combining biological and chemical methods to disassemble of cellulose from corn straw for the preparation of porous carbons with enhanced adsorption performance, *Int J Biol. Macromol.*, 209, 315–329.
- John, M.J. and Thomas, S., 2008, Biofibres and biocomposites, *Carbohydr. Polym.*, 71, 343–364.
- Kara, A., Uzun, L., Beşirli, N., and Denizli, A., 2004, Polyethylene glycol dimethacrylate-n-vinyl imidazole beads for heavy metal removal, *J. Hazard. Mater.*, 106, 93–99.
- Katz, J.S., Levine, D.H., Davis, K.P., Bates, F.S., Hammer, D.A., and Burdick, J.A., 2009, Membrane stabilization of biodegradable polymersomes, *Langmuir*, 25, 4429–4434.
- Kaur, J., Sengupta, P., and Mukhopadhyay, S., 2022, Critical Review of Bioadsorption on Modified Cellulose and Removal of Divalent Heavy Metals (Cd, Pb, and Cu), *Ind. Eng. Chem. Res.*, 61, 1921–1954.
- Kausar, A., Shahzad, R., Asim, S., BiBi, S., Iqbal, J., Muhammad, N., Sillanpaa, M., and Din, I.U., 2021, Experimental and theoretical studies of Rhodamine B direct dye sorption onto clay-cellulose composite, *J. Mol. Liq.*, 328, 115165.
- Kishor, R., Purchase, D., Saratale, G.D., Saratale, R.G., Ferreira, L.F.R., Bilal, M., Chandra, R., and Bharagava, R.N., 2021, Ecotoxicological and health concerns of persistent coloring pollutants of textile industry wastewater and treatment approaches for environmental safety, *J. Environ. Chem. Eng.*, 9, 105012.
- Kittipongpatana, O.S. and Kittipongpatana, N., 2013, Physicochemical, in vitro digestibility and functional properties of carboxymethyl rice starch cross-linked with epichlorohydrin, *Food Chem.*, 141, 1438–1444.

- Klemm, D., Heublein, B., Fink, H.P., and Bohn, A., 2005, Cellulose: Fascinating biopolymer and sustainable raw material, *Angew. Chem., Int. Ed.*, 44, 3358–3393.
- Kumar, B. and Kumar, U., 2015, Adsorption of malachite green in aqueous solution onto sodium carbonate treated rice husk, *Korean J. Chem. Eng.*, 32, 1655–1666.
- Kumari, S., Mankotia, D., and Chauhan, G.S., 2016, Crosslinked cellulose dialdehyde for Congo red removal from its aqueous solutions, *J. Environ. Chem. Eng.*, 4, 1126–1136.
- Lari, G.M., Pastore, G., Mondelli, C., and Pérez-Ramírez, J., 2018, Towards sustainable manufacture of epichlorohydrin from glycerol using hydrotalcite-derived basic oxides, *Green Chem.*, 20, 148–159.
- Lesbani, A., Palapa, N.R., Sayeri, R.J., Taher, T., and Hidayati, N., 2021, High reusability of NiAl LDH/biochar composite in the removal methylene blue from aqueous solution, *Indones. J. Chem.*, 21, 421–434.
- di Liberto, G., Maleki, F., and Pacchioni, G., 2022, PH Dependence of MgO, TiO₂, and γ -Al₂O₃ Surface Chemistry from First Principles, *J. Phys. Chem.*, 126, 10216–10223.
- Lynam, M.M., Kilduff, J.E., and Weber, W.J., 1995, Adsorption of p-Nitrophenol from Dilute Aqueous Solution An Experiment in Physical Chemistry with an Environmental Application, *J. Chem. Educ.*, 72, 80-84.
- M. Cuong, N., Ishizaka, S., and Kitamura, N., 2012, Donnan Electric Potential Dependence of Intraparticle Diffusion of Malachite Green in Single Cation Exchange Resin Particles: A Laser Trapping-Microspectroscopy Study, *Am. J. Analyt. Chem.*, 03, 188–194.
- Mamat, M., Abdullah, M.A.A., Kadir, M.A., Jaafar, A.M., and Kusrini, E., 2018, Preparation of layered double hydroxides with different divalent metals for the adsorption of methyl orange dye from aqueous solutions, *Int. J. Technol.*, 9, 1103–1111.
- Mane, S., Gao, Z.Y., Li, Y.X., Xue, D.M., Liu, X.Q., and Sun, L.B., 2017, Fabrication of microporous polymers for selective CO₂ capture: The significant role of crosslinking and crosslinker length, *J. Mater. Chem. Mater.*, 5, 23310–23318.
- Manzoor, K., Ahmad, M., Ahmad, S., and Ikram, S., 2019, Removal of Pb(ii) and Cd(ii) from wastewater using arginine cross-linked chitosan-carboxymethyl cellulose beads as green adsorbent, *RSC., Adv.*, 9, 7890–7902.

- Mashkoo, F. and Nasar, A., 2019, Preparation, characterization and adsorption studies of the chemically modified *Luffa aegyptica* peel as a potential adsorbent for the removal of malachite green from aqueous solution, *J. Mol. Liq.*, 274, 315–327.
- Mat Zain, N.F., 2014, Preparation and Characterization of Cellulose and Nanocellulose From Pomelo (*Citrus grandis*) Albedo, *J Nutr Food Sci*, 05, .
- Mirmohamadsadeghi, S. and Karimi, K., 2020, Recovery of silica from rice straw and husk., In, *Current Developments in Biotechnology and Bioengineering: Resource Recovery from Wastes*. Elsevier, pp. 411–433.
- Mishra, A., Gupta, B., Kumar, N., Singh, R., Varma, A., and Thakur, I.S., 2020, Synthesis of calcite-based bio-composite biochar for enhanced biosorption and detoxification of chromium Cr (VI) by *Zhihengliuella* sp. ISTPL4, *Bioresour. Technol.*, 307, 123262.
- Mohadi, R., Salasia Fitri, E., and Rahayu Palapa, N., 2022, Unique Adsorption Properties of Cationic Dyes Malachite Green and Rhodamine-B on Longan (*Dimocarpus longan*) Peel, *Sci. Technol. Indones.*, 7, 115-125.
- Mohammadi, M., Hassani, A.J., Mohamed, A.R., and Najafpour, G.D., 2010, Removal of rhodamine b from aqueous solution using palm shell-based activated carbon: Adsorption and kinetic studies, *J. Chem. Eng. Data.*, 55, 5777–5785.
- Momina, Rafatullah, M., Ismail, S., and Ahmad, A., 2019, Optimization study for the desorption of methylene blue dye from clay based adsorbent coating, *Water (Switzerland)*, 11, 1304.
- Morales, J., Manso, J.A., Cid, A., and Mejuto, J.C., 2012, Degradation of carbofuran and carbofuran-derivatives in presence of humic substances under basic conditions, *Chemosphere*, 89, 1267–1271.
- Namasivayam, C., Sangeetha, D., and Gunasekaran, R., 2007, Removal of anions, heavy metals, organics and dyes from water by adsorption onto a new activated carbon from *Jatropha* husk, an agro-industrial solid waste, *Process Safety and Environmental Protection*, 85, 181–184.
- Normah, N., Juleanti, N., Siregar, P.M.S.B.N., Wijaya, A., Palapa, N.R., Taher, T., and Lesbani, A., 2021, Size selectivity of anionic and cationic dyes using LDH modified adsorbent with low-cost rambutan peel to hydrochar, *Bulletin of Chemical Reaction Engineering & Catalysis*, 16, 869–880.
- Noroozi, B. and Sorial, G.A., 2013, Applicable models for multi-component adsorption of dyes: A review, *J. Environ. Sci. (China)*, 25, 419–429.

- O. Mota, L. and F. Gimenez, I., 2022, Cellulose-Based Materials Crosslinked with Epichlorohydrin: A Mini Review, *Revista Virtual de Química*, 1-12.
- O'Connell, D.W., Birkinshaw, C., and O'Dwyer, T.F., 2008a, Heavy metal adsorbents prepared from the modification of cellulose: A review, *Bioresour. Technol.*, 99, 6709–6724.
- O'Connell, D.W., Birkinshaw, C., and O'Dwyer, T.F., 2008b, Heavy metal adsorbents prepared from the modification of cellulose: A review, *Bioresour. Technol.*, 99, 6709–6724.
- de Oliveira, E.M., da Costa, R.F., Sanchez, S.D.A., Natalense, A.P.P., Bettega, M.H.F., Lima, M.A.P., and Varella, M.T.D.N., 2013, Low-energy electron scattering by cellulose and hemicellulose components, *Phys. Chem. Chemical Physics*, 15, 1682–1689.
- Oyekanmi, A.A., Ahmad, A., Hossain, K., and Rafatullah, M., 2019, Statistical optimization for adsorption of Rhodamine B dye from aqueous solutions, *J. Mol. Liq.*, 281, 48–58.
- Pratiwi, R., Rahayu, D., and Barliana, M.I., 2016, Pemanfaatan Selulosa dari Limbah Jerami Padi (*Oryza sativa*) sebagai Bahan Bioplastik, *J. Phram. Sci. Technol.*, 3, 83-91.
- Reddy, N. and Yang, Y., 2006, Properties of high-quality long natural cellulose fibers from rice straw, *J. Agric. Food Chem.*, 54, 8077–8081.
- Shamsollahi, Z. and Partovinia, A., 2019, Recent advances on pollutants removal by rice husk as a bio-based adsorbent: A critical review, *J. Environ. Manage.*, 246, 314–323.
- Song, Y., Ding, S., Chen, S., Xu, H., Mei, Y., and Ren, J., 2015, Removal of malachite green in aqueous solution by adsorption on sawdust, *Korean J. Chem. Eng.*, 32, 2443–2448.
- Suc, N. van and Kim Chi, D., 2017, Removal of rhodamine B from aqueous solution via adsorption onto microwave-activated rice husk ash, *J. Dispers. Sci. Technol.*, 38, 216–222.
- Tan, I.A.W., Hameed, B.H., and Ahmad, A.L., 2007, Equilibrium and kinetic studies on basic dye adsorption by oil palm fibre activated carbon, *Chem. Eng. J.*, 127, 111–119.
- Ting, A.S.Y., Cheng, C.K.W., and Santiago, K.A.A., 2021, Decolourization of malachite green dye by endolichenic fungi from the lichen *Usnea* sp.: A novel study on their dye removal potential, *J. King Saud. Univ. Sci.*, 33, 101579.

- Udoetok, I.A., Dimmick, R.M., Wilson, L.D., and Headley, J. v., 2016, Adsorption properties of cross-linked cellulose-epichlorohydrin polymers in aqueous solution, *Carbohydr. Polym.*, 136, 329–340.
- Wan Ngah, W.S., Hanafiah, M.A.K.M., and Yong, S.S., 2008, Adsorption of humic acid from aqueous solutions on crosslinked chitosan-epichlorohydrin beads: Kinetics and isotherm studies, *Colloids Surf. Biointerfaces*, 65, 18–24.
- Wang, J. and Guo, X., 2020, Adsorption kinetic models: Physical meanings, applications, and solving methods, *J. Hazard. Mater.*, 390, 122156.
- Wijaya, A., Mega, P., Bahar, S., Siregar, N., Priambodo, A., Palapa, N.R., Taher, T., and Lesbani, A., 2021, Innovative Modified of Cu-Al/C (Biochar, Graphite) Composites for Removal of Procion Red from Aqueous Solution, *Sci. Technol. Indones.*, 6, 228-234.
- Wu, Y., Tang, Q., Yang, F., Xu, L., Wang, X., and Zhang, J., 2019, Mechanical and thermal properties of rice straw cellulose nanofibrils-enhanced polyvinyl alcohol films using freezing-and-thawing cycle method, *Cell.*, 26, 3193–3204.
- Yaseen, D.A. and Scholz, M., 2019, Textile dye wastewater characteristics and constituents of synthetic effluents: a critical review, *Int. J. Environ. Sci. Technol.*, 16, 1193–1226.
- You, X., Zhou, R., Zhu, Y., Bu, D., and Cheng, D., 2022, Adsorption of dyes methyl violet and malachite green from aqueous solution on multi-step modified rice husk powder in single and binary systems: Characterization, adsorption behavior and physical interpretations, *J. Hazard. Mater.*, 430, 128445.
- Zainal, S.H., Mohd, N.H., Suhaili, N., Anuar, F.H., Lazim, A.M., and Othaman, R., 2021, Preparation of cellulose-based hydrogel: A review, *J. Mater. Res. Technol.*, 10, 935–952.
- Zamouche, M. and Hamdaoui, O., 2012, Sorption of Rhodamine B by cedar cone: Effect of pH and ionic strength, *Int. Energy Procedia*. Elsevier BV, pp. 1228–1239.
- Zhang, H., Wang, P., Zhang, Y., Cheng, B., Zhu, R., and Li, F., 2020a, Synthesis of a novel arginine-modified starch resin and its adsorption of dye wastewater, *RSC Adv*, 10, 41251–41263.
- Zhang, H., Wang, P., Zhang, Y., Cheng, B., Zhu, R., and Li, F., 2020b, Synthesis of a novel arginine-modified starch resin and its adsorption of dye wastewater, *RSC., Adv.*, 10, 41251–41263.
- Zhang, R., Hummelgard, M., Lv, G., Olin, H., 2011, Real time monitoring of the drug release of rhodamine B on graphene oxide, *Carbon*, 49, 1126–1132.

- Zhou, C., Wu, Q., Lei, T., and Negulescu, I.I., 2014, Adsorption kinetic and equilibrium studies for methylene blue dye by partially hydrolyzed polyacrylamide/cellulose nanocrystal nanocomposite hydrogels, *Chem. Eng. J.*, 251, 17–24.
- Zhou, Y., Min, Y., Qiao, H., Huang, Q., Wang, E., and Ma, T., 2015, Improved removal of malachite green from aqueous solution using chemically modified cellulose by anhydride, *Int. J. Biol. Macromol.*, 74, 271–277.
- Zubair, M., Jarrah, N., Ihsanullah, Khalid, A., Manzar, M.S., Kazeem, T.S., and Al-Harthi, M.A., 2018, Starch-NiFe-layered double hydroxide composites: Efficient removal of methyl orange from aqueous phase, *J. Mol. Liq.*, 249, 254–264.