

## DAFTAR PUSTAKA

- Alshoabi, S. A., Alareqi, A. A., Omer, A. M., Suliman, A. G. and Daqqaq, T. S. (2021) Diffuse astrocytoma and the diagnostic dilemma of an unusual phenotype: A case report, *Radiology Case Reports*, 16 (2), pp. 319–326. DOI:10.1016/j.radcr.2020.11.023.
- Alther, B., Mylius, V., Weller, M. and Gantenbein, A. R. (2020) From first symptoms to diagnosis: Initial clinical presentation of primary brain tumors, *Clinical and Translational Neuroscience*, 4, pp. 2514183X2096836. DOI:10.1177/2514183X20968368.
- Ansari, S. F., Shah, K. J., Hassaneen, W. and Cohen-Gadol, A. A. (2020) Vascularity of meningiomas., *Handbook of Clinical Neurology*, 169, pp. 153–165. DOI:10.1016/B978-0-12-804280-9.00010-X.
- Auer, T. A., Kern, M., Fehrenbach, U., Tanyldizi, Y., Misch, M. and Wiener, E. (2021) T2 mapping of the peritumoral infiltration zone of glioblastoma and anaplastic astrocytoma., *The Neuroradiology Journal*, pp. 1971400921989325. DOI:10.1177/1971400921989325.
- Bai, J., Varghese, J. and Jain, R. (2020) Adult Glioma WHO Classification Update, Genomics, and Imaging: What the Radiologists Need to Know., *Topics in Magnetic Resonance Imaging: TMRI*, 29 (2), pp. 71–82. DOI:10.1097/RMR.0000000000000234.
- Baig, M. A., Klein, J. P. and Mechtler, L. L. (2016) Imaging of Brain Tumors., *Continuum (Minneapolis, Minn.)*, 22 (5, Neuroimaging), pp. 1529–1552. DOI:10.1212/CON.0000000000000388.
- Berhouma, M., Jacquesson, T., Jouanneau, E. and Cotton, F. (2019) Pathogenesis of peri-tumoral edema in intracranial meningiomas., *Neurosurgical Review*, 42 (1), pp. 59–71. DOI:10.1007/s10143-017-0897-x.
- Bosma, I., Vos, M. J., Heimans, J. J., Taphoorn, M. J. B., Aaronson, N. K., Postma, T. J., *et al.* (2007) The course of neurocognitive functioning in high-grade glioma patients., *Neuro-Oncology*, 9 (1), pp. 53–62. DOI:10.1215/15228517-2006-012.
- Brandão, L. A., Shiroishi, M. S. and Law, M. (2013) Brain tumors: a multimodality approach with diffusion-weighted imaging, diffusion tensor imaging, magnetic resonance spectroscopy, dynamic susceptibility contrast and dynamic contrast-enhanced magnetic resonance imaging., *Magnetic Resonance Imaging Clinics of North America*, 21 (2), pp. 199–239. DOI:10.1016/j.mric.2013.02.003.
- Çelik, S., Öven, B. B., Demir, M. K., Yılmaz, E. Ç., Kanan, D., Özdamarlar, U., Emirzeoglu, L., Yapıcıer, Ö. and Kılıç, T. (2021) Magnetic resonance imaging criteria for prediction of isocitrate dehydrogenase (IDH) mutation status in patients with grade II-III astrocytoma and

- oligodendroglioma., *Clinical Neurology and Neurosurgery*, 207, pp. 106745. DOI:10.1016/j.clineuro.2021.106745.
- Cha, S. (2006) Update on brain tumor imaging: from anatomy to physiology., *AJNR. American Journal of Neuroradiology*, 27 (3), pp. 475–487.
- Chepuri, N. B., Yen, Y.-F., Burdette, J. H., Li, H., Moody, D. M. and Maldjian, J. A. (2002) Diffusion anisotropy in the corpus callosum., *AJNR. American Journal of Neuroradiology*, 23 (5), pp. 803–8.
- Dahlan, S. (2013) *Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan*. 3rd ed. Jakarta: Salemba Medika.
- Dahlan, S. (2015) *Statistik Untuk Kedokteran Dan Kesehatan: Deskriptif, Bivariat, dan Multivariat (Statistic for Medicine and Health Science: Descriptive, Bivariate, and Multivariate)*. 6th ed., Vol. 1. Jakarta: Salemba Medika.
- Dang, M., Modi, J., Roberts, M., Chan, C. and Mitchell, J. R. (2013) Validation study of a fast, accurate, and precise brain tumor volume measurement., *Computer Methods and Programs in Biomedicine*, 111 (2), pp. 480–7. DOI:10.1016/j.cmpb.2013.04.011.
- DeAngelis, L. M. (2001) Brain Tumors, *New England Journal of Medicine*, 344 (2), pp. 114–123. DOI:10.1056/NEJM200101113440207.
- Engelhorn, T., Savaskan, N. E., Schwarz, M. A., Kreutzer, J., Meyer, E. P., Hahnen, E., *et al.* (2009) Cellular characterization of the peritumoral edema zone in malignant brain tumors., *Cancer Science*, 100 (10), pp. 1856–1862. DOI:10.1111/j.1349-7006.2009.01259.x.
- Girardi, F., Allemani, C. and Coleman, M. P. (2020) Global Trends in Survival From Astrocytic Tumors in Adolescents and Young Adults: A Systematic Review., *JNCI Cancer Spectrum*, 4 (5), pp. pkaa049. DOI:10.1093/jncics/pkaa049.
- Grimm, S. A. and Chamberlain, M. C. (2016) Anaplastic astrocytoma., *CNS Oncology*, 5 (3), pp. 145–157. DOI:10.2217/cns-2016-0002.
- Gurkanlar, D., Er, U., Sanli, M., Ozkan, M. and Sekerci, Z. (2005) Peritumoral brain edema in intracranial meningiomas., *Journal of Clinical Neuroscience: Official Journal of the Neurosurgical Society of Australasia*, 12 (7), pp. 750–753. DOI:10.1016/j.jocn.2004.09.029.
- Hirtz, A., Rech, F., Dubois-Pot-Schneider, H. and Dumond, H. (2020) Astrocytoma: A Hormone-Sensitive Tumor?, *International Journal of Molecular Sciences*, 21 (23). DOI:10.3390/ijms21239114.
- Hou, J., Kshetry, V. R., Selman, W. R. and Bambakidis, N. C. (2013) Peritumoral brain edema in intracranial meningiomas: the emergence of vascular endothelial growth factor-directed therapy., *Neurosurgical Focus*, 35 (6), pp. E2. DOI:10.3171/2013.8.FOCUS13301.
- Kesari, S. (2011) Understanding glioblastoma tumor biology: the potential to improve current diagnosis and treatments., *Seminars in Oncology*, 38 Suppl 4, pp. S2-10. DOI:10.1053/j.seminoncol.2011.09.005.

- Kim, B. and Gutierrez, J. E. (2012) Contrast-Enhanced MR Imaging in Neuroimaging, *Magnetic Resonance Imaging Clinics of North America*, 20 (4), pp. 649–685. DOI:<https://doi.org/10.1016/j.mric.2012.07.003>.
- Kim, B.-W., Kim, M.-S., Kim, S.-W., Chang, C.-H. and Kim, O.-L. (2011) Peritumoral brain edema in meningiomas: correlation of radiologic and pathologic features., *Journal of Korean Neurosurgical Society*, 49 (1), pp. 26–30. DOI:10.3340/jkns.2011.49.1.26.
- Kleihues, P., Soylemezoglu, F., Schäuble, B., Scheithauer, B. W. and Burger, P. C. (1995) Histopathology, classification, and grading of gliomas., *Glia*, 15 (3), pp. 211–221. DOI:10.1002/glia.440150303.
- Komori, T. (2017) The 2016 WHO Classification of Tumours of the Central Nervous System: The Major Points of Revision., *Neurologia Medico-Chirurgica*, 57 (7), pp. 301–311. DOI:10.2176/nmc.ra.2017-0010.
- Kristensen, B. W., Priesterbach-Ackley, L. P., Petersen, J. K. and Wesseling, P. (2019) Molecular pathology of tumors of the central nervous system., *Annals of Oncology: Official Journal of the European Society for Medical Oncology*, 30 (8), pp. 1265–1278. DOI:10.1093/annonc/mdz164.
- Larjavaara, S., Mäntylä, R., Salminen, T., Haapasalo, H., Raitanen, J., Jääskeläinen, J. and Auvinen, A. (2007) Incidence of gliomas by anatomic location., *Neuro-Oncology*, 9 (3), pp. 319–325. DOI:10.1215/15228517-2007-016.
- Lequin, M. and Hendrikse, J. (2017) Advanced MR Imaging in Pediatric Brain Tumors, Clinical Applications, *Neuroimaging Clinics of North America*, 27 (1), pp. 167–190. DOI:<https://doi.org/10.1016/j.nic.2016.08.007>.
- Lipton, M. L. (2008) *Totally Accessible MRI: A User's Guide to Principles, Technology, and Applications*.
- Louis, D. N., Perry, A., Reifenberger, G., von Deimling, A., Figarella-Branger, D., Cavenee, W. K., *et al.* (2016) The 2016 World Health Organization Classification of Tumors of the Central Nervous System: a summary., *Acta Neuropathologica*, 131 (6), pp. 803–820. DOI:10.1007/s00401-016-1545-1.
- Mickevicius, N. J., Carle, A. B., Bluemel, T., Santarriaga, S., Schloemer, F., Shumate, D., Connelly, J., Schmainda, K. M. and LaViolette, P. S. (2015) Location of brain tumor intersecting white matter tracts predicts patient prognosis., *Journal of Neuro-Oncology*, 125 (2), pp. 393–400. DOI:10.1007/s11060-015-1928-5.
- Nabors, L. B. (2016) Central Nervous System: Notable Developments in the Management of Primary and Recurrent Gliomas., *Journal of the National Comprehensive Cancer Network: JNCCN*, 14 (5 Suppl), pp. 681–684. DOI:10.6004/jnccn.2016.0192.

- Nabors, L. B., Portnow, J., Ahluwalia, M., Baehring, J., Brem, H., Brem, S., *et al.* (2020) Central Nervous System Cancers, Version 3.2020, NCCN Clinical Practice Guidelines in Oncology., *Journal of the National Comprehensive Cancer Network: JNCCN*, 18 (11), pp. 1537–1570. DOI:10.6004/jnccn.2020.0052.
- Onizuka, H., Masui, K. and Komori, T. (2020) Diffuse gliomas to date and beyond 2016 WHO Classification of Tumours of the Central Nervous System., *International Journal of Clinical Oncology*, 25 (6), pp. 997–1003. DOI:10.1007/s10147-020-01695-w.
- Ono, Y., Chernov, M. F., Muragaki, Y., Maruyama, T., Abe, K. and Iseki, H. (2018) Imaging of Intracranial Gliomas., *Progress in Neurological Surgery*, 30, pp. 12–62. DOI:10.1159/000464376.
- Ostrom, Q. T., Bauchet, L., Davis, F. G., Deltour, I., Fisher, J. L., Langer, C. E., *et al.* (2014) The epidemiology of glioma in adults: a ‘state of the science’ review., *Neuro-Oncology*, 16 (7), pp. 896–913. DOI:10.1093/neuonc/nou087.
- Ostrom, Q. T., Cioffi, G., Waite, K., Kruchko, C. and Barnholtz-Sloan, J. S. (2021) CBTRUS Statistical Report: Primary Brain and Other Central Nervous System Tumors Diagnosed in the United States in 2014-2018., *Neuro-Oncology*, 23 (12 Suppl 2), pp. iii1–iii105. DOI:10.1093/neuonc/noab200.
- Ostrom, Q. T., Gittleman, H., Liao, P., Vecchione-Koval, T., Wolinsky, Y., Kruchko, C. and Barnholtz-Sloan, J. S. (2017) CBTRUS Statistical Report: Primary brain and other central nervous system tumors diagnosed in the United States in 2010-2014., *Neuro-Oncology*, 19 (suppl\_5), pp. v1–v88. DOI:10.1093/neuonc/nox158.
- Ostrom, Q. T., Gittleman, H., Stetson, L., Virk, S. and Barnholtz-Sloan, J. S. (2018) Epidemiology of Intracranial Gliomas., *Progress in Neurological Surgery*, 30, pp. 1–11. DOI:10.1159/000464374.
- Ostrom, Q. T., Gittleman, H., Stetson, L., Virk, S. M. and Barnholtz-Sloan, J. S. (2015) Epidemiology of gliomas., *Cancer Treatment and Research*, 163, pp. 1–14. DOI:10.1007/978-3-319-12048-5\_1.
- Otsuka, S., Tamiya, T., Ono, Y., Michiue, H., Kurozumi, K., Daido, S., Kambara, H., Date, I. and Ohmoto, T. (2004) The relationship between peritumoral brain edema and the expression of vascular endothelial growth factor and its receptors in intracranial meningiomas., *Journal of Neuro-Oncology*, 70 (3), pp. 349–357. DOI:10.1007/s11060-004-9164-4.
- Pavlista, G., Rados, M., Pavlista, G., Pavic, L., Potocki, K. and Mayer, D. (2009) The differences of water diffusion between brain tissue infiltrated by tumor and peritumoral vasogenic edema., *Clinical Imaging*, 33 (2), pp. 96–101. DOI:10.1016/j.clinimag.2008.06.035.
- Pooley, R. A. (2005) AAPM/RSNA physics tutorial for residents: fundamental physics of MR imaging., *Radiographics : A Review Publication of the*

*Radiological Society of North America, Inc*, 25 (4), pp. 1087–1099.  
DOI:10.1148/rg.254055027.

Puri, L. (2021) *Korelasi Antara Edema Otak Peritumoral Meningioma Pada MRI Dengan Derajat Histopatologi*. Universitas Gadjah Mada, Yogyakarta.

Qiu, X.-X., Chen, L., Wang, C.-H., Lin, Z.-X., Zhou, C.-F., Liu, S.-Y., Wang, X.-F. and Chen, Y.-P. (2014) High delta-like ligand 4 (DLL4) is correlated with peritumoral brain edema and predicts poor prognosis in primary glioblastoma., *Medicine*, 93 (8), pp. e57.  
DOI:10.1097/MD.0000000000000057.

Rees, J. H. (2011) Diagnosis and treatment in neuro-oncology: an oncological perspective., *The British Journal of Radiology*, 84 Spec No (Spec Iss 2), pp. S82-9. DOI:10.1259/bjr/18061999.

Rees, J. H., Smirniotopoulos, J. G., Jones, R. v and Wong, K. (1996) Glioblastoma multiforme: radiologic-pathologic correlation., *Radiographics: A Review Publication of the Radiological Society of North America, Inc*, 16 (6), pp. 1413. DOI:10.1148/radiographics.16.6.8946545.

Reimer, P., Parizel, P. M., Meaney, J. F. M. and Stichnoth, F.-A. (2010) *Clinical MR Imaging A Practical Approach*.

Sastroasmoro and Ismael (2011) *Usulan Penelitian. In: Dasar-Dasar Metodologi Penelitian Klinis*. 4th ed. Jakarta: Sagung Seto.

Seidel, C., Dörner, N., Osswald, M., Wick, A., Platten, M., Bendszus, M. and Wick, W. (2011) Does age matter? - A MRI study on peritumoral edema in newly diagnosed primary glioblastoma., *BMC Cancer*, 11, pp. 127.  
DOI:10.1186/1471-2407-11-127.

Stoyanov, G. S. and Dzhenkov, D. L. (2018) On the Concepts and History of Glioblastoma Multiforme - Morphology, Genetics and Epigenetics., *Folia Medica*, 60 (1), pp. 48–66. DOI:10.1515/folmed-2017-0069.

Sung, H., Ferlay, J., Siegel, R. L., Laversanne, M., Soerjomataram, I., Jemal, A. and Bray, F. (2021) Global Cancer Statistics 2020: GLOBOCAN Estimates of Incidence and Mortality Worldwide for 36 Cancers in 185 Countries., *CA: A Cancer Journal for Clinicians*, 71 (3), pp. 209–249.  
DOI:10.3322/caac.21660.

Svolos, P., Tsolaki, E., Kapsalaki, E., Theodorou, K., Fountas, K., Fezoulidis, I. and Tsougos, I. (2013) Investigating brain tumor differentiation with diffusion and perfusion metrics at 3T MRI using pattern recognition techniques., *Magnetic Resonance Imaging*, 31 (9), pp. 1567–1577.  
DOI:10.1016/j.mri.2013.06.010.

Theeler, B. J. and Groves, M. D. (2011) High-grade gliomas., *Current Treatment Options in Neurology*, 13 (4), pp. 386–399. DOI:10.1007/s11940-011-0130-0.

van de Kelft, E. (1997) Molecular pathogenesis of astrocytoma and glioblastoma multiforme., *Acta Neurochirurgica*, 139 (7), pp. 589–599.  
DOI:10.1007/BF01411992.



- Villanueva-Meyer, J. E., Mabray, M. C. and Cha, S. (2017) Current Clinical Brain Tumor Imaging., *Neurosurgery*, 81 (3), pp. 397–415. DOI:10.1093/neuros/nyx103.
- Wang, W., DA, R., Wang, M., Wang, T., Qi, L., Jiang, H., Chen, W. and Li, Q. (2013) Expression of brain-specific angiogenesis inhibitor 1 is inversely correlated with pathological grade, angiogenesis and peritumoral brain edema in human astrocytomas., *Oncology Letters*, 5 (5), pp. 1513–1518. DOI:10.3892/ol.2013.1250.
- Weller, M., van den Bent, M., Preusser, M., le Rhun, E., Tonn, J. C., Minniti, G., *et al.* (2021) EANO guidelines on the diagnosis and treatment of diffuse gliomas of adulthood., *Nature Reviews. Clinical Oncology*, 18 (3), pp. 170–186. DOI:10.1038/s41571-020-00447-z.
- Wen, P. Y. and Kesari, S. (2008) Malignant Gliomas in Adults, *New England Journal of Medicine*, 359 (5), pp. 492–507. DOI:10.1056/NEJMra0708126.
- Wesseling, P., Kros, J. M. and Jeuken, J. W. M. (2011) The pathological diagnosis of diffuse gliomas: towards a smart synthesis of microscopic and molecular information in a multidisciplinary context, *Diagnostic Histopathology*, 17 (11), pp. 486–494. DOI:<https://doi.org/10.1016/j.mpdhp.2011.08.005>.
- Yu, J., Wang, M., Song, J., Huang, D. and Hong, X. (2016) Potential Utility of Visually AcceSAble Rembrandt Images Assessment in Brain Astrocytoma Grading., *Journal of Computer Assisted Tomography*, 40 (2), pp. 301–6. DOI:10.1097/RCT.0000000000000352.
- Zhang, M., Ye, F., Su, M., Cui, M., Chen, H. and Ma, X. (2021) The Prognostic Role of Peritumoral Edema in Patients with Newly Diagnosed Glioblastoma: A Retrospective Analysis., *Journal of Clinical Neuroscience: Official Journal of the Neurosurgical Society of Australasia*, 89, pp. 249–257. DOI:10.1016/j.jocn.2021.04.042.
- Zhang, S., Chiang, G. C.-Y., Magge, R. S., Fine, H. A., Ramakrishna, R., Chang, E. W., *et al.* (2019) MRI based texture analysis to classify low grade gliomas into astrocytoma and 1p/19q codeleted oligodendroglioma., *Magnetic Resonance Imaging*, 57, pp. 254–258. DOI:10.1016/j.mri.2018.11.008.