

DAFTAR PUSTAKA

- Aksakalli, S., Ileri, Z., dan Karacam, N., (2013) Effect Of Pine Bark Extract On Bond Strength Of Brackets Bonded To Bleached Human Tooth Enamel, *Acta Odontologica Scandinavica*, 71(6):1555-1559.
- Al-Habsyi, S.N.A., Ismiyatin, K., dan Sampoerna, G., (2021) The Role of Epigallocatechin-3-gallate as an Antioxidant After Dental Bleaching on Shear Bond Strength of Composite Resin Restoration, *Conservative Dentistry Journal*, 11(1):42-45.
- Alhasyimi, A.A., Pudyani, P.S. and Hafizi, I. (2018) Effect Of Mangosteen Peel Extract As An Antioxidant Agent On The Shear Bond Strength Of Orthodontic Brackets Bonded To Bleached Teeth, *Dental Press Journal of Orthodontics*, 23(5):58–64.
- Alkudhairy, F. et al., (2018) Effect of Er,Cr:YSGG Laser And Ascorbic Acid On The Bond Strength And Microleakage Of Bleached Enamel Surface, *Photomedicine and Laser Surgery*, 431–438.
- Alrafaa, A.A., Bilal, R. and Alshahrani, I., (2019) Does The Antioxidant Treatment Affect The Shear Bond Strength Of Orthodontic Brackets: An In Vitro Study', *JPMA*, 82–86.
- Alqahtani, M.Q., (2014) Tooth-Bleaching Procedures and Their Controversial Effect: A Literatur Review, *The Saudi Dent. J.*, 26:33-46.
- Ameli, N., Rad, N.K., Nikpour, F., dan Ghorbani, R., (2020) Effect of Short- and Long-term Use of Home and In-Office Bleaching with Carbamide Peroxide and Hydrogen Peroxide on Enamel Microhardness, *Journal of Dentistry Indonesia*, 27 (2):50-55.
- Anil, M., Ponnappa, K.C., Nitin, M., Ramesh, S., Sharanappa, K., dan Nishanti, A., (2015) Effect of 10% Sodium Ascorbate on Shear Bond Strength of Bleached Teeth - An in-vitro Study, *Journal of Clinical and Diagnostic Research.*, 9(7):31-33.
- Annusavice K.J., Shen, C., dan Rawls, H.R., (2013) *Philips' Science of Dental Materials*, Elsevier Sounders, USA, hal. 101, 279-280.
- Aristizábal, J.F., González, A.P.P. and McNamara, J.A. (2020), Improving Shear Bond Strength Of Metallic Brackets After Whitening, *Dental Press Journal of Orthodontics*, 25(5):38–43.

- Bansal, M. et al., (2019) Impact Of Different Antioxidants On The Bond Strength Of Resinbased Composite On Bleached Enamel-An In Vitro Study, *Journal of Contemporary Dental Practice*, 20(1), hal. 64–70.
- Barber, A.J. dan King, P.A., (2014) Management Of The Single Discoloured Tooth Part 1: Aetiology, Prevention And Minimally Invasive Restorative Options, *Dental update*, 41(2): 98-110.
- Gopikrishna, V., (2020) *Grossman's Endodontic Practice*, 14th edition, Wolter Kluwer, Gurgaon, hal. 458-468.
- Chaya, M., dan Hidayat, O.T., (2021) Penatalaksanaan Diskolorisasi Gigi Pasca Perawatan Endodontik dengan Teknik Walking Bleach, *Jurnal Kedokteran Gigi Universitas Padjadjaran*, 32 (2):98-104.
- Cheng, Y.L. et al., (2019) Effect Of Surface Removal Following Bleaching On The Bond Strength Of Enamel, *BMC Oral Health*, 19(1):1–6.
- Coopla, F.M., Freire, A., Bittencourt, B., Armas-vega, A., Benitez, V.E.B., Calixto, A.L., dan Loguercio, A.D., (2019) Influence Of Simplified, Higher-Concentrated Sodium Ascorbate Application Protocols On Bond Strength Of Bleached Enamel, *Journal of Clinical and Experimental Dentistry*, 11 (1):21-26.
- Elawsya, M. E., El-shehawy, T. M. dan Zaghoul, N. M., (2021) Influence Of Various Antioxidants On Micro-Shear Bond Strength Of Resin Composite To Bleached Enamel, *Journal of Esthetic and Restorative Dentistry*. 33(2): 371–379.
- Epple, M., Meyer, F., dan Enax, J., (2019) A Critical Review of Modern Concepts for Teeth Whitening, *Dentistry Journal*, 7(79): 1-13.
- Feiz, A., Mosleh, H., dan Nazeri, R., (2017) Evaluating The Effect Of Antioxidant Agents On Shear Bond Strength Of Tooth Colored Restorative Materials After Bleaching: A Systematic Review, *Journal of the Mechanical Behavior of Biomedical Materials*, 71:156-164.
- Freire, A., Durski, M.T., Ingberman, M., Nakao, L.S., Souza, E.M., Vieira, S., (2011) Assessing The Use Of 35 Percent Sodium Ascorbate For Removal Of Residual Hydrogen Peroxide After In-Office Tooth Bleaching. *JADA*, 142 (7), 836-842.
- Freire, A., Souza, E.M., Caldas, D.B.M., Rosa, E.A.R., Bordin, C.F.W., Carvalho, R.M. dan Viera, S., (2009) Reaction Kinetic of Sodium Ascorbate and Dental Bleaching Gel, *J.Dent.*, 37:932-936.
- Garg, N. dan Garg, A., (2015) *Textbook of Operative Dentistry*, 3rd ed, Jaypee Brothers, New Delhi, hal. 452-453,459.

- Ghalib, N., Ayuandyka, U., (2017) Prevalensi Diskolorisasi Gigi pada Anak Prasekolah di Kota Makassar, *Makassar Dental Journal*, 6(2): 66-72.
- Gogia, H. et al., (2018) Effect Of Different Antioxidants On Reversing Compromised Resin Bond Strength After Enamel Bleaching: An in vitro study, *Journal of Conservative Dentistry*, pp. 100–104.
- Han, Y., Mo, S., Jiang, L., dan Zhu, Y., (2014) Effects Of Antioxidants On The Microleakage Of Composite Resin Restorations After External Tooth Bleaching, *European Journal of Dentistry*, 8(2):147-153.
- Hargreaves, K., dan Berman, L.H., (2016) *Cohen's Pathways of The Pulp*, Eleventh Ed, Elsevier: California, Hal: 1009-1017.
- Ingle, J dan Bakland, L., (2019) *Ingle's Endodontics*, BC Decker Inc. Hamilton, Ontario, hal. 1208.
- Ismail, E.H., Kilinc, E., Hardigan, P.C., Rothrock, J.K., Thomposon, J.Y., dan Godoy, C.G., (2017) Effect of Two-minute Application of 35% Sodium Ascorbate on Composite Bond Strength following Bleaching, *Journal of Contemporary Dental Practice*, 18(10):274-280.
- Istianah, Ekoningtyas, E. A., Benyamin, B., (2015) Perbedaan Pengaruh Hidrogen Peroksida 35% dan Karbamid peroksida 35% terhadap Microleakage pada Resin Komposit Nanohybrid, *Odonto Dental Journal*, 2(1):20-24.
- Kadiyala, A., Saladi, H. K., Bollu, I. P., Burla, D., Ballullaya, S. V., Devalla, S., Maroli, S., & Jayaprakash, T. (2015). Effect of different anti-oxidants on shear bond strength of composite resins to bleached human enamel, *Journal of Clinical and Diagnostic Research*, 9(11), Zc40-3.
- Kavitha, M., Selvaraj, S., Khetarpal, A., Raj, A., Pasupathy, S., Shekar, S., (2016) Comparative Evaluation of Superoxide Dismutase, Alpha-Tocopherol, and 10% Sodium Ascorbate on Reversal of Shear Bond Strenght of Bleached Enamel: An In Vitro Study, *European Journal of Dentistry*, 10(1):109-115.
- Karadas, M. dan Demirbuga, S., (2019) Influence Of A Short-Time Antioxidant Application On The Dentin Bond Strength After Intracoronal Bleaching. *Microscopy Research and Technique*. 82(10): 1720–1727.
- Khoroushi, M. and Saneie, T. (2012) Post-Bleaching Application Of An Antioxidant On Dentin Bond Strength Of Three Dental Adhesives, *Dental Research Journal*, 9(1) : 46.
- Kwon, S.R., dan Wertz, P.W., (2015) Review of the Mechanism of Tooth Whitening, *Journal of Esthetic and Restorative Dentistry*, 27(5): 240 – 257.

- Liu, F., Hong, T., Xie, J., Zhan, X., dan Wang, Y., (2021) Application of Reactive Oxygen Species-Based Nanomaterials in Dentistry: A Review, *Crystals*, 11(266):1-12.
- Manoharan, M. et al., (2016) Effect Of Newer Antioxidants On The Bond Strength Of Composite On Bleached Enamel, *Journal of Indian Society of Pedodontics and Preventive Dentistry*, 391–396.
- Mulyawati, E., 2016, Pengaruh Bahan Desensitasi Pasca Bleaching Ekstrakoronal Terhadap Kekuatan Geser Pelekatan Restorasi Resin Komposit, *Majalah Kedokteran Gigi*, 2(1) : 35-39.
- Moosavi, H. et al. (2013) Antioxidant Agents And Their Effects On Shear Bond Strength Of Bleached Enamel, *Journal of Contemporary Dental Practice*, 14(5): 871–875.
- Moradian, M. et al., (2022) Comparative Evaluation Of The Postbleaching Application Of Sodium Ascorbate, Alpha-Tocopherol, And Quercetin On Shear Bond Strength Of Composite Resin To Enamel, *Clinical and Experimental Dental Research*, 1–7.
- Mortazavi, H., Baharvand, M. dan Khodadoust, A., (2014) Colors In Tooth Discoloration: A New Classification and Literature Review. *International Journal of Clinical Dentistry*. 7(1):17-28.
- Nagesh, B. et al. (2021) Effect Of Nonthermal Atmospheric Plasma On The Shear Bond Strength Of Composite Resin After Using Different Tooth-Whitening Systems: An In Vitro Study, *Journal of Conservative Dentistry*, 135–140.
- Nariratih, D., dan Widyastuti, A., (2019) Effect Of Antioxidants On The Shear Bond Strength Of Composite Resin To Enamel Following Extra-Coronal Bleaching, *Journal of Clinical and Experimental Dentistry*, 11(2):126-132.
- Nofika, R., Nugraheni, T., Hadriyanto, W., (2018) Pengaruh Aplikasi Natrium Askorbat 10 % dan 35 % Terhadap Panjang Resin Tag pada Gigi Pasca Bleaching Intrakoronal dengan Hidrogen Peroksida 35%, *Jurnal Kedokteran Gigi*, 9(2):280-286.
- Olmedo, D.E.R.P., Kury, M., Resende, B.A., dan Cavalli, V., (2021) Use Of Antioxidants To Restore Bond Strength After Tooth Bleaching With Peroxides, *European Journal of Oral Sciences*, 129(2):1-23.
- Park, J.Y., Kwon, T.Y., Kim, Y.K., (2013) Effective Application Duration of Sodium Ascorbate Antioxidant in Reducing Microleakage of Bonded Composite Restoration in Intracorally-bleached Teeth, *Restorative Dentistry and Endodontics*, 38(1):43-47.

- Patel, B., (2016) *Endodontic Treatment, Retreatment, and Surgery*, Springer, Canberra, 449.
- Pimentel, A.H. et al. (2015) Effect Of Waiting Time For Placing Resin Composite Restorations After Bleaching On Enamel Bond Strength, *Applied Adhesion Science*, 3(1).
- Pouyanfar, H., Tabaii, E. S., Aghazadeh S., Nobari, S. P. T. N., Imani, M. M., (2018) Microtensile Bond Strength Of Composite To Enamel Using Universal Adhesive With/Without Acid Etching Compared To Etch And Rinse And Self-Etch Bonding Agents, *Open Access Macedonian Journal of Medical Sciences*, 6(11): 2186–2192.
- Rana, R. dkk., (2019) Comparative Evaluation Of Effects Of Natural Antioxidants On The Shear Bond Strength Of Composite Resin To Bleached Enamel, *Indian Journal of Dental Research*, 112–116..
- Ritter, A. V., Boushell, L. W., dan Walter, R., (2019) *Sturdevant's Art and Science of Operative Dentistry*, 7th ed., Missouri: Elsevier, hal 264, 274, 275-281.
- Sa'adah, N., dkk., (2018) Pengaruh Pemberian Pasta Nano-Hidroksiapatit Terhadap Mikroporositas Enamel Setelah Perawatan Bleaching, *Majalah Kedokteran Gigi Indonesia*, 4(1):33-38.
- Saati, K. dkk., (2019) Effect Of 10% Sodium Ascorbate Applied For Different Time Periods On Shear Bond Strength Of Composite To Bleached Enamel, *Journal of Oral Research*, 8(4):337–342..
- Sakaguchi, R., Ferrance, J, dan Powers, J., (2018) *Craig's Restorative Dental Materials*, 14th Ed, China: Elsevier, hal 82, 135-136, 145-146, 256.
- Schwertner, R.C.A. et al. (2016) The Effect Of Green Tea On The Shear Strength Of Brackets After Home Whitening Treatment, *Applied Adhesion Science*, 4(1):1–7.
- Subramonian, R., Mathai, V., Angelo, J.B.M.C., dan Ravi, J., (2015) Effect of Three Different Antioxidant on the Shear Bond Strength of Composite Resin to Bleached Enamel : an in vitro Study, *Journal of Conservative Dentistry*, 18(2):144-148.
- Sundari, I., Arifin, R., dan Maulida, R., (2017), Shear Bond Strength Bracket Metal dengan Bahan Adhesif Chemicallly Cured dan Light Cured yang Terkontaminasi Saliva terhadap Email, *J Syiah Kuala Dent Soc*, (2)1:6-11.
- Sofiani, E., dan Rovi, F., 2020, Pengaruh Lama Penyinaran dan Ketebalan Resin Komposit Bulk Fill terhadap Kebocoran Mikro, *Insisiva Dental Journal*, 9(20): 70-81.

- Souza-Gabriel, A.E. dkk., (2020) Durability Of Resin On Bleached Dentin Treated With Antioxidant Solutions Or Lasers, *Journal of the Mechanical Behavior of Biomedical Materials*, 104(1367):1-11.
- Subramonian, R. dkk., (2015) Effect Of Three Different Antioxidants On The Shear Bond Strength Of Composite Resin To Bleached Enamel: An In Vitro Study, *Journal of Conservative Dentistry*, 18(2): 144–148.
- Thapa, A., Vivekananda Pai, A.R. and Thomas, M.S. (2013) Evaluation And Comparison Of Bond Strength To 10% Carbamide Peroxide Bleached Enamel Following The Application Of 10% And 25% Sodium Ascorbate And Alpha-Tocopherol Solutions: An In Vitro Study, *Journal of Conservative Dentistry*:111–115.
- Tiwari, S. dkk., (2022) Effect Of Green Tea And Sodium Ascorbate On The Shear Bond Strength Of Orthodontic Brackets Bonded On Bleached Enamel: An In-Vitro Study, *Journal of Oral Biology and Craniofacial Research*, 12(1): 204–207.
- Trindade, T.F. dkk., (2016) ‘Bonding effectiveness of universal adhesive to intracoronal bleached dentin treated with sodium ascorbate’, *Brazilian Dental Journal*, 27(3): 303–308.
- Türkmen, C., Güteryüz, N. dan Atali, P.Y. (2016), Effect Of Sodium Ascorbate And Delayed Treatment On The Shear Bond Strength Of Composite Resin To Enamel Following Bleaching, *Nigerian Journal of Clinical Practice*, 19(1): 91–98.
- Widowati, K.D., Kristanti, Y., Nugraheni, y., 2015, Pengaruh Konsentrasi dan Lama; Waktu Aplikasi Sodium Askorbat Terhadap Kebocoran Mikro Tumpatan Resin Komposit Kavitas Kelas 1 Pasca Bleaching Intrakoronal dengan Hidrogen Peroksida 35%, *Jurnal Kedokteran Gigi*, 6(2):185-191.