UNIVERSITAS
GADJAH MADA
AGREGASI UMBI DAN PRODUKTIVITAS BAWANG MERAH (Allium cepa L. Aggregatum group) ASAL BIJI
RETNO PANGESTUTI, Dr. Ir. Endang Sulistyaningsih, M.Sc; Ir. Budiastuti Kurniasih, M.Sc, Ph.D ;Dr. Rudi Hari Murti
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abbey, L., R. Kanton & H. Braimah. 1998. Susceptibility of shallots to the timing and severity of leaf damage. Journal of Horticultural Science & Biotechnology. 73 (6): 803-805 pp.

Abdelrahman, M., Ariyanti, N.A., Sawada, Y., Tsuji, F., Hirata, S., Hang, T.T.M., Okamoto, M., Yamada, Y., Tsugawa, H., Hirai, M.Y. and Shigyo, M.. 2020. Metabolome-Based Discrimination analysis of shallot landraces and bulb onion cultivars associated with differences in the amino acid and flavonoid profiles. Molecules. 25(22) :5300 p.

Acharya, S.K., Thakar, C., Brahmbhatt, J.H. and Joshi, N. 2020. Effect of plant growth regulators on cucurbits: A review. Journal of Pharmacognosy and Phytochemistry 9(4): 540-544 pp.

Adiyoga, W., M. Prathama, A.W. Pradana, A. Adin, R. Firdaus, & H. de Putter. 2020. Bawang Merah dari Benih Biji : Perkembangan, Panduan Budidaya dam Panen serta Potensi Ekonominya. Yayasan Bina Tani Sejahtera. Jakarta. 91 p.

Adiyoga, W., S. Suwandi, & A. Kartasih. 2014. Sikap petani terhadap pilihan atribut benih dan kultivar kentang. J. Hort. 24 (1): 76–84 pp.

Agung, I.G.A.M.S. and Diara, I.W., 2019. Biostimulants Enhanced Seedling Root Growth and Bulb Yields of True Seed Shallots (*Allium cepa* var aggregatum L.). *Int. J. Environ. Agric. Biotechnol*. *4* :598-601 pp

Agusman, W. 2021. Peluang ekspor bawang merah biji TSS. Presentasi dan diskusi pada Bimbingan Teknis Online “Raup Untung dengan Budidaya Bawang Merah Asal Biji/TSS”. Direktorat Jenderal Hortikultura. Jakarta. https://www.youtube.com/watch?v=OnnMVtqkU_o

Ahsan, M.U., Hayward, A., Irihimovitch, V., Fletcher, S., Tanurdzic, M., Pocock, A., Beveridge, C.A. and Mitter, N., 2019. Juvenility and vegetative phase transition in tropical/subtropical tree crops. Frontiers in plant science 10 :729.

Amelia, S. 2021. Pengaruh jumlah bibit asal biji per lubang tanam terhadap pertumbuhan dan hasil umbi bawang merah (*Allium cepa* L. *Aggregatum* group). Skripsi. Fakultas Pertanian UGM. Yogyakarta. 98 p.

Annisa, B.A. 2019. Pertumbuhan dan Hasil Bawang Merah Asal Biji dengan Variasi Umur Bibit dan Varietas. *Tesis*. Pasca Sarjana Fakultas Pertanian UGM. Yogyakarta. 88 hal.

Arikunto, S. 2014. Metode Penelitian Kuantitatif, Kualitatif, dan Kombinasi (Mixed Methods). Bandung: Alfabeta.

Ariyanti, N. A., K. Torikai, R. P. Kirana, S. Hirata, E. Sulistyaningsih, S. Ito, N. Yamauchi, N. Kobayashi & M. Shigyo. 2018. Comparative study on phytochemical variation in Japanese F1 varieties of bulb onions and South East Asian Shallot Landraces. The Horticulture Journal. 87 (1): 63–72 pp.

UNIVERSITAS
GADJAH MADA
AGREGASI UMBI DAN PRODUKTIVITAS BAWANG MERAH (Allium cepa L. Aggregatum group) ASAL BIJI
RETNO PANGESTUTI, Dr. Ir. Endang Sulistyaningsih, M.Sc; Ir. Budiastuti Kurniasih, M.Sc, Ph.D ;Dr. Rudi Hari Murti
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Arvindkumar, P.R., Vasudevan, S.N, Patil M.G. Effect of foliar sprays of NAA, tricontanol and boron on growth and seed quality in bitter gourd (*Momordica charantia* L.) Journal of Horticulture Sciences. 9(2):148-152 pp.

Askari-Khorasgani, O., & M. Pessarakli. 2019. Agricultural management and environmental requirements for production of true shallot seeds – A review. Advances in Plants & Agriculture Research. 9 (2): 318–22 pp.

Askari-Khorasgani, O., & M. Pessarakli. 2020. Evaluation of cultivation methods and sustainable agricultural practices for improving shallot bulb production – A review. Journal of Plant Nutrition. 43(1): 148–163 pp.

Atif, M. J., M. A. Ahanger, B. Amin, M. I. Ghani, M. Ali, and Z. Cheng. 2020. Mechanism of *Allium* crops bulb enlargement in response to photoperiod: A review. International Journal of Molecular Sciences. 21 (4): 1-25 pp.

Ayre, B.G. 2011. Membrane-transport systems for sucrose in relation to whole-plant carbon partitioning. Mol Plant. 4(3):377–394 pp. https://doi.org/10.1093/mp/ssr014

Badan Pusat Statistik (BPS). 2022. Produksi Tanaman Sayuran. https://www.bps.go.id/indicator/55/61/1/produksi-tanaman-sayuran.html. (diakses 1 November 2022).

Badan Pusat Statistik Kabupaten Bantul. Curah hujan per bulan (mm) tahun 2020. https://bantulkab.bps.go.id/indicator/151/53/1/curah-hujan-per-bulan.html. Diunduh tanggal 12 Maret 2022.

Bagi F, V. Stojsin, D. Budakov, M. A. E. Salma, & J. G. Varga. 2012. Effect of onion yellow dwarf virus (OYDV) on yield components of fall garlic (*Allium sativum* L.) in Serbia. Afr J Agric Res. 7 (15): 2386–2390 pp.

Bahtiar, A. Y. 2020. Studi komparatif usaha tani bawang merah dengan bahan tanam umbi dan biji di Kabupaten Gunung Kidul. Skripsi. Fakultas Pertanian Universitas Gadjah Mada. Yogyakarta. 126 p.

Barbier, F. F., E. A. Dun, & C. A. Beveridge. 2017. Apical dominance. Current Biology. 27(17): R864-R865 pp.

Basuki, R. S. 2009. Analisis kelayakan teknis dan ekonomis teknologi budidaya bawang merah dengan benih biji botani dan benih umbi tradisional. Jurnal Hortikultura, 19: 5–8 pp.

Basundari, F. R. A., E. Sulistyaningsih, R. H. Murti, & T. R. Nuringtyas. 2021. Metabolite profile of two *Allium cepa* L. *Aggregatum* group cultivars by Nuclear Magnetic Resonance. Biodiversitas Journal of Biological Diversity. 22(8): 3127-3135 pp.

Beck, E. Hylke, N. E. Zimmermann, T. R. McVicar, N. Vergopolan, A. Berg, & E. F. Wood. 2018. Present and future köppen-geiger climate classification maps at 1-km resolution. Scientific Data. 5: 1–12 pp.

Bewley, J. Derek, K. J. Bradford, H. W. M. Hilhorst, & H. Nonogaki. 2013. Seeds Physiology of Development, Germination and Dormancy. 3rd Edition. Springer Berlin Heidelberg. New York. 283 p.

UNIVERSITAS
GADJAH MADA
AGREGASI UMBI DAN PRODUKTIVITAS BAWANG MERAH (Allium cepa L. Aggregatum group) ASAL BIJI
RETNO PANGESTUTI, Dr. Ir. Endang Sulistyaningsih, M.Sc; Ir. Budiastuti Kurniasih, M.Sc, Ph.D ;Dr. Rudi Hari Murti
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Bialek, K., L. Michalczuk, & J. D. Cohen. 1992. Auxin biosynthesis during seed germination in *Phaseolus vulgaris*. Plant Physiol. 100: 509–517 pp.

Brar, N. S., P. Kaushik & B. S. Dudi .2020 Effect of seed priming treatment on the physiological quality of naturally aged onion (*Allium cepa* L.) seeds Appl. Ecol. Environ. Res. 18: 849–862 pp.

Brewster, J. L. 1982. Growth, dry matter partition and radiation interception in an overwintered bulb onion. Annals of Botany. 49 (5): 609-617 pp.

Brewster, J. L. 1990. Cultural Systems and Agronomic Practices in Temperate Climates. *In*: Haim D. Rabinowitch & J. L. Breswster (Eds.), Onions and Allied Crops Volume II Agronomy, Biotic Interaction, Pathology, and Crop Protection. CRC Press. Inc. Boca Raton. 1–30 pp.

Brewster, J.L. 2008. Onions and Other Vegetable *Alliums*. 2nd Edition. CAB international. Wallingford. UK. 454 p.

Brewster, J.L. 2018. Cultural systems and agronomic practices in temperate climates. *In*: Onions and Allied Crops. CRC Press. Boca Raton. 1–30 pp.

Brissette, J. C. & B.V. Barnes, 1984. Comparisons of phenology and growth of Michigan and western North American sources of *Populus tremuloides*. Can. J. For. Res. 14: 789–793 pp.

Budhyastoro, T., S. H. Tala'ohu, & R. L. Watung. 2006. Pengukuran Suhu Tanah. Dalam Sifat Fisik Tanah dan Metode Analisisnya, edited by U. Kurnia, F. Agus, A. Adimihardja, dan Ai Dariah. Balai Besar Litbang Sumbardaya Lahan Penelitian. Bogor. 261–280 pp.

Budianto, Aris, Ngawit & Sudika. 2009. Keragaman genetik beberapa sifat dan seleksi klon berulang sederhana pada tanaman bawang merah kultivar Ampenan. Crop Agro. 2(1): 28-38 pp.

Cafrune, E., M. Perotto, & V. Conci. 2006. Effect of two *Allexivirus* isolates on garlic yield. Plant Disease. 90 (7): 898-904 pp.

Carmen, Md. M. B., C. Egea-Gilabert, E. Conesa, J. Ochoa, M. J. Vicente, J. A. Franco, S. Bañon, J. J. Martínez, & J. A. Fernández. 2020. The importance of ion homeostasis and nutrient status in seed development and germination. Agronomy 10 (4): 1–22 pp.

Chen, D. & H. W. Chen. 2013. Using the Köppen Classification to quantify climate variation and change: An example for 1901-2010. Environmental Development. 6 (1): 69–79 pp.

Chen, X.Y. and Kim, J.Y.. 2009. Callose synthesis in higher plants. *Plant signaling & behavior*. *4*(6) :489-492 pp.

Chmielewski, F. M. 2003. Phenology and agriculture. In Schwartz, M.D. (Ed). Phenology: An Integrative Environmental Science. Springer. New York. 505-522 pp.

Clark, J.E. and Heath, O.V.S. 1962. Studies in the Physiology of the Onion Plant: V. An investigation into the growth substance content of bulbing onions. Journal of Experimental Botany, 13(2): 227-249 pp.

UNIVERSITAS
GADJAH MADA
AGREGASI UMBI DAN PRODUKTIVITAS BAWANG MERAH (Allium cepa L. Aggregatum group) ASAL BIJI
RETNO PANGESTUTI, Dr. Ir. Endang Sulistyaningsih, M.Sc; Ir. Budiastuti Kurniasih, M.Sc, Ph.D ;Dr. Rudi Hari Murti
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Cohat, J., J. E. Chauvin, & M. Le Nard. 2001. *Allium cepa*. Acta Horticulturae, 555: 221–225 pp.

Collins, H. M., N.S. Betts, C. Dockter, O. Berkowitz, I. Braumann, J. A. Cuesta-Seijo, B. Skadhauge, J. Whelan, V. Bulone, & G. B. Fincher. 2021. Genes that mediate starch metabolism in developing and germinated barley grain. Frontiers in Plant Science. 12 (641325): 1-15 pp.

Cooke, J. E., Eriksson, M. E., and Junttila, O. 2012. The dynamic nature of buddormancy in trees: environmental control and molecular mechanisms. Plant Cell Environ. 35, 1707–1728. doi: 10.1111/j.1365-3040.2012.02552.x

Currah, L. & F. S. Proctor. 1990. Onions in Tropical Regions. Natural Resources Institute, Bulletin Chatham Maritime. UK. 1–232 pp.

Currah. L. 2002. Onions in the tropics: cultivars and country reports. *In*: Raboniwitch HD, Currah L (eds) *Allium* crop science: resent advances. CABI Publishing, Wallingford. 379 – 407 pp.

Darbyshire, B., & B. T. Steer. 1990. Carbohydrate biochemistry. *In*: Brewster, J.L., Rabinowitch, H.D. (Eds.), Onions and Allied Crops Vol. 3. CRC Press. Boca Raton.1–16 pp.

Darma, W.A., Susila, A.D. and Dinarti, D.. 2015. Pertumbuhan dan Hasil Bawang Merah Asal Umbi TSS kultivar 'Tuk Tuk' Pada Ukuran dan Jarak Tanam Yang Berbeda. Agrovigor: Jurnal Agroekoteknologi. 1-7 pp.

De Mason, D. A. 1990. Morphology and anatomy of *Allium*. *In*: H. D. Rabinowitch & J. L. Brewster (Eds.). Onions and Allied Crops: I. Botany, Physiology, and Genetics Vol. 1. CRC Press, Inc. Boca Raton. 27–52 pp.

Degewione, A., S. Alamerew, & G. Tabor. 2011. Genetic Variability and Association of Bulb Yield and Related Traits in Shallot (*Allium cepa* var. Aggregatum DON.) In Ethiopia. Int. J. Agric. Res. 6(7): 517–536 pp.

Dickson, M.H., & M. A. Boettger. 1984. Effect of hight and low temperature on pollen germination and seed in snap beans. Journal of the American Society of the American Society for Horticultural Science. 109 (3): 372-374 pp.

Direktorat Pupuk dan Pestisida. 2021. Sistem Informasi Pestisida. http://pestisida.id/simpes_app/rekap_formula_nama.php?s_keyword=ETHREL%20480%20SL. Diunduh tanggal 15 Februari 2021.

Domagalska, M.A., & O. Leyser. 2011. Signal integration in the control of shoot branching. Nat Rev Mol Cell Biol. 12 (4): 211–221 pp.

Elfving, D.C., Visser, D.B. and Henry, J.L., 2011. Gibberellins stimulate lateral branch development in young sweet cherry trees in the orchard. International Journal of Fruit Science, 11(1):41-54 pp.

Esan A ., C. Olaiya, L. Anifowose, L. Lana, T. Omolekan T ., O. Fagbami & H. R. Adeyemi. 2020. Effect of plant growth-promoting rhizobacteria and gibberellic acid on salt stress tolerance in tomato genotypes. African Crop Sci. Journal. 28: 341–362 pp.

UNIVERSITAS
GADJAH MADA
AGREGASI UMBI DAN PRODUKTIVITAS BAWANG MERAH (Allium cepa L. Aggregatum group) ASAL BIJI
RETNO PANGESTUTI, Dr. Ir. Endang Sulistyaningsih, M.Sc; Ir. Budiastuti Kurniasih, M.Sc, Ph.D ;Dr. Rudi Hari Murti
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Eviati, & Sulaeman. 2009. Analisis Kimia Tanah, Tanaman, Air Dan Pupuk. Eds B. H. Prasetyo, D. Santoso, dan L. Retno. 2nd ed. Balai Penelitian Tanah. Bogor. 246 p.

Fageria, N. K., V. C. Baligar, & R. B. Clark. 2005. Physiology of crop production. Food product Press. The Haworth Press. Inc. 339 p.

FAOSAT. 2021. Crop Production. http://www.fao.org/faostat/en/#data/QC. (diakses 20 Februari 2021).

Feller, C., E. Richter, T. Smolders & A. Wichura. 2012. Phenological growth stages of edible asparagus (*Asparagus officinalis*): codification and description according to the BBCH scale. Annals of Applied Biology. 160: 174–180 pp.

Feller, C., H. Bleiholder, L. Buhr, H. Hack, M. Heβ, R. Klose, U. Meier, R. Stauβ, T. Van Den Boom, & E. Weber. 1995. phanologische entwicklungsstadien von gemusepflanzen I. Zwiebel-, Wurzel-, Knollen-Und Blattgemuse codierung und beschreibung nach der erweiterten BBCH-Skala mit abbildungen phenological growth stages of vegetable crops. I. Bulb vegetables, root vegetable. Nachrichtenbl. Deut. Pflanzenschutzd. 47 (8): 193–206 pp.

Finkelstein, R. 2013. Abscisic acid synthesis and response. Arabidopsis Book 11, e0166. doi: 10.1199/tab.0166

Galmarini, C. R. 2018. Economic and Academic Importance. *In:* The Allium Genomes, Eds. Masayoshi Shigyo, Anil Khar, and Mostafa Abdelrahman. Springer. Switzerland. 1–10 pp.

Ghani M.A., Amjad M., Iqbal Q., Nawaz A, Ahmad T., Haffez O.B.A. 2013. Efficacy of plant growth regulators on sex expression, earliness and yield components in bitter gourd. Pakistan Journal of Life and Social Sciences. 11(3):218-224 pp.

González, R., Villalba, P., González, M.R. and Martín, P.. 2007. Control of vegetative growth of 'Verdejo'grapevines with ethephon. In *Advances in Plant Ethylene Research.* Springer, Dordrecht. 161-163 pp.

Graeber, K., K. Nakabayashi, E. Miatton, G. Leubner-Metzger, & W. Soppe. 2012. Molecular mechanisms of seed dormancy. Plant Cell Environ. 35: 1769–1786 pp.

Gray, D., J. R. A. Steckel & L. J. Hands.1992. Leek (*Allium porrum* L.) seed development and germination. Seed Science Research. 2: 89-95 pp.

Grubben, G. J. H. 1990. Timing of vegetable production in Indonesia. Acta Hortic. 267: 261-270 pp.

Grubben, G. J. H. 1994. Constraints for shallot, garlic, and welsh onion in Indonesia: A case study on the evolution of *Allium* crops in the equatorial tropics. Acta Horticulturae. 358: 333–339 pp.

Gunaeni, N., A. W. Wulandari, A. S. Duriat, & A. Muharam. 2011. Insiden penyakit virus tular umbi pada tigabelas kultivar bawang merah asal Jawa Barat dan Jawa Tengah. J.Hort. 21 (2):164-172 pp.

UNIVERSITAS
GADJAH MADA
AGREGASI UMBI DAN PRODUKTIVITAS BAWANG MERAH (Allium cepa L. Aggregatum group) ASAL BIJI
RETNO PANGESTUTI, Dr. Ir. Endang Sulistyaningsih, M.Sc; Ir. Budiastuti Kurniasih, M.Sc, Ph.D ;Dr. Rudi Hari Murti
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Gunaeni, N., W. Adiyoga, R. Rosliani, & I. Sulastrini. 2021. The effect of plant growth regulators and planting density against viral infection and the production from bulbs of True Shallot Seed in the highlands. IOP Conference Series: Earth and Environmental Science. 752 (1): 012033 p.

Hanelt, P. 1990. Taxonomy, Evolution and History. *In*: Rabinowitch, H.D. and Brewster, J.L. (eds) Onions and Allied Crops, Vol. I. Botany, Physiology and Genetics. CRC Press. Boca Raton. 1–26 pp.

Hang, T. T. M., M. Shigyo, S. Yaguchi, N. Yamauchi, & Y. Tashiro. 2004. Effect of single alien chromosome from shallot (*Allium cepa* L. *Aggregatum* group) on carbohydrate production in leaf blade of bunching onion (A. *fistulosum* L.). Genes Genet Syst. 79:345–350 pp.

Harti, H., S. H. Hidayat, & S. Wiyono, S., 2020. Detection of major viruses infecting shallot and molecular characterization of Onion yellow dwarf virus from several locations in Indonesia. Biodiversitas Journal of Biological Diversity. 21(4) : 1697-1701 pp.

Herbst, S. T. 2001. The New Food Lover's Companion: Comprehensive Definitions of Nearly 6,000 Food, Drink, and Culinary Terms. Barron's Cooking Guide. 3rd Ed. Barron's Educational Series Inc. Hauppauge, New York. 772 p.

Hermanto, R., M. Syukur, & Widodo. 2017. Pendugaan ragam genetik dan heritabilitas karakter hasil dan komponen hasil tomat (*Lycopersicum esculentum* Mill.) di dua lokasi. J. Hortik. Indones. 8(1): 31-38 pp.

Hernández, F. C. A., P. Legua, P. Melgarejo, R. Martínez, & J. J. Martínez. 2015. Phenological growth stages of jujube tree (*Ziziphus jujube*): Codification and description according to the BBCH Scale. Annals of Applied Biology. 166 (1): 136–142 pp.

Heskiel, A. 2015. Fertilitas dan Variabilitas Benih Botani Bawang Merah (*Allium cepa L. Aggeregatum group*) (*True Seed Shallot*) Dataran Rendah. Thesis. Program Pascasarjana Fakultas Pertanian UGM. Yogyakarta. 96 p.

Hosseini, M. S., S. M. Zahedi, N. F. Hoveizeh, L. Li, M. Rafiee, & M. Farooq. 2020 Improving seed germination and seedling growth of guava under heat and osmotic stresses by chemical and hormonal seed treatments. Bragantia. 79 : 512-524 pp.

Hu, Y., Xie, Q. and Chua, N.H., 2003. The Arabidopsis auxin-inducible gene ARGOS controls lateral organ size. The Plant Cell. 15(9), pp.1951-1961.

IPGRI, ECP/GR, AVRDC. 2001. Descriptors for Allium (*Allium* spp.). International Plant Genetic Resources Institute, Rome, Italy; European Cooperative Programme for Crop Genetic Resources Networks (ECP/GR), Asian Vegetable Research and Development Center, Taiwan. 51 p.

Irsyad, E. F., A. Yusdiarti, & H. Miftah. 2019. Analisis persepsi dan preferensi konsumen terhadap atribut kualitas sayuran komersial di pasar modern. Jurnal Agribisains. 4 (2): 1-7 pp.

Jalata, Z., A. Ayana, & H. Zeleke. 2011. Variability, heritability and genetic advance for some yield and yield related traits in Ethiopian barley (*Hordeum vulgare* L.) landraces and crosses. International Journal of Plant Breeding and Genetics. 5(1): 44-52 pp.

UNIVERSITAS
GADJAH MADA
AGREGASI UMBI DAN PRODUKTIVITAS BAWANG MERAH (Allium cepa L. Aggregatum group) ASAL BIJI
RETNO PANGESTUTI, Dr. Ir. Endang Sulistyaningsih, M.Sc; Ir. Budiastuti Kurniasih, M.Sc, Ph.D ;Dr. Rudi Hari Murti
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Jambormias, E. 2014. Selang kepercayaan heritabilitas berdasarkan nilai tengah untuk data rancangan percobaan. Jurnal Budidaya Pertanian. 10 (1) :1-5 pp.

Johnson, L. A., T. M. Suleiman, & E. W. Lusas. 1979. Sesame protein, a review and prospectus. J. Am. Oil Chem. Soc. 56 (3): 463-468 pp.

Katrin, N., 2021. Pengaruh Pemberian Giberelin Dan Pupuk Kalium Terhadap Pertumbuhan Dan Produksi Tanaman Bawang Merah (*Allium Ascalonicum* L.). *Dinamika Pertanian*, *37*(1): 37-46 pp.

Kementerian Pertanian. 2009. SK Mentan No: 28/Permentan/SR.130/B/2009 tentang Persyaratan Minimal Bahan Organik dan Pembenah Tanah. 26 p.

Kementerian Pertanian. 2015. Kepmentan No: 31 Tahun 2015 tentang Sertifikasi Benih Bawang Merah. 36 p

Kementerian Pertanian. 2015. Keputusan Menteri Pertanian No 131/Kpts./SR/130/D/11/2015. Pedoman Teknis Sertifikasi Benih Bawang Merah. 39 p.

Krontal, Y. R. Kamenetsky & H.D. Rabinowitch. 1998. Lateral development and florogenesis of a tropical shallot : A comparison with bulb onion. Int.J.Plant Sci. 159(I): 57-64 pp.

Kume, A., T. Akitsu, & K. N. Nasahara. 2018. Why is chlorophyll b only used in light-harvesting systems?. Journal of Plant research. 131 (6): 961-972 pp.

Lamichhane, J. R., C. Dürr, A. A. Schwanck, M. H. Robin, J. P. Sarthou, V. Cellier, A. Messéan, & J. N. Aubertot. 2017. Integrated management of damping-off diseases. A Review. Agronomy for Sustainable Development. 37 (2): 1-10 pp.

Landis, T. D., D.F. Jacobs, K.M. Wilkinson, & L. Tara. 2014. Growing Media. *In:* Wilkinson, K.M., T.D. Landis, D.L. Haase, B.F. Daley, & R. K. Dumroese. (Eds). Tropical nursery manual: a guide to starting and operating a nursery for native and traditional plants. Agriculture Handbook 732. US Department of Agriculture, Forest Service. Washington. 101-121 pp.

Lanzotti, V. 2012. Bioactive polar natural compounds from garlic and onions. Phytochemistry Reviews. 11(2) :179-196 pp.

Leather, S. R. 2010. Precise knowledge of plant growth stages enhances applied and pure research. Annals of Applied Biology.157 (2): 159–161 pp.

Lee R., S. Baldwin, F. Kenel, J. Mc Callum & R. Macknigt. 2013. Flowering locus T genes control onion bulb formation and flowering. Nature Communication. 2(4884): 1-9 pp.

Leino, M. W., S. Solberg, H.M. Tunset, J. Fogelholm, E. M. K. Strese, & J. Hagenblad. 2018. Patterns of exchange of multiplying onion (*Allium cepa* L. *Aggregatum*-group) in Fennoscandian home gardens. Econ. Bot. 72 : 346–356 pp.

Liu, J. and Sherif, S.M.. 2019. Hormonal orchestration of bud dormancy cycle in deciduous woody perennials. Frontiers in Plant Science. 10 (1136): 21 p.

UNIVERSITAS
GADJAH MADA
AGREGASI UMBI DAN PRODUKTIVITAS BAWANG MERAH (Allium cepa L. Aggregatum group) ASAL BIJI
RETNO PANGESTUTI, Dr. Ir. Endang Sulistyaningsih, M.Sc; Ir. Budiastuti Kurniasih, M.Sc, Ph.D ;Dr. Rudi Hari Murti
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Lopez-Bellido, F.J., R.J. Lopez-Bellido, V. Muñoz-Romero, P. Fernandez-Garcia, & L. Lopez-Bellido. 2016. New phenological growth stages of garlic (*Allium sativum*). Annals of Applied Biology. 169: 423–439 pp.

Lot, H., V. Chovelon, S. Souche, & B. Delecolle. 1998. Effect of onion yellow dwarf and leek yellow stripe viruses on symptomatology and yield loss of three French garlic cultivars. Plant Dis. 82 :1381-1385 pp.

Margiwiyatno, A. & E. Sumarni. 2011. Modifikasi iklim mikro pada bawang merah hidroponik dalam rangka memperoleh bibit bermutu. Jurnal Keteknikan Pertanian, 25(1): 43-47 pp.

Martinelli, T., J. Andrzejewska, M. Salis, & L. Sulas. 2014. Phenological growth stages of *Silybum marianum* according to the extended BBCH scale. Annals of Applied Biology. 166: 53 – 66 pp.

Martín-Trillo, M. and Martínez-Zapater, J.M., 2002. Growing up fast: manipulating the generation time of trees. Current Opinion in Biotechnology.13(2): 151-155 pp.

Masuzaki S., S. Yaguchi, Yamauchi & M. Shigyo. 2007. Morphological characterisation of multiple alien addition lines of *Allium* reveals the chromosomal location of gene(s) related to bulb formation in *Allium cepa* L. Journal of Horticultural Science & Biotechnology. 82 (3): 393–396 pp.

Maude, R.B. 2018. Leaf diseases of onions. *In* Rabinowitch & Brewster (Eds). Onions and Allied crops.. CRC Press. Boca Raton FL.173-189 pp.

Megawati, S., Pardono, & E. Triharyanto. 2020. Study of shallot (*Allium ascalonicum* L.) seed viability from True Shallot Seed (TSS). IOP Conference Series: Earth and Environmental Science 466 (1): 1–6 pp.

Meier . 1997. Biologische Bundesanstalt, Bundessortenamnt and CHemische Industrie (BBCH)- BBCH Monograph : Growth Stages of Mono- and Dicotyledonous Plants. Edited by Uwe Meier. Blackwell Wissenschafts. Berlin. 204 p.

Meier, U. 2001. Growth stages of mono-and dicotyledonous plants—BBCH monograph. Bonn: Federal Biological Research Centre for Agriculture and Forestry. 130-133 pp.

Meier, U., Buhr, L., Feller, C., Hack, H., Heß, M., Lancashire, P.,Schnock, U., Stauß, R., van den Boom, T., Weber, E., & Zwerger, P.2009. The BBCH system to coding the phenological growth stages of plants: History and publications. Journal für Kulturpflanzen, 61(January) :41–52 pp. https://doi.org/10.5073/JfK.2009.02.01

Mena, M., Cejudo, F.J., Isabel-Lamoneda, I. and Carbonero, P., 2002. A role for the DOF transcription factor BPBF in the regulation of gibberellin-responsive genes in barley aleurone. Plant Physiology, 130(1):111-119 pp.

Minhal, F., 2019. Perbaikan Status Lengas, Hara, dan Produktivitas Bawang Merah di Tanah Pasir Pantai Menggunakan Amelioran Mineral dan Biopolimer . Disertasi. Fakultas Pertanian.Universitas Gadjah Mada. Yogyakarta. 129 p.

UNIVERSITAS
GADJAH MADA
AGREGASI UMBI DAN PRODUKTIVITAS BAWANG MERAH (Allium cepa L. Aggregatum group) ASAL BIJI
RETNO PANGESTUTI, Dr. Ir. Endang Sulistyaningsih, M.Sc; Ir. Budiastuti Kurniasih, M.Sc, Ph.D ;Dr. Rudi Hari Murti
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Ministry of Agriculture. 2015. Kepmentan No 131 the Year 2015 Certification of Shallot Seeds. (in Bahasa Indonesia)

Miransari, M. & D. L. Smith. 2014. Plant hormones and seed germination. Environ. Exp. Bot. 99: 110–121 pp.

Mondal, S. and Shukla, N. 2005. Effect of GA3 and NAA on Yield and Yield Attributes of onion cv. N-53. Agricultural Science Digest, 25(4) :260-262 pp.

Moon, J., & S. Hake. 2011. How a leaf gets Its shape. Current Opinion in Plant Biology 14 (1) : 24–30 pp.

Naktuinbow. 2010. Calibration book onion and shallot. https://www.naktuinbouw.nl/sites/default/files/Onion%20%26%20shallot%20calibration%20book.pdf. (diakses 15 Februari 2021)

Nurmalinda, A.Hidayat & Suwandi. 1994. Analisis biaya dan pendapatan bawang merah pada lahan bekas tanaman tebu. Bul. Penel. Horti. 26 (2): 65-71 pp.

Odeny, D. A. and S. S. Narina. 2011. *Allium*. *In* : C. Kole (ed.). Wild Crop Relatives: Genomic and Breeding Resources, Vegetables. Springer-Verlag. Berlin Heidelberg. 1-10 pp.

Ohkubo, H., Adaniya, S., Takahashi, K. And Fujieda, K. 1981. Studies on the bulb formation of *Allium wakegi Araki*. Journal of the Japanese Society for Horticultural Science. 50(1): 37-43 pp.

Oku, S., K. Ueno, Y. Tsuruta, Y. Jitsuyama, T. Suzuki, S. Onodera, T., Maeda, & H. Shimura. 2019. Sugar accumulation and activities of enzymes involved in fructan dynamics from seedling to bulb formation in onion (*Allium cepa* L.). Scientia Horticulturae. 247:147-155 pp.

Okubo, H., A. N. Sugiharto, & N. Miho.1999. Bulbing response of shallot (*Allium cepa* L. var. ascalonicum Backer) and *Allium* × wakegi Araki to daylength and temperature. J .Japan.Soc.Hort.Sci. 68 (2) :283–285 pp.

Oteino, N., R.D. Lally, S. Kiwanuka, A. Lloyd, D. Ryan, K. J. Germaine, & D. N. Dowling. 2015. Plant growth promotion induced by phosphate solubilizing endophytic *Pseudomonas* isolates. Front. Microbiol. 6: 745 p.

Pachon, N.M., Mutimawurugo, M.C., Heynen, E., Sergeeva, L., Benders, A., Blilou, I., Hilhorst, H.W. and Immink, R.G. 2018. Role of Tulipa gesneriana TEOSINTE BRANCHED1 (TgTB1) in the control of axillary bud outgrowth in bulbs. Plant reproduction. 31(2) :145-157 pp.

Pachon, N.M., Mutimawurugo, M.C., Heynen, E., Sergeeva, L., Benders, A., Blilou, I., Hilhorst, H.W. and Immink, R.G. 2018. Role of Tulipa gesneriana TEOSINTE BRANCHED1 (TgTB1) in the control of axillary bud outgrowth in bulbs. Plant reproduction. 31(2) :145-157 pp.

Pangestuti, R & E. Sulistyaningsih. 2011. Potensi penggunaan True Shallot Seed (TSS) sebagai sumber benih bawang merah di Indonesia. Prosiding Semiloka Nasional Dukungan AgroInovasi untuk Pemberdayaan Petani. Pemprov Jateng. Semarang. 258 – 266 pp.

Pangestuti, R., E. Sulistyaningsih, B. Kurniasih, & R. Harimurti. 2021. Improving seed germination and seedling growth of True Seed Shallot (TSS) using

UNIVERSITAS
GADJAH MADA
AGREGASI UMBI DAN PRODUKTIVITAS BAWANG MERAH (Allium cepa L. Aggregatum group) ASAL BIJI
RETNO PANGESTUTI, Dr. Ir. Endang Sulistyaningsih, M.Sc; Ir. Budiastuti Kurniasih, M.Sc, Ph.D ;Dr. Rudi Hari Murti
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

plant growth regulator seed priming. Journal of Physics: Conference Series. IOP Publishing of International Seminar on Agriculture, Biodiversity, Food Security and Health (In Press).

Pathak, CS, G. C. Kou, S. K. Green, S. C. S. Tsou, L. Black, L. M. Engle, & N. C. Chen. 1994. Current programmes and progress in bulb *Alliums* improvement at AVRDC. Onion Newsletter for the Tropics. 6:17-20 pp.

Pati, K., R. Kaliyappan, V. B. S. Chauhan, V. Bansode, M. Nedunchezhiyan, V. Hegde, & A. V.V. Koundinya. 2020. Phenological growth stages of underutilised crop Yam Bean (*Pachyrhizus erosus* L. Urban) According to the Extended BBCH Scale. Annals of Applied Biology. 177 (3): 417–423 pp.

Percheron, F. 1962. Dosage colorimetrique du fructose et des fructofuranosides par l' acide thiobarbiturique. C R Acad Sci. 255: 2521–2522 pp.

Perković, J., N. Major, D. Ban, D. Cvitan, & S. G. Ban. 2021. Shallot species and subtypes discrimination based on morphology descriptors. Plants. 10 (1): 1–18 pp.

Perković, J., N. Major, D. Ban, D. Cvitan, & S. G. Ban. 2021. Shallot species and subtypes discrimination based on morphology descriptors. Plants. 10 (1): 1–18 pp.

Permadi A.H & Putrasamedja S. 1991. Penelitian pendahuluan variasi sifat-sifat bawang merah yang berasal dari biji. Bull. Penel. Hort. 10 (4): 120-134 pp.

Permadi, A. H & Q. P. van der Meer. 1997. *Allium cepa* L.cv.group aggregatum. *In*: Plant Resources of South-East Asia 8 :Vegetables Eds. Siemonsma, S.S, Piluek. PROSEA. Bogor, Indonesia. 64-68 pp.

Prakoso, E.B., S. Wiyatiningsih, & H. Nirwanto. 2016. Uji ketahanan berbagai kultivar bawang merah (*Allium ascalonicum*) terhadap infeksi penyakit moler (*Fusarium oxysporumf.*sp. *cepae*). Plumula. 5 (1):10-20 pp.

Pramanik, K. & A. K. Bera. 2013 Effect of seedling age, seeding density, and nitrogen fertilizer on growth and grain yield of rice (*Oryza sativa* L.). Int. J. Agron. Plant Prod. 3**:** 813489–813499 pp.

Pusat Penelitian dan Pengembangan Hortikultura. 2016. Hasil Rakor Percepatan Penyediaan Benih Bawang Merah dari Biji dan Skenario Tindak Lanjut dari Balitbangtan. Disampaikan pada Workshop TSS.

Putrasamedja, S. 2011. Pengaruh pembentukan jumlah anakan pada bawang merah generasi ketiga yang berasal dari umbi TSS. Agronomika. 11 (2): 211-216 pp.

Putrasamedja, S., Setiawati, W., Lukman, L. and Hasyim, A. 2012. Penampilan beberapa Klon Bawang Merah dan Hubungannya dengan Intensitas Serangan Organisme Pengganggu Tumbuhan. J Hort. 22(4): 349-359 pp.

Rabinowitch, H. D., & Kamenetsky, R. 2002. Shallot (*Allium cepa*, *Aggregatum* group). *In:* Allium Crop Science: Recent Advances. CABI: Wallingford. UK. 409 – 430 pp.

Rabinowitch. 2021. Shallot (*Allium cepa* L. *Aggregatum* Group) Breeding. *In*: K. M. A. S, M. Jain, & D. Jhonson. Eds. Advances in Plant Breeding Strategies:

UNIVERSITAS
GADJAH MADA
AGREGASI UMBI DAN PRODUKTIVITAS BAWANG MERAH (Allium cepa L. Aggregatum group) ASAL BIJI
RETNO PANGESTUTI, Dr. Ir. Endang Sulistyaningsih, M.Sc; Ir. Budiastuti Kurniasih, M.Sc, Ph.D ;Dr. Rudi Hari Murti
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Vegetable Crops Volume 8: Bulbs, Roots and Tubers. Springer Nature. Switzerland. 99–156 pp.

Rahayu, A., Waluyo, N. and Azmi, C. 2021. Pengaruh Lama dan Ruang Simpan terhadap Perkecambahan Benih *True Shallot Seed* (TSS). In Agropross: National Conference Proceedings of Agriculture. 244-254 pp. 10.25047/agropross.2021.227.

Rahayu, T. B, B. H. Simanjuntak & Suprihati. 2014. Pemberian kotoran kambing terhadap pertumbuhan dan hasil wortel (*Daucus carota*) dan bawang daun (*Allium fistulosum* L.) dengan budidaya tumpangsari. AGRIC. 26 (2): 52-60 pp.

Rahman A (2012) Auxin: a regulator of cold stress response. Physiol Plant. 147 91) : 28-35 pp. doi:10.1111/j.1399-3054.2012.01617.x

Rameau, C., Bertheloot, J., Leduc, N., Andrieu, B., Foucher, F. and Sakr, S. 2015. Multiple pathways regulate shoot branching. Frontiers in Plant Science 5 :741.

Robbins, W.J., 1957. Physiological aspects of aging in plants. American Journal of Botany. 44(3) :289-294 pp.

Robinson, R. J., B. A. Fraaije, I. M. Clark, R. W. Jackson, P.R. Hirsch, & T. H. Mauchline. 2015. Endophytic bacterial community composition in wheat (*Triticum aestivum*) is determined by plant tissue type, developmental stage and soil nutrient availability. Plant Soil. 405: 381–396 pp.

Robinson, S., A. Burian, E. Couturier, B. Landrein, M. Louveaux, E. D. Neumann, A. Peaucelle, A. Weber, & N. Nakayama. 2013. Mechanical control of morphogenesis at the shoot apex. Journal of experimental botany. 64 (15): 4729-4744 pp.

Romdoni, A., S. Suwarto, A. Maharijaya, & T. Yuliani. 2020. Pengaruh penggantian pupuk anorganik dengan pupuk kandang terhadap pertumbuhan, produksi dan daya simpan pada umbi bawang merah. Jurnal Agronomi Indonesia. Indonesian Journal of Agronomy. 47 (3): 283–290 pp.

Rosliani, R., I. M. Hidayat, I. Sulastrini, & Y. Hilman. 2016. Dissemination of technology for shallot (*Allium ascalonicum* L.) seed production using true shallot seed (TSS) in Indonesia. Acta Horticulturae. 1143: 345–351 pp.

Rosliani, R., Palupi, E.R. and Hilman, Y. 2012. Penggunaan benzil amino purin dan boron untuk meningkatkan produksi dan mutu benih true shallots seed bawang merah (*Allium cepa* var. ascalonicum) di dataran tinggi. J. Hort. 22(3):242-250 pp.

Rosliani, R., S. Simatupang, S. Rustini, P. E. R. Prahardini, A. Muharam, A. Sembiring, & Reflinur. 2016. Pengembangan Produksi Benih Biji Botani/True Seed Of Shallot untuk Mendukung Perbenihan Bawang Merah Nasional. Laporan Akhir KKP3S. Balitsa, Puslitbang Hortikultura, Badan Litbang Pertanian. 71 p.

Rosliani, R., Y. Hilman, I. Sulastrini, M. P. Yufdy, R. Sinaga, & I. M. M. Hidayat. 2019. Evaluasi paket teknologi produksi benih TSS bawang merah kultivar 'Bima' Brebes di dataran tinggi (Evaluation of the packages TSS seed

UNIVERSITAS
GADJAH MADA
AGREGASI UMBI DAN PRODUKTIVITAS BAWANG MERAH (Allium cepa L. Aggregatum group) ASAL BIJI
RETNO PANGESTUTI, Dr. Ir. Endang Sulistyaningsih, M.Sc; Ir. Budiastuti Kurniasih, M.Sc, Ph.D ;Dr. Rudi Hari Murti
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

production technology of 'Bima' Brebes Varieties in the highland). Jurnal Hortikultura. 28 (1): 67-76 pp.

Ruan, Y. L., Jin, Y., Yang, Y. J., Li, G. J., and Boyer, J. S. 2010. Sugar input, metabolism, and signaling mediated by invertase: roles in development, yield potential, and response to drought and heat. Mol. Plant 3, 942–955. doi:10.1093/mp/ssq044

Ruan, Y. L., Jin, Y., Yang, Y. J., Li, G. J., and Boyer, J. S. 2010. Sugar input, metabolism, and yield potential, and response to drought and heat. Mol. Plant 3, 942–955. doi:10.1093/mp/ssq044

Safitri, S., 2015. El nino, la nina dan dampaknya terhadap kehidupan di Indonesia. Criksetra: Jurnal Pendidikan Sejarah. 4 (2): 153-156 pp.

Saidah, Muchtar, Syafruddin dan R. Pangestuti. 2019a. Pertumbuhan dan hasil panen dua kultivar tanaman bawang merah asal biji di Kabupaten Sigi, Sulawesi Tengah. In Prosiding Seminar Nasional Masyarakat Biodiversity Indonesia 5 (2) 213-216 pp.

Saidah, S., Muchtar, M., Syafruddin, S. and Pangestuti, R.. 2019b. Pengaruh jarak tanam terhadap pertumbuhan dan hasil bawang merah asal biji di Kabupaten Sigi, Sulawesi Tengah. In Prosiding Seminar Nasional Masyarakat Biodiversitas Indonesia. 5 (2): 209-212 pp.

Saidy, A. R. 2018. Bahan Organik Tanah: Klasifikasi, Fungsi dan Metode Studi. 1st Edition. Lambung Mangkurat University Press. Banjarmasin.127 p

Saos, F. L., G.L., Hourmant, A., Esnault, F. and Chauvin, J.E., 2002. In vitro bulb development in shallot (*Allium cepa* L. Aggregatum Group): effects of anti-gibberellins, sucrose and light. *Annals of Botany*. *89*(4) :419-425 pp.

Saptana, E. Gunawan, A. D. Perwita, S. G. Sukmaya, V. Darwis, E. Ariningsih, & Ashari. 2021. The competitiveness analysis of shallot in Indonesia: A policy analysis matrix. Plos One. 16 (9): e0256832 p.

Saputri, A.S. 2018. Infeksi virus dan cendawan pada umbi dan biji bawang merah serta pengaruhnya terhadap insidensi penyakit dan produktivitas tanaman. Tesis. Sekolah Pascasarjana Institut Pertanian Bogor. Bogor.

Schwartz, M. D. 2003. Phenology: An Integrative Environmental Science. Springer. New York. 564 p.

Shimeles, A. 2014. The performance of true seed shallot lines under different environments of Ethiopia. Journal of Agricultural Sciences Belgrade. 59 (2): 129–139 pp.

Simanjuntak, S.Y, D. S. Hanafiah, & Rosmayati , 2018. Perubahan keragaman morfologi bawang merah (*Allium ascalonicum* L.) akibat pemberian kolkisin dan iradiasi sinar gamma: Changes in morphological variability of shallot (*Allium ascalonicum* L.) due to colchicine and gamma irradiation. Jurnal Online Agroekoteknologi. 6 (4): 715-721 pp.

Simatupang, S. 2019. Kajian jumlah populasi dan kultivar terhadap produksi dan keuntungan usahatani bawang merah di Sumatra Utara. Jurnal Hortikultira. 29 (2): 219 – 230 pp.

UNIVERSITAS
GADJAH MADA
AGREGASI UMBI DAN PRODUKTIVITAS BAWANG MERAH (Allium cepa L. Aggregatum group) ASAL BIJI
RETNO PANGESTUTI, Dr. Ir. Endang Sulistyaningsih, M.Sc; Ir. Budiastuti Kurniasih, M.Sc, Ph.D ;Dr. Rudi Hari Murti
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Snow, R.1937. On the nature of correlative inhibition. 1937. New Phytol. 36 :283–300 pp.

Soil Survey Staff. 1990. Keys to Soil Taxonomy. Fourth edition. SMSS Technical Monograph No 6. Blacksburg Virginia. 422 p.

Sokal, R.R and F.J. Rohlf. 1986. Introduction to Biostatistics. Second Edition. W.H. Freeman and Company. New York. 449 p.

Somraj B., K.R, Reddy, K. V. R. Krisna & D. Shihari. 2012. Effect of invigoration treatment on seed germination and seedling vigour in carry over onion seed (*Allium cepa* L). J, Res. ANGRAU. 40 (3): 1-5 pp.

Somraj B., K.R, Reddy, K. V. R. Krisna & D. Shihari. 2012. Effect of invigoration treatment on seed germination and seedling vigour in carry over onion seed (*Allium cepa* L). J, Res. ANGRAU. 40 (3): 1-5 pp.

Sopha, G. A., M. Syakir, W. Setiawati, Suwandi, & N. Sumarni. 2017. Teknik penanaman benih bawang merah asal True Shallot Seed di lahan suboptimal. Jurnal Hortikultura. 27 (1): 35-44 pp.

Sopha, G.A., Sumarni, N., Setiawati, W. and Suwandi, S. 2015. Teknik penyemaian benih True Shallot Seed untuk produksi bibit dan umbi mini bawang merah. J. Hort. 25(4) : 318-330 pp.

Sosa-Zuniga, V., V. Brito, F. Fuentes, & U. Steinfort. 2017. Phenological growth stages of Quinoa (*Chenopodium Quinoa*) based on the BBCH scale. Annals of Applied Biology. 171 (1): 117–124 pp.

Steel, R. G. D. & J. H. Torrie. 1960. Principles and Procedures of Statistics. (With special Reference to the Biological Sciences.) McGraw-Hill Book Company. New York. 481 p.

Sudaryono, T. 2018. Effect of plant growth regulator on red onion cultivation from true seed shallot (TSS). J.PAL. 9 (1) : 39-44 pp.

Sugirno, O., Indrawanis, E. and Ezward, C. 2021. Konsentrasi Pemberian Pupuk Organik Cair Fortune Terhadap Pertumbuhan Dan Produksi Tanaman Bawang Merah (*Allium Cepa* L). *Green* Swarnadwipa: Jurnal Pengembangan Ilmu Pertanian. *10*(2): 225-233 pp.

Sukifto, R., R. Nulit, Y. C. Kong, N. Sidek, S. N. Mahadi, N. Mustafa, & R. A. Razak. 2020. Enhancing germination and early seedling growth of Malaysian indica rice (*Oryza sativa* L.) using hormonal priming with gibberellic acid (GA3). AIMS Agric. Food. 5: 649–465 pp.

Sulistyaningsih E., Y. Tashiro & M. Shigyo. 1997. Morfological and cytological characteristics of haploid shallot. Buletin Faculty of Agriculture, Saga University. 82 : 7-15 pp.

Sulistyaningsih, E. 2006. Kajian awal potensi benih True Shallot Seed (TSS) untuk pemenuhan kebutuhan bahan tanam bawang merah di Bantul. Prosiding Seminar Penelitian Klaster Lembaga Penelitian Universitas Gadjah Mada. Yogyakarta. 87-92 pp.

Sulistyaningsih, E. 2006. Kajian awal potensi benih *True Shallot Seed* (TSS) untuk pemenuhan kebutuhan bahan tanam bawang merah di Bantul. Prosiding

UNIVERSITAS
GADJAH MADA
AGREGASI UMBI DAN PRODUKTIVITAS BAWANG MERAH (Allium cepa L. Aggregatum group) ASAL BIJI
RETNO PANGESTUTI, Dr. Ir. Endang Sulistyaningsih, M.Sc; Ir. Budiastuti Kurniasih, M.Sc, Ph.D ;Dr. Rudi Hari Murti
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Seminar Penelitian Klaster Lembaga Penelitian Universitas Gadjah Mada. Yogyakarta. 87-92.

Sulistyaningsih, E., K. Yamashita, & Y. Tashiro. 2002. Genetic characteristics of the Indonesian white shallot. J .Japan.Soc.Hort.Sci. 71 (4): 504–508 pp.

Sulistyaningsih, E., R. Pangestuti, & R. Rosliani. 2020. Growth and yield of five prospective shallot selected accessions from true shallot seeds in lowland areas. Ilmu Pertanian (Agricultural Science). 5 (2): 92-97 pp.

Sumarni & Rosliani 2010. Pengaruh naungan plastik transparan, kerapatan tanaman dan dosis N terhadap produksi umbi bibit asal biji bawang merah. J. Hort. 20 (1): 52-59 pp.

Sumarni, N. & A. Hidayat. 2005. Panduan Teknis Budidaya Bawang Merah. Balai Penelitian Tanaman Sayuran. Pusat Penelitian dan Pengembangan Pertanian. Badan Penelitian dan Pengembangan Pertanian. 20 p.

Sumarno, J., F. S. I. Hiola, & A. Nur. 2021. Study on application of TSS (true shallot seed) shallot technology in Gorontalo. E3S Web of Conferences. 232: 1–13 pp.

Sumiati, E., 1997. Pertumbuhan serta hasil umbi dan biji bawang bombay (*Allium cepa* L.) kultivar hari pendek dengan vernalisasi dan aplikasi asam giberelat di dataran tinggi Lembang Jawa Barat. Disertasi, Program Pasca Sarjana,Universitas Padjadjaran, Bandung.

Sun, T. P. 2010 Gibberellin-GID1-DELLA: A pivotal regulatory module for plant growth and development. Plant Physiol. 154**:** 567–570 pp.

Suresh, K., S. K. Behera, K. Manorama, & R. K. Mathur. 2021. Phenological stages and degree days of oil palm crosses grown under irrigation in tropical conditions. Annals of Applied Biology.178 (1): 121-128 pp.

Sutarya, R. & G. Grubben. 1995. Pedoman bertanam sayuran dataran rendah. Gadjah Mada University Press. Prosea Indonesia – Balai Penel. Hortikultura Lembang.

Sutarya, R., G. Van Vreden, E. Korlina, N. Gunaeni, & A.S Duriat. 1993. Survei virus bawang merah pada beberapa lokasi di Kabupaten Brebes Jawa Tengah. Bul. Penel. Hort. 26 (1): 97-104 pp.

Tahjib-Ul-Arif, M., M. I. Zahan, M. M. Karim, S. Imran, & C. T. Hunter. 2021. Citric acid-mediated abiotic stress tolerance in plants. International Journal of Molecular Sciences. 22 (7235): 1–26 pp.

Takeda T, Suwa Y, Suzuki M, Kitano H, Ueguchi-Tanaka M, Ashikari M, Matsuoka M, Ueguchi C 2003. The OsTB1 gene negatively regulates lateral branching in rice. Plant J 33(3):513–520 pp.

Tan, K. H. 1992. Dasar-dasar Kimia Tanah. Terjemahan dari Principles of Soil Chemistry. Penerjemah, D. H. Goenadi , B. Radjagukguk (Ed). Gadjah Mada Universitay Press. Yogyakarta. 295 p.

Tanaka, R. & A. Tanaka. 2000. Chlorophyll b is not just an accessory pigment but a regulator of the photosynthetic antenna. Porphyrins. 9 (1): 240-245 pp.

UNIVERSITAS
GADJAH MADA
AGREGASI UMBI DAN PRODUKTIVITAS BAWANG MERAH (Allium cepa L. Aggregatum group) ASAL BIJI
RETNO PANGESTUTI, Dr. Ir. Endang Sulistyaningsih, M.Sc; Ir. Budiastuti Kurniasih, M.Sc, Ph.D ;Dr. Rudi Hari Murti
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Tashiro, Y., S. Miyazaki & K. Kanazawa. 1982. On the shallot cultivated in the countries of Southeastern Asia. Bull.Fac.Agr.Saga.Univ. 53: 65–73 pp.

Tenjaj, M. 2005. Shallot production and research in Poland. Vegetable Crops Research Bulletin. 62: 55-66 pp.

Teshika, J. D., A. M. Zakariyyah, T. Zaynab, G. Zengin, K. R. Rengasamy, S. K Pandian, & M. M. Fawzi. 2019. Traditional and modern uses of onion bulb (*Allium cepa* L.): A systematic review. Crit. Rev. Food Sci. Nutr. 59: 39–70 pp.

The International Seed Testing Association (ISTA). 2017. International Rules for Seed Testing. International Rules for Internationale Règles Internationales Vorschriften Für Die Prüfung von Saatgut Seed Testing Pour Les Essais de Semences. The International Seed Testing Association (ISTA). Switzerland. 345 p.

Thomas, H. 2013. Senescence, ageing and death of the whole plant. New Phytologist. 197(3): 696-711 pp.

Tsagaye, D., A. Aki, G. Wegayehu, F. Gebretensay, N. Fufa, & D. Fikre. 2021. Evaluation of True Seed Shallot varieties for yield and yield components. American Journal of Plant Biology. 6 (1): 19–22 pp.

Van den Brink & R. S. Basuki. 2012. Production of True Seed Shallot in Indonesia. Proc First IS on Sustainable Vegetable Production in South East Asia. (Eds). S. de Neve *et al.* Acta Hort. 115-157 pp.

Viola, R., Pelloux, J., van der Ploeg, A., Gillespie, T., Marquis, N., Roberts, A.G. and Hancock, R.D. 2007. Symplastic connection is required for bud outgrowth following dormancy in potato (*Solanum tuberosum* L.) tubers. *Plant,* Cell & Environment. *30*(8) :973-983 pp.

Vu, Q. H., T. T. M. Hang, S. Yaguchi, Y. Ono, T. M. P. Pham, N. Yamauchi & M. Shigyo. 2013. Assessment of biochemical and antioxidant diversities in a shallot germplasm collection from Vietnam and its surrounding countries. Genet. Res. Crop Evol. 60: 1297–1312 pp.

Wahyuni, A.N., Irmadamayanti, A. and Padang, I.S. 2021. The effect of gibberellins soaking duration on germination frequency and growth of true shallot seed in the nursery. In *IOP Conference Series: Earth and Environmental Science* . 762 (1) : 012072. IOP Publishing.

Waluyo, N., Wicaksana, N., Anas, A. and Hidayat, I.M., 2021. Keragaman genetik dan heritabilitas 12 genotipe bawang merah (*Alllium cepa* L. var Aggregatum) di dataran tinggi. Jurnal Agro, 8(1): 1-13 pp.

Wang, H. X. & T. B. Ng. 2004. Isolation of allicepin, a novel antifungal peptide from onion (*Allium cepa*) bulbs. Journal of Peptide Science: An Official Publication of the European Peptide Society. 10 (3): 173-177 pp.

Wang, H., T.W. Boutton, W. Xu, G. Hu, P. Jiang, & E. Bai. 2015. Quality of fresh organic matter affects priming of soil organic matter and substrate utilization patterns of microbes. Sci. Rep. 5: 10102 p.

UNIVERSITAS
GADJAH MADA
AGREGASI UMBI DAN PRODUKTIVITAS BAWANG MERAH (Allium cepa L. Aggregatum group) ASAL BIJI
RETNO PANGESTUTI, Dr. Ir. Endang Sulistyaningsih, M.Sc; Ir. Budiastuti Kurniasih, M.Sc, Ph.D ;Dr. Rudi Hari Murti
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Wenli, S., H. S. Mohamad, & C. Qi. 2019. The insight and survey on medicinal properties and nutritive vomponents of shallot. Journal of Medicinal Plants Research. 13 (18): 452–457 pp.

Witianingsih, S., A. Wibowo, & E. Triwahyu. 2009. Tanggapan tujuh kultivar bawang terhadap infeksi *Fusarium oxysporum* f.sp *cepae* penyebab penyakit moler. J. Pertanian MAPETA. 12 (1): 7–13 pp.

Woldetsadik, K., U.Gertsson & J.Ascard. 2003. Shallot yield, quality and storability as affected by irrigation and nitrogen. Journal of Horticultural Science & Biotechnology. 78 (4): 549-553 pp.

Yamazaki, N. Shiraiwa, A. Itai & Ichiro Honda. 2015 Involvement of gibberellins in the regulation of *tiller*ing in welsh onion (*Allium fistulosum* L.). The Horticulture Journal 84 (4): 334–341 pp.

Yang, G., Jan, A., Shen, S., Yazaki, J., Ishikawa, M., Shimatani, Z., Kishimoto, N., Kikuchi, S., Matsumoto, H., Komatsu, S. 2004. Microarray analysis of brassinosteroids- and gibberellin-regulated gene expression in rice seedlings. Mol Gen Genomics. 271 : 468–47 pp.

Yasseen, M., Barringer, W. E. Splittstoesser, & S. Costanza. 1994. The role of seed viability. The Botanical Review. 60 (4): 427-439.

YBTS-Vegimpact, N. L. 2020. Consumer Preferences on Shallot. Materi presentasi online pada Workshop True Shallot Seed 2020: Production, Market and Pest Control. Jakarta. 25 slide.

Yudono, P. 2015. *Perbenihan Tanaman : Dasar ilmu, Teknologi dan Pengelolaan* Gadjah Mada University Press. Yogyakarta. 308p

Zen, S. 1995. Heritabilitas, korelasi genotipik dan fenotipik karakter padi gogo. Zuriat. 6 (1): 25-32.

Zhang, C., H. Zhang, Z. Zhan, B. Liu, Z. Chen, & Y. Liang. 2016. Transcriptome analysis of sucrose metabolism during bulb swelling and development in onion (*Allium cepa* L.). Front.PlantSci. 7: 1425.

Zhang, J., Q. Yi, F. Xing, C. Tang, L. Wang, W. Ye, I. I. Ng, T. I. Chan, H. Chen, & D. Liu. 2018. Rapid shifts of peak flowering phenology in 12 species under the effects of extreme climate events in Macao. Scientific Reports. 8 (1):1-9.

Zhuang, W., Gao, Z., Wen, L., Huo, X., Cai, B., and Zhang, Z. 2015. Metabolic changes upon flower bud break in Japanese apricot are enhanced by exogenous GA4. Hortic. Res. 2, 15046. doi: 10.1038/hortres.2015.46

Zürcher, E., and Müller, B. 2016. “Cytokinin synthesis, signaling, and function—advances and new insights,” in International review of cell and molecular biology. Elsevier, Cambridge, Massachussetts: Academic Press. 234: 1–38. doi: 10.1016/ bs.ircmb.2016.01.001.