



## REFERENCES

- Acikgoz, F. 2017. Edible Flowers. *Journal of Experimental Agriculture International* **17** (1): 1–5.
- Albuquerque, B.R., Pinela, J., Barros, L., Oliveira, M.B.P.P., and Ferreira, I.C.F.R. 2020. Anthocyanin-rich extract of jabuticaba epicarp as a natural colorant: Optimization of heat- and ultrasound-assisted extractions and application in a bakery product. *Food Chemistry* **316** (February): 126364.
- AOAC. 2016. Guidelines for Standard Method Performance Requirements. .
- Aourach, M., González-De-peredo, A. V., Vázquez-Espinosa, M., Essalmani, H., Palma, M., and Barbero, G.F. 2021. Optimization and comparison of ultrasound and microwave-assisted extraction of phenolic compounds from cotton-lavender (Santolina chamaecyparissus l.). *Agronomy* **11** (1): .
- Barros, L., Dueñas, M., Carvalho, A.M., Ferreira, I.C.F.R., and Santos-Buelga, C. 2012. Characterization of phenolic compounds in flowers of wild medicinal plants from Northeastern Portugal. *Food and Chemical Toxicology* **50** (5): 1576–1582.
- Benarfa, A., Gourine, N., Hachani, S., Harrat, M., and Yousfi, M. 2020. Optimization of ultrasound-assisted extraction of antioxidative phenolic compounds from Deverra scoparia Coss. & Durieu (flowers) using response surface methodology. *Journal of Food Processing and Preservation* **44** (7): 1–10.
- Berger, P.D., Maurer, R.E., and Celli, G.B. 2018 Experimental design: With applications in management, engineering, and the sciences: Second edition In *Experimental Design: With Applications in Management, Engineering and the Sciences*, pp. 1–639. Springer International Publishing: Cham.
- Boudries, H., Nabet, N., Chougui, N., Souagui, S., Loupassaki, S., Madani, K., and Dimitrov, K. 2019. Optimization of ultrasound-assisted extraction of antioxidant phenolics from Capparis spinosa flower buds and LC–MS analysis. *Journal of Food Measurement and Characterization* **13** (3): 2241–2252.
- Brahmi, F., Blando, F., Sellami, R., Mehdi, S., De Bellis, L., Negro, C., Haddadi-Guemghar, H., Madani, K., and Makhlof-Boulekache, L. 2022. Optimization of the conditions for ultrasound-assisted extraction of phenolic compounds from Opuntia ficus-indica [L.] Mill. flowers and comparison with conventional procedures. *Industrial Crops and Products* **184** (February): 114977.
- Carrera, C., Ruiz-Rodríguez, A., Palma, M., and Barroso, C.G. 2012. Ultrasound assisted extraction of phenolic compounds from grapes.



*Analytica Chimica Acta* **732**: 100–104.

- Chemat, F., Rombaut, N., Sicaire, A.G., Meullemiestre, A., Fabiano-Tixier, A.S., and Abert-Vian, M. 2017. Ultrasound assisted extraction of food and natural products. Mechanisms, techniques, combinations, protocols and applications. A review. *Ultrasonics Sonochemistry* **34**: 540–560.
- Chemat, F., Zill-E-Huma, and Khan, M.K. 2011. Applications of ultrasound in food technology: Processing, preservation and extraction. *Ultrasonics Sonochemistry* **18** (4): 813–835.
- Chen, G.L., Chen, S.G., Xiao, Y., and Fu, N.L. 2018. Antioxidant capacities and total phenolic contents of 30 flowers. *Industrial Crops and Products* **111** (June 2017): 430–445.
- Chen, G.L., Chen, S.G., Xie, Y.Q., Chen, F., Zhao, Y.Y., Luo, C.X., and Gao, Y.Q. 2015. Total phenolic, flavonoid and antioxidant activity of 23 edible flowers subjected to in vitro digestion. *Journal of Functional Foods* **17**: 243–259.
- Chen, N.H., and Wei, S. 2017. Factors influencing consumers' attitudes towards the consumption of edible flowers. *Food Quality and Preference* **56**: 93–100.
- Dzah, C.S., Duan, Y., Zhang, H., Wen, C., Zhang, J., Chen, G., and Ma, H. 2020. The effects of ultrasound assisted extraction on yield, antioxidant, anticancer and antimicrobial activity of polyphenol extracts: A review. *Food Bioscience* **35** (February): 100547.
- Espada-Bellido, E., Ferreiro-González, M., Carrera, C., Palma, M., Barroso, C.G., and Barbero, G.F. 2017. Optimization of the ultrasound-assisted extraction of anthocyanins and total phenolic compounds in mulberry (*Morus nigra*) pulp. *Food Chemistry* **219**: 23–32.
- Etheridge, C.J., and Derbyshire, E. 2020. Herbal infusions and health: A review of findings from human studies, mechanisms and future research directions. *Nutrition and Food Science* **50** (5): 969–985.
- Ferreira, C.. S., Pereyra, A., Mazzobre, M.F., Polak, T., Abram, V., Buera, M., and Poklar Ulrich, N. 2016. Phenolic compounds in extracts from *Eucalyptus globulus* leaves and *Calendula officinalis* flowers. *Journal of Natural Products and Resources* **2** (1): 53–57.
- Ferreira, S.L.C., Bruns, R.E., Ferreira, H.S., Matos, G.D., David, J.M., Brandão, G.C., da Silva, E.G.P., Portugal, L.A., dos Reis, P.S., Souza, A.S., and dos Santos, W.N.L. 2007. Box-Behnken design: An alternative for the optimization of analytical methods. *Analytica Chimica Acta* **597** (2): 179–186.
- Gutiérrez-Grijalva, E.P., Ambriz-Pérez, D.L., Leyva-López, N., Castillo-López, R.I., and Heredia, J.B. 2016. Bioavailability of dietary phenolic compounds: Review. *Revista Espanola de Nutricion Humana y Dietetica* **20** (2): 140–147.



- Harmita, H. 2004. PETUNJUK PELAKSANAAN VALIDASI METODE DAN CARA PERHITUNGANNYA. *Majalah Ilmu Kefarmasian* **1** (3): 117–135.
- ICH. 2005. ICH Topic Q2 (R1) Validation of Analytical Procedures: Text and Methodology (Vol. 1994). (November): 447–460.
- Ignat, I., Volf, I., and Popa, V.I. 2011. A critical review of methods for characterisation of polyphenolic compounds in fruits and vegetables. *Food Chemistry* **126** (4): 1821–1835.
- Khan, M.K., Abert-Vian, M., Fabiano-Tixier, A.S., Dangles, O., and Chemat, F. 2010. Ultrasound-assisted extraction of polyphenols (flavanone glycosides) from orange (*Citrus sinensis* L.) peel. *Food Chemistry* **119** (2): 851–858.
- Kumar, K., Srivastav, S., and Sharanagat, V.S. 2021. Ultrasound assisted extraction (UAE) of bioactive compounds from fruit and vegetable processing by-products: A review. *Ultrasonics Sonochemistry* **70** (May 2020): 105325.
- Kumari, P., Ujala, and Bhargava, B. 2021. Phytochemicals from edible flowers: Opening a new arena for healthy lifestyle. *Journal of Functional Foods* **78** (February): 104375.
- de la Rosa, L.A., Moreno-Escamilla, J.O., Rodrigo-García, J., and Alvarez-Parrilla, E. (2018). *Phenolic compounds*. Elsevier Inc.
- Li, A.N., Li, S., Li, H. Bin, Xu, D.P., Xu, X.R., and Chen, F. 2014. Total phenolic contents and antioxidant capacities of 51 edible and wild flowers. *Journal of Functional Foods* **6** (1): 319–330.
- Li, A.N., Li, S., Li, Y., Xu, D.P., and Li, H. Bin. 2016. Optimization of ultrasound-assisted extraction of natural antioxidants from the *Osmanthus fragrans* flower. *Molecules* **21** (2): .
- Lin, L.Z., and Harnly, J.M. 2010. Identification of the phenolic components of chrysanthemum flower (*Chrysanthemum morifolium* Ramat). *Food Chemistry* **120** (1): 319–326.
- Liu, F., Wang, M., and Wang, M. 2018. Phenolic compounds and antioxidant activities of flowers, leaves and fruits of five crabapple cultivars (*Malus* Mill. species). *Scientia Horticulturae* **235** (February): 460–467.
- Lu, B., Li, M., and Yin, R. 2016. Phytochemical Content, Health Benefits, and Toxicology of Common Edible Flowers: A Review (2000–2015). *Critical Reviews in Food Science and Nutrition* **56** (October): S130–S148.
- Mehmood, A., Ishaq, M., Zhao, L., Yaqoob, S., Safdar, B., Nadeem, M., Munir, M., and Wang, C. 2019. Impact of ultrasound and conventional extraction techniques on bioactive compounds and biological activities



- of blue butterfly pea flower (*Clitoria ternatea* L.). *Ultrasonics Sonochemistry* **51** (September 2018): 12–19.
- Pan, C., Zhao, L., and Zhao, D. 2021. Microwave-assisted green extraction of antioxidant components from *Osmanthus fragrans* (Lour) flower using natural deep eutectic solvents. *Journal of Applied Research on Medicinal and Aromatic Plants* **20** (November 2020): 100285.
- Pan, Z., Qu, W., Ma, H., Atungulu, G.G., and McHugh, T.H. 2012. Continuous and pulsed ultrasound-assisted extractions of antioxidants from pomegranate peel. *Ultrasonics Sonochemistry* **19** (2): 365–372.
- Pinela, J., Prieto, M.A., Pereira, E., Jabeur, I., Barreiro, M.F., Barros, L., and Ferreira, I.C.F.R. 2019. Optimization of heat- and ultrasound-assisted extraction of anthocyanins from *Hibiscus sabdariffa* calyces for natural food colorants. *Food Chemistry* **275** (September 2018): 309–321.
- Pires, T.C.S.P., Dias, M.I., Barros, L., Calhelha, R.C., Alves, M.J., Oliveira, M.B.P.P., Santos-Buelga, C., and Ferreira, I.C.F.R. 2018. Edible flowers as sources of phenolic compounds with bioactive potential. *Food Research International* **105** (October 2017): 580–588.
- Ramawat, K.G., and Mérillon, J.M. (2013). *Natural products: Phytochemistry, botany and metabolism of alkaloids, phenolics and terpenes*.
- Ramić, M., Vidović, S., Zeković, Z., Vladić, J., Cvejin, A., and Pavlić, B. 2015. Modeling and optimization of ultrasound-assisted extraction of polyphenolic compounds from *Aronia melanocarpa* by-products from filter-tea factory. *Ultrasonics Sonochemistry* **23**: 360–368.
- Ramírez-Bolaños, S., Pérez-Jiménez, J., Díaz, S., and Robaina, L. 2021. A potential of banana flower and pseudo-stem as novel ingredients rich in phenolic compounds. *International Journal of Food Science and Technology* **56** (11): 5601–5608.
- Raposo, F., and Ibelli-bianco, C. 2020. Trends in Analytical Chemistry Performance parameters for analytical method validation : Controversies and discrepancies among numerous guidelines. *Trends in Analytical Chemistry* **129**: 115913.
- Rop, O., Mlcek, J., Jurikova, T., Neugebauerova, J., and Vabkova, J. 2012. Edible flowers - A new promising source of mineral elements in human nutrition. *Molecules* **17** (6): 6672–6683.
- Ryu, D., and Koh, E. 2019. Optimization of Ultrasound-Assisted Extraction of Anthocyanins and Phenolic Compounds from Black Soybeans (*Glycine max* L.). *Food Analytical Methods* **12** (6): 1382–1389.
- Santos, I.C. dos, and Reis, S.N. 2021. Edible Flowers: Traditional And Current Use. *Ornamental Horticulture* **27** (4): 438–445.



- Schmitzer, V., Veberic, R., Osterc, G., and Stampar, F. 2010. Color and Phenolic Content Changes during Flower Development in Groundcover Rose. **135** (3): 195–202.
- Setyaningsih, W., Saputro, I.E., Carrera, C.A., and Palma, M. 2019. Optimisation of an ultrasound-assisted extraction method for the simultaneous determination of phenolics in rice grains. *Food Chemistry* **288** (February): 221–227.
- Shahidi, F., and Ambigaipalan, P. 2015. Phenolics and polyphenolics in foods, beverages and spices: Antioxidant activity and health effects - A review. *Journal of Functional Foods* **18**: 820–897.
- Soares Melecchi, M.I., Péres, V.F., Dariva, C., Zini, C.A., Abad, F.C., Martinez, M.M., and Caramão, E.B. 2006. Optimization of the sonication extraction method of Hibiscus tiliaceus L. flowers. *Ultrasonics Sonochemistry* **13** (3): 242–250.
- Takahashi, J.A., Rezende, F.A.G.G., Moura, M.A.F., Dominguete, L.C.B., and Sande, D. 2020. Edible flowers: Bioactive profile and its potential to be used in food development. *Food Research International* **129** (November 2019): .
- Tao, Y., Wu, D., Zhang, Q.A., and Sun, D.W. 2014. Ultrasound-assisted extraction of phenolics from wine lees: Modeling, optimization and stability of extracts during storage. *Ultrasonics Sonochemistry* **21** (2): 706–715.
- Thompson, M., Ellison, S.L.R., and Wood, R. 2002. Harmonized guidelines for single-laboratory validation of methods of analysis (IUPAC Technical Report). *Pure and Applied Chemistry* **74** (5): 835–855.
- Wang, W., Ma, X., Xu, Y., Cao, Y., Jiang, Z., Ding, T., Ye, X., and Liu, D. 2015. Ultrasound-assisted heating extraction of pectin from grapefruit peel: Optimization and comparison with the conventional method. *Food Chemistry* **178**: 106–114.
- Xiong, L., Yang, J., Jiang, Y., Lu, B., Hu, Y., Zhou, F., Mao, S., and Shen, C. 2014. Phenolic Compounds and Antioxidant Capacities of 10 Common Edible Flowers from China. *Journal of Food Science* **79** (4): .
- Yu, J., Lou, Q., Zheng, X., Cui, Z., and Fu, J. 2017. Sequential combination of microwave- and ultrasound-assisted extraction of total flavonoids from osmanthus fragrans lour. Flowers. *Molecules* **22** (12): .
- Yun, J.M., and Kang, D.W. 2021. Antioxidant activity and qualitative and quantitative HPLC analyses of five types of apple blossoms prepared by two different drying methods. **28** (July): 780–789.
- Zardo, I., de Espíndola Sobczyk, A., Marczak, L.D.F., and Sarkis, J. 2019. Optimization of Ultrasound Assisted Extraction of Phenolic Compounds from Sunflower Seed Cake Using Response Surface Methodology. *Waste and Biomass Valorization* **10** (1): 33–44.



**Ultrasound-assisted extraction (UAE) of phenolic compounds from dried edible flowers: method development and validation**

ASADIN BRILIANTAMA, Dr. Widiastuti Setyaningsih STP., M.Sc; Prof. Dr. D. Miguel Palma Lovillo.

UNIVERSITAS  
GADJAH MADA

Universitas Gadjah Mada, 2022 | Diunduh dari <http://etd.repository.ugm.ac.id/>