UNIVERSITAS
GADJAH MADA
Ekspresi Gen dan Reseptor Insulin pada Zebrafish (Danio rerio Hamilton, 1822) setelah Perlakuan Ekstrak Daun Aquilaria malaccensis Lam. dan Gyrinops versteegii (Gilg.) Domke
LASMINI SYARIATIN, Dr.biol.hom. Nastiti Wijayanti, S.Si., M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abbas, Q., Hassan, M., Raza, H., Kim, S. J., Chung, K.-W., Kim, G.-H., & Seo, S.-Y. (2017). In vitro , in vivo and in silico anti-hyperglycemic inhibition by sinigrin. *Asian Pacific Journal of Tropical Medicine*, *10*(4), 372–379. https://doi.org/10.1016/j.apjtm.2017.03.019

Adhikari, A., Ray, M., Das, A., & Sur, T. (2016). Antidiabetic and antioxidant activity of Rhizophora mucronata leaves (Indian sundarban mangrove): An in vitro and in vivo study. *AYU (An International Quarterly Journal of Research in Ayurveda)*, *37*(1), 76. https://doi.org/10.4103/ayu.AYU_182_15

American Diabetes Association. (2004). Diagnosis and Classification of Diabetes Mellitus. *Diabetes Care*,*27*(suppl_1), s5–s10. https://doi.org/10.2337/diacare.27.2007.S5

Amsterdam, A., & Hopkins, N. (2006). Mutagenesis strategies in zebrafish for identifying genes involved in development and disease. *Trends in Genetics*, *22*(9), 473–478. https://doi.org/10.1016/j.tig.2006.06.011

Anderson, R. M., Bosch, J. A., Goll, M. G., Hesselson, D., Dong, P. D. S., Shin, D., Chi, N. C., Shin, C. H., Schlegel, A., Halpern, M., & Stainier, D. Y. R. (2009). Loss of Dnmt1 catalytic activity reveals multiple roles for DNA methylation during pancreas development and regeneration. *Developmental Biology*, *334*(1), 213–223. https://doi.org/10.1016/j.ydbio.2009.07.017

Anto, H., Trivedi, U., and Patel, K. (2006). Alpha-amylase production by Bacillus cereus MTCC 1305 using solid-state fermentation. *Food Technology and Biotechnology,* 44, 241-245.

Azren *et al.,* 2019;

Azwanida, N. N . (2015). A review on the extraction methods use in medicinal plants, principle, strength and limitation, *Medicinal & Aromatic Plants*, *04*(03). https://doi.org/10.4172/2167-0412.1000196

Bailone, R. L., Fukushima, H. C. S., Ventura Fernandes, B. H., De Aguiar, L. K., Corrêa, T., Janke, H., Grejo Setti, P., Roça, R. D. O., & Borra, R. C. (2020). Zebrafish as an alternative animal model in human and animal vaccination research. *Laboratory Animal Research*, *36*(1), 13. https://doi.org/10.1186/s42826-020-00042-4

Bastidas-Ponce, A., Scheibner, K., Lickert, H., & Bakhti, M. (2017). Cellular and molecular mechanisms coordinating pancreas development. *Development*, *144*(16), 2873–2888. https://doi.org/10.1242/dev.140756

Basu, S., & Sachidanandan, C. (2013). Zebrafish: A multifaceted tool for chemical biologists. *Chemical Reviews*, *113*(10), 7952–7980. https://doi.org/10.1021/cr4000013

Baynest, H. W. (2015). Classification, pathophysiology, diagnosis and management of diabetes mellitus. *Journal of Diabetes & Metabolism*, *06*(05). https://doi.org/10.4172/2155-6156.1000541

Beale, E. G., Harvey, B. J., & Forest, C. (2007). PCK1 and PCK2 as candidate diabetes and obesity genes. *Cell Biochemistry and Biophysics*, *48*(2–3), 89–95. https://doi.org/10.1007/s12013-007-0025-6

UNIVERSITAS
GADJAH MADA
Ekspresi Gen dan Reseptor Insulin pada Zebrafish (Danio rerio Hamilton, 1822) setelah Perlakuan Ekstrak Daun Aquilaria malaccensis Lam. dan Gyrinops versteegii (Gilg.) Domke
LASMINI SYARIATIN, Dr.biol.hom. Nastiti Wijayanti, S.Si., M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Beekhuijzen, M., de Koning, C., Flores-Guillén, M.-E., de Vries-Buitenweg, S., Tobor-Kaplon, M., van de Waart, B., & Emmen, H. (2015). From cutting edge to guideline: A first step in harmonization of the zebrafish embryotoxicity test (Zet) by describing the most optimal test conditions and morphology scoring system. *Reproductive Toxicology*, *56*, 64–76. https://doi.org/10.1016/j.reprotox.2015.06.050

Beker and Roth, 1990

Bhardwaj, I. N., & Sharma, M. (2019). Herbal anesthetic agents: An overview on sources, uses and future perspectives. *Asian Journal of Pharmacy and Pharmacology*, *5*(S1), 21–27. https://doi.org/10.31024/ajpp.2019.5.s1.7

Bintang, M. (2010). *Biokimia: Teknik penelitian*. Penerbit Erlangga.

Bnouham, M., Merhfour, F. Z., Ziyyat, A., Aziz, M., Legssyer, A., & Mekhfi, H. (2010). Antidiabetic effect of some medicinal plants of Oriental Morocco in neonatal non-insulin-dependent diabetes mellitus rats. *Human & Experimental Toxicology*, *29*(10), 865–871. https://doi.org/10.1177/0960327110362704

Bogardus, C., Lillioja, S., Howard, B. V., Reaven, G., & Mott, D. (1984). Relationships between insulin secretion, insulin action, and fasting plasma glucose concentration in nondiabetic and noninsulin-dependent diabetic subjects. *Journal of Clinical Investigation*, *74*(4), 1238–1246. https://doi.org/10.1172/JCI111533

Borogayary, B., Das, A. K., & Nath, A. J. (2018). vegetative and reproductive phenology of *aquilaria malaccensis* lam. (Agarwood)In cachar district, assam, india. *Journal of Threatened Taxa*, *10*(8), 12064. https://doi.org/10.11609/jott.3825.10.8.12064-12072

Bösenberg, L. H., & van Zyl, D. G. (2008). The mechanism of action of oral antidiabetic drugs: A review of recent literature. *Journal of Endocrinology, Metabolism and Diabetes of South Africa*, *13*(3), 80–88. https://doi.org/10.1080/22201009.2008.10872177

BPS, 2015

Brahmachari, G. (2017). *Discovery and development of antidiabetic agents from naturalproducts natural product drug discovery*. Amsterdam: Elsevier.

Braunbeck T., Boettcher M., Hollert H., Kosmehl T., Lammer E., Leist E., Rudolf M, and Seitz N (2005). Towards an alternative for the acute fish LC(50) test in chemical assessment: the fish embryo toxicity test goes multi-species - an update. *Alternatives To Animal Experimentation*, 22(2), 87-102. PMID: 15953964.

Budiman, A. (2011). *Isolasi Enzim α-Glukosidase dari Gabah (Oryza sativa Var. Ciherang)*. Naskah Skripsi. Fakultas Matematika dan Ilmu Pengetahuan Alam. Universitas Indonesia.

Calvaryni, N.M. (2022). *Pengaruh Pemberian Fungisida Terhadap Profil Metabolis Tanaman*. Skripsi. Program Studi Biologi, Universitas Gadjah Mada.

Cao, G., Liang, Y., Broderick, C. L., Oldham, B. A., Beyer, T. P., Schmidt, R. J., Zhang, Y., Stayrook, K. R., Suen, C., Otto, K. A., Miller, A. R., Dai, J., Foxworthy, P., Gao, H., Ryan, T. P., Jiang, X.-C., Burris, T. P., Eacho, P. I., & Etgen, G. J. (2003). Antidiabetic action of a liver x receptor agonist mediated by inhibition of hepatic gluconeogenesis. *Journal of Biological Chemistry*, *278*(2), 1131–1136. https://doi.org/10.1074/jbc.M210208200

UNIVERSITAS
GADJAH MADA
Ekspresi Gen dan Reseptor Insulin pada Zebrafish (Danio rerio Hamilton, 1822) setelah Perlakuan Ekstrak Daun Aquilaria malaccensis Lam. dan Gyrinops versteegii (Gilg.) Domke
LASMINI SYARIATIN, Dr.biol.hom. Nastiti Wijayanti, S.Si., M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Cao, Z., Umek, R. M., & McKnight, S. L. (1991). Regulated expression of three C/EBP isoforms during adipose conversion of 3T3-L1 cells. *Genes & Development*, *5*(9), 1538–1552. https://doi.org/10.1101/gad.5.9.1538

Cefalu, W. T., Dawes, D. E., Gavlak, G., Goldman, D., Herman, W. H., Van Nuys, K., Powers, A. C., Taylor, S. I., Yatvin, A. L., & on behalf of the Insulin Access and Affordability Working Group. (2018). Insulin access and affordability working group: Conclusions and recommendations. *Diabetes Care*, *41*(6), 1299–1311. https://doi.org/10.2337/dci18-0019

Çelik E S, Kaya H, and Yilmaz S. (2012). Effects of Phosalone on mineral contents and spinal deformities in Common Carp (Cyprinus carpio, L.1758). *Turkish Journal of Fisheries and Aquatic Sciences*, 12(2): 259-264. DOI: 10.4194/1303-2712-v12_2_10

Chae, J. H., Stein, G. H. and Lee, J. E. (2004). NeuroD: the predicted and the surprising. *Molecules and Cells*, 18, 271–288

Chen, X., Liu, Y., Yang, Y., Feng, J., Liu, P., Sui, C., & Wei, J. (2018). Trunk surface agarwood-inducing technique with Rigidoporus vinctus: An efficient novel method for agarwood production. *PLOS ONE*, *13*(6), e0198111. https://doi.org/10.1371/journal.pone.0198111

Chiasson, J.-L., Josse, R. G., Gomis, R., Hanefeld, M., Karasik, A., & Laakso, M. (2002). Acarbose for prevention of type 2 diabetes mellitus: The STOP-NIDDM randomised trial. *The Lancet*, *359*(9323), 2072–2077. https://doi.org/10.1016/S0140-6736(02)08905-5

Choudhury, L.D., R. Basu, T. Biswas, A. Mukherjee, and A.K. Das. (2016). A Comparative Study of Miglitol and Acarbose Add on Therapy Intended for Better Glycaemic Control in Type 2 Diabetes Mellitus. *International Journal of Current Research and Review*, 8(24), 33-40.

Choudhury, L.D., R. Basu, T. Biswas, A. Mukherjee, and A.K. Das. (2016). A Comparative Study of Miglitol and Acarbose Add on Therapy Intended for Better Glycaemic Control in Type 2 Diabetes Mellitus. *International Journal of Current Research and Review*, 8(24), 33-40.

Chua, Lillian S W. (2008). Agarwood (Aquilaria Malalccensis) in Malayasia. *NDF WORKSHOP CASE STUDIES MEXICO, 1(3).*

Cornish-Bowden, A. (1986). Why is uncompetitive inhibition so rare?: A possible explanation, with implications for the design of drugs and pesticides. *FEBS Letters*, *203*(1), 3–6. https://doi.org/10.1016/0014-5793(86)81424-7

Cui, J., Wang, C., Guo, S., Yang, L., Xiao, P., & Wang, M. (2013). Evaluation of fungus-induced agilawood from Aquilaria sinensis in China. *Symbiosis*, *60*(1), 37–44. https://doi.org/10.1007/s13199-013-0237-z

D.T. Duong, M.E. Waltner-Law, R. Sears, L. Sealy, D.K. Granner. (2002). Insulin inhibits hepatocellular glucose production by utilizing liver- enriched transcriptional inhibitory protein to disrupt the association of creb-binding protein and rna polymerase II with the phosphoenolpyruvate carboxykinase gene promoter, *J. Biol. Chem*, 277 (35), 32234–32242.

Datta, S. C. (1988). *Systematic botany*. New Age International. 354.

De Meyts, P., & Whittaker, J. (2002). Structural biology of insulin and IGF1 receptors: Implications for drug design. *Nature Reviews Drug Discovery*, *1*(10), 769–783. https://doi.org/10.1038/nrd917

UNIVERSITAS
GADJAH MADA
Ekspresi Gen dan Reseptor Insulin pada Zebrafish (Danio rerio Hamilton, 1822) setelah Perlakuan Ekstrak Daun Aquilaria malaccensis Lam. dan Gyrinops versteegii (Gilg.) Domke
LASMINI SYARIATIN, Dr.biol.hom. Nastiti Wijayanti, S.Si., M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Deacon, C. F. (2019). Physiology and pharmacology of dpp-4 in glucose homeostasis and the treatment of type 2 diabetes. *Frontiers in Endocrinology*, *10*, 80. https://doi.org/10.3389/fendo.2019.00080

DeFronzo, R. A. (1988). The triumvirate: β-cell, muscle, liver: a collusion responsible for niddm. *Diabetes*, *37*(6), 667–687. https://doi.org/10.2337/diab.37.6.667

DeFronzo, R. A., Simonson, D., & Ferrannini, E. (1982). Hepatic and peripheral insulin resistance: A common feature of Type 2 (Non-insulin-dependent) and Type 1 (Insulin-dependent) diabetes mellitus. *Diabetologia*, *23*(4). https://doi.org/10.1007/BF00253736

Dewick, P. M. (2009). *Medicinal natural products: A biosynthetic approach* (3rd edition). Wiley, A John Wiley and Sons, Ltd., Publication.

Dhanani, T., Shah, S., Gajbhiye, N. A., & Kumar, S. (2013). Effect of extraction methods on yield, phytochemical constituents and antioxidant activity of Withania somnifera. *Arabian Journal of Chemistry*, *10*, 1-7. https://doi.org/10.1016/j.arabjc.2013.02.015

Dimitriadis, G., Mitrou, P., Lambadiari, V., Maratou, E., & Raptis, S. A. (2011). Insulin effects in muscle and adipose tissue. *Diabetes Research and Clinical Practice*, *93*, S52–S59. https://doi.org/10.1016/S0168-8227(11)70014-6

Dipiroemami, S. and Ali, O. (2017). Effects of Dietary Supplementing of Spirulina Platensis and Chlorella Vulgaris Microalgae on Hematologic Parameters in StreptozotocinInduced Diabetic Rats. *Iran Journal of Pediatiric Hematology Oncology,* 7(3), 163-170

Dona, A. C., Pages, G., Gilbert, R. G., & Kuchel, P. W. (2010). Digestion of starch: In vivo and in vitro kinetic models used to characterise oligosaccharide or glucose release. *Carbohydrate Polymers*, *80*(3), 599–617. https://doi.org/10.1016/j.carbpol.2010.01.002

Dyer, J., Wood, I. S., Palejwala, A., Ellis, A., & Shirazi-Beechey, S. P. (2002). Expression of monosaccharide transporters in intestine of diabetic humans. *American Journal of Physiology-Gastrointestinal and Liver Physiology*, *282*(2), G241–G248. https://doi.org/10.1152/ajpgi.00310.2001

Elavarasi S, Saravanan K, Renuka C. (2013). A systematic review on medicinal plants used to treat diabetes mellitus. *Intern J Pharmaceut Chem Biol Sci*, *3*(3), 983-92.

Elo, B., Villano, C. M., Govorko, D., & White, L. A. (2007). Larval zebrafish as a model for glucose metabolism: Expression of phosphoenolpyruvate carboxykinase as a marker for exposure to anti-diabetic compounds. *Journal of Molecular Endocrinology*, *38*(4), 433–440. https://doi.org/10.1677/JME-06-0037

Fadhilah, Y.S. (2016). *Identifikasi Golongan Senyawa Toksik Daun Gaharu Gyrinops versteegii (Gilg.) Domke dan Aquilaria malaccensis Lamk. terhadap Sel Kanker Payudara T47D*. Thesis. Fakultas Biologi, Universitas Gadjah Mada.

Faizal, A., Azar, A. W. P., Turjaman, M., & Esyanti, R. R. (2020). Fusarium solani induces the formation of agarwood in Gyrinops versteegii (Gilg.) Domke branches. *Symbiosis*, *81*(1), 15–23. https://doi.org/10.1007/s13199-020-00677-w

Ferraris, R. P., & Diamond, J. (1997). Regulation of intestinal sugar transport. *Physiological Reviews*, *77*(1), 257–302. https://doi.org/10.1152/physrev.1997.77.1.257

UNIVERSITAS
GADJAH MADA
Ekspresi Gen dan Reseptor Insulin pada Zebrafish (Danio rerio Hamilton, 1822) setelah Perlakuan Ekstrak Daun Aquilaria malaccensis Lam. dan Gyrinops versteegii (Gilg.) Domke
LASMINI SYARIATIN, Dr.biol.hom. Nastiti Wijayanti, S.Si., M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Freeman AM, Pennings N. (2022). Insulin Resistance. Treasure Island (*FL): StatPearls Publishing*.

Frontoni, S., Di Bartolo, P., Avogaro, A., Bosi, E., Paolisso, G., & Ceriello, A. (2013). Glucose variability: An emerging target for the treatment of diabetes mellitus. *Diabetes Research and Clinical Practice*, *102*(2), 86–95. https://doi.org/10.1016/j.diabres.2013.09.007

Frontoni, S., Di Bartolo, P., Avogaro, A., Bosi, E., Paolisso, G., & Ceriello, A. (2013). Glucose variability: An emerging target for the treatment of diabetes mellitus. *Diabetes Research and Clinical Practice*, *102*(2), 86–95. https://doi.org/10.1016/j.diabres.2013.09.007

Galicia-Garcia, U., Benito-Vicente, A., Jebari, S., Larrea-Sebal, A., Siddiqi, H., Uribe, K. B., Ostolaza, H., & Martín, C. (2020). Pathophysiology of type 2 diabetes mellitus. *International Journal of Molecular Sciences*, *21*(17), 6275. https://doi.org/10.3390/ijms21176275

Gardner, D. G., & Greenspan, F. S. (Eds.). (1994). *basic & clinical endocrinology* (4. ed). McGraw Hill Medical.

Gleeson, M., Connaughton, V., & Arneson, L. S. (2007). Induction of hyperglycaemia in zebrafish (Danio rerio) leads to morphological changes in the retina. *Acta Diabetologica*, *44*(3), 157–163. https://doi.org/10.1007/s00592-007-0257-3

Gómez-Valadés AG, Vidal-Alabró A, Molas M, Boada J, Bermúdez J, Bartrons R, Perales JC. (2005). Overcoming diabetes-induced hyperglycemia through inhibition of hepatic phosphoenolpyruvate carboxykinase (GTP) with RNAi. *Mol Ther*, 13(2), 401-10. https://doi.org/10.1016/j.ymthe.2005.08.026

Goodison, S., Kenna, S., & Ashcroft, S. J. H. (1992). Control of insulin gene expression by glucose. *Biochemical Journal*, *285*(2), 563–568. https://doi.org/10.1042/bj2850563

Granner, D. K., & O'Brien, R. M. (1992). Molecular physiology and genetics of niddm: Importance of metabolic staging. *Diabetes Care*, *15*(3), 369–395. https://doi.org/10.2337/diacare.15.3.369

Graves, B. J., Johnson, P. F., & McKnight, S. L. (1986). Homologous recognition of a promoter domain common to the MSV LTR and the HSV tk gene. *Cell*, *44*(4), 565–576. https://doi.org/10.1016/0092-8674(86)90266-7

Guariguata, Leonor & Whiting, David & Hambleton, Ian & Beagley, Jessica & Linnenkamp, Ute & Shaw, Jonathan. (2013). Global estimates of diabetes prevalence for 2013 and projections for 2035 for the IDF Diabetes Atlas. Diabetes Research and Clinical Practice. 103. 10.1016/j.diabres.2013.11.002.

Gupta, R., Bajpai, K.G., Johri, S., Saxe.2007. An overview of Indian novel traditional medicinal plants with anti-diabetic potentials. *African Journal Tradition Complement Alternative Medical*. 51:1–17.

Gupta, R., Gigras, P., Mohapatra, H., Goswami, V. K., & Chauhan, B. (2003). Microbial α-amylases: A biotechnological perspective. *Process Biochemistry*, *38*(11), 1599–1616. https://doi.org/10.1016/S0032-9592(03)00053-0

Gutzeit, H., & Ludwig-Müller, J. (2014). *Plant natural products: Synthesis, biological functions and practical applications* (1. Aufl). Wiley Blackwell.

Hadi S, Muliasari H, Sukma N S and Ratnaningsih P E W. (2011). Phytochemical screening and antibacterial testing of gaharu trees (Gyrinops versteegii (Gilg.) Domke) from Lombok Island. i*n Proc 2nd Int Semin Chem*, 79-82.

Handayani, S. S., Amrullah, Fatimah, H., & Seftiani, R. (2019). The effects of temperature on alpha-cellulose content and extraction result of tobacco stem.

UNIVERSITAS
GADJAH MADA
Ekspresi Gen dan Reseptor Insulin pada Zebrafish (Danio rerio Hamilton, 1822) setelah Perlakuan Ekstrak Daun Aquilaria malaccensis Lam. dan Gyrinops versteegii (Gilg.) Domke
LASMINI SYARIATIN, Dr.biol.hom. Nastiti Wijayanti, S.Si., M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Journal of Physics: Conference Series, *1280*(2), 022012. https://doi.org/10.1088/1742-6596/1280/2/022012

Haryoto and E. Priyatno. (2005). Potensi Buah Salak Sebagai Suplemen Obat dan Pangan. *Muhammadiyah University Press: Surakarta*, 71–73.

Hay, C. W., & Docherty, K. (2006). Comparative analysis of insulin gene promoters. *Diabetes*, *55*(12), 3201–3213. https://doi.org/10.2337/db06-0788

Hay, C. W., & Docherty, K. (2006). Comparative analysis of insulin gene promoters. *Diabetes*, *55*(12), 3201–3213. https://doi.org/10.2337/db06-0788

Hayes, M., Gao, X., Yu, L. X., Paria, N., Henkelman, R. M., Wise, C. A., & Ciruna, B. (2014). Ptk7 mutant zebrafish models of congenital and idiopathic scoliosis implicate dysregulated wnt signalling in disease. *Nature Communications*, *5*(1), 4777. https://doi.org/10.1038/ncomms5777

Hendra, H., Moeljopawiro, S., & Nuringtyas, T. R. (2016). *Antioxidant and antibacterial activities of agarwood (Aquilaria malaccensis Lamk.) leaves*. 140004. https://doi.org/10.1063/1.4958565

Hernández-Sánchez, C., Mansilla, A., de la Rosa, E. J., & de Pablo, F. (2006). Proinsulin in development: New roles for an ancient prohormone. *Diabetologia*, *49*(6), 1142–1150. https://doi.org/10.1007/s00125-006-0232-5

Hidayat, N., Wignyanto., S. Sumarsih, and A. I. Putri. (2016). *Mikologi Industri*. UB Press Malang. P, 81–82.

Hill, A., Jones, M., Dodd, A., & Diekmann, H. (2011). A review of developmental toxicity screening using zebrafish larvae. *Toxicology Letters*, *205*, S115. https://doi.org/10.1016/j.toxlet.2011.05.413

Hostettmann, K., Marston, A., & Hostettmann, M. (2011). *Preparative chromatography techniques: Applications in natural product isolation*. Springer.

Hostettmann, K., Marston, A., & Hostettmann, M. (2013). *Preparative chromatography techniques: Applications in natural product isolation*. Springer.

Hostettmann, K., Marston, A., & Hostettmann, M. (2013). *Preparative chromatography techniques: Applications in natural product isolation*. Springer.

Hoyberghs, J., Bars, C., Pype, C., Foubert, K., Ayuso Hernando, M., Van Ginneken, C., Ball, J., & Van Cruchten, S. (2020). Refinement of the zebrafish embryo developmental toxicity assay. *MethodsX*, *7*, 101087. https://doi.org/10.1016/j.mex.2020.101087

Huang PL. (2014). *Diabetes Mellitus and the Metabolic Syndrome, in MGH Cardiology Board Review*. Springer, 120-132.

Huang, Y.-C., Chang, W.-L., Huang, S.-F., Lin, C.-Y., Lin, H.-C., & Chang, T.-C. (2010). Pachymic acid stimulates glucose uptake through enhanced GLUT4 expression and translocation. *European Journal of Pharmacology*, *648*(1–3), 39–49. https://doi.org/10.1016/j.ejphar.2010.08.021

Huang, Z.-R., Lin, Y.-K., & Fang, J.-Y. (2009). Biological and pharmacological activities of squalene and related compounds: Potential uses in cosmetic dermatology. *Molecules*, *14*(1), 540–554. https://doi.org/10.3390/molecules14010540

Husnul Khotimah, Safira Nur Alita P, Dea Aninditha, Anditri Weningtyas, Wahyu Prima E, Umi Kalsum, Masruroh Rahayu, Dian Handayani, & Shahdevi Nandar K. (2021). Ethanolic extract of Salacca zalacca peel reduce IL-1β and apoptosis in high glucose induced zebrafish embryo.

UNIVERSITAS
GADJAH MADA
Ekspresi Gen dan Reseptor Insulin pada Zebrafish (Danio rerio Hamilton, 1822) setelah Perlakuan Ekstrak Daun Aquilaria malaccensis Lam. dan Gyrinops versteegii (Gilg.) Domke
LASMINI SYARIATIN, Dr.biol.hom. Nastiti Wijayanti, S.Si., M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

GSC Biological and Pharmaceutical Sciences, *16*(3), 024–033. https://doi.org/10.30574/gscbps.2021.16.3.0213

Hussein, R.A. and A.A. El-Anssary. (2017). *Plants Secondary Metabolites: The Key Drivers of the Pharmacological Actions of Medicinal Plants*. IntechOpenBook, 2, 11-31.

Hutami, D. R. (2020). *Aktivitas Antidiabetes Ekstrak Daun Gaharu Gyrinops versteegii (Gilg.) Domke secara In Vitro dan In Silico*. Skripsi. Program Studi Biologi, Universitas Gadjah Mada.

Ibrahim, M. R. Dutta., and R. Jayarac. (2019). *Know your trees – Aquilaria malaccensis.Indian* Council of Forestry Research and Education, 5(2), 1–15.

Indirayati et al. (2022). *Inhibitory effect againts α-amylase and α-glucosidase of Agarwood (Aquilaria malaccensis) leaves extract on zebrafish hyperglicemia*. tesis. Program Studi Biologi, Universitas Gadjah Mada.

Ingram, W. J., Wicking, C. A., Grimmond, S. M., Forrest, A. R., & Wainwright, B. J. (2002). Novel genes regulated by Sonic Hedgehog in pluripotent mesenchymal cells. *Oncogene*, *21*(53), 8196–8205. https://doi.org/10.1038/sj.onc.1205975

International Diabetes Federation. (2012). *Diabetes atlas*. International Diabetes Federation, Executive Office.

Intine, R. V., Olsen, A. S., & Sarras, M. P. (2013). A zebrafish model of diabetes mellitus and metabolic memory. *Journal of Visualized Experiments*, *72*, 50232. https://doi.org/10.3791/50232

Inui A, Cheng KC, Asakawa A, Amitani H, Amitani M, Morinaga A, Runtuwene J. (2016). Rosmarinic acid ameliorates hyperglycemia and insulin sensitivity in diabetic rats, potentially by modulating the expression of PEPCK and GLUT4. *Drug Design, Development and Therapy*, 10, 2193–2202.

Irawan, A., Anggraeni, I., & Christita, M. (2015). Identification causes leaf spot disease in cempaka (Magnolia elegans (blume.) H. Keng) seedling and its control techniques. *Jurnal Wasian*, *2*(2), 87. https://doi.org/10.20886/jwas.v2i2.843

Ismail, N., Rahiman, M. H. F., Taib, M. N., Ibrahim, M., Zareen, S., & Tajuddin, S. N. (2016). Direct Thermal Desorption (Dtd) extraction for different qualities of agarwood incense analysis. *2016 IEEE 12th International Colloquium on Signal Processing & Its Applications (CSPA)*, 291–294. https://doi.org/10.1109/CSPA.2016.7515848

Jack. (2012). *Synthesis of Antidiabetic Flavonoids and Their Derivative*.Medical Research, 180.

Jain, S. M., & Saxena, P. K. (Eds.). (2009). *Protocols for in vitro cultures and secondary metabolite analysis of aromatic and medicinal plants*. Humana Press.

Javelle, M., Vernoud, V., Rogowsky, P. M., & Ingram, G. C. (2011). Epidermis: The formation and functions of a fundamental plant tissue. *New Phytologist*, *189*(1), 17–39. https://doi.org/10.1111/j.1469-8137.2010.03514.x

Jin, X., Sun, J., Miao, X., Liu, G., & Zhong, D. (2013). Inhibitory effect of geraniol in combination with gemcitabine on proliferation of BXPC-3 human pancreatic cancer cells. *Journal of International Medical Research*, *41*(4), 993–1001. https://doi.org/10.1177/0300060513480919

Johnson, P. F., Landschulz, W. H., Graves, B. J., & McKnight, S. L. (1987). Identification of a rat liver nuclear protein that binds to the enhancer core

UNIVERSITAS
GADJAH MADA
Ekspresi Gen dan Reseptor Insulin pada Zebrafish (Danio rerio Hamilton, 1822) setelah Perlakuan Ekstrak Daun Aquilaria malaccensis Lam. dan Gyrinops versteegii (Gilg.) Domke
LASMINI SYARIATIN, Dr.biol.hom. Nastiti Wijayanti, S.Si., M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

element of three animal viruses. *Genes & Development*, *1*(2), 133–146. https://doi.org/10.1101/gad.1.2.133

Jothy, S. L., Zakaria, Z., Chen, Y., Lau, Y. L., Latha, L. Y., & Sasidharan, S. (2011). Acute oral toxicity of methanolic seed extract of cassia fistula in mice. *Molecules*, *16*(6), 5268–5282. https://doi.org/10.3390/molecules16065268

Juge, N., & Svensson, B. (2006). Proteinaceous inhibitors of carbohydrate-active enzymes in cereals: Implication in agriculture, cereal processing and nutrition. *Journal of the Science of Food and Agriculture*, *86*(11), 1573–1586. https://doi.org/10.1002/jsfa.2454

Kabera, J.K., E. Semana., A. R. Mussa. (2014). Plant Secondary Metabolites: Biosynthesis, Classification, Function and Pharmacological Properties. *Journal of Pharmacy and Pharmacology*,2(7), 377–392.

Kahn, S. E., Hull, R. L., & Utzschneider, K. M. (2006). Mechanisms linking obesity to insulin resistance and type 2 diabetes. *Nature*, *444*(7121), 840–846. https://doi.org/10.1038/nature05482

Kakino *et al*. 2010

Kaneto, H., Katakami, N., Kawamori, D., Miyatsuka, T., Sakamoto, K., Matsuoka, T.-A., Matsuhisa, M., & Yamasaki, Y. (2007). Involvement of oxidative stress in the pathogenesis of diabetes. *Antioxidants & Redox Signaling*, *9*(3), 355–366. https://doi.org/10.1089/ars.2006.1465

Kang, G. G., Francis, N., Hill, R., Waters, D., Blanchard, C., & Santhakumar, A. B. (2019). Dietary polyphenols and gene expression in molecular pathways associated with type 2 diabetes mellitus: A review. *International Journal of Molecular Sciences*, *21*(1), 140. https://doi.org/10.3390/ijms21010140

Kato, H., Fujii, S., Takahashi, M., Matsumoto, M., Hirata-Koizumi, M., Ono, A., & Hirose, A. (2015). Repeated dose and reproductive/developmental toxicity of perfluorododecanoic acid in rats: Repeated Dose and Reproductive/Developmental Toxicity of PFDoA. *Environmental Toxicology*, *30*(11), 1244–1263. https://doi.org/10.1002/tox.21996

Kaur, N., Kumar, V., Nayak, S. K., Wadhwa, P., Kaur, P., & Sahu, S. K. (2021). Alpha-amylase as molecular target for treatment of diabetes mellitus: A comprehensive review. *Chemical Biology & Drug Design*, *98*(4), 539–560. https://doi.org/10.1111/cbdd.13909

Kemenkes RI, P2PTM. (2018). *Lindungi Keluarga dari Diabetes*. Diakses pada: http:// http://p2ptm.kemkes.go.id/post/lindungi-keluarga-dari-diabetes tanggal 1 April 2021.

Kemenkes RI, P2PTM. (2021). *Lindungi Keluarga dari Diabetes*. Diakses pada: http:// http://p2ptm.kemkes.go.id/post/lindungi-keluarga-dari-diabetes tanggal 1 April 2021.

Ken Fern. (2022). Tropical Plants Database. *tropical.theferns.info*. Diakses dari https:// www.tropical.theferns.info/viewtropical.php?id=Aquilaria+malaccensis/ tanggal 28 November 2022.

Khalil, A.S., A.A. Rahim., K.K Taha., and K.B. Abdallah. (2013). Characterization of Methanolic Extracts of Agarwood Leaves. *J. Applied and Industrial Sci*, 1(3), 78–88.

Kim, S., Thiessen, P. A., Cheng, T., Zhang, J., Gindulyte, A., & Bolton, E. E. (2019). PUG-View: Programmatic access to chemical annotations integrated in PubChem. *Journal of Cheminformatics*, *11*(1), 56. https://doi.org/10.1186/s13321-019-0375-2

UNIVERSITAS
GADJAH MADA
Ekspresi Gen dan Reseptor Insulin pada Zebrafish (Danio rerio Hamilton, 1822) setelah Perlakuan Ekstrak Daun Aquilaria malaccensis Lam. dan Gyrinops versteegii (Gilg.) Domke
LASMINI SYARIATIN, Dr.biol.hom. Nastiti Wijayanti, S.Si., M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Kitamura, T., Kahn, C. R., & Accili, D. (2003). Insulin receptor knockout mice. *Annual Review of Physiology*, *65*(1), 313–332. https://doi.org/10.1146/annurev.physiol.65.092101.142540

Kristanti, A. N., Tanjung, M., & Aminah, N. S. (2018). Review: Secondary metabolites of aquilaria, a thymelaeaceae genus. *Mini-Reviews in Organic Chemistry*, *15*(1). https://doi.org/10.2174/1570193X14666170721143041

Kumar P, Vgm P. (2014). A Randomized Double-Masked Study of 50 mg of Acarbose versus 0.2 mg Voglibose in Overweight Type 2 Diabetes Patients Age Between 30 and 50 Years Having Isolated Postprandial Glycemia. *Indian JClin Pract*, *24*(9).

Kumeta, Y., & Ito, M. (2010). Characterization of δ-guaiene synthases from cultured cells of *aquilaria* , responsible for the formation of the sesquiterpenes in agarwood. *Plant Physiology*, *154*(4), 1998–2007. https://doi.org/10.1104/pp.110.161828

Kumoro, A. C., Hasan, M., & Singh, H. (2009). Effects of solvent properties on the Soxhlet extraction of diterpenoid lactones from Andrographis paniculata leaves. *ScienceAsia*, *35*(3), 306–309. https://doi.org/10.2306/scienceasia1513-1874.2009.35.306

Larsen, Kronenberg, et al. (2003). *Williams Textbook of Endocrinology 10th*. Komunikasi Sel, 45-49, 5. Diakses dari https://www.unisba.ac.id/doklib/bab_2.htm/ tanggal 5 November 2004.

Leba, M. A. U. (2017). *Buku Ajar: Ekstraksi dan Real Kromatografi*. First Edition. CV. Budi Utama.

Lebovitz HE. (1997). Alpha-Glucosidase Inhibitors. *Endocrinology and Metabolism Clinics of North America*, 26(3), 539-551.

Lee, J. C., & Gutell, R. R. (2004). Diversity of base-pair conformations and their occurrence in rrna structure and rna structural motifs. *Journal of Molecular Biology*, *344*(5), 1225–1249. https://doi.org/10.1016/j.jmb.2004.09.072

Lenze, S. 2008. The mechanism of alloxon- and streptozotocin-induces diabetes. *Diabetologia*, 51, 216-226.

Lestari, B., Soeharto, S., Nurdiana, Permatasari, N., Kalsum, U., Khotimah, H., Nugrahenny, D., dan Mayangsari, E. (2017). *Buku Ajar Farmalogi Dasar*. Malang: UB Press. Hal. 99 – 104.

Levy et al. (2003). *Insulin Receptor Substrates*. Diakses dari https:// www.inaf.ulaval.ca/docs/Quebectalk2003.ppt/ at 6 Nov 2004.

Li, X., Ding, G., Xiong, Y., Ma, X., Fan, Y., & Xiong, D. (2018). Toxicity of water-accommodated fractions (Waf), chemically enhanced waf (Cewaf) of oman crude oil and dispersant to early-life stages of zebrafish(Danio rerio). *Bulletin of Environmental Contamination and Toxicology*, *101*(3), 314–319. https://doi.org/10.1007/s00128-018-2413-6

Lin, D., Xiao, M., Zhao, J., Li, Z., Xing, B., Li, X., Kong, M., Li, L., Zhang, Q., Liu, Y., Chen, H., Qin, W., Wu, H., & Chen, S. (2016). An overview of plant phenolic compounds and their importance in human nutrition and management of type 2 diabetes. *Molecules*, *21*(10), 1374. https://doi.org/10.3390/molecules21101374

Lin, F.; Mei. W. L.; Wu, J.; Dai, F. (2010). GC-MS analysis of volatile constituents from Chinese agarwood produced by artificial methods. *Chin. Herb. Med*, 33, 222–225.

UNIVERSITAS
GADJAH MADA
Ekspresi Gen dan Reseptor Insulin pada Zebrafish (Danio rerio Hamilton, 1822) setelah Perlakuan Ekstrak Daun Aquilaria malaccensis Lam. dan Gyrinops versteegii (Gilg.) Domke
LASMINI SYARIATIN, Dr.biol.hom. Nastiti Wijayanti, S.Si., M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Littleton, R. M., & Hove, J. R. (2013). Zebrafish: A nontraditional model of traditional medicine. *Journal of Ethnopharmacology*, *145*(3), 677–685. https://doi.org/10.1016/j.jep.2012.11.003

Liu, P., Cheng, Y., Yang, M., Liu, Y., Chen, K., Long, C. A., & Deng, X. (2014). Mechanisms of action for 2-phenylethanol isolated from Kloeckera apiculata in control of Penicillium molds of citrus fruits. *BMC Microbiology*, *14*(1), 1–14. https://doi.org/10.1186/s12866-014-0242-2

Liu, X.-M., Tao, T.-T., Meng, X.-X., Zhang, W.-W., Chang, J., & Xu, F. (2017). Cloning and expression analysis of a farnesyl diphosphate synthase (Fpps) gene from chamaemelum nobile. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca*, *45*(2), 358–364. https://doi.org/10.15835/nbha45210858

Liu, Y., Chen, H., Yang, Y., Zhang, Z., Wei, J., Meng, H., Chen, W., Feng, J., Gan, B., Chen, X., Gao, Z., Huang, J., Chen, B., & Chen, H. (2013). Whole-tree agarwood-inducing technique: An efficient novel technique for producing high-quality agarwood in cultivated aquilaria sinensis trees. *Molecules*, *18*(3), 3086–3106. https://doi.org/10.3390/molecules18033086

Lozano-Grande, M. A., Gorinstein, S., Espitia-Rangel, E., Dávila-Ortiz, G., & Martínez-Ayala, A. L. (2018). Plant sources, extraction methods, and uses of squalene. *International Journal of Agronomy*, *2018*, 1–13. https://doi.org/10.1155/2018/1829160

Lutz, T.A.; Woods, S.C. (2012). *Overview of Animal Models of Obesity*. Curr. Protoc. Pharmacol. 58, 5.61.1–5.61.18.

Macel, M., Visschers, I. G. S., Peters, J. L., van Dam, N. M., & de Graaf, R. M. (2020). High concentrations of very long chain leaf wax alkanes of thrips susceptible pepper accessions(Capsicum spp). *Journal of Chemical Ecology*, *46*(11–12), 1082–1089. https://doi.org/10.1007/s10886-020-01226-x

Maddocks, S., & Jenkins, R. (2017). *Understanding PCR: A practical bench-top guide*. Elsevier/AP.

Madsbad, S. (2016). Impact of postprandial glucose control on diabetes-related complications: How is the evidence evolving? *Journal of Diabetes and Its Complications*, *30*(2), 374–385. https://doi.org/10.1016/j.jdiacomp.2015.09.019

Maegawa, H., Ide, R., Kikkawa, R., Shigeta, Y., & Kashiwagi, A. (1994). High glucose condition activates protein tyrosine phosphatases and deactivates insulin receptor function in insulin-sensitive rat 1 fibroblasts. *Biochemical and Biophysical Research Communications*, *201*(1), 71–77. https://doi.org/10.1006/bbrc.1994.1670

Maharani, P. (2007). *Histopatologi organ hati dan mata pada tikus penderita diabetes mellitus eksperimental*. Naskah Skripsi. Fakultas Kedokteran Hewan. Institut Pertanian Bogor.

Mahmoud, A., Ali, M., & Marzouk, H. (2011). Anti-diabetic activity of the chloroform extract of Senecio mikanioides Otto in streptozotocin induced diabetic rats. *Journal of Experimental and Integrative Medicine*, *1*(4), 257. https://doi.org/10.5455/jeim.100811.or.011

Mahmoud, A.E., M.M. Ali., and H.S.M. Marzouk. (2011). Anti-diabetic Activity of
the Chloroform Extract of *Senecio mikanioides* in Streptozotocin-induced

UNIVERSITAS
GADJAH MADA
Ekspresi Gen dan Reseptor Insulin pada Zebrafish (Danio rerio Hamilton, 1822) setelah Perlakuan Ekstrak Daun Aquilaria malaccensis Lam. dan Gyrinops versteegii (Gilg.) Domke
LASMINI SYARIATIN, Dr.biol.hom. Nastiti Wijayanti, S.Si., M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Diabetic Rats. *Journal of Experimental and Integrative Medicine*, 1(4), 257-264.

Makkar, H., Verma, S. K., Panda, P. K., Jha, E., Das, B., Mukherjee, K., & Suar, M. (2018). In vivo molecular toxicity profile of dental bioceramics in embryonic zebrafish(*danio rerio*). *Chemical Research in Toxicology*, *31*(9), 914–923. https://doi.org/10.1021/acs.chemrestox.8b00129

Makkar, H., Verma, S. K., Panda, P. K., Jha, E., Das, B., Mukherjee, K., & Suar, M. (2018). In vivo molecular toxicity profile of dental bioceramics in embryonic zebrafish(*danio rerio*). *Chemical Research in Toxicology*, *31*(9), 914–923. https://doi.org/10.1021/acs.chemrestox.8b00129

Malviya N, Jain S, Malviya S. (2010). Antidiabetic potential of medicinal plants. *Acta Poloniae Pharmaceutica Drug Research*, 67(2), 113-18.

Mandal, Ananya. (2021). *Insuline Gene.* https://www.news-medical.net/health/Insulin-Gene.aspx. Diakses pada 2 April 2021.

Margiyanti, N.E (2021). *Potensi Ekstrak dan Fraksi Daun Gaharu (Gyrinops versteegii (Gilg.) Domke) pada Induksi Apoptosis Intrinsik Sel T47D dan Penghambatan Angiogenesis secara In Ovo.* Tesis. Program Studi Magister Bioteknologi, Universitas Gadjah Mada.

Marín-Peñalver, J. J., Martín-Timón, I., Sevillano-Collantes, C., & Cañizo-Gómez, F. J. del. (2016). Update on the treatment of type 2 diabetes mellitus. *World Journal of Diabetes*, *7*(17), 354. https://doi.org/10.4239/wjd.v7.i17.354

Martínez, R., Navarro-Martín, L., Luccarelli, C., Codina, A. E., Raldúa, D., Barata, C., Tauler, R., & Piña, B. (2019). Unravelling the mechanisms of PFOS toxicity by combining morphological and transcriptomic analyses in zebrafish embryos. *Science of The Total Environment*, *674*, 462–471. https://doi.org/10.1016/j.scitotenv.2019.04.200

Matsui, T., Tanaka, T., Tamura, S., Toshima, A., Tamaya, K., Miyata, Y., Tanaka, K., & Matsumoto, K. (2007). A-glucosidase inhibitory profile of catechins and theaflavins. *Journal of Agricultural and Food Chemistry*, *55*(1), 99–105. https://doi.org/10.1021/jf0627672

Matsuoka, T., Kaneto, H., Stein, R., Miyatsuka, T., Kawamori, D., Henderson, E., Kojima, I., Matsuhisa, M., Hori, M., & Yamasaki, Y. (2007). Mafa regulates expression of genes important to islet β-cell function. *Molecular Endocrinology*, *21*(11), 2764–2774. https://doi.org/10.1210/me.2007-0028

Matsusue, K., Gavrilova, O., Lambert, G., Brewer, H. B., Ward, J. M., Inoue, Y., LeRoith, D., & Gonzalez, F. J. (2004). Hepatic ccaat/enhancer binding protein α mediates induction of lipogenesis and regulation of glucose homeostasis in leptin-deficient mice. *Molecular Endocrinology*, *18*(11), 2751–2764. https://doi.org/10.1210/me.2004-0213

Mega I M and Swastini D A. (2010). Screening fitokimia dan aktivitas anti-radikal bebas ekstrak metanol daun gaharu (Gyrinops versteegii). *Jurnal Kimia*, 4, 187-192.

Mei, W.L., Zeng, Y.B., Wu, J., Cui, H.B.; Dai, F. (2008). Chemical composition and anti-MRSA activity of the essential oil from Chinese eaglewood. *AJPS*, 17, 225–229.

Melanie, L. G., J. L. Janecek, J. A. Kittredge, B. J hering, and H.J. Schuurman. (2011). The Streptozotocin-Induced Diabetic Nude Mouse Model: Differences between Animals from Different Sources. *Comparative*

UNIVERSITAS
GADJAH MADA
Ekspresi Gen dan Reseptor Insulin pada Zebrafish (Danio rerio Hamilton, 1822) setelah Perlakuan Ekstrak Daun Aquilaria malaccensis Lam. dan Gyrinops versteegii (Gilg.) Domke
LASMINI SYARIATIN, Dr.biol.hom. Nastiti Wijayanti, S.Si., M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Medicien, 61(4), 356-360.

Melloul, D., Marshak, S., & Cerasi, E. (2002). Regulation of insulin gene transcription. *Diabetologia*, *45*(3), 309–326. https://doi.org/10.1007/s00125-001-0728-y

Méndez-Lucas, A., Hyroššová, P., Novellasdemunt, L., Viñals, F., & Perales, J. C. (2014). Mitochondrial phosphoenolpyruvate carboxykinase (Pepck-m) is a pro-survival, endoplasmic reticulum (Er) stress response gene involved in tumor cell adaptation to nutrient availability. *Journal of Biological Chemistry*, *289*(32), 22090–22102. https://doi.org/10.1074/jbc.M114.566927

Meng, X.-H., Chen, B., & Zhang, J.-P. (2017). Intracellular insulin and impaired autophagy in a zebrafish model and a cell model of type 2 diabetes. International Journal of Biological Sciences, 13(8), 985–995. https://doi.org/10.7150/ijbs.19249

Millaty, IKM. (2019). Identifikasi Senyawa antikanker Pada Ekstrak dan Fraksi Daun Gaharu Aquilaria malaccensis (Lamk.) dengan GC–MS dan LC–MS. *Skripsi*. Fakultas Biologi, Universitas Gadjah Mada.

Min, S. W., & Han, J. S. (2014). Polyopes lancifolia extract, a potent α-glucosidase inhibitor, alleviates postprandial hyperglycemia in diabetic mice. *Preventive Nutrition and Food Science*, *19*(1), 5–9. https://doi.org/10.3746/pnf.2014.19.1.005

Miyake, K., Ogawa, W., Matsumoto, M., Nakamura, T., Sakaue, H., & Kasuga, M. (2002). Hyperinsulinemia, glucose intolerance, and dyslipidemia induced by acute inhibition of phosphoinositide 3-kinase signaling in the liver. *Journal of Clinical Investigation*, *110*(10), 1483–1491. https://doi.org/10.1172/JCI0215880

Mogea, JP., D. Gandawidjaja, H. Wiriadinata, RE. Nasution, & Irawati. (2001). Tumbuhan Langka Indonesia. *Puslitbang Biologi – LIPI*.

Mohamed, G.A.; Ibrahim, S.R.M.; Elkhayat, E.S.; El Dine, R.S. (2014). *Natural Anti-Obesity Agents*. Bull. Fac. Pharm. Cairo Univ, 52, 269–284.

Mukhriani. (2014). Ekstraksi, Pemisahan Senyawa dan Identifikasi Senyawa Aktif. *Jurnal Kesehatan*, 7(2), 361–367.

Mullapudi, S. T., Helker, C. S., Boezio, G. L., Maischein, H.-M., Sokol, A. M., Guenther, S., Matsuda, H., Kubicek, S., Graumann, J., Yang, Y. H. C., & Stainier, D. Y. (2018). Screening for insulin-independent pathways that modulate glucose homeostasis identifies androgen receptor antagonists. *ELife*, *7*, e42209. https://doi.org/10.7554/eLife.42209

Mutiara Indah Sari. (2007). *Activation of the tyrosine kinase domains of the insulin receptor*. Reseptor Insulin, 6. Diakses dari https:// www.biochem.arizona.edu/classes/bioc801/power/lec41 .ppt / at 5 November 2004 7.

Nabavi S. (2015). Curcumin: a natural product for diabetes and its complications. *Currently Top Medical Chemistry*, 15(23), 2445–2455. https://doi.org/10.2174/1568026615666150619142519

Naef, R. (2011). The volatile and semi-volatile constituents of agarwood, the infected heartwood of Aquilaria species: A review. *Flavour and Fragrance Journal*, *26*(2), 73–87. https://doi.org/10.1002/ffj.2034

Najib, A. (2018). *Ekstraksi Senyawa Bahan Alam*. Deepublish. Sleman, 36–41

Nassar, Zeyad., & Abdalrahim, Amin MS. (2010). The Pharmacological Properties of terpenoid from Sandoricum Koetjape. *Journal Medcentral,* 1- 11.

UNIVERSITAS
GADJAH MADA
Ekspresi Gen dan Reseptor Insulin pada Zebrafish (Danio rerio Hamilton, 1822) setelah Perlakuan Ekstrak Daun Aquilaria malaccensis Lam. dan Gyrinops versteegii (Gilg.) Domke
LASMINI SYARIATIN, Dr.biol.hom. Nastiti Wijayanti, S.Si., M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Nath, S.C. & N. Saikia. (2002). Indigenous knowledge on utility and utilitarian aspects of Aquilaria malaccensis Lamk. in Northeast India. *Indian Journal of Traditional Knowledge*, 1(1), 47–58.

Nazaruk, J., & Borzym-Kluczyk, M. (2015). The role of triterpenes in the management of diabetes mellitus and its complications. *Phytochemistry Reviews*, *14*(4), 675–690. https://doi.org/10.1007/s11101-014-9369-x

Naziz, P. S., Das, R., & Sen, S. (2019). The scent of stress: Evidence from the unique fragrance of agarwood. *Frontiers in Plant Science*, *10*(July). https://doi.org/10.3389/fpls.2019.00840

Ng, L.T., Y.S. Chang & A.A. Kadir. (1997). A review on agar (gaharu) producing Aquilaria species. *Journal of Tropical Forest Products*, 2(2), 272–285.

Nordlie, R. C., Foster, J. D., & Lange, A. J. (1999). Regulation of glucose production by the liver. *Annual Review of Nutrition*, *19*(1), 379–406. https://doi.org/10.1146/annurev.nutr.19.1.379

Nudler, E., & Gottesman, M. E. (2002). Transcription termination and anti-termination in *E. coli*: Transcription termination in *E. coli*. *Genes to Cells*, *7*(8), 755–768. https://doi.org/10.1046/j.1365-2443.2002.00563.x

Nugroho, A.E. (2006). Hewan Percobaan Diabetes Mellitus : Patologi dan Mekanisme Aksi Diabetogenik. *Biodiversitas*, 7 (4), 378-382.

Nuringtyas TR, Isromarina R, Septia Y, Hidayati L, Wijayanti N, Moeljopawiro S. (2018). The Antioxidant and Cytotoxic Activities of the Chloroform Extract of Agarwood (*Gyrinops versteegii* (Gilg.) Domke) Leaves on Hela Cell Lines. *AIP Conference Proceedings 2002*, 1, 1-10.

O. Ohneda, K. Ohneda, H. Nomiyama, Z. Zheng, S.A. Gold, F. Arai, T. Miyamoto, B.E. Taillon, R.A. McIndoe, R.A. Shimkets, et al. (2000). WECHE: a novel hematopoietic regulatory factor Immunity, 12, 141-150.

Olokoba, A. B., Obateru, O. A., & Olokoba, L. B. (2012). Type 2 diabetes mellitus: A review of current trends. *Oman Medical Journal*, *27*(4), 269–273. https://doi.org/10.5001/omj.2012.68

Olsen, A. S., Sarras, M. P., & Intine, R. V. (2010). Limb regeneration is impaired in an adult zebrafish model of diabetes mellitus: Induced diabetes mellitus impairs limb regeneration. *Wound Repair and Regeneration*, *18*(5), 532–542. https://doi.org/10.1111/j.1524-475X.2010.00613.x

Ono, H., Shimano, H., Katagiri, H., Yahagi, N., Sakoda, H., Onishi, Y., Anai, M., Ogihara, T., Fujishiro, M., Viana, A. Y. I., Fukushima, Y., Abe, M., Shojima, N., Kikuchi, M., Yamada, N., Oka, Y., & Asano, T. (2003). Hepatic akt activation induces marked hypoglycemia, hepatomegaly, and hypertriglyceridemia with sterol regulatory element binding protein involvement. *Diabetes*, *52*(12), 2905–2913. https://doi.org/10.2337/diabetes.52.12.2905

Ozougwu, O. (2013). The pathogenesis and pathophysiology of type 1 and type 2 diabetes mellitus. *Journal of Physiology and Pathophysiology*, *4*(4), 46–57. https://doi.org/10.5897/JPAP2013.0001

Paiva, L., Binsack, R., & Machado, U. F. (2002). Chronic acarbose-feeding increases GLUT1 protein without changing intestinal glucose absorption function. *European Journal of Pharmacology*, *434*(3), 197–204. https://doi.org/10.1016/S0014-2999(01)01538-2

Pamanji, R., Yashwanth, B., Bethu, M. S., Leelavathi, S., Ravinder, K., & Venkateswara Rao, J. (2015). Toxicity effects of profenofos on embryonic and larval development

UNIVERSITAS
GADJAH MADA
Ekspresi Gen dan Reseptor Insulin pada Zebrafish (Danio rerio Hamilton, 1822) setelah Perlakuan Ekstrak Daun Aquilaria malaccensis Lam. dan Gyrinops versteegii (Gilg.) Domke
LASMINI SYARIATIN, Dr.biol.hom. Nastiti Wijayanti, S.Si., M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

of Zebrafish (Danio rerio). *Environmental Toxicology and Pharmacology*, *39*(2), 887–897. https://doi.org/10.1016/j.etap.2015.02.020

Pandey KB and Rizvi SI. (2009). Plant Polyphenols as Dietary Antioxidant in Human Health and Disease. *Oxidative Medicine and Cellular Longevity*, 2(5), 270- 278.

Pandey, A., Soccol, C. R., & Mitchell, D. (2000). New developments in solid state fermentation: I-bioprocesses and products. *Process Biochemistry*, *35*(10), 1153–1169. https://doi.org/10.1016/S0032-9592(00)00152-7

Parichy, D. M. (2015). Advancing biology through a deeper understanding of zebrafish ecology and evolution. *ELife*, *4*, e05635. https://doi.org/10.7554/eLife.05635

Park, J., Lee, J., Lau, S. T., Lee, C., Huang, Y., Lien, C.-L., & Kirk Shung, K. (2012). Acoustic radiation force impulse (Arfi) imaging of zebrafish embryo by high-frequency coded excitation sequence. *Annals of Biomedical Engineering*, *40*(4), 907–915. https://doi.org/10.1007/s10439-011-0466-3

Pateraki, I., Heskes, A. M., & Hamberger, B. (2015). Cytochromes p450 for terpene functionalisation and metabolic engineering. In J. Schrader & J. Bohlmann (Eds.), *Biotechnology of Isoprenoids* (Vol. 148, pp. 107–139). Springer International Publishing. https://doi.org/10.1007/10_2014_301

Pawarta, Adi, Laksmiwati, Sudiarta, M.N. Dina, and Sutirta Yasa. (2018). The content of phenol and flavonooid compounds in water extract of gyrinops versteegiileaves have potentially as natural antioxidants and hypoglicemic in hyperglycemia wistar rat. *Biomedical and pharmacology journal*, 11(3), 1543-1552.

Permutt, M. A. and Kipnis, D. M. (1972). Insulin biosynthesis. I. On the mechanism of glucose stimulation. *Biology Chemistry*, 247, 1194–1199.

Petersen, H. V., Peshavaria, M., Pedersen, A. A., Philippe, J., Stein, R., Madsen, O. D., & Serup, P. (1998). Glucose stimulates the activation domain potential of the PDX-1 homeodomain transcription factor. *FEBS Letters*, *431*(3), 362–366. https://doi.org/10.1016/S0014-5793(98)00776-5

Pilarski, J., Tokarz, K., & Kocurek, M. (2007). Comparison of photosynthetic pigment contents in stems and leaves of fruit trees: cherry, sweet cherry, common plum, and walnut tree. Folia Horticulturae, 19(1), 53–65.

Puigserver, P., Rhee, J., Donovan, J., Walkey, C. J., Yoon, J. C., Oriente, F., Kitamura, Y., Altomonte, J., Dong, H., Accili, D., & Spiegelman, B. M. (2003). Insulin-regulated hepatic gluconeogenesis through FOXO1–PGC-1α interaction. *Nature*, *423*(6939), 550–555. https://doi.org/10.1038/nature01667

Raaman, N. (2006). *Phytochemical techniques*. New India Publ. Agency. 9-12.

Rahman, T., Shao, M., Pahari, S., Venglat, P., Soolanayakanahally, R., Qiu, X., Rahman, A., & Tanino, K. (2021). Dissecting the roles of cuticular wax in plant resistance to shoot dehydration and low-temperature stress in arabidopsis. *International Journal of Molecular Sciences*, *22*(4), 1554. https://doi.org/10.3390/ijms22041554

Ramaiah M., Rao B. G and Srikanta K. R. Anti diabetic activity of ethanolic Extract of Memecylon malabarium Cogn (Melastomataceae) Leaves. Int. J. Pharm. Bio Sci. 2012;822-828.

UNIVERSITAS
GADJAH MADA
Ekspresi Gen dan Reseptor Insulin pada Zebrafish (Danio rerio Hamilton, 1822) setelah Perlakuan Ekstrak Daun Aquilaria malaccensis Lam. dan Gyrinops versteegii (Gilg.) Domke
LASMINI SYARIATIN, Dr.biol.hom. Nastiti Wijayanti, S.Si., M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Ramnanan, C. J., Post-doctoral Fellow, Edgerton, D. S., Research Assistant Professor, Cherrington, A. D., & Professor, Department of Molecular Physiology and Biophysics, Vanderbilt University School of Medicine. (2009). The role of insulin in the regulation of pepck and gluconeogenesis in vivo. *US Endocrinology*, *05*(01), 34. https://doi.org/10.17925/USE.2009.05.1.34

Rao, M. J., Ahmed, U., Ahmed, M. H., Duan, M., Wang, J., Wang, Y., & Wang, L. (2021). Comparison and quantification of metabolites and their antioxidant activities in young and mature leaves of sugarcane. *ACS Food Science & Technology*, *1*(3), 362–373. https://doi.org/10.1021/acsfoodscitech.0c00133

Richardson, C. R., Borgeson, J. R., Van Harrison, R., Wyckoff, J. A., Yoo, A. S., Aikens, J. E., Griauzde, D. H., Tincopa, M. A., Van Harrison, R., Proudlock, A. L., & Rew, K. T. (2021). *Management of type 2 diabetes mellitus*. Michigan Medicine University of Michigan. http://www.ncbi.nlm.nih.gov/books/NBK579413/

Roemantyo and T. Partomihardjo. (2014). Natural Distribution Prediction Analyses of Agarwood Genera of Aquilaria and Gyrinops in Indonesia. *Berita Biologi,* 189-199.

Rorsman, P., & Ashcroft, F. M. (2018). Pancreatic β-cell electrical activity and insulin secretion: Of mice and men. *Physiological Reviews*, *98*(1), 117–214. https://doi.org/10.1152/physrev.00008.2017

Rosak, C. & Mertes. (2012). Critical evaluation of the role of acarbose in the treatment of diabetes: Patient considerations. *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, 357. https://doi.org/10.2147/DMSO.S28340

Saeedi, P., Petersohn, I., Salpea, P., Malanda, B., Karuranga, S., Unwin, N., Colagiuri, S., Guariguata, L., Motala, A. A., Ogurtsova, K., Shaw, J. E., Bright, D., Williams, R., & IDF Diabetes Atlas Committee (2019). Global and regional diabetes prevalence estimates for 2019 and projections for 2030 and 2045: Results from the International Diabetes Federation Diabetes Atlas, 9th edition. *Diabetes research and clinical practice*, *157*, 107843. https://doi.org/10.1016/j.diabres.2019.107843

Safavi, M., Foroumadi, A., & Abdollahi, M. (2013). The importance of synthetic drugs for type 2 diabetes drug discovery. *Expert Opinion on Drug Discovery*, *8*(11), 1339–1363. https://doi.org/10.1517/17460441.2013.837883

Said F, Kamaluddin MT, Theodorus. (2016). Efficacy of the Aquilaria malaccensis Leaves Active Fractions in Glucose Uptake in Skeletal Muscle on Diabetic Wistar Rats. *International Journal of Health Sciences and Research*, 6(7), 162-167.

Saifudin, A. (2014). *Senyawa Alam Metabolit Sekunder : Teori, Konsep dan Teknik Pemurnian*. Deepublish Yogyakarta, (4), 19–20, 29.

Saltiel, A. R., & Kahn, C. R. (2001). Insulin signalling and the regulation of glucose and lipid metabolism. *Nature*, *414*(6865), 799–806. https://doi.org/10.1038/414799a

Samsuri T and Fitriani H. (2013). Pembuatan teh dari daun gaharu jenis Gyrinops versteegii. *Jurnal Ilmiah Pendidikan Biologi Biosaintist*, 1(2), 125-132.

Sánchez-Quesada, C., López-Biedma, A., Toledo, E., & Gaforio, J. J. (2018). Squalene stimulates a key innate immune cell to foster wound healing and

UNIVERSITAS
GADJAH MADA
Ekspresi Gen dan Reseptor Insulin pada Zebrafish (Danio rerio Hamilton, 1822) setelah Perlakuan Ekstrak Daun Aquilaria malaccensis Lam. dan Gyrinops versteegii (Gilg.) Domke
LASMINI SYARIATIN, Dr.biol.hom. Nastiti Wijayanti, S.Si., M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

tissue repair. *Evidence-Based Complementary and Alternative Medicine*, *2018*, 1–9. https://doi.org/10.1155/2018/9473094

Sander, M., & German, M. S. (1997). The β cell transcription factors and development of the pancreas. *Journal of Molecular Medicine*, *75*(5), 327–340. https://doi.org/10.1007/s001090050118

Sandra, R. (2017). Quantitative PCR analysis to assess gene expression changes in hyperglycemic larval zebrafish. The Diabetic Complications Consortium. p. 1-2

Sari, Y.W., Nuzulia, N.A., Saputra, A., dan Abdurrahman, B. (2021). *Pengantar Biomaterial untuk Aplikasi Kesehatan*. Bogor: IPB Press. Hal. 60 – 62.

Sarker, S.D., Latif, Z. dan Gray, A. (2005). *Natural Products Isolation Kluwer International Series in Engineering and computer science: Power electronics & power systems Volume 20 dari Methods in biotechnology*. Springer.

Satoh, T. (2014). Molecular mechanisms for the regulation of insulin-stimulated glucose uptake by small guanosine triphosphatases in skeletal muscle and adipocytes. *International Journal of Molecular Sciences*, *15*(10), 18677–18692. https://doi.org/10.3390/ijms151018677

Seo, K.-H., Nam, Y.-H., Lee, D.-Y., Ahn, E.-M., Kang, T.-H., & Baek, N.-I. (2015). Recovery effect of phenylpropanoid glycosides from Magnolia obovata fruit on alloxan-induced pancreatic islet damage in zebrafish (Danio rerio). *Carbohydrate Research*, *416*, 70–74. https://doi.org/10.1016/j.carres.2015.07.010

Seong, J., Kang, J. Y., Sun, J. S., & Kim, K. W. (2019). Hypothalamic inflammation and obesity: A mechanistic review. *Archives of Pharmacal Research*, *42*(5), 383–392. https://doi.org/10.1007/s12272-019-01138-9

Seth, A., Stemple, D. L., & Barroso, I. (2013). The emerging use of zebrafish to model metabolic disease. *Disease Models & Mechanisms*, *6*(5), 1080–1088. https://doi.org/10.1242/dmm.011346

Shahid, I., Rizwan, M., & Mehnaz, S. (2018). Identification and quantification of secondary metabolites by lc-ms from plant-associated pseudomonas aurantiaca and pseudomonas chlororaphis. *BIO-PROTOCOL*, *8*(2). https://doi.org/10.21769/BioProtoc.2702

Shao, J., Qiao, L., Janssen, R. C., Pagliassotti, M., & Friedman, J. E. (2005). Chronic hyperglycemia enhances pepck gene expression and hepatocellular glucose production via elevated liver activating protein/liver inhibitory protein ratio. *Diabetes*, *54*(4), 976–984. https://doi.org/10.2337/diabetes.54.4.976

Shephard, K. L. (1981). The influence of mucus on the diffusion of water across fish epidermis. *Physiological Zoology*, *54*(2), 224–229. https://doi.org/10.1086/physzool.54.2.30155823

Shin, E. (2012). An optimal establishment of an acute hyperglycemia zebrafish model. *African Journal of Pharmacy and Pharmacology*, *6*(42), 2922–2928. https://doi.org/10.5897/AJPP12.327

Shinde, J., Taldone, T., Barletta, M., Kunaparaju, N., Hu, B., Kumar, S., Placido, J., & Zito, S. W. (2008). α-Glucosidase inhibitory activity of Syzygium cumini (Linn.) Skeels seed kernel in vitro and in Goto–Kakizaki (Gk) rats. *Carbohydrate Research*, *343*(7), 1278–1281. https://doi.org/10.1016/j.carres.2008.03.003

Singh G. (2017). *Essentials of Neuroanesthesia. Neuroembryology*. Academic Press, Chicago.

UNIVERSITAS
GADJAH MADA
Ekspresi Gen dan Reseptor Insulin pada Zebrafish (Danio rerio Hamilton, 1822) setelah Perlakuan Ekstrak Daun Aquilaria malaccensis Lam. dan Gyrinops versteegii (Gilg.) Domke
LASMINI SYARIATIN, Dr.biol.hom. Nastiti Wijayanti, S.Si., M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Singleman, C., & Holtzman, N. G. (2014). Growth and maturation in the zebrafish, *danio rerio*: A staging tool for teaching and research. *Zebrafish*, *11*(4), 396–406. https://doi.org/10.1089/zeb.2014.0976

Skovsø, S., Damgaard, J., Fels, J. J., Olsen, G. S., Wolf, X. A., Rolin, B., & Holst, J. J. (2015). Effects of insulin therapy on weight gain and fat distribution in the HF/HS-STZ rat model of type 2 diabetes. *International Journal of Obesity*, *39*(10), 1531–1538. https://doi.org/10.1038/ijo.2015.92

Smith, M. E., & Morton, D. G. (2010). Digestion and absorption. In *The Digestive System* (pp. 129–152). Elsevier. https://doi.org/10.1016/B978-0-7020-3367-4.00008-6

Song, Y. H., Kim, D. W., Curtis-Long, M. J., Park, C., Son, M., Kim, J. Y., Yuk, H. J., Lee, K. W., & Park, K. H. (2016). Cinnamic acid amides from Tribulus terrestris displaying uncompetitive α-glucosidase inhibition. *European Journal of Medicinal Chemistry*, *114*, 201–208. https://doi.org/10.1016/j.ejmech.2016.02.044

Spence, R., Gerlach, G., Lawrence, C., & Smith, C. (2007). The behaviour and ecology of the zebrafish, Danio rerio. *Biological Reviews*, *83*(1), 13–34. https://doi.org/10.1111/j.1469-185X.2007.00030.x

Stafford, J. M., Waltner-Law, M., & Granner, D. K. (2001). Role of accessory factors and steroid receptor coactivator 1 in the regulation of phosphoenolpyruvate carboxykinase gene transcription by glucocorticoids. *Journal of Biological Chemistry*, *276*(6), 3811–3819. https://doi.org/10.1074/jbc.M009389200

Stansfield, W. D., J. S. Colome, and R. J. Cano. (2003). *Biologi Molekuler dan Sel*. Erlangga.

Steiner, D. F., Chan, S. J., Welsh, J. M., & Kwok, S. C. M. (1985). Structure and evolution of the insulin gene. *Annual Review of Genetics*, *19*(1), 463–484. https://doi.org/10.1146/annurev.ge.19.120185.002335

Suatika, 2011

Sukenti K and Mulyaningsih T. (2019). Gaharu (Gyrinops Versteegii (Gilg.) Domke) di Pulau Sumbawa: sebuah tinjauan etnobotani. *BioWallacea*, 5(2), 62-68. 26.

Sukenti K, Hakim L, Indriyani S and Purwanto Y. (2019). Ethnobotany of sasak traditional beverages as functional food. *Indian Jurnal Tradit Knowl*, 18(4), 775-780.

Sullivan, C., & Kim, C. H. (2008). Zebrafish as a model for infectious disease and immune function. Fish & Shellfish Immunology, 25(4), 341–350. https://doi.org/10.1016/j.fsi.2008.05.005

Surekha, *et al.* (2016). Therapeutic Potentials of Triterpenes in Diabetes and its Associated Complications. *Bentham Science Publishers*.

Susilo A., K. Titi, and S. Erdy. (2014). Panduan Lapangan Pengenalan Jenis Pohon Penghasil Gaharu Gyrinops spp. di Indonesia. Kementerian Kehutanan. Badan penelitian dan Pengembangan Kehutanan. *Pusat Penelitian dan Pengembangan Konservasi dan Rehabilitasi Bekerja sama dengan International Tropical Timber Organization (ITTO)*, 27-30.

Tan, C. S., Isa, N. M., Ismail, I., & Zainal, Z. (2019). Agarwood induction: Current developments and future perspectives. *Frontiers in Plant Science*, *10*(February), 1–13. https://doi.org/10.3389/fpls.2019.00122

UNIVERSITAS
GADJAH MADA
Ekspresi Gen dan Reseptor Insulin pada Zebrafish (Danio rerio Hamilton, 1822) setelah Perlakuan Ekstrak Daun Aquilaria malaccensis Lam. dan Gyrinops versteegii (Gilg.) Domke
LASMINI SYARIATIN, Dr.biol.hom. Nastiti Wijayanti, S.Si., M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Tilghman, S. M., Hanson, R. W., Reshef, L., Hopgood, M. F., & Ballard, F. J. (1974). Rapid loss of translatable messenger rna of phosphoenolpyruvate carboxykinase during glucose repression in liver. *Proceedings of the National Academy of Sciences*, *71*(4), 1304–1308. https://doi.org/10.1073/pnas.71.4.1304

Tiwari, B. K., N. P. Brunton and C. S. Brennan. (2013). *Handbook of Plant Food Phytochemical Sources, Stability and Extraction*. Wiley – Blackwell.

Toyoshima, Y., Monson, C., Duan, C., Wu, Y., Gao, C., Yakar, S., Sadler, K. C., & LeRoith, D. (2008). The role of insulin receptor signaling in zebrafish embryogenesis. *Endocrinology*, *149*(12), 5996–6005. https://doi.org/10.1210/en.2008-0329\

Truscheit, E., Frommer, W., Junge, B., Müller, L., Schmidt, D. D., & Wingender, W. (2010). Chemistry and biochemistry of microbial α-Glucosidase inhibitors. *Angewandte Chemie International Edition in English*, **20**, 744– 761.

Tsuchiya, M., Niijima-Yaoita, F., Yoneda, H., Chiba, K., Tsuchiya, S., Hagiwara, Y., Sasaki, K., Sugawara, S., Endo, Y., Tan-No, K., & Watanabe, M. (2014). Long-term feeding on powdered food causes hyperglycemia and signs of systemic illness in mice. *Life Sciences*, *103*(1), 8–14. https://doi.org/10.1016/j.lfs.2014.03.022

Tsuruwaka, Y., Konishi, M., & Shimada, E. (2015). Loss of *wwox* expression in zebrafish embryos causes edema and alters Ca^{2+} dynamics. *PeerJ*, *3*, e727. https://doi.org/10.7717/peerj.727

Turjaman, 2014

Valentina, P., Ilango, K., Chander, S., & Murugesan, S. (2017). Design, synthesis and α-amylase inhibitory activity of novel chromone derivatives. *Bioorganic Chemistry*, *74*, 158–165. https://doi.org/10.1016/j.bioorg.2017.07.018

Verpoorte, R. And W. Alfermann. (2000). *Metabolisc Engineering of Plant Secondary Metabolism*, 1-298.

Vidal-Puig, A., & O'Rahilly, S. (2001). Controlling the glucose factory. *Nature*, *413*(6852), 125–126. https://doi.org/10.1038/35093198

Wakeman, W., Long, A., Estes, A. M., & Jozwick, A. K. S. (2021). Zebrafish, *Danio rerio*, Skin Mucus Harbors a Distinct Bacterial Community Dominated by Actinobacteria. *Zebrafish*, *18*(6), 354–362. https://doi.org/10.1089/zeb.2021.0040

Waltner-Law, M., Duong, D. T., Daniels, M. C., Herzog, B., Wang, X. L., Prasad, R., & Granner, D. K. (2003). Elements of the glucocorticoid and retinoic acid response units are involved in camp-mediated expression of the pepck gene. *Journal of Biological Chemistry*, *278*(12), 10427–10435. https://doi.org/10.1074/jbc.M211846200

Wang, G., Chen, M., Qiu, J., Xie, Z., & Cao, A. (2018). Synthesis, in vitro α-glucosidase inhibitory activity and docking studies of novel chromone-isatin derivatives. *Bioorganic & Medicinal Chemistry Letters*, *28*(2), 113–116. https://doi.org/10.1016/j.bmcl.2017.11.047

Wangiyana, I. G. A. S., Supriadi, Nikmatullah, A., Sunarpi, & Mulyaningsih, L. (2021). Tannin concentration of gyrinops tea taken form different agarwood plantation and different processing method. *IOP Conference Series: Earth and Environmental Science*, *913*(1), 012068. https://doi.org/10.1088/1755-1315/913/1/012068

Wardana, T. A. P., Nuringtyas, T. R., Wijayanti, N., & Hidayati, L. (2019). *Phytochemical analysis of agarwood (Gyrinops versteegii (gilg.) Domke)*

UNIVERSITAS
GADJAH MADA
Ekspresi Gen dan Reseptor Insulin pada Zebrafish (Danio rerio Hamilton, 1822) setelah Perlakuan Ekstrak Daun Aquilaria malaccensis Lam. dan Gyrinops versteegii (Gilg.) Domke
LASMINI SYARIATIN, Dr.biol.hom. Nastiti Wijayanti, S.Si., M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

leaves extracts as anticancer using GC-MS. 020136. https://doi.org/10.1063/1.5139868

Wardhana. (2022). *The Potency of Agarwood Leaves Extract as Anti-Diabtic Type 2 In Zebrafish Hyperglicemia*. Tesis

Wardhani, S. K. (2020). *Potensi Antidiabetes Ekstrak Daun Gaharu Aquilaria Malaccensis Lamk. Secara In Vitro*. Skripsi. Program Studi Biologi, Universitas Gadjah Mada.

WHO. (2020). *Clinical trials Questions and Answers*. Diakses dari https://www.who.int/news-room/q-a-detail/clinical-trials-questions-and-answers/ Tanggal 28 November 2022.

Wibowo, I., Utami, N., Anggraeni, T., Barlian, A., Putra, R. E., Indriani, A. D., Masadah, R., & Ekawardhani, S. (2021). Propolis can improve caudal fin regeneration in zebrafish (*danio rerio*) induced by the combined administration of alloxan and glucose. *Zebrafish*, *18*(4), 274–281. https://doi.org/10.1089/zeb.2020.1969

Widiyati, Eni. (2006). Penentuan adanya senyawa triterpenoid dan uji aktifitas Biologi pada beberapa spesies tanaman obar tradisional masyarakat pedesaan bengkulu. *Jurnal gradien*, 2, 116-122.

Widyasti, J. H., & Kurniasari, F. (2019). Uji aktivitas antihiperglikemik ekstrak daun petai cina (Leucaena leucocephala (lam.) De wit) pada mencit induksi aloksan. *PHARMACY: Jurnal Farmasi Indonesia (Pharmaceutical Journal of Indonesia)*, *16*(1), 107. https://doi.org/10.30595/pharmacy.v16i1.4512

Wijayanti, N., Syariatin, L., Wardhana, T. P. A., *et al.* (2022). Toxic Effects of Agarwood (*Aquilaria malaccensis* Lamk. and *Gyrinops versteegii* (Gilg.) Domke) Leaves Extract on Zebrafish Embryo. *Tropical Life Sciences Research,* 1-18. TLSR-OA-05-2022-0075.

Willaert, A., Khatri, S., Callewaert, B. L., Coucke, P. J., Crosby, S. D., Lee, J. G. H., Davis, E. C., Shiva, S., Tsang, M., De Paepe, A., & Urban, Z. (2012). GLUT10 is required for the development of the cardiovascular system and the notochord and connects mitochondrial function to TGFβ signaling. *Human Molecular Genetics*, *21*(6), 1248–1259. https://doi.org/10.1093/hmg/ddr555

World Health Organization. (1999). *Part 1: Diagnosis and Classification of Diabetes mellitus*. Report of a WHO Consultation.

Xiong XP, Song Q, Han CC, Gan W, He F, Wei SH, Liu HH, Xu HY. (2016). Insulin Promotes the Expression of the Gluconeogenic Rate-Limiting Enzymes Phosphoenolpyruvate Carboxykinase (Pepck) and Glucose 6-Phosphatase (G6pase) through PI3k/Akt/mTOR Signaling Pathway in Goose Hepatocytes. *Revista Brasileira de Ciência Avícola*, 18(3), 395–400.

Xu, R., Fazio, G. C., & Matsuda, S. P. T. (2004). On the origins of triterpenoid skeletal diversity. *Phytochemistry*, *65*(3), 261–291. https://doi.org/10.1016/j.phytochem.2003.11.014

Xu, S., Wang, G., Peng, W., Xu, Y., Zhang, Y., Ge, Y., Jing, Y., & Gong, Z. (2019). Corosolic acid isolated from Eriobotrya japonica leaves reduces glucose level in human hepatocellular carcinoma cells, zebrafish and rats. *Scientific Reports*, *9*(1), 4388. https://doi.org/10.1038/s41598-019-40934-7

yana, sumarna. (2002). *Budidaya gaharu*. Penerbit Swadaya Grup.

Yang, L., Qiao, L., Ji, C., Xie, D., Gong, N.-B., Lu, Y., Zhang, J., Dai, J., & Guo, S. (2013). Antidepressant abietane diterpenoids from chinese eaglewood. *Journal of Natural Products*, *76*(2), 216–222. https://doi.org/10.1021/np3006925

UNIVERSITAS
GADJAH MADA
Ekspresi Gen dan Reseptor Insulin pada Zebrafish (Danio rerio Hamilton, 1822) setelah Perlakuan Ekstrak Daun Aquilaria malaccensis Lam. dan Gyrinops versteegii (Gilg.) Domke
LASMINI SYARIATIN, Dr.biol.hom. Nastiti Wijayanti, S.Si., M.Si.
Universitas Gadjah Mada, 2022 | Diunduh dari http://etd.repository.ugm.ac.id/

Yang, Y.-L., Li, W., Wang, H., Yang, L., Yuan, J.-Z., Cai, C.-H., Chen, H.-Q., Dong, W.-H., Ding, X.-P., Jiang, B., Mándi, A., Kurtán, T., Mei, W.-L., & Dai, H.-F. (2019). New tricyclic prezizaane sesquiterpenoids from agarwood. *Fitoterapia*, *138*, 104301. https://doi.org/10.1016/j.fitote.2019.104301

Yannuhar, U. (2016). *Mikroalga Laut Nannochloropsis Oculata*. Penerbit UB Press, 72

Yelmazer-Musa, M., Griffith, A. M., Michels, A. J., Schneider, E., & Frei, B. (2012). Grape seed and tea extracts and catechin 3-gallates are potent inhibitors of α-amylase and α-glucosidase activity. *Journal of Agricultural and Food Chemistry*, *60*(36), 8924–8929. https://doi.org/10.1021/jf301147n

Yuan, T., Ding, Y., Wan, C., Li, L., Xu, J., Liu, K., Slitt, A., Ferreira, D., Khan, I. A., & Seeram, N. P. (2012). Antidiabetic ellagitannins from pomegranate flowers: Inhibition of α-glucosidase and lipogenic gene expression. *Organic Letters*, *14*(20), 5358–5361. https://doi.org/10.1021/ol302548c

Zainal Abidin, I. Z., Fazry, S., Jamar, N. H., Ediwar Dyari, H. R., Zainal Ariffin, Z., Johari, A. N., Ashaari, N. S., Johari, N. A., Megat Abdul Wahab, R., & Zainal Ariffin, S. H. (2020). The effects of Piper sarmentosum aqueous extracts on zebrafish (Danio rerio) embryos and caudal fin tissue regeneration. *Scientific Reports*, *10*(1), 14165. https://doi.org/10.1038/s41598-020-70962-7

Zhang, Q. W., Lin, L. G., & Ye, W. C. (2018). Techniques for extraction and isolation of natural products: A comprehensive review. *Chinese Medicine (United Kingdom)*, *13*(1), 1–26. https://doi.org/10.1186/s13020-018-0177-x

Zimmet, P., Alberti, K. G. M. M., & Shaw, J. (2001). Global and societal implications of the diabetes epidemic. *Nature*, *414*(6865), 782–787. https://doi.org/10.1038/414782a

Zulkifle, N. L. (2018). *Antidiabetic Activity of Aquilaria malaccensis (agarwood) Leaves Extracts*. Tesis.