



DAFTAR PUSTAKA

Aavani, P., Allen, L.J.S. 2019. The role of CD4 T cells in immune system activation and viral reproduction in a simple model for HIV infection. *Appl Math Model*, 75:210–222.

Abbott Molecular Inc. 2017. *Abbott RealTime HIV-1 Qualitative*.

Appay, V., Sauce, D. 2008. Immune activation and inflammation in HIV-1 infection: Causes and consequences. *J Pathol*, 214(2):231–241.

Arruvito, L., Payaslián, F., Baz, P., Podhorzer, A., Billordo, A., Pandolfi, J., Semeniuk, G., Arribalzaga, E., Fainboim, L. 2014. Identification and Clinical Relevance of Naturally Occurring Human CD8 + HLA-DR + Regulatory T Cells. *J Immunol*, 193:4469–4476.

Barasa Gelba, S., Fikadu, S., Legesse, A.K., Wubet, H., Yesuf, M.A., Abera, W., Wube, T.B. 2020. Assessment of pattern of CD4+ T-cell recovery among human immunodeficiency virus patients after initiation of highly active antiretroviral therapy at arsi negelle health center, Ethiopia: A retrospective cross-sectional study. *HIV AIDS (Auckl)*, 12:69–77.

Bertels, F., Marzel, A., Leventhal, G., Mitov, V., Fellay, J., Günthard, H.F., Böni, J., Yerly, S., Klimkait, T., Aubert, V., Battegay, M., Rauch, A., Cavassini, M., Calmy, A., Bernasconi, E., Schmid, P., Scherrer, A.U., Müller, V., Bonhoeffer, S., et al. 2018. Dissecting HIV Virulence: Heritability of Setpoint Viral Load, CD4+ T-Cell Decline, and Per-Parasite Pathogenicity. *Mol Biol Evol*, 35(1):27–37.

Biro Komunikasi dan Pelayanan Masyarakat Kementerian Kesehatan RI. 2021. *Kampanye Bulan Viral Load: Pentingnya Mengetahui Status Pengobatan ARV pada ODHA Melalui Pemeriksaan Viral Load HIV – Sehat Negeriku. Sehat Negeriku*. Available at: <https://sehatnegeriku.kemkes.go.id/baca/umum/20200929/0735086/kampanye-bulan-viral-load-pentingnya-mengetahui-status-pengobatan-arv-odha-melalui-pemeriksaan-viral-load-hiv/> (Accessed: 13 April 2022).

Briceño, O., Peralta-Prado, A., Garrido-Rodríguez, D., Romero-Mora, K., Chávez-Torres, M., de la Barrera, C.A., Reyes-Terán, G., Ávila-Ríos, S. 2021. Characterization of CD31 expression in CD4+ and CD8+T cell subpopulations in chronic untreated HIV infection. *Immunol Lett*, 235:22–31.

Brooks, Geo.F., Carroll, K.C., Butel, J.S., Morse, S.A. 2007. *Jawetz, Melnick, & Adelberg's Medical Microbiology*. The McGraw-Hill Companies.

Calles, N.R., Evans, D., Terlonge, D. 2008. Pathophysiology of the human immunodeficiency virus.in *HIV Curriculum for the Health Professional*, 104–105.



Chakraborty, H., Iyer, M., Duffus, W.A., Samantapudi, A.V., Albrecht, H., Weissman, S. 2015. Disparities in viral load and CD4 count trends among HIV-infected adults in South Carolina. *AIDS Patient Care STDs*, 29(1):26–32.

Chu, H., Gange, S.J., Li, X., Hoover, D.R., Liu, C., Chmiel, J.S., Jacobson, L.P. 2010. The effect of HAART on HIV RNA trajectory among treatment-naïve men and women: a segmental Bernoulli/lognormal random effects model with left censoring. *Epidemiology*, 21 Suppl 4(0 4).

Dahlan, M.S. 2009. *Besar sampel dan cara pengambilan sampel dalam penelitian kedokteran dan kesehatan*. 3rd edn. Jakarta: Salemba Medika.

Deeks, S.G., Overbaugh, J., Phillips, A., Buchbinder, S. 2015. HIV infection. *Nat. Rev. Dis. Primers*, 1(October):1–22.

Deeks, S.G., Tracy, R., Douek, D.C. 2013. Systemic Effects of Inflammation on Health during Chronic HIV Infection. *Immunity*, 39(4):633–645.

Dessie, Z.G., Zewotir, T., Mwambi, H., North, D. 2020. Modelling of viral load dynamics and CD4 cell count progression in an antiretroviral naive cohort: Using a joint linear mixed and multistate Markov model. *BMC Infect Dis*, 20(1):1–14.

Fanales-Belasio, E., Raimondo, M., Suligoi, B., Buttò, S. 2010. HIV virology and pathogenetic mechanisms of infection: a brief overview. *Ann Ist Super Sanità*, 46(4):5–14.

Fauci, A.S., Lane, H.C., Fauci, A.S., Lane, H.C. 2005. Human Immunodeficiency Virus Disease: AIDS and Related Disorders.in Kasper, D.L. et al. (eds) *Harrison's Principles of Internal Medicine*. New York: McGraw Hill, 1076–1139.

Fenwick, C., Joo, V., Jacquier, P., Noto, A., Banga, R., Perreau, M., Pantaleo, G. 2019. T-cell exhaustion in HIV infection. *Immunol Rev*. Blackwell Publishing Ltd, 149–163.

Fiseha, T., Ebrahim, H., Ebrahim, E., Gebreweld, A. 2022. CD4+ cell count recovery after initiation of antiretroviral therapy in HIV-infected Ethiopian adults. *PLoS One*, 17(3 March).

Galit Alter, Todd J. Suscovich, Nickolas Teigen, Angela Meier, Hendrik Streeck, Christian Brander, Marcus Altfeld. 2007. Single-Stranded RNA Derived from HIV-1 Serves as a Potent Activator of NK Cells. *J Immunol*, 178(12).

Gálvez, C., Urrea, V., Dalmau, J., Jimenez, M., Clotet, B., Monceaux, V., Huot, N., Leal, L., González-Soler, V., González-Cao, M., Müller-Trutwin, M., Sáez-Cirión, A., García, F., Blanco, J., Martínez-Picado, J., Salgado, M. 2020. Extremely low viral reservoir in treated chronically HIV-1-infected individuals. *EBioMedicine*, 57.



Gonzalez, S.M., Taborda, N.A., Rugeles, M.T. 2017. Role of different subpopulations of CD8+ T cells during HIV exposure and infection. *Front Immunol*, 8(AUG):1–9.

Govender, S., Otwombe, K., Essien, T., Panchia, R., de Bruyn, G., Mohapi, L., Gray, G., Martinson, N. 2014. CD4 Counts and viral loads of newly diagnosed HIV-infected individuals: Implications for treatment as prevention. *PLoS One*, 9(3).

Guadalupe, M., Reay, E., Sankaran, S., Prindiville, T., Flamm, J., McNeil, A., Dandekar, S. 2003. Severe CD4+ T-cell depletion in gut lymphoid tissue during primary human immunodeficiency virus type 1 infection and substantial delay in restoration following highly active antiretroviral therapy. *J Virol*, 77(21):11708–17.

Gubser, C., Chiu, C., Lewin, S.R., Rasmussen, T.A. 2022. Immune checkpoint blockade in HIV. *EBioMedicine*, 76:103840.

Han, J., Mu, W., Zhao, H., Hao, Y., Song, C., Zhou, H., Sun, X., Li, G., Dai, G., Zhang, Y., Zhang, F., Zeng, H. 2020. HIV-1 low-level viremia affects T cell activation rather than T cell development in school-age children, adolescents, and young adults during antiretroviral therapy. *Int J Infect Dis*, 91:210–217.

Hazenberg, M.D., Otto, S.A., van Benthem, B.H.B., Roos, M.T.L., Coutinho, R.A., Lange, J.M.A., Hamann, D., Prins, M., Miedema, F. 2003. Persistent immune activation in HIV-1 infection is associated with progression to AIDS. *AIDS*, 17(13):1881–8.

Henning, A.N., Roychoudhuri, R., Restifo, N.P. 2018. Epigenetic control of CD8+ T cell differentiation. *Nat Rev Immunol*, 18(5):340–356.

Intansari, U.S., Subronto, Y.W., Dewi, Y.P., Arjana, A.Z., Juffrie, M., Soesatyo, M.H., Mulyono, B. 2015. Could CD8 / 38 predict virological response to antiretroviral therapy (ART) in human immunodeficiency virus (HIV) infected patients ? *J Med Sci*, 47(2):77–84.

Jiang, F., Zhang, R., Gu, Z., Zhang, H., Guo, H., Deng, X., Liang, J. 2013. Fuzhengpайду granule regulates immune activation molecules CD38 and human leukocyte antigen-D related on CD4+ and CD8+ T cells in patients with acquired immunodeficiency syndrome/human immunodeficiency virus. *J Tradit Chin Med*, 33(4):439–443. Available at: <http://www.journaltcm.com>.

Kawuki, J., Kamara, K., Sserwanja, Q. 2022. Prevalence of risk factors for human immunodeficiency virus among women of reproductive age in Sierra Leone: a 2019 nationwide survey. *BMC Infect Dis*, 22(1):1–9.

Kemenkes RI. 2020. Infodatin HIV AIDS. *Kementerian Kesehatan Republik Indonesia*, 1–8. Available at:



<https://pusdatin.kemkes.go.id/resources/download/pusdatin/infodatin/infodatin-2020-HIV.pdf>.

Kemenkes RI, Ditjen P2P. 2021. *Laporan Perkembangan HIV AIDS & Penyakit Infeksi Menular Seksual (PIMS) Triwulan I Tahun 2021*. JAKARTA.

Kholifah, S.N., Yumni, H., Minarti, Susanto, T. 2017. Structural model of factors relating to the health promotion behavior of reproductive health among Indonesian adolescents. *Int J Nurs Sci*, 4(4):367–373.

Kikaire, B., Ssemanda, M., Asiimwe, A., Nakanwagi, M., Rwegyema, T., Seruwagi, G., Lawoko, S., Asiimwe, E., Wamundu, C., Musinguzi, A., Lugada, E., Turesson, E., Laverentz, M., Bwayo, D. 2021. HIV viral load suppression following intensive adherence counseling among people living with HIV on treatment at military-managed health facilities in Uganda. *Int J Infect Dis*, 112:45–51.

Kirchhoff, F. 2016. HIV Life Cycle: Overview Frank. *Encyclopedia of AIDS*, 1–9.

Kiros, T., Taye, A., Workineh, L., Eyayu, T., Damtie, S., Hailemichael, W., Tiruneh, T. 2022. Immuno-virological status and its associated factors among HIV-positive patients receiving highly active antiretroviral therapy at delgi primary hospital, northwest Ethiopia, 2020/2021: A cross-sectional study. *Heliyon*, 8(8):e10169.

Klatt, N.R., Chomont, N., Douek, D.C., Deeks, S.G. 2013. Immune activation and HIV persistence: implications for curative approaches to HIV infection. *Immunol Rev*, 254(1):326–342.

Klatt, N.R., Funderburg, N.T., Brenchley, J.M. 2013. Microbial translocation, immune activation, and HIV disease. *Trends Microbiol*, 21(1):6–13.

Kroeze, S., Ondoia, P., Kityo, C.M., Siwale, M., Akamnu, S., Wellington, M., de Jager, M., Ive, P., Mandaliya, K., Stevens, W., Boender, T.S., de Pundert, M.E., Sigaloff, K.C.E., Reiss, P., Wit, F.W.N.M., Rinke De Wit, T.F., Hamers, R.L. 2018. Suboptimal immune recovery during antiretroviral therapy with sustained HIV suppression in sub-Saharan Africa. *AIDS*, 32(8):1043–1051.

Kwa, S., Kannanganat, S., Nigam, P., Siddiqui, M., Shetty, R.D., Armstrong, W., Ansari, A., Bosinger, S.E., Silvestri, G., Amara, R.R. 2011. Plasmacytoid dendritic cells are recruited to the colorectum and contribute to immune activation during pathogenic SIV infection in rhesus macaques. *Blood*, 118(10):2763–2773.

Langford, S.E., Ananworanich, J., Cooper, D.A. 2007. Predictors of disease progression in HIV infection: A review. *AIDS Res Ther*, 4:1–14.

Lee, E., Bacchetti, P., Milush, J., Shao, W., Boritz, E., Douek, D., Fromentin, R., Liegler, T., Hoh, R., Deeks, S.G., Hecht, F.M., Chomont, N., Palmer, S. 2019.



Memory CD4 + T-Cells Expressing HLA-DR Contribute to HIV Persistence During Prolonged Antiretroviral Therapy. *Front Microbiol*, 10.

Lessard, D., Toupin, I., Engler, K., Lènart, A., Lebouché, B. 2018. HIV-Positive Patients' Perceptions of Antiretroviral Therapy Adherence in Relation to Subjective Time: Imprinting, Domino Effects, and Future Shadowing. *J Int Assoc Provid AIDS Care*, 17.

Lichterfeld, M., Yu, X.G., le Gall, S., Altfeld, M. 2005. Immunodominance of HIV-1-specific CD8+ T-cell responses in acute HIV-1 infection: at the crossroads of viral and host genetics. *Trends Immunol*, 26(3):166–171.

Lu, L., Wang, J., Yang, Q., Xie, X., Huang, Y. 2021. The role of CD38 in HIV infection. *AIDS Res Ther*, 18(1):1–14.

Maartens, G., Celum, C., Lewin, S.R. 2014. HIV infection: epidemiology, pathogenesis, treatment, and prevention. *The Lancet*, 384(9939):258–271.

Machicote, A., Belén, S., Baz, P., Billordo, L.A., Fainboim, L. 2018. Human CD8+HLA-DR+Regulatory T Cells, similarly to classical CD4+Foxp3+cells, suppress immune responses via PD-1/PD-L1 axis. *Front Immunol*, 9(NOV):2788.

Manowati, L., Purwaningsih, P., Bakar, A. 2019. Perception of People Living With HIV/AIDS Affecting Lost to Follow-Up of ARV Therapy. *Critical Medical and Surgical Nursing Journal (CMSNJ)*, 8(1):31–40.

Mehandru, S., Poles, M.A., Tenner-Racz, K., Horowitz, A., Hurley, A., Hogan, C., Boden, D., Racz, P., Markowitz, M. 2004. Primary HIV-1 infection is associated with preferential depletion of CD4+ T lymphocytes from effector sites in the gastrointestinal tract. *Journal of experimental medicine*, 200(6):761–70.

Menteri Kesehatan RI. 2014. Peraturan Menteri Kesehatan Republik Indonesia Nomor 87 Tahun 2014 Tentang Pedoman Pengobatan Antiretroviral, 1–121.

Min, A.K., Fortune, T., Rodriguez, N., Hedge, E., Swartz, T.H. 2022. Inflammasomes as mediators of inflammation in HIV-1 infection. *Transl Res [Preprint]*.

Mishra, S. 2021. CD8+ Regulatory T Cell – A Mystery to Be Revealed. *Front Immunol*, 12:3374.

Nguyen, S., Sada-Japp, A., Petrovas, C., Betts, M.R. 2020. Jigsaw falling into place: A review and perspective of lymphoid tissue CD8+ T cells and control of HIV. *Mol Immunol*, 124:42–50.

Onlamoon, N., Tabprasit, S., Suwanagool, S., Louisirirotchanakul, S., Ansari, A.A., Pattanapanyasat, K. 2005. Studies on the potential use of CD38 expression as a



marker for the efficacy of anti-retroviral therapy in HIV-1-infected patients in Thailand. *Virology*, 341(2):238–247.

Ostrowski, S.R. 2010. Immune activation in chronic HIV infection. *Dan Med Bull*, 57(3):B4122.

Paiardini, M., Müller-Trutwin, M. 2013. HIV-associated chronic immune activation. *Immunol Rev*, 254(1):78–101.

Pallikkuth, S., Bolivar, H., Fletcher, M.A., Babic, D.Z., de Armas, L.R., Gupta, S., Termini, J.M., Arheart, K.L., Stevenson, M., Tung, F.Y., Fischl, M.A., Pahwa, S., Stone, G.W. 2020. A therapeutic HIV-1 vaccine reduces markers of systemic immune activation and latent infection in patients under highly active antiretroviral therapy. *Vaccine*, 38(27):4336–4345.

Perdomo-Celis, F., Taborda, N.A., Rugeles, M.T. 2019. CD8+ T-cell response to HIV infection in the era of antiretroviral therapy. *Front Immunol*, 10(AUG).

Perreau, M., Levy, Y., Pantaleo, G. 2013. Immune response to HIV. *Curr Opin HIV AIDS*, 8(4):333–340.

Poizot-Martin, I., Faucher, O., Obry-Roguet, V., Nicolino-Brunet, C., Ronot-Bregigeon, S., Dignat-George, F., Tamalet, C. 2013. Lack of correlation between the size of HIV proviral DNA reservoir and the level of immune activation in HIV-infected patients with a sustained undetectable HIV viral load for 10 years. *J Clin Virol*, 57(4):351–355.

Rich, S.N., Cook, R.L., Yaghjyan, L., Francois, K., Puttkammer, N., Robin, E., Bae, J., Joseph, N., Pessoa-Brandão, L., Delcher, C. 2020. Risk factors for delayed viral suppression on first-line antiretroviral therapy among persons living with HIV in Haiti, 2013–2017. *PLoS One*, 15(10).

Romeiro, J.R., Pinto, J.A., Silva, M.L., Eloi-Santos, S.M. 2012. Further evidence that the expression of CD38 and HLA-DR+ in CD8+ lymphocytes does not correlate to disease progression in HIV-1 vertically infected children. *J Int Assoc Physicians AIDS Care*, 11(3):164–168.

Roslev Bukh, A., Melchjorsen, J., Offersen, R., Magnus, J., Jensen, B., Toft, L., Støvring, H., Østergaard, L., Tolstrup, M., Søgaard, O.S. 2011. Endotoxemia Is Associated with Altered Innate and Adaptive Immune Responses in Untreated HIV-1 Infected Individuals. *PLoS One*. Edited by R. Kaul, 6(6):e21275.

Ruggiero, A., de Spieghelaere, W., Cozzi-Lepri, A., Kiselinova, M., Pollakis, G., Beloukas, A., Vandekerckhove, L., Strain, M., Richman, D., Phillips, A., Geretti, A.M., Vitiello, P., Mackie, N., Ainsworth, J., Waters, A., Post, F., Edwards, S., Fox, J. 2015. During Stably Suppressive Antiretroviral Therapy Integrated HIV-1 DNA



Load in Peripheral Blood is Associated with the Frequency of CD8 Cells Expressing HLA-DR/DP/DQ. *EBioMedicine*, 2(9):1153–1159.

Sá Ez-Cirió, A., Lacabaratz, C., Lambotte, O., Versmissé, P., Urrutia, A., Boufassa, F., Barré -Sinoussi, F., Delfraissy, J.-F., Sinet, M., Pancino, G., Venet, A. 2007. HIV controllers exhibit potent CD8 T cell capacity to suppress HIV infection ex vivo and peculiar cytotoxic T lymphocyte activation phenotype. *Proc Natl Acad Sci U S A*, 17(104). Available at: www.pnas.org/cgi/content/full/ (Accessed: 18 November 2022).

Sangwan, J., Sen, S., Gupta, R.M., Shanmuganandan, K., Grewal, R.S. 2020. Immune activation markers in individuals with HIV-1 disease and their correlation with HIV-1 RNA levels in individuals on antiretroviral therapy. *Med J Armed Forces India*, 76(4):402–409.

Serrano-Villar, S., Gutiérrez, C., Vallejo, A., Hernández-Novoa, B., Díaz, L., Abad Fernández, M., Madrid, N., Dronda, F., Zamora, J., Muñoz-Fernández, M.Á., Moreno, S. 2013. The CD4/CD8 ratio in HIV-infected subjects is independently associated with T-cell activation despite long-term viral suppression. *J Infect*, 66(1):57–66.

Slim, J., Saling, C.F. 2016. A Review of Management of Inflammation in the HIV Population. *Biomed Res Int*, 2016.

Speiser, D.E., Migliaccio, M., El, M., Pittet, J., Valmori, D., Lí Enard, D., Lejeune, F., Reichenbach, P., Guillaume, P., Lüscher, I., Cerottini, J.-C., Romero, P. 2001. Human CD8 + T cells expressing HLA-DR and CD28 show telomerase activity and are distinct from cytolytic effector T cells. *Eur J Immunol* [Preprint].

Srinivasula, S., Lempicki, R.A., Adelsberger, J.W., Huang, C.Y., Roark, J., Lee, P.I., Rupert, A., Stevens, R., Sereti, I., Lane, H.C., di Mascio, M., Kovacs, J.A. 2011. Differential effects of HIV viral load and CD4 count on proliferation of naive and memory CD4 and CD8 T lymphocytes. *Blood*, 118(2):262.

Torti, C., Prosperi, M., Motta, D., Digiambenedetto, S., Maggiolo, F., Paraninfo, G., Ripamonti, D., Cologni, G., Fabbiani, M., Caputo, S.L., Sighinolfi, L., Ladisa, N., El-Hamad, I., Quiros-Roldan, E., Frank, I. 2012. Factors influencing the normalization of CD4+ T-cell count, percentage and CD4+/CD8+ T-cell ratio in HIV-infected patients on long-term suppressive antiretroviral therapy. *Clin Microbiol Infect*, 18(5):449–458.

Vajpayee, M., Kaushik, S., Sreenivas, V., Mojumdar, K., Mendiratta, S., Chauhan, N.K. 2009. Role of immune activation in CD4+ T-cell depletion in HIV-1 infected Indian patients. *Eur J Clin Microbiol Infect Dis*, 28(1):69–73.

Wilen, C.B., Tilton, J.C., Doms, R.W. 2012. HIV: Cell binding and entry. *Cold Spring Harb Perspect Med*, 2(8).



Williams, I., Churchill, D., Anderson, J., Boffito, M., Bower, M., Cairns, G., Cwynarski, K., Edwards, S., Fidler, S., Anna, Geretti, M. 2012. British HIV Association guidelines for the treatment of HIV-1-positive adults with antiretroviral therapy 2012. *HIV Med*, 13((Suppl.2)):1–85.

World Health Organization. 2017. WHO Prequalification of Diagnostics Programme- Public report on abbott RealTime HIV-1 (m2000sp), 1(1):1–15.

World Health Organization. 2021. *Consolidated guidelines on HIV prevention, testing, treatment, service delivery and monitoring : recommendations for a public health approach*.

Yang, D., Allen, J., Mahumane, A., Riddell, J., Yu, H. 2023. Knowledge, stigma, and HIV testing: An analysis of a widespread HIV/AIDS program. *J Dev Econ*, 160:102958.

Yani, S.L., Keller, M., Melzer, F.L., Weinberger, B., Pangrazzi, L., Sopper, S., Trieb, K., Lobina, M., Orrù, V., Fiorillo, E., Cucca, F., Grubeck-Loebenstein, B. 2018. CD8+HLADR+ regulatory T cells change with aging: They increase in number, but lose checkpoint inhibitory molecules and suppressive function. *Front Immunol*, 9(JUN):1201.

Zicari, S., Sessa, L., Cotugno, N., Ruggiero, A., Morrocchi, E., Concato, C., Rocca, S., Zangari, P., Manno, E.C., Palma, P. 2019. Immune activation, inflammation, and non-AIDS co-morbidities in HIV-infected patients under long-term ART. *Viruses*, 11(3).