

DAFTAR PUSTAKA

- Altintop, M.D., Ozdemir, A., Zitouni, G.T., Ilgin, S., Atli, O., Demirel, R., and Kaplancikli, Z.A., 2015, A Novel Series of Thiazolyl-Pyrazoline Derivatives: Synthesis and Evaluation of Antifungal Activity, Cytotoxicity and Genotoxicity, *Eur. J. Med. Chem.*, 92, 342-352.
- Anonim, 2020a, Pertanyaan dan Jawaban Terkait COVID-19, *Kemkes.go.id*, 1, diakses pada 22 Agustus 2022.
- Anonim, 2020b, Virus Corona COVID-19, *dinkes.bantenprov.go.id*, 1, diakses pada 28 Oktober 2022.
- Anonim, 2021, ADMETlab 2.0, *admetmesh.scbdd.com*, diakses pada 9 November 2022.
- Anonim, 2022, WHO Coronavirus (COVID-19) Dashboard with Vaccination Data, *Who.org*, 1-5, diakses pada 22 Agustus 2022.
- Aziz, F.K., Nukitasari, C., Oktavianingrum, F.A., Ariyati, W., dan Santoso, B., 2016, Hasil In Silico Senyawa Z12501572, Z00321025, SCB5631028 dan SCB13970547 dibandingkan Turunan Zerumbon terhadap Human Liver Glycogen Phosphorylase (115Q) sebagai Antidiabetes, *Jurnal Kimia Valensi*, 2 (2), 120-124.
- Benerjee, R., Perera, L., and Tillekeratne, L.M.V., 2021, Potential SARS-CoV-2 Main Protease Inhibitors, *Drug Discov. Today*, 26 (3), 804-816.
- Chen, X., Yang, X., Zheng, Y., Yang, Y., Xing, Y., and Chen, Z., 2014, SARS Coronavirus Papain-like Protease Inhibits the Type I Interferon Signaling Pathway Through Interaction with The STING-TRAF3-TBK1 Complex, *Protein Cell*, 5 (5), 369-381.
- Duran, N., Polat, M.F., Aktas, D.A., Alagos, M.A., Ay E., Cimen, F., Tek, E., Anil, B., Burmaoglu, S., and Algul, O., 2021, New Chalcone Derivatives as Effective Anti-SARS-CoV-2 Agents, PREPRINT (Versi 1) tersedia di Research Square [<https://doi.org/10.21203/rs.3.rs-515050/v1>].
- Eff, A.R.Y., 2021, Archives Pharmacia SARS-Cov-2: Virologi dan Target Obat SARS-Cov-2: Virology and Drug Targets, *Arch. Pharm.*, 3 (2), 73-85.
- El Hassab, M., Ibrahim, T., Shoun, A., Al-Rashood, S., Alkahtani, H., Alharbi, A., Eskandrani, R., and Eldehna, W., 2021, In Silico Identification of Potential SARS COV-2 2'-O-Methyltransferase Inhibitor: Fragment-Based Screening Approach and MM-PBSA Calculations, *RSC Advances*, 11 (26), 16026-16033.

- Ferreira, L.L.G. and Danricopulo, A.D., 2019, ADMET Modeling Approaches in Drug Discovery, *Drug Discov. Today*, 24 (5), 1157–1165.
- Gaikwad, K.V., Gaikwad, S.V., Jadhav, S.B., and Rathod, S.D., 2010, Synthesis and Antimicrobial Studies of Some Novel Pyrazoline and Isoxazoline Derivatives, *Indian J.Chem.*, 49B, 131-136.
- Gangrade, D., Sawant, G., and Mehta, A., 2016, Re-thinking Drug Discovery: In Silico Method, *J. Chem. Pharm. Res.*, 8 (8), 1092-1099.
- Gheblawi, M., Wang, K., Viveiros, A., Nguyen, Q., Zhong, J., Turner, A., Raizada, M., Grant, M., and Oudit, G., 2020, Angiotensin-Converting Enzyme 2: SARS-CoV-2 Receptor and Regulator of the Renin-Angiotensin System: Celebrating the 20th Anniversary of the Discovery of ACE2, *Circ. Res.*, 1456-1474.
- Gómez-Jeria, J., Robles-Navarro, A., Kpotin, G., Gómez-Jeria, J., Kpotin, G., Garrido-Sáez, N., and Gatica-Díaz, N., 2020, Some Remarks About the Relationships Between the Common Skeleton Concept within the Klopman-Peradejordi-Gómez QSAR Method and the Weak Molecule-Site Interactions, *Chem. Res. J.*, 5 (2), 32-52.
- Goyal K., Kaur R., Goyal A., and Awasthi R, 2021, Chalcones: A Review on Synthesis and Pharmacological Activities, *J. App. Pharm. Sci.*, 11 (sup 1), 1-14.
- Hoffmann, M., Schroeder, S., Kleine-Weber, H., Müller, M., Drosten, C., and Pöhlmann, S., 2020, Nafamostat Mesylate Blocks Activation of SARS-Cov-2: New Treatment Option for COVID-19, *Antimicrob. Agents Chemother.*, 64 (6).
- Horowitz, S. and Trievel, R., 2012, Carbon-Oxygen Hydrogen Bonding in Biological Structure and Function, *J. Biol. Chem.*, 287 (50), 41576-41582.
- Horvart, D., Marcou, G., and Varnek, A., 2019, Generative Topographic Mapping of the Docking Conformational Space, *Molecules*, 24(12).
- Huang, C., Wang, Y., Li, X., Ren, L., Zhao, J., Hu, Y., Zhang, L., Fan, G., Xu, J., Gu, X., Cheng, Z., Yu, T., Xia, J., Wei, Y., Wu, W., Xie, X., Yin, W., Li, H., Liu, M., Xiao, Y., Gao, H., Guo, L., Xie, J., Wang, G., Jiang, R., Gao, Z., Jin, Q., Wang, J., and Cao, B., 2020, Clinical Features of Patients Infected with 2019 Novel Coronavirus in Wuhan, China, *The Lancet*, 395 (10223), 497-506.
- Ismiyarto, Mastjeh, S., dan Anwar, C., 2001, Synthesis of Chalcone and Flavanone Compound Using Raw Material of Acetophenone and Benzaldehyde Derivative, *Indones. J. Chem.*, 1 (2), 81-89.

- Jadhav S., Shastri R., Gaikwad K., and Gaikwad S., 2009, Synthesis and Antimicrobial Studies of Some Novel Pyrazoline and Isoxazoline Derivatives, *E-Journal of Chemistry*, 6 (S1), S183-S188.
- Kamble, V., Hatnapure, G., Keche, A., Birajdar, S., Patil, S., Tale, R., Rodge, A., Turkar, S., and Gour, K., 2011, Synthesis and Biological Evaluation of A Novel Series of Methoxylated Chalcones as Antioxidant and Anti-Microbial Agents, *J. Chem. Pharm. Res.*, 3 (6), 639-648.
- Kitchen, D., Decornez, H., Furr, J., and Bajorath, J., 2004, Docking and Scoring in Virtual Screening for Drug Discovery: Methods and Applications, *Nature Rev. Drug Discov.*, 3 (11), 935-949.
- Lahsani, S.A., Al-Korbi, F.H., and Aljaber, N.A., 2014, Synthesis, Characterization and Evaluation of Antioxidant Activities of Some Novel Chalcones, *Chem. Cent. J.*, 8 (32).
- Leelananda, S. and Lindert, S., 2016, Computational Methods in Drug Discovery, *Beilstein J. Org. Chem.*, 12, 2694-2718.
- Liu, J., Cao, R., Xu, M., Wang, X., Zhang, H., Hu, H., Li, Y., Hu, Z., Zhong, W., and Wang, M., 2020, Hydroxychloroquine, a Less Toxic Derivative of Chloroquine, is Effective in Inhibiting SARS-CoV-2 Infection In Vitro, *Cell Discov.*, 6(16).
- Mohanasundaram N. and Sekhar, T., 2018, Computational Studies of Molecular Targets Regarding the Adverse Effects of Isoniazid Drug for Tuberculosis, *Curr. Pharmacogenomics Person. Med.*, 16 (3), 210-218.
- Nurlaili, Jasril, dan Teruna, H.Y., 2018, Uji Aktivitas Antioksidan Senyawa Pirazolin 3-(2-Metoksi-Fenil)-5-Naftalen-1-Il-4,5-Dihidro-1h-Pirazo, *Jurnal Photon*, 8(2), 53-58.
- Nusantoro, Y. dan Fadlan, A., 2020, Analisis Sifat Mirip Obat, Prediksi ADMET, dan Penambatan Molekular Isatinil-2-Aminobenzoilhidrazon dan kompleks logam transisi Co(II), Ni(II), Cu(II), Zn(II) Terhadap BCL2-XL, *Akta Kimia Indonesia*, 5 (2), 114-126.
- Patel, N., Shaikh, F., Patel, H., and Rajani, D., 2016, Synthesis of 2-Pyrazolines from Pyridine Based Chalcone by Conventional and Microwave Techniques: Their Comparison and Antimicrobial Studies, *J. Saudi Chem. Soc.*, 20, S451-S456.
- Perdana, A.T. dan Permana, A.A., 2021, Molecular Docking Senyawa Potensial Anticovid-19 Secara In Silico, *JIKA*, 159-166.

- Peveen, A., Misra, S.K., Kapoor, A., Narayan, Y., Verma, S.K., Chauhan, P., and Kumar, A., 2021, Synthetic Approaches and Biological Activities of Heterocyclic Pyrazoline, *Acta Sci. Pharm. Sci.*, 5 (11), 59-69.
- Praceka, M., Megantara, S., Maharani, R., and Muchtaridi, M., 2021, Comparison of Various Synthesis Methods and Synthesis Parameters of Pyrazoline Derivates, *J. Adv. Pharm. Technol. Res.*, 12 (4), 321-326.
- Puspita, H., Teruna, H.Y., dan Jasril, 2014, Sintesis Pirazolin dari Kalkon 3-Kloro Inti Naftalen dan Uji Aktivitasnya Sebagai Antibakteri, *Jom FMIPA*, 1 (2), 403-410.
- Purwaniati, P. dan Asnawi, P., 2020, Target Kerja Obat Covid-19: Review, *Jurnal Farmagazine*, 7 (2), 30-42.
- Ramajayam, R., Tan, K., Liu, H., and Liang, P., 2010, Synthesis and Evaluation of Pyrazolone Compounds as SARS-Coronavirus 3C-Like Protease Inhibitors, *Bioorg. Med. Chem.*, 18 (22), 7849-7854.
- Sadih, S., Yuharmen, dan Jasril, 2014, Sintesis dan Uji Aktivitas Antibakteri Senyawa Analog 3 Bromo Kalkon Inti Naftalen, *Jom FMIPA*, 1(2), 377-382.
- Salentin, S., Haupt, V., Daminelli, S., and Schroeder, M., 2014, Polypharmacology Rescored: Protein-Ligand Interaction Profiles For Remote Binding Site Similarity Assessment, *Prog. Biophys. Mol. Biol.*, 116 (2-3), 174-186.
- Schoeman, D. and Fielding, B., 2019, Coronavirus Envelope Protein: Current Knowledge, *Virology J.*, 16 (69).
- Shen, Z., Ratia, K., Cooper, L., Kong, D., Lee, H., Kwon, Y., Li, Y., Alqarni, S., Huang, F., Dubrovskiy, O., Rong, L., Thatcher, G., and Xiong, R., 2022, Design of SARS-CoV-2 PLpro Inhibitors for COVID-19 Antiviral Therapy Leveraging Binding Cooperativity, *J. Med. Chem.*, 65 (4), 2940-2955.
- Setiawan, H. dan Irawan, I., 2017, Kajian Pendekatan Penempatan Ligan pada Protein Menggunakan Algoritma Genetika, *Jurnal Sains dan Seni ITS*, 6 (2), A68-A72.
- Smith, T., Bushek, J., LeClaire, A., and Prosser T., 2020, COVID-19 Drug Therapy, *Elsevier*.
- Suirta, W., 2016, Sintesis Senyawa Kalkon Serta Uji Aktivitas Sebagai Antioksidan, *Jurnal Kimia*, 10 (1), 75-80.
- Suma, A.A.T., Wahyuningsih, T.D., and Mustofa, 2019, Efficient Synthesis of Chloro Chalcones under Ultrasound Irradiation, Their Anticancer Activities and Molecular Docking Studies, *Rasayan J. Chem.*, 12(2), 502-510.

- Syam, S., Abdelwahab, S., Al-Mamary, M., and Mohan, S., 2021, Synthesis of Chalcones with Anticancer Activities, *Molecules*, 17 (6), 6179-6195.
- Tala, S.D., Vekariya, P.B., Ghetiya, R.M., Dodiya, B.L., and Joshi, H.S., 2013, Synthesis and Biological Study of Some New Chalcone and Pyrazole Derivatives, *Indian J.Chem.*, 52B, 807-809.
- Torres, P., Sodero, A., Jofily, P., and Silva-Jr, F., 2019, Key Topics in Molecular Docking for Drug Design, *Int. J. Mol. Sci.*, 20.
- Venkatagopalan P, Daskalova S, Lopez L, Dolezal K, and Hogue B, 2015, Coronavirus Envelope (E) Protein Remains at the Site of Assembly, *Virology*, 478, 75-85.
- Vithani N., Ward M., Zimmerman M., Novak B., Borowsky J., Singh S., and Bowman G, 2021, SARS-CoV-2 NSP16 Activation Mechanism and a Cryptic Pocket with Pan-Coronavirus Antiviral Potential, *Biophysical J.*, 120 (14), 2880-2889.
- Wang, T., Wu, M., and Chen, Z., 2014, Fragment-Based Drug Discovery and Molecular Docking in Drug Design, *Curr. Pharm. Biotechnol.*, 15, 1-15.
- Xiong, G., Wu, Z., Yi, J., Fu, L., Yang, Z., Hsieh, C., Yin, M., Zeng, X., Wu, C., Lu, A., Chen, X., Hou, T., and Cao, D., 2021, ADMETlab 2.0: An Integrated Online Platform for Accurate dan Comprehensive Predictions of ADMET Properties, *Nucleic Acids Res.*, 49, 5–14.
- Yao, X., Ye, F., Zhang, M., Cui, C., Huang, B., Niu, P., Liu, X., Zhao, L., Dong, E., Song, C., Zhan, S., Lu, R., Li, H., Tan, W., and Liu, D., 2020, In Vitro Antiviral Activity and Projection of Optimized Dosing Design of Hydroxychloroquine for the Treatment of Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2), *Clin. Infect. Dis.*, 71 (15), 32-739.
- Yasin, S.A., Azzahra, A., Ramadhan, N.E., dan Mylanda, V., 2020, Studi Penambatan Molekuler dan Prediksi ADMET Senyawa Bioaktif Beberapa Jamu Indonesia Terhadap SARS-Cov-2 Main Protease (Mpro), *Bimfi*, 7 (2), 24-41.
- Yusuf, M. and Jain, P., 2014, Synthetic and Biological Studies of Pyrazolines and Related Heterocyclic Compounds, *Arab. J. Chem.*, 7 (5), 553-596.