



BIBLIOGRAPHY

- Abdi, H. (2010). Partial least squares regression and projection on latent structure regression (PLS Regression). *Wiley Interdisciplinary Reviews: Computational Statistics*, 2(1), 97–106. <https://doi.org/10.1002/wics.51>
- Abedi, M., Norouzi, G. H., & Bahroudi, A. (2012). Support vector machine for multi-classification of mineral prospectivity areas. *Computers and Geosciences*, 46, 272–283. <https://doi.org/10.1016/j.cageo.2011.12.014>
- Afoakwa, E. O., Paterson, A., Fowler, M., & Ryan, A. (2008). Flavor formation and character in cocoa and chocolate: A critical review. *Critical Reviews in Food Science and Nutrition*, 48(9), 840–857. <https://doi.org/10.1080/10408390701719272>
- Ajani, R., Oboh, G., Adefegha, S. A., Nwokocha, K. E., & Akindahunsi, A. A. (2020). Sensory attributes, nutritional qualities, and glycemic indices of bread blends produced from cocoa powder flavored yellow-fleshed cassava-wheat composite flours. *Journal of Food Processing and Preservation*, 44(9), e14673. <https://doi.org/10.1111/JFPP.14673>
- Albertini, B., Schoubben, A., Guarnaccia, D., Pinelli, F., della Vecchia, M., Ricci, M., di Renzo, G. C., & Blasi, P. (2015). Effect of Fermentation and Drying on Cocoa Polyphenols. *Journal of Agricultural and Food Chemistry*, 63(45), 9948–9953. <https://doi.org/10.1021/acs.jafc.5b01062>
- Aliaño-González, M. J., Ferreiro-González, M., Espada-Bellido, E., Palma, M., & Barbero, G. F. (2019). A screening method based on Visible-NIR spectroscopy for the identification and quantification of different adulterants in high-quality honey. *Talanta*, 203, 235–241. <https://doi.org/10.1016/j.talanta.2019.05.067>
- Arone, B. N., Padmanaban, V., Pandi, G., Shakila, R. J., Neethirajan, N., Saravanan, B., & Velsamy, K. (2019). Nutritional Value and Organoleptic Evaluation of Chocolate Biscuits Incorporated with Freeze Dried and Oven Dried Itoyori Surimi. [Https://Doi.Org/10.2112/SI86-008.1](https://doi.org/10.2112/SI86-008.1), 86(sp1), 56–60. <https://doi.org/10.2112/SI86-008.1>
- Barea-Sepúlveda, M., Ferreiro-González, M., Calle, J. L. P., Barbero, G. F., Ayuso, J., & Palma, M. (2022). Comparison of different processing approaches by SVM and RF on HS-MS eNose and NIR Spectrometry data for the discrimination of gasoline samples. *Microchemical Journal*, 172. <https://doi.org/10.1016/j.microc.2021.106893>
- Benato, B. C., Telea, A. C., & Falcao, A. X. (2019). Semi-Supervised Learning with Interactive Label Propagation Guided by Feature Space Projections. *Proceedings - 31st Conference on Graphics, Patterns and Images, SIBGRAPI 2018*, 392–399. <https://doi.org/10.1109/SIBGRAPI.2018.00057>
- Benković, M., Bosiljkov, T., Semić, A., Ježek, D., & Srećec, S. (2019). Influence of Carob Flour and Carob Bean Gum on Rheological Properties of Cocoa and Carob Pastry Fillings. *Foods 2019*, Vol. 8, Page 66, 8(2), 66. <https://doi.org/10.3390/FOODS8020066>
- Bonifazi, G., Capobianco, G., Gasbarrone, R., & Serranti, S. (2021). Contaminant detection in pistachio nuts by different classification methods applied to short-



- wave infrared hyperspectral images. *Food Control*, 130. <https://doi.org/10.1016/j.foodcont.2021.108202>
- Bridges, C. C. (1966). *HIERARCHICAL CLUSTER ANALYSIS* (Vol. 18). @ Southern Universities Press.
- Bunea, F., She, Y., Ombao, H., Gongvatana, A., Devlin, K., & Cohen, R. (2011). Penalized least squares regression methods and applications to neuroimaging. *NeuroImage*, 55(4), 1519–1527. <https://doi.org/10.1016/j.neuroimage.2010.12.028>
- Buttafuoco, G., & Conforti, M. (2021). Improving Mean Annual Precipitation Prediction Incorporating Elevation and Taking into Account Support Size. *Water (Switzerland)*, 13(6). <https://doi.org/10.3390/w13060830>
- Calle, J. L. P., Barea-Sepúlveda, M., Ruiz-Rodríguez, A., Álvarez, J. Á., Ferreiro-González, M., & Palma, M. (2022). Rapid Detection and Quantification of Adulterants in Fruit Juices Using Machine Learning Tools and Spectroscopy Data. *Sensors*, 22(10). <https://doi.org/10.3390/s22103852>
- Calle, J. L. P., Ferreiro-González, M., Ruiz-Rodríguez, A., Barbero, G. F., Álvarez, J., Palma, M., & Ayuso, J. (2021). A methodology based on ft-ir data combined with random forest model to generate spectralprints for the characterization of high-quality vinegars. *Foods*, 10(6). <https://doi.org/10.3390/foods10061411>
- Calle, J. L. P., Ferreiro-González, M., Ruiz-Rodríguez, A., Fernández, D., & Palma, M. (2022a). Detection of Adulterations in Fruit Juices Using Machine Learning Methods over FT-IR Spectroscopic Data. *Agronomy*, 12(3). <https://doi.org/10.3390/agronomy12030683>
- Calle, J. L. P., Ferreiro-González, M., Ruiz-Rodríguez, A., Fernández, D., & Palma, M. (2022b). Detection of Adulterations in Fruit Juices Using Machine Learning Methods over FT-IR Spectroscopic Data. *Agronomy*, 12(3). <https://doi.org/10.3390/agronomy12030683>
- Calle, J. L. P., Ferreiro-González, M., Ruiz-Rodríguez, A., Fernández, D., & Palma, M. (2022c). Detection of Adulterations in Fruit Juices Using Machine Learning Methods over FT-IR Spectroscopic Data. *Agronomy*, 12(3). <https://doi.org/10.3390/agronomy12030683>
- Cen, H., & He, Y. (2007). Theory and application of near infrared reflectance spectroscopy in determination of food quality. *Trends in Food Science and Technology*, 18(2), 72–83. <https://doi.org/10.1016/j.tifs.2006.09.003>
- Chen, C. C. M., Schwender, H., Keith, J., Nunkesser, R., Mengersen, K., & MacRossan, P. (2011). Methods for identifying SNP interactions: A review on variations of logic regression, Random Forest and bayesian logistic regression. In *IEEE/ACM Transactions on Computational Biology and Bioinformatics* (Vol. 8, Issue 6, pp. 1580–1591). <https://doi.org/10.1109/TCBB.2011.46>
- Chen, J., Ren, X., Zhang, Q., Diao, X., & Shen, Q. (2013). Determination of protein, total carbohydrates and crude fat contents of foxtail millet using effective wavelengths in NIR spectroscopy. *Journal of Cereal Science*, 58(2), 241–247. <https://doi.org/10.1016/j.jcs.2013.07.002>
- Cheng, J. H., & Sun, D. W. (2017). Partial Least Squares Regression (PLSR) Applied to NIR and HSI Spectral Data Modeling to Predict Chemical



- Properties of Fish Muscle. In *Food Engineering Reviews* (Vol. 9, Issue 1, pp. 36–49). Springer New York LLC. <https://doi.org/10.1007/s12393-016-9147-1>
- Couto, C. de C., Freitas-Silva, O., Oliveira, E. M. M., Sousa, C., & Casal, S. (2022). Near-infrared spectroscopy applied to the detection of multiple adulterants in roasted and ground arabica coffee. *Foods*, 11(1). <https://doi.org/10.3390/foods11010061>
- de Santana, F. B., Borges Neto, W., & Poppi, R. J. (2019). Random forest as one-class classifier and infrared spectroscopy for food adulteration detection. *Food Chemistry*, 293, 323–332. <https://doi.org/10.1016/j.foodchem.2019.04.073>
- Delgado-Ospina, J., Di Mattia, C. D., Paparella, A., Mastrocota, D., Martuscelli, M., & Chaves-Lopez, C. (2020). Effect of fermentation, drying and roasting on biogenic amines and other biocompounds in Colombian criollo cocoa beans and shells. *Foods*, 9(4), 1–20. <https://doi.org/10.3390/foods9040520>
- Deus, V. L., Bispo, E. S., Franca, A. S., & Gloria, M. B. A. (2021). Understanding amino acids and bioactive amines changes during on-farm cocoa fermentation. *Journal of Food Composition and Analysis*, 97(December 2020). <https://doi.org/10.1016/j.jfca.2020.103776>
- Esposito Vinzi, V., & Russolillo, G. (2013). Partial least squares algorithms and methods. In *Wiley Interdisciplinary Reviews: Computational Statistics* (Vol. 5, Issue 1, pp. 1–19). <https://doi.org/10.1002/wics.1239>
- Faisal, M., Zamzami, E. M., & Sutarman. (2020). Comparative Analysis of Inter-Centroid K-Means Performance using Euclidean Distance, Canberra Distance and Manhattan Distance. *Journal of Physics: Conference Series*, 1566(1). <https://doi.org/10.1088/1742-6596/1566/1/012112>
- Febrianto, N. A., & Zhu, F. (2020). Changes in the Composition of Methylxanthines, Polyphenols, and Volatiles and Sensory Profiles of Cocoa Beans from the sul 1 Genotype Affected by Fermentation. *Journal of Agricultural and Food Chemistry*, 68(32), 8658–8675. <https://doi.org/10.1021/acs.jafc.0c02909>
- Garza-Ulloa, J. (2018). Application of mathematical models in biomechatronics: artificial intelligence and time-frequency analysis. In *Applied Biomechatronics using Mathematical Models* (pp. 373–524). Elsevier. <https://doi.org/10.1016/b978-0-12-812594-6.00006-8>
- Giglio, C., & Brown, S. D. (2018). Using elastic net regression to perform spectrally relevant variable selection. *Journal of Chemometrics*, 32(8). <https://doi.org/10.1002/cem.3034>
- Gomes, de araujo A., Azcarate, S. M., Diniz, P. H. G. D., de Sousa Fernandes, D. D., & Veras, G. (2022). Variable selection in the chemometric treatment of food data: A tutorial review. *Food Chemistry*, 370(July 2021), 131072. <https://doi.org/10.1016/j.foodchem.2021.131072>
- Gómez Hoyos, C., Mazo Márquez, P., Penagos Vélez, L., Serpa Guerra, A., Eceiza, A., Urbina, L., Velásquez-Cock, J., Gañán Rojo, P., Vélez Acosta, L., & Zuluaga, R. (2020). Cocoa shell: an industrial by-product for the preparation of suspensions of holocellulose nanofibers and fat. *Cellulose*, 27(18), 10873–10884. <https://doi.org/10.1007/s10570-020-03222-6>



- Greño, M., Plaza, M., Luisa Marina, M., & Castro Puyana, M. (2023). Untargeted HPLC-MS-based metabolomics approach to reveal cocoa powder adulterations. *Food Chemistry*, 402. <https://doi.org/10.1016/j.foodchem.2022.134209>
- Guindo, M. L., Kabir, M. H., Chen, R., & Liu, F. (2021). Potential of Vis-NIR to measure heavy metals in different varieties of organic-fertilizers using Boruta and deep belief network. *Ecotoxicology and Environmental Safety*, 228. <https://doi.org/10.1016/j.ecoenv.2021.112996>
- Hurst, W. J., Krake, S. H., Bergmeier, S. C., Payne, M. J., Miller, K. B., & Stuart, D. A. (2011). Impact of fermentation, drying, roasting and Dutch processing on flavan-3-ol stereochemistry in cacao beans and cocoa ingredients. *Chemistry Central Journal*, 5(1), 1–10. <https://doi.org/10.1186/1752-153X-5-53>
- Jardim, R., & Morgado-Dias, F. (2020). Savitzky–Golay filtering as image noise reduction with sharp color reset. *Microprocessors and Microsystems*, 74. <https://doi.org/10.1016/j.micpro.2020.103006>
- Jaskowiak, P. A., Campello, R. J. G. B., & Costa, I. G. (2014). On the selection of appropriate distances for gene expression data clustering. *BMC Bioinformatics*, 15. <https://doi.org/10.1186/1471-2105-15-S2-S2>
- Jha, S. N. (2016). *Rapid Detection of Food Adulterants and Contaminants, Theory and Practice*. 278.
- Johnson, J. B. (2020). An overview of near-infrared spectroscopy (NIRS) for the detection of insect pests in stored grains. In *Journal of Stored Products Research* (Vol. 86). Elsevier Ltd. <https://doi.org/10.1016/j.jspr.2019.101558>
- Jolić, S. M., Radojčić Redovnikovic, I., Marković, K., Ivanec Šipušić, D., & Delonga, K. (2011). Changes of phenolic compounds and antioxidant capacity in cocoa beans processing. *International Journal of Food Science and Technology*, 46(9), 1793–1800. <https://doi.org/10.1111/j.1365-2621.2011.02670.x>
- Kamal, M., & Karoui, R. (2015). Analytical methods coupled with chemometric tools for determining the authenticity and detecting the adulteration of dairy products: A review. In *Trends in Food Science and Technology* (Vol. 46, Issue 1, pp. 27–48). Elsevier Ltd. <https://doi.org/10.1016/j.tifs.2015.07.007>
- Kene Ejehalaka, K., & On, S. L. W. (2020). Effective detection and quantification of chemical adulterants in model fat-filled milk powders using NIRS and hierarchical modelling strategies. *Food Chemistry*, 309. <https://doi.org/10.1016/j.foodchem.2019.125785>
- Kim, D., & Heo, T. Y. (2022). Anomaly Detection with Feature Extraction Based on Machine Learning Using Hydraulic System IoT Sensor Data. *Sensors*, 22(7). <https://doi.org/10.3390/s22072479>
- Köhn, H., & Hubert, L. J. (2015). Hierarchical Cluster Analysis. In *Wiley StatsRef: Statistics Reference Online* (pp. 1–13). Wiley. <https://doi.org/10.1002/9781118445112.stat02449.pub2>
- Kong, D., Sun, D., Qiu, R., Zhang, W., Liu, Y., & He, Y. (2022). Rapid and nondestructive detection of marine fishmeal adulteration by hyperspectral



- imaging and machine learning. *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy*, 273. <https://doi.org/10.1016/j.saa.2022.120990>
- Kongor, J. E., Hinneh, M., de Walle, D. Van, Afoakwa, E. O., Boeckx, P., & Dewettinck, K. (2016). Factors influencing quality variation in cocoa (*Theobroma cacao*) bean flavour profile - A review. *Food Research International*, 82, 44–52. <https://doi.org/10.1016/j.foodres.2016.01.012>
- Kumar, V., Chhabra, J. K., & Kumar, D. (2014). *Performance Evaluation of Distance Metrics in the Clustering Algorithms*.
- Kursa, M. B., & Rudnicki, W. R. (2010). Feature Selection with the Boruta Package. In *JSS Journal of Statistical Software* (Vol. 36). <http://www.jstatsoft.org/>
- Laborde, A., Puig-Castellví, F., Jouan-Rimbaud Bouveresse, D., Eveleigh, L., Cordella, C., & Jaillais, B. (2021). Detection of chocolate powder adulteration with peanut using near-infrared hyperspectral imaging and Multivariate Curve Resolution. *Food Control*, 119(April 2020). <https://doi.org/10.1016/j.foodcont.2020.107454>
- Li, Y., Feng, Y., Zhu, S., Luo, C., Ma, J., & Zhong, F. (2012). The effect of alkalization on the bioactive and flavor related components in commercial cocoa powder. *Journal of Food Composition and Analysis*, 25(1), 17–23. <https://doi.org/10.1016/j.jfca.2011.04.010>
- Liu, W., & Li, Q. (2017). An efficient elastic net with regression coefficients method for variable selection of spectrum data. *PLoS ONE*, 12(2). <https://doi.org/10.1371/journal.pone.0171122>
- Martínez, R., Torres, P., Meneses, M. A., Figueroa, J. G., Pérez-Álvarez, J. A., & Viuda-Martos, M. (2012). Chemical, technological and in vitro antioxidant properties of cocoa (*Theobroma cacao* L.) co-products. *Food Research International*, 49(1), 39–45. <https://doi.org/10.1016/j.foodres.2012.08.005>
- McDonald, G. C. (2009). Ridge regression. *Wiley Interdisciplinary Reviews: Computational Statistics*, 1(1), 93–100. <https://doi.org/10.1002/wics.14>
- Mendlein, A., Szkudlarek, C., & Goodpaster, J. V. (2013). Chemometrics. *Encyclopedia of Forensic Sciences: Second Edition*, 646–651. <https://doi.org/10.1016/B978-0-12-382165-2.00259-2>
- Mishra, P., Biancolillo, A., Roger, J. M., Marini, F., & Rutledge, D. N. (2020). New data preprocessing trends based on ensemble of multiple preprocessing techniques. In *TrAC - Trends in Analytical Chemistry* (Vol. 132). Elsevier B.V. <https://doi.org/10.1016/j.trac.2020.116045>
- Monakhova, Y. B., & Diehl, B. W. K. (2015). Combining ^1H NMR spectroscopy and multivariate regression techniques to quantitatively determine falsification of porcine heparin with bovine species. *Journal of Pharmaceutical and Biomedical Analysis*, 115, 543–551. <https://doi.org/10.1016/j.jpba.2015.08.017>
- Moore, J. C., Spink, J., & Lipp, M. (2012). Development and Application of a Database of Food Ingredient Fraud and Economically Motivated Adulteration from 1980 to 2010. *Journal of Food Science*, 77(4). <https://doi.org/10.1111/j.1750-3841.2012.02657.x>



- Nallan Chakravartula, S. S., Moscetti, R., Bedini, G., Nardella, M., & Massantini, R. (2022). Use of convolutional neural network (CNN) combined with FT-NIR spectroscopy to predict food adulteration: A case study on coffee. *Food Control*, 135. <https://doi.org/10.1016/j.foodcont.2022.108816>
- Nisar, N., Mustafa, F., Tahir, A., Qadri, R., Yang, Y., Khan, M. I., & Wang, F. (2020). Proximate composition, functional properties and quantitative analysis of benzoyl peroxide and benzoic acid in wheat flour samples: Effect on wheat flour quality. *PeerJ*, 2020(3). <https://doi.org/10.7717/peerj.8788>
- Nobari Moghaddam, H., Tamiji, Z., Akbari Lakeh, M., Khoshayand, M. R., & Haji Mahmoodi, M. (2022a). Multivariate analysis of food fraud: A review of NIR based instruments in tandem with chemometrics. In *Journal of Food Composition and Analysis* (Vol. 107). Academic Press Inc. <https://doi.org/10.1016/j.jfca.2021.104343>
- Nobari Moghaddam, H., Tamiji, Z., Akbari Lakeh, M., Khoshayand, M. R., & Haji Mahmoodi, M. (2022b). Multivariate analysis of food fraud: A review of NIR based instruments in tandem with chemometrics. In *Journal of Food Composition and Analysis* (Vol. 107). Academic Press Inc. <https://doi.org/10.1016/j.jfca.2021.104343>
- NSF. (2014). *Risk Modelling Of Food Fraud Motivation - "NSF Fraud Protection Model" Intelligent Risk Model Scoping Project FS 246004 NSF Safety and Quality UK Ltd.*
- Pandiselvam, R., Mahanti, N. K., Manikantan, M. R., Kothakota, A., Chakraborty, S. K., Ramesh, S. v., & Beegum, P. P. S. (2022). Rapid detection of adulteration in desiccated coconut powder: vis-NIR spectroscopy and chemometric approach. *Food Control*, 133. <https://doi.org/10.1016/j.foodcont.2021.108588>
- Pavlou, M., Ambler, G., Seaman, S., de iorio, M., & Omar, R. Z. (2016). Review and evaluation of penalised regression methods for risk prediction in low-dimensional data with few events. *Statistics in Medicine*, 35(7), 1159–1177. <https://doi.org/10.1002/sim.6782>
- Pu, Y. Y., O'Donnell, C., Tobin, J. T., & O'Shea, N. (2020). Review of near-infrared spectroscopy as a process analytical technology for real-time product monitoring in dairy processing. In *International Dairy Journal* (Vol. 103). Elsevier Ltd. <https://doi.org/10.1016/j.idairyj.2019.104623>
- Qin, X. W., Lai, J. X., Tan, L. H., Hao, C. Y., Li, F. P., He, S. Z., & Song, Y. H. (2017). Characterization of volatile compounds in Criollo, Forastero, and Trinitario cocoa seeds (*Theobroma cacao L.*) in China. *International Journal of Food Properties*, 20(10), 2261–2275. <https://doi.org/10.1080/10942912.2016.1236270>
- Quelal-Vásconez, M. A., Pérez-Esteve, É., Arnau-Bonachera, A., Barat, J. M., & Talens, P. (2018). Rapid fraud detection of cocoa powder with carob flour using near infrared spectroscopy. *Food Control*, 92, 183–189. <https://doi.org/10.1016/j.foodcont.2018.05.001>
- Rababah, T. M., Al-u'datt, M., Ereifej, K., Almajwal, A., Al-Mahasneh, M., Brewer, S., Alsheyab, F., & Yang, W. (2013). Chemical, Functional and



- Sensory Properties of Carob Juice. *Journal of Food Quality*, 36(4), 238–244.
<https://doi.org/10.1111/jfq.12033>
- Rahmani, N., & Mani-Varnosfaderani, A. (2022). Quality control, classification, and authentication of Iranian rice varieties using FT-IR spectroscopy and sparse chemometric methods. *Journal of Food Composition and Analysis*, 112.
<https://doi.org/10.1016/j.jfca.2022.104650>
- Rajoub, B. (2020). Supervised and unsupervised learning. In *Biomedical Signal Processing and Artificial Intelligence in Healthcare* (pp. 51–89). Elsevier.
<https://doi.org/10.1016/b978-0-12-818946-7.00003-2>
- Ranstam, J., & Cook, J. A. (2018). LASSO regression. *British Journal of Surgery*, 105(10), 1348. <https://doi.org/10.1002/bjs.10895>
- Rinnan, Å., Berg, F. van den, & Engelsen, S. B. (2009). Review of the most common pre-processing techniques for near-infrared spectra. In *TrAC - Trends in Analytical Chemistry* (Vol. 28, Issue 10, pp. 1201–1222).
<https://doi.org/10.1016/j.trac.2009.07.007>
- Rodriguez-Campos, J., Escalona-Buendía, H. B., Contreras-Ramos, S. M., Orozco-Avila, I., Jaramillo-Flores, E., & Lugo-Cervantes, E. (2012). Effect of fermentation time and drying temperature on volatile compounds in cocoa. *Food Chemistry*, 132(1), 277–288.
<https://doi.org/10.1016/j.foodchem.2011.10.078>
- Rodriguez-Galiano, V., Sanchez-Castillo, M., Chica-Olmo, M., & Chica-Rivas, M. (2015). Machine learning predictive models for mineral prospectivity: An evaluation of neural networks, random forest, regression trees and support vector machines. *Ore Geology Reviews*, 71, 804–818.
<https://doi.org/10.1016/j.oregeorev.2015.01.001>
- Sanguigni, V., Manco, M., Sorge, R., Gnessi, L., & Francomano, D. (2017). Natural antioxidant ice cream acutely reduces oxidative stress and improves vascular function and physical performance in healthy individuals. *Nutrition*, 33, 225–233. <https://doi.org/10.1016/J.NUT.2016.07.008>
- Santander Muñoz, M., Rodríguez Cortina, J., Vaillant, F. E., & Escobar Parra, S. (2020). An overview of the physical and biochemical transformation of cocoa seeds to beans and to chocolate: Flavor formation. In *Critical Reviews in Food Science and Nutrition* (Vol. 60, Issue 10, pp. 1593–1613). Taylor and Francis Inc. <https://doi.org/10.1080/10408398.2019.1581726>
- Santos, I. A., Conceição, D. G., Viana, M. B., Silva, G. de J., Santos, L. S., & Ferrão, S. P. B. (2021). NIR and MIR spectroscopy for quick detection of the adulteration of cocoa content in chocolates. *Food Chemistry*, 349(June 2020).
<https://doi.org/10.1016/j.foodchem.2021.129095>
- Sarker, S. D., & Nahar, L. (2015). Applications of High Performance Liquid Chromatography in the Analysis of Herbal Products. In *Evidence-Based Validation of Herbal Medicine*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-800874-4.00019-2>
- Schreiber-Gregory, D. N. (2018). Ridge Regression and multicollinearity: An in-depth review. *Model Assisted Statistics and Applications*, 13(4), 359–365.
<https://doi.org/10.3233/MAS-180446>



- Shafiee, S., Lied, L. M., Burud, I., Dieseth, J. A., Alsheikh, M., & Lillemo, M. (2021). Sequential forward selection and support vector regression in comparison to LASSO regression for spring wheat yield prediction based on UAV imagery. *Computers and Electronics in Agriculture*, 183. <https://doi.org/10.1016/j.compag.2021.106036>
- Song, Q. C., Tang, C., & Wee, S. (2021). Making Sense of Model Generalizability: A Tutorial on Cross-Validation in R and Shiny. *Advances in Methods and Practices in Psychological Science*, 4(1). <https://doi.org/10.1177/2515245920947067>
- Soni Madhulatha, T. (2012). AN OVERVIEW ON CLUSTERING METHODS. 2(4), 719–725. www.iosrjen.org
- Spizzirri, U. G., Ieri, F., Campo, M., Paolino, D., Restuccia, D., & Romani, A. (2019). Biogenic amines, phenolic, and aroma-related compounds of unroasted and roasted cocoa beans with different origin. *Foods*, 8(8). <https://doi.org/10.3390/foods8080306>
- Stanimirova, I., & Daszykowski, M. (2018). Exploratory Analysis of Metabolomic Data. In *Comprehensive Analytical Chemistry* (Vol. 82, pp. 227–264). Elsevier B.V. <https://doi.org/10.1016/bs.coac.2018.08.005>
- Stankov, S., Dzhivoderova-Zarcheva, M., Dimitrova, E., Damyanova-Bakardzhieva, M., & Fidan, H. (2020). Rheological and sensory properties of glazes prepared with carob and cocoa powders. *Journal of Food Processing and Preservation*, 44(8), e14580. <https://doi.org/10.1111/JFPP.14580>
- Steinbach, A. (2013). *NIR Spectroscopy A guide to near-infrared spectroscopic analysis of industrial manufacturing processes Monograph NIR Spectroscopy*.
- Strauss, T., & von Maltitz, M. J. (2017). Generalising ward's method for use with manhattan distances. *PLoS ONE*, 12(1). <https://doi.org/10.1371/journal.pone.0168288>
- Su, N., Weng, S., Wang, L., & Xu, T. (2021). Reflectance spectroscopy with multivariate methods for non-destructive discrimination of edible oil adulteration. *Biosensors*, 11(12). <https://doi.org/10.3390/bios11120492>
- Teye, E., Huang, X. yi, Lei, W., & Dai, H. (2014). Feasibility study on the use of Fourier transform near-infrared spectroscopy together with chemometrics to discriminate and quantify adulteration in cocoa beans. *Food Research International*, 55, 288–293. <https://doi.org/10.1016/j.foodres.2013.11.021>
- Tian, F., Yang, L., Lv, F., & Zhou, P. (2009). Predicting liquid chromatographic retention times of peptides from the *Drosophila melanogaster* proteome by machine learning approaches. *Analytica Chimica Acta*, 644(1–2), 10–16. <https://doi.org/10.1016/j.aca.2009.04.010>
- Veselá, A., Barros, A. S., Synytsya, A., Delgadillo, I., Čopíková, J., & Coimbra, M. A. (2007). Infrared spectroscopy and outer product analysis for quantification of fat, nitrogen, and moisture of cocoa powder. *Analytica Chimica Acta*, 601(1), 77–86. <https://doi.org/10.1016/j.aca.2007.08.039>
- Wang, Y. Y., Li, J. Q., Liu, H. G., & Wang, Y. Z. (2019). Attenuated total reflection-Fourier transform infrared spectroscopy (ATR-FTIR) combined with chemometrics methods for the classification of Lingzhi species. *Molecules*, 24(12). <https://doi.org/10.3390/molecules24122210>



- Wang, Z., Wang, Y., Zeng, R., Srinivasan, R. S., & Ahrentzen, S. (2018). Random Forest based hourly building energy prediction. *Energy and Buildings*, 171, 11–25. <https://doi.org/10.1016/j.enbuild.2018.04.008>
- Wei, J., Chu, X., Sun, X. Y., Xu, K., Deng, H. X., Chen, J., Wei, Z., & Lei, M. (2019). Machine learning in materials science. In *InfoMat* (Vol. 1, Issue 3, pp. 338–358). Blackwell Publishing Ltd. <https://doi.org/10.1002/inf2.12028>
- Weng, S., Guo, B., Tang, P., Yin, X., Pan, F., Zhao, J., Huang, L., & Zhang, D. (2020). Rapid detection of adulteration of minced beef using Vis/NIR reflectance spectroscopy with multivariate methods. *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy*, 230. <https://doi.org/10.1016/j.saa.2019.118005>
- Wilde, A. S., Haughey, S. A., Galvin-King, P., & Elliott, C. T. (2019). The feasibility of applying NIR and FT-IR fingerprinting to detect adulteration in black pepper. *Food Control*, 100, 1–7. <https://doi.org/10.1016/j.foodcont.2018.12.039>
- World Health Organization. (2015). *Food safety: What you should know*.
- Yang, W. li, Hu, M. hua, Chen, S. wei, Wang, Q., Zhu, S., Dai, J., & Li, X. zhong. (2015). Identification of Adulterated Cocoa Powder Using Chromatographic Fingerprints of Polysaccharides Coupled with Principal Component Analysis. *Food Analytical Methods*, 8(9), 2360–2367. <https://doi.org/10.1007/s12161-015-0126-6>
- Yao, H., & Lewis, D. (2010). Spectral Preprocessing and Calibration Techniques. In *Hyperspectral Imaging for Food Quality Analysis and Control* (pp. 45–78). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-374753-2.10002-4>
- Yim, O., & Ramdeen, K. T. (2015). *Hierarchical Cluster Analysis: Comparison of Three Linkage Measures and Application to Psychological Data* (Vol. 11, Issue 1).
- Yong, C. H., Muhammad, S. A., Aziz, F. A., Ng, J. S., Nasir, F. I., Adenan, M. N. H., Moosa, S., Othman, Z., Abdullah, S. N. A., Sharif, Z., Ismail, F. F., Kelly, S. D., Cannavan, A., & Seow, E. K. (2022). Detection of adulteration activities in edible bird's nest using untargeted ¹H-NMR metabolomics with chemometrics. *Food Control*, 132(August 2021), 108542. <https://doi.org/10.1016/j.foodcont.2021.108542>
- Zhu, Y., Zou, L., & Tan, T. L. (2022). A clustering group lasso method for quantification of adulteration in black cumin seed oil using Fourier transform infrared spectroscopy. *Chemometrics and Intelligent Laboratory Systems*, 220. <https://doi.org/10.1016/j.chemolab.2021.104471>
- Zhu, Z., Chen, S., Wu, X., Xing, C., & Yuan, J. (2018). Determination of soybean routine quality parameters using near-infrared spectroscopy. *Food Science and Nutrition*, 6(4), 1109–1118. <https://doi.org/10.1002/fsn3.652>
- Zuo, R., & Carranza, E. J. M. (2011). Support vector machine: A tool for mapping mineral prospectivity. *Computers and Geosciences*, 37(12), 1967–1975. <https://doi.org/10.1016/j.cageo.2010.09.014>